DUPLICATE
HX00065544

DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS

IN THE REGISTRATION AREA OF THE UNITED STATES

1914

WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

RC261 Un3
Q
Columbia University
in the City of New York
College of Physicians and Surgeons

Library

DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS

IN THE REGISTRATION AREA OF THE UNITED STATES

1914

WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

RC
361
.U53
1919
Q

CONTENTS.

TEXT.

Page.

INTRODUCTION 7–12
Classification according to location 7
Proportion of transcripts which contained needed information 7
Circular letter to physicians 7
Classification as to diagnosis 8
List showing titles and subdivisions of titles of International List, relating to cancer and other malignant tumors, as used in this report, together with inclusions under each title 9
THE REGISTRATION AREA 12, 13
Growth of the registration area: 1880 to 1914 12
Extent of the registration area in 1914 13
Population of registration states, by age and sex, in 1914 13
SUMMARY AND ANALYSIS OF THE STATISTICS 13–18
Color, nativity, parent nativity, age, and sex of decedent 13
Deaths and crude death rates 14
High and low rates for states 14
High and low rates for cities 14
Crude rates for different localities noncomparable 15
Deaths and death rates in seven titles of International Classification: 1900–1914 15
Deaths, death rates, and per cent distribution, by location of disease: 1914 15
Crude death rates at all ages and specific death rates for thirteen age groups, by sex, from cancer and other malignant tumors, according to the part of the body affected, for the registration states: 1914 16
Death rates in foreign countries: 1900–1914 18

SUMMARY AND RATE TABLES.

TABLE I.—Population and deaths and death rates per 100,000 population from cancer and other malignant tumors in the registration area and its subdivisions: 1914 21
TABLE II.—Death rates per 100,000 population from cancer and other malignant tumors, classified according to the part of the body affected, for the registration area and for each registration unit in which there were 50 or more such deaths: 1914 35

GENERAL TABLES.

TABLE 1.—Deaths from cancer and other malignant tumors, with statement of diagnosis, at specified ages, by sex and color, for the registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914 .. 44
TABLE 2.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, with statement of diagnosis, by sex and color, for the registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914 88
TABLE 3.—Deaths from cancer and other malignant tumors in the registration area and the registration states, by age and by sex, color, general nativity, and parent nativity of decedent: 1914 182
TABLE 4.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, in the registration states, by age, sex, color, general nativity, and parent nativity of decedent: 1914 184
TABLE 5.—Deaths from cancer and other malignant tumors, in the registration states, of single, married, widowed, and divorced persons, and of those of unknown conjugal condition, by sex, age, color, general nativity, and parent nativity of decedent: 1914 210

MAPS AND DIAGRAM.

Growth of the registration area for deaths: 1880–1914 (maps) 11
Percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive (diagram) 12

Digitized by the Internet Archive
in 2010 with funding from
Open Knowledge Commons

http://www.archive.org/details/mortalityfromcan00unit

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., August 21, 1916.

SIR:

I transmit herewith a monograph on the mortality from cancer and other malignant tumors in the registration area of the United States. In this monograph the seven titles of the International List of Causes of Death covering the subject of cancer have been subdivided, so that deaths from cancer and other malignant tumors are classified, according to location, under 29 separate headings.

I wish to acknowledge the advice and cooperation of the American Society for the Control of Cancer, and especially of its Statistical Advisory Board: Dr. F. L. Hoffman, chairman; Dr. Cressy L. Wilbur, Dr. William H. Guilfoy, Dr. Louis I. Dublin, and Mr. Curtis E. Lakeman, executive secretary; and also of Prof. Walter F. Willcox, of Cornell University, and Dr. William J. Mayo.

This monograph was prepared under the supervision of Mr. Richard C. Lappin, chief statistician for vital statistics, assisted by Mr. George H. Van Buren, expert chief of division.

Respectfully,

SAM. L. ROGERS,
Director of the Census.

To Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA OF THE UNITED STATES: 1914.

INTRODUCTION.

This monograph presents, in greater detail than heretofore shown in the annual mortality reports of the Bureau of the Census, statistics of deaths occurring in the registration area of the United States during the calendar year 1914 and reported as due to cancer and other malignant tumors. The preparation of this monograph was authorized by the Director of the Census on October 17, 1914, in compliance with the suggestion of a number of the foremost students of the cancer problem and at the request of the American Society for the Control of Cancer. The request of this society was made in pursuance of the following resolution, adopted at a meeting of the executive committee on February 7, 1914:

Resolved, That the executive committee of the American Society for the Control of Cancer respectfully suggests to the Director of the United States Census that the division of vital statistics be instructed to publish hereafter, in the annual volume on mortality statistics, a more detailed statement of the deaths from cancer and other malignant tumors, as reported for the registration area of the United States, and in accordance with the details as given in the second revision of the Manual of the International List of Causes of Death, pages 63–66, inclusive.

It was deemed advisable, however, to publish this detailed statement in the form of a separate monograph, in order not to cause too great a delay in the publication of the annual report on mortality statistics.

CLASSIFICATION ACCORDING TO LOCATION.

In the preparation of the accompanying tables the bureau has subdivided the seven titles of the International List of Causes of Death, covering the subject of cancer, so that the statistics show the mortality from cancer and other malignant growths,[1] classified according to location, under 29 separate headings. It was suggested by a member of the Society for the Control of Cancer that two sets of statistics should be presented, showing (*a*) growths of which the existence and malignant nature were reasonably certain on the basis of autopsies, surgical operations, microscopical examinations, or accessibility to observation by reason of exposed situations; and (*b*) those of which identification as malignant tumors was uncertain, that is, internal cancers and other malignant growths, diagnoses of which were based on clinical findings only. This suggestion was adopted.

[1] The term "cancer," as used throughout this monograph, includes "other malignant tumors."

PROPORTION OF TRANSCRIPTS WHICH CONTAINED NEEDED INFORMATION.

The first step in preparation for the tabulation was to make an estimate of the percentage of the transcripts, as received by the Census Bureau, which contained the desired information. It was estimated that at least 50,000 deaths in the registration area would be reported during the year 1914 as due to cancer. About 2,000 transcripts from several registration states were examined and it was found that in less than 2 per cent of the cases was the fact of autopsy mentioned, that about 9 per cent of the transcripts contained the information that surgical operations had been performed, and that in practically no cases was it stated that the diagnosis was based on clinical findings. For the entire 50,000 cases, there would thus be, on the basis of the data on the 2,000 transcripts of death certificates examined, about 11 per cent, or approximately 5,500, in which surgical operations or autopsies had been performed. Using as a criterion the mortality statistics for 1913, it was estimated that about 8,500 deaths would be reported as due to cancer or malignant tumors of the buccal cavity, skin, and breast, all so situated that no mistake would be probable in diagnosis, and that these, therefore, could be classified as of reasonably certain malignancy. There would thus be a total of approximately 14,000 cases in which the diagnosis could be safely accepted as "reasonably certain," leaving some 36,000 in which it was necessary for the Bureau of the Census to communicate with the attending physicians in order to ascertain whether the diagnoses were based on clinical findings or on autopsies, or whether surgical operations had been performed.

CIRCULAR LETTER TO PHYSICIANS.

The following circular letter was, therefore, prepared and sent to over 35,000 physicians, and it is gratifying to be able to state that replies were received from about 80 per cent of them. In this connection it should be borne in mind that in many cases the deaths occurred nine or ten months prior to their receipt of the letters.

As a result of this investigation, the bureau was able to compile 30,555 deaths, or 58.3 per cent of the total, under the caption "Diagnosis reasonably certain"; 14,404, or 27.5 per cent, under "Diagnosis uncertain"; and 7,461, or 14.2 per cent, under "Diagnosis unknown."

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
WASHINGTON.

DEAR DOCTOR:

At the request of the American Society for the Control of Cancer the Bureau of the Census has decided to publish two sets of statistics covering the subject of deaths from cancer and other malignant tumors:

(*a*) Statistics of deaths in which the diagnoses were based on clinical findings.

(*b*) Statistics of deaths in which the diagnoses were confirmed by autopsies, or in which surgical operations were performed.

Will you kindly examine the accompanying transcript of a medical certificate of death, the original of which was made out by you, and note thereon whether the diagnosis was based on *clinical findings* or *autopsy;* also whether there was *surgical intervention?* In either case the *seat of the disease* should also be stated. Any further data which you care to give may be written on the reverse side of the transcript.

The information will be treated as strictly confidential and used for statistical purposes only. I feel assured that your interest in advancing the scientific study of this subject will prompt you to aid the bureau in this great work, the success of which is entirely dependent upon the cooperation of American physicians.

Prompt return of the information desired, by means of inclosed penalty envelope, which requires no postage, will be greatly appreciated, as we are now compiling these returns.

Very respectfully,

SAM. L. ROGERS, *Director.*

The Bureau of the Census takes this occasion to express its sincere appreciation of the interest and courtesy shown by so many thousands of physicians in their replies. It was necessary in many cases to consult records which were months old; in others certificates had been signed by doctors who had answered calls in the absence of the regular medical attendants, but who either referred the bureau to the latter or obtained from them the case histories. Many replies were accompanied by extracts from hospital records, nurses' charts, and even photographs of the growths. Deserving of special thanks are two cases in which widows of deceased physicians sent extracts from case histories as found in their records.

In editing the replies of the physicians a considerable number of cases were noted of which the following is an example: The return was "cancer of the liver." The physician replying to the Census Bureau inquiry as to basis of diagnosis stated that, so far as the liver was concerned, the diagnosis was purely clinical, but that prior to this a cancer of the breast had been excised; or that the decedent had suffered for years from a malignant tumor of the rectum, the uterus, the axilla, the face, or some other "visible or accessible" organ or member. The bureau in classifying such a case was therefore confronted with this situation: (*a*) The existence of cancer was certain or "reasonably certain" in the visible or accessible organ or member; (*b*) the existence of cancer in the inaccessible organ was confirmed by clinical symptoms only; (*c*) the executive council of the American Society for the Control of Cancer, in conjunction with representatives of other interested organizations and persons, had recommended "that all diagnoses of inaccessible cancer based on clinical findings alone should be referred to the 'uncertain class' regardless of any strength of assertion by the physician that the diagnosis was correct."

Under these conditions it was decided to classify the death as one caused by cancer of the visible or accessible organ, it being deemed better to establish as nearly as possible the number of deaths in which it was "reasonably certain" that the cause was *cancer,* than to tabulate under the head of cancer *of any given organ* deaths which were declared by the society to be *uncertain as to cause* by reason of the fact that the diagnosis was based on clinical findings only. In former years, however, such a death, classified on the basis of the original unamended statement, would have been charged to cancer of the inaccessible organ; and it may be that the number of changes in this respect will be sufficient to influence the rate for Title 44 (Cancer of the skin) and Title 43 (Cancer of the breast).

CLASSIFICATION AS TO DIAGNOSIS.

Deaths covered by the following classes of cases were compiled under the caption, "Diagnosis reasonably certain":

(*a*) All cases of external cancers, including those assignable to Title No. 43 (Cancer of breast); to Title No. 44 (Cancer of skin); and to the majority of the terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified).

(*b*) All cases of cancers in cavities of the body or in organs that can be seen and examined without operative measures; e. g., those assignable to Title No. 39 (Cancer of the buccal cavity); to Title No. 41, subtitle C (Cancer of rectum and anus); to Title No. 42, subtitle B (Cancer of the uterus); to Title No. 42, subtitle C (Cancer of vagina and vulva); to Title No. 45, subtitle A (Cancer of larynx); and to a few terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified.

(*c*) All cases in which diagnosis was confirmed by surgical intervention (including exploratory operations).

(*d*) All cases in which diagnosis was confirmed by microscopic findings.

(*e*) All cases in which diagnosis was confirmed by post-mortems, autopsies, or necropsies.

The following cases were compiled under "Diagnosis uncertain":

All cases in which death was ascribed to malignant growths of organs or parts of the body that are inaccessible except through operative measures, and in which no operative measures were employed, no microscopic examinations were made, and no post-mortems, autopsies, or necropsies were performed.

Under this heading are included cases where growths were inaccessible, no operative measures were employed, and the diagnoses were based on clinical findings only, even though they were concurred in by consultants, and even though physicians of most eminent professional standing positively asserted that they were sure of their diagnoses. This has been done on the earnest recommendation of the American Society for the Control of Cancer.

Under "Diagnosis unknown" were compiled—

All those cases concerning which correspondence with physicians was necessary to determine whether diagnosis was reasonably certain or was uncertain, and concerning which no replies were received to the communications of the Bureau of the Census.

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE.

39.—Cancer and other malignant tumors of the buccal cavity.
- 39A.—*Cancer of the lip:*
  - Cancer of lip.
  - Smokers' cancer.
- 39B.—*Cancer of the tongue:*
  - Cancer of tongue.
  - Carcinoma linguae.
  - Lingual cancer.
- 39C.—*Cancer of the mouth* (without further qualification):
  - Cancer of mouth.
- 39D.—*Cancer of the jaw:*
  - Cancer of jaw.
  - Cancer of maxilla.
- 39X.—*Other cancers of this class:*
  - Cancer of buccal cavity (without further qualification).
  - Cancer of cheek.
  - Cancer of gum.
  - Cancer of palate.
  - Cancer of soft palate.
  - Cancer of tonsil.

40.—Cancer and other malignant tumors of the stomach, liver.
- 40A.—*Cancer of the pharynx:*
  - Cancer of pharynx.
- 40B.—*Cancer of the esophagus:*
  - Cancer of esophagus.
- 40C.—*Cancer of the stomach:*
  - Cancer of cardia.
    - cardiac orifice of stomach.
    - pylorus.
    - stomach.
  - Carcinoma ventriculi.
  - Gastric tumor.
  - Gastrocarcinoma.
  - Tumor of stomach.
- 40D.—*Cancer of the liver and gall bladder:*
  - Cancer of bile duct.
    - gall bladder.
      - duct.
    - liver.
  - Hepatic cancer.
  - Melanosis of liver.

41.—Cancer and other malignant tumors of the peritoneum, intestines, rectum.
- 41A.—*Cancer of the mesentery and peritoneum:*
  - Cancer of mesentery.
    - omentum.
    - peritoneum.
    - retroperitoneal gland.
  - Cancerous peritonitis.
  - Lymphosarcoma of peritoneum.
  - Malignant peritonitis.
  - Retroperitoneal cancer.
- 41B.—*Cancer of the intestines* (except rectum):
  - Cancer of appendix.
    - cecum.
    - caput coli.
    - colon.
    - duodenum.
    - ileum.

41.—Cancer and other malignant tumors of the peritoneum, intestines, rectum—Continued.
- 41B.—*Cancer of the intestines* (except rectum)—Continued.
  - Cancer of intestinal gland.
    - intestine.
    - sigmoid flexure.
  - Carcinoma entericum.
  - Malignant stricture of intestine.
    - ulceration of intestine.
- 41C.—*Cancer of the rectum and anus:*
  - Cancer of anus.
    - rectum.
- 41X.—*Other cancers of this class:*
  - Cancer of abdominal viscera.
  - Malignant internal stricture.

42.—Cancer and other malignant tumors of the female genital organs.
- 42A.—*Cancer of the ovary and fallopian tube:*
  - Cancer of fallopian tube.
    - ovary.
- 42B.—*Cancer of the uterus:*
  - Cancer of cervix.
    - uterus.
    - womb.
  - Cervical cancer.
  - Neoplasm of uterus.
- 42C.—*Cancer of the vagina and vulva:*
  - Cancer of vagina.
    - vulva.
- 42X.—*Other cancers of this class:*
  - Cancer of broad ligament.
    - female genital organ (unspecified).
    - uterine ligament.
  - Chorioepithelioma.
  - Deciduoma malignum.
  - Hydatid mole.
  - Hydatidiform mole.
  - Syncytioma.

43.—Cancer and other malignant tumors of the breast.
- Cancer of breast.
  - mammary gland.
  - nipple.
- Cancer en cuirasse.
- Neoplasm of breast.

44.—Cancer and other malignant tumors of the skin.
- Cancer of auricle (of ear).
  - chin.
  - connective tissue.
  - ear.
  - face.
  - head.
  - nose.
  - scalp.
  - skin.
  - umbilicus.
- Cancroid (unqualified).
- Cervicofacial cancer.
- Columnar epithelioma.
- Epithelial tumor (location not indicated).
- Epithelioma (location not indicated).
- Noli me tangere.
- Rodent dermatitis.
  - ulcer.

[This title does not include *Esthiomene* (34) or *Lupus* (34).]

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE—Continued.

45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED.

45A.—*Cancer of the larynx:*
- Cancer of larynx.

45B.—*Cancer of the lung and pleura:*
- Cancer of anterior mediastinum.
- lung.
- mediastinal gland.
- mediastinum.
- pleura.
- Pulmonary cancer.

45C.—*Cancer of the pancreas:*
- Cancer of pancreas.

45D.—*Cancer of the kidneys and suprarenals:*
- Cancer of adrenal.
- kidney.
- suprarenal.
- Renal cancer.
- Rhabdomyosarcoma of kidney.

45E.—*Cancer of the prostate:*
- Cancer of prostate.
- Malignant prostatitis.

45F.—*Cancer of the bladder:*
- Cancer of bladder.

45G.—*Cancer of the brain:*
- Cancer of brain.
- membrane of brain.

45H.—*Cancer of the bones* (except jaw):
- Cancer of bone.
- joint.
- sacrum.
- scapula.
- spine.
- sternum.
- vertebra.
- zygoma.
- Osteosarcoma.

45K.—*Cancer of the testes:*
- Cancer of testicle.
- Sarcocele.

45X.—*Other cancers of this class:*
- Cancer of abdomen (without further qualification):
- accessory sinus.
- antrum.
- arm.
- artery.
- axilla.
- back.
- body.
- bronchi.
- cervical gland.
- chest.
- choroid.
- conjunctiva.
- cord.
- cornea.
- extremity.
- eye.
- fauces.
- ganglia.
- genital organ (male).
- gland.
- glandular system.
- groin.
- hand.
- heart.
- hip.

45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—Continued.

45X.—*Other cancers of this class*—Continued.
- Cancer of iliac region.
- inguinal gland.
- region.
- iris.
- lacrimal apparatus.
- leg.
- lower extremity.
- lymph gland.
- node.
- lymphatic gland.
- vessel.
- membrane of spinal cord.
- meninges.
- muscle.
- nates.
- neck.
- nerve
- orbit.
- parotid gland.
- pectoral region.
- pelvic viscera.
- pelvis.
- penis.
- pericardium.
- perineum.
- posterior nares.
- prepuce.
- salivary gland.
- scrotum.
- shoulder.
- spinal cord.
- spleen.
- temporal region.
- thorax.
- throat.
- thymus gland.
- thyroid gland.
- trachea.
- upper extremity.
- ureter.
- urethra.
- viscera.
- Cancerous cachexia.
- goiter.
- humor.
- neuritis.
- toxemia.
- Carcinomatous septicemia.
- Chimney sweeps' cancer.
- Disseminated cancer.
- General carcinomatosis.
- sarcomatosis.
- Intra-abdominal cancer.
- Lobstein's cancer.
- Malignant disease (undefined)
- fistula.
- Miliary carcinosis.
- Multiple cancer.
- melanosarcomata.
- Pelvic cancer.
- Retropharyngeal cancer.
- Sarcomatosis (unqualified).
- Sarcomatous phlebitis.
- Thyreosarcoma.

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880–1914.

NOTE.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.









THE REGISTRATION AREA.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1914.

The series of annual mortality reports began with that for the calendar year 1900, following the series of decennial reports, which began with the report of the Seventh Census, for 1850, and terminated with that of the Twelfth Census, for the year ended May 31, 1900. These decennial reports were compiled from data obtained by the population enumerators and related to the United States as a whole; and for the years 1880 and 1890 additional reports, relating only to the registration area and based on returns from registration officials, were also published.

The registration area for deaths was established in 1880, and then comprised the states of Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states, the population of the entire area being 8,538,366, or 17 per cent of the total population of the United States. Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont, and a number of cities in nonregistration states were added in 1890, nearly doubling the percentage of population included (31.4). In 1900, for the census year ended May 31, two more states, Maine and Michigan, and a number of cities in nonregistration states were brought into the area and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

With the beginning of the annual mortality reports—the first of which, as already stated, related to the calendar year 1900—and the discontinuance of the decennial series, Indiana became a registration state, and the percentage of population included in the registration area was raised to 40.5.

Thereafter there was little or no increase in the area until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota (since discontinued) were admitted, bringing the percentage up to 48.9. The next addition was in 1908, when Washington and Wisconsin became registration states, and at last over one-half of the population of the United States (52.5 per cent, according to the estimates for that year) was included in the area. The proportion continued to increase with the admission of Ohio in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities which in 1900 had 1,000 or more inhabitants, in 1910; Kentucky and Missouri in 1911; Virginia in 1913; and Kansas in 1914, in which year the estimated population of the registration area represented 66.8 per cent of the total for the United States.

The following table shows the growth of the registration area in population and land area from 1880 to 1914, inclusive:

YEAR.	UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
			Population.		Land area.	
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
Calendar year 1914	98,781,324	[1] 2,973,890	65,989,295	66.8	1,228,644	41.3
Calendar year 1913	97,163,339	[1] 2,973,890	63,298,718	65.1	1,147,039	38.6
Calendar year 1912	95,545,336	[1] 2,973,890	60,427,247	63.2	1,106,777	37.2
Calendar year 1911	93,927,342	[1] 2,973,890	59,275,977	63.1	1,106,734	37.2
Calendar year 1910	92,309,348	[1] 2,973,890	53,843,896	58.3	997,978	33.6
Calendar year 1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
Calendar year 1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
Calendar year 1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
Calendar year 1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
Calendar year 1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
Calendar year 1900	75,994,575	2,974,159	30,755,618	40.5	212,621	7.1
Census year 1900 [2]			28,807,209	37.9	175,878	5.9
Census year 1890 [2]	62,622,250	2,973,965	19,559,440	31.4	90,695	3.0
Census year 1880 [2]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[2] Ended May 31.

The percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND THE LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1914, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1914.

The registration area in 1914 was composed of 25 states, the District of Columbia, and 32 cities in nonregistration states. Included among the registration states, however, is North Carolina, the returns from which relate only to the municipalities having 1,000 population and over in 1910. These states and cities were admitted to the registration area only after it appeared, from such evidence as was available, that their returns were approximately complete; that is to say, that at least 90 per cent of all deaths were properly recorded under state law or municipal ordinance and that transcripts of the records were furnished the Bureau of the Census.

The following states are included in the registration area for 1914:

California.
Colorado.
Connecticut.
Indiana.
Kansas.
Kentucky.
Maine.
Maryland.
Massachusetts.
Michigan.
Minnesota.
Missouri.
Montana.
New Hampshire.
New Jersey.
New York.
North Carolina (municipalities of 1,000 population and over in 1910).
Ohio.
Pennsylvania.
Rhode Island.
Utah.
Vermont.
Virginia.
Washington.
Wisconsin.

The entire area comprises the preceding states, the District of Columbia, and the following-named registration cities in nonregistration states:

Alabama:
Birmingham.
Mobile.
Montgomery.
Delaware:
Wilmington.
Florida:
Jacksonville.
Key West.
Pensacola.
Georgia:
Atlanta.
Augusta.
Savannah.
Illinois:
Aurora.
Belleville.
Chicago.
Decatur.
Evanston.
Jacksonville.
Quincy.
Springfield.
Louisiana:
New Orleans.
Nebraska:
Lincoln.
Omaha.
Oregon:
Portland.
South Carolina:
Charleston.
Tennessee:
Chattanooga.
Jackson.
Knoxville.
Memphis.
Nashville.
Texas:
El Paso.
Galveston.
San Antonio.
West Virginia:
Wheeling.

POPULATION OF REGISTRATION STATES, BY AGE AND SEX, IN 1914.

The following table shows the estimated midyear population, in 1914, of the registration states, exclusive of North Carolina, by sex, by single years of age from 0 to 4, and by five-year age periods from 5 to 100. The population at unknown ages has been distributed among the various ages and age groups according to the proportions which the numbers at those ages and in those age groups formed of the total population of known ages. The rates given in the table on page 16 are based on the figures in this table. The exclusion of North Carolina from this table is due to the fact that the deaths for that state were shown only for municipalities which in 1910 had 1,000 inhabitants or more, the population by sex and age for these localities not being available. The states included in the registration area for 1914 are listed on page 13.

AGE.	ESTIMATED POPULATION OF REGISTRATION STATES,[1] JULY 1, 1914.		
	Both sexes.	Male.	Female.
All ages [2]	60,641,905	31,186,024	29,455,881
Under 1 year	1,341,242	679,463	661,779
1 year	1,202,228	608,543	593,685
2 years	1,310,794	664,205	646,589
3 years	1,295,311	652,795	642,516
4 years	1,262,416	639,508	622,908
Under 5 years	6,411,991	3,244,514	3,167,477
5 to 9 years	5,873,325	2,963,133	2,910,192
10 to 14 years	5,600,632	2,823,196	2,777,436
15 to 19 years	5,755,656	2,880,666	2,874,990
20 to 24 years	5,946,734	3,028,437	2,918,297
25 to 29 years	5,521,323	2,888,261	2,633,062
30 to 34 years	4,820,255	2,584,500	2,235,755
35 to 39 years	4,459,917	2,343,591	2,116,326
40 to 44 years	3,781,174	2,001,707	1,779,467
45 to 49 years	3,212,589	1,699,274	1,513,315
50 to 54 years	2,756,467	1,466,599	1,289,868
55 to 59 years	1,984,772	1,041,288	943,484
60 to 64 years	1,612,750	828,184	784,566
65 to 69 years	1,225,094	621,895	603,199
70 to 74 years	825,713	412,363	413,350
75 to 79 years	495,855	242,626	253,229
80 to 84 years	238,537	112,773	125,764
85 to 89 years	90,880	41,133	49,747
90 to 94 years	22,946	9,826	13,120
95 to 99 years	4,284	1,697	2,587
100 years and over	1,011	361	650

[1] Exclusive of North Carolina. [2] "Age unknown," distributed.

SUMMARY AND ANALYSIS OF THE STATISTICS.

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Of the 52,420 deaths reported in the registration area in 1914 as caused by cancer and other malignant tumors, 21,282, or 40.6 per cent, were of males, and 31,138, or 59.4 per cent, were females; and 50,515, or 96.4 per cent, were white, and 1,905, or 3.6 per cent, were colored persons. The deaths of colored persons comprised 1,824 Negroes (or 3.5 per cent of the total reported for both white and colored), 40 Chinese, 17 Japanese, and 22 Indians and 2 other colored.

Further comparisons of these groups may be made from the table on the following page.

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, REGISTRATION AREA: 1914.

COLOR, NATIVITY, AND PARENT NATIVITY.	Number.			Distribution per 1,000 of aggregate.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate	52,420	21,282	31,138	1,000.0	1,000.0	1,000.0
White	50,515	20,717	29,798	963.7	973.5	957.0
Native	31,288	11,586	19,702	596.9	544.4	632.7
Both parents native	17,648	6,342	11,306	336.7	298.0	363.1
One or both parents foreign born	8,509	3,144	5,365	162.3	147.7	172.3
Parentage unknown	5,131	2,100	3,031	97.9	98.7	97.3
Foreign born	18,775	8,871	9,904	358.2	416.8	318.1
Nativity unknown	452	260	192	8.6	12.2	6.2
Colored	1,905	565	1,340	36.3	26.5	43.0
Negro	1,824	507	1,317	34.8	23.8	42.3
Chinese	40	37	3	0.8	1.7	0.1
Japanese	17	12	5	0.3	0.6	0.2
Indian	22	7	15	0.4	0.3	0.5
Other colored	2	2	.....	(1)	0.1	.....

[1] Less than one-tenth of 1 per 1,000.

The general age distribution of the decedents from cancer is shown in the following table:

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, REGISTRATION AREA: 1914.

AGE OF DECEDENT.	Number.			Distribution per 1,000 of number at all ages.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages	52,420	21,282	31,138	1,000.0	1,000.0	1,000.0
Under 1 year	49	21	28	0.9	1.0	0.9
1 year	42	20	22	0.8	0.9	0.7
2 years	61	33	28	1.2	1.6	0.9
3 years	43	27	16	0.8	1.3	0.5
4 years	42	17	25	0.8	0.8	0.8
Under 5 years	237	118	119	4.5	5.6	3.8
5 to 9 years	122	70	52	2.3	3.3	1.7
10 to 14 years	92	54	38	1.8	2.5	1.2
15 to 19 years	174	86	88	3.3	4.0	2.8
20 to 24 years	294	147	147	5.6	6.9	4.7
25 to 29 years	587	222	365	11.2	10.4	11.7
30 to 34 years	1,064	323	741	20.3	15.2	23.8
35 to 39 years	2,119	566	1,553	40.4	26.6	49.9
40 to 44 years	3,325	967	2,358	63.4	45.4	75.7
45 to 49 years	4,632	1,502	3,130	88.4	70.6	100.5
50 to 54 years	6,131	2,323	3,808	117.0	109.2	122.3
55 to 59 years	6,663	2,741	3,922	127.1	128.8	126.0
60 to 64 years	6,909	3,071	3,838	131.8	144.3	123.3
65 to 69 years	6,780	3,134	3,646	129.4	147.3	117.1
70 to 74 years	5,893	2,754	3,139	112.4	129.4	100.8
75 to 79 years	4,033	1,757	2,276	76.9	82.6	73.1
80 to 84 years	2,213	966	1,247	42.2	45.4	40.1
85 to 89 years	828	352	476	15.8	16.5	15.3
90 to 94 years	225	94	131	4.3	4.4	4.2
95 to 99 years	34	9	25	0.6	0.4	0.8
100 years and over	8	4	4	0.2	0.2	0.1
Unknown	57	22	35	1.1	1.0	1.1

DEATHS AND CRUDE DEATH RATES.

The total number of deaths due to cancer and other malignant tumors returned from the registration area of the United States for the year 1914 was 52,420. The estimated midyear population of this area was 65,989,295, or 66.8 per cent of the total estimated population of the United States. The cancer death rate for the year was therefore 79.4 per 100,000 of population, the highest on record since the establishment of the registration area in 1880.

The death rates given in this monograph, except in the table on page 16, are what are known as "crude" rates per 100,000 population; that is, rates obtained by dividing the total number of deaths by the total (estimated) number of living inhabitants, no account being taken of sex and age distribution or of race, nativity, etc.

The following table shows, for the registration area as constituted in each year, the number of deaths and the death rates per 100,000 of population from cancer, for the census years ended May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1914, inclusive:

YEAR.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA.		YEAR.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA.	
	Number.	Rate per 100,000 population.		Number.	Rate per 100,000 population.
1914	52,420	79.4	1905	24,330	71.4
1913	49,928	78.9	1904	23,395	70.2
1912	46,531	77.0	1903	22,325	68.3
1911	44,024	74.3	1902	20,847	65.1
1910	41,039	76.2	1901	20,171	64.3
1909	37,562	73.8	1900	19,381	63.0
1908	33,465	71.5	1900[1]	17,296	60.0
1907	30,514	70.9	1890[1]	9,657	47.9
1906	29,020	69.1	1880[1]	3,651	42.8

[1] Census year ended May 31.

The death rate from cancer for 1914, 79.4 per 100,000 population, represented a very slight increase over that for the preceding year, 78.9. This very slight increase, which prevailed in each of the main subdivisions of the registration area—that is, in registration states, in the rural territory in the registration states, taken as a whole, in the urban territory in the registration states, taken as a whole, in the registration cities outside the registration states, taken as a group, and in all registration cities, taken as a group—was not due to changes in the extent of the area, since the rate for Kansas, the only state added for 1914, was but 61.3, considerably less than that for the area as a whole.

High and low rates for states.—Among the registration states the highest rate (109.9) was that for Vermont, which state also had the maximum rate in 1913. In Maine the rate was 107.6; in Massachusetts, 101.2; in New Hampshire, 100.8; and in California, 97.9. The same five states showed the highest rates in 1913, although not in the same order. The lowest rate among the registration states in 1914 was that for Utah, 45.8; next in order were Kentucky, with 46; Virginia, with 48.9; Montana, with 51.5; and North Carolina, with 57.8. (For the last-named state the figures relate only to municipalities having 1,000 or more inhabitants in 1910.)

High and low rates for cities.—Among the cities of 100,000 population or over in 1910, the highest five death rates for cancer in 1914 were shown for the following: Albany, 146.7; San Francisco, 128.4; Boston, 118.7; New Haven, 113.5; and Worcester, 111.6. The lowest five rates were those for Birmingham, 46.3; Fall River, 55.8; Atlanta, 59.1; Scranton, 60.1; and Milwaukee, 69.4.

Crude rates for different localities noncomparable.—The bureau wishes to repeat in this report the warning which it has given in its annual mortality reports, with reference to the incomparability of the crude death rates for cancer in different localities, due to the fact that in the computation of these rates no account is taken of the sex, age, and color distribution of the population or of the matter of residence or nonresidence of decedents in the localities in which death occurred. The distribution according to residence or nonresidence is especially important, since a relatively high rate for a given city may be caused largely by deaths of nonresidents who come to the city for hospital treatment. The color distribution also has a material effect on the rate, since colored persons are apparently less susceptible to cancer than are white persons, for which reason the states and cities in which the colored population is relatively large do not, as a rule, have as high rates as those places in which the population of this class is small or negligible.

Deaths and death rates in seven titles of International Classification: 1900–1914.—The following table presents, for the registration area, for each of the years 1900–1914, the estimated midyear population, the total number of deaths and the total death rate from cancer, and the number of deaths and death rate for each of the seven title headings of the detailed International Classification which relate to cancer and other malignant tumors:

CALENDAR YEAR.	REGISTRATION AREA. Estimated population, July 1,	Per cent population of area formed of total population of the United States.	Deaths from cancer and other malignant tumors.	Deaths from cancer and other malignant tumors of the— Buccal cavity.	Stomach, liver.	Peritoneum, intestines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not specified.	Death rate per 100,000 population from cancer and other malignant tumors.	Death rate per 100,000 population from cancer and other malignant tumors of the— Buccal cavity.	Stomach, liver.	Peritoneum, intestines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not specified.
1914	65,083,295	66.8	52,420	2,270	19,889	6,745	8,152	5,423	1,957	7,984	79.4	3.4	30.1	10.2	12.4	8.2	3.0	12.1
1913	63,298,718	65.1	49,928	1,966	19,767	6,625	7,706	4,592	1,725	7,547	78.9	3.1	31.2	10.5	12.2	7.3	2.7	11.9
1912	60,427,247	63.2	46,531	1,838	18,517	5,923	7,089	4,431	1,743	6,990	77.0	3.0	30.6	9.8	11.7	7.3	2.9	11.6
1911	59,275,977	63.1	44,024	1,727	17,365	5,824	6,707	4,264	1,619	6,518	74.3	2.9	29.3	9.8	11.3	7.2	2.7	11.0
1910	58,843,896	58.3	41,039	1,576	16,475	5,258	6,147	3,730	1,459	6,394	76.2	2.9	30.6	9.8	11.4	6.9	2.7	11.9
1909	50,870,518	56.1	37,562	1,427	14,915	4,676	5,714	3,585	1,492	5,753	73.8	2.8	29.3	9.2	11.2	7.0	2.9	11.3
1908	46,789,913	52.5	33,465	1,148	13,044	3,963	5,250	3,023	1,282	5,755	71.5	2.5	27.9	8.5	11.2	6.5	2.7	12.3
1907	43,016,990	49.2	30,514	968	11,596	3,570	4,388	2,590	1,121	6,281	70.9	2.3	27.0	8.3	10.2	6.0	2.6	14.6
1906	41,983,419	48.9	29,020	941	10,946	3,273	4,090	2,421	984	6,365	69.1	2.2	26.1	7.8	9.7	5.8	2.3	15.2
1905	34,052,201	40.4	24,330	792	8,939	2,732	3,637	2,010	818	5,402	71.4	2.3	26.3	8.0	10.7	5.9	2.4	15.9
1904	33,345,163	40.4	23,395	737	8,744	2,399	3,436	2,030	758	5,291	70.2	2.2	26.2	7.2	10.3	6.1	2.3	15.9
1903	32,701,083	40.4	22,325	661	8,193	2,134	3,289	1,787	752	5,509	68.3	2.0	25.1	6.5	10.1	5.5	2.3	16.8
1902	32,029,815	40.4	20,847	583	7,483	2,239	3,033	1,750	688	5,071	65.1	1.8	23.4	7.0	9.5	5.5	2.1	15.8
1901	31,370,952	40.3	20,171	612	7,095	2,157	2,919	1,647	683	5,058	64.3	2.0	22.6	6.9	9.3	5.3	2.2	16.1
1900	30,765,618	40.5	19,381	495	6,918	1,760	2,686	1,433	602	5,477	63.0	1.6	22.5	5.7	8.8	4.7	2.0	17.8

Of the 52,420 deaths caused by cancer, 19,889, or 37.9 per cent, were assigned to the title heading, "Cancer of the stomach and liver," and 8,152, or 15.6 per cent, to the heading, "Cancer and other malignant tumors of the female genital organs." It will thus be seen that well over half of all deaths classified as due to cancer resulted from cancers of the organs named.

Deaths, death rates, and per cent distribution, by location of disease: 1914.—The following table shows, for the registration areas, for 1914, the deaths and death rates per 100,000 population, and the per cent distribution from cancer, classified according to the organ or part of the body affected, as presented in this report:

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA: 1914. Number.	Rate per 100,000 population.	Per cent.
Cancer and other malignant tumors (aggregate)	52,420	79.4	100.0
Cancer of the buccal cavity (total)	2,270	3.4	4.3
Cancer of the—			
Lip	376	0.6	0.7
Tongue	614	0.9	1.2
Mouth	230	0.3	0.4
Jaw	851	1.3	1.6
Others of this class	199	0.3	0.4
Cancer of the stomach, liver (total)	19,889	30.1	37.9
Cancer of the—			
Pharynx	58	0.1	0.1
Esophagus	605	0.9	1.2
Stomach	12,768	19.3	24.4
Liver and gall bladder	6,458	9.8	12.3
Cancer of the peritoneum, intestines, rectum (total)	6,745	10.2	12.9
Cancer of the—			
Mesentery and peritoneum	485	0.7	0.9
Intestines (except rectum)	4,055	6.1	7.7
Rectum and anus	2,171	3.3	4.1
Others of this class	34	0.1	0.1
Cancer of the female genital organs (total)	8,152	12.4	15.6
Cancer of the—			
Ovary and fallopian tube	451	0.7	0.9
Uterus	7,470	11.3	14.3
Vagina and vulva	184	0.3	0.4
Others of this class	47	0.1	0.1
Cancer of the breast	5,423	8.2	10.3
Cancer of the skin	1,957	3.0	3.7
Cancer of other organs or of organs not specified (total)	7,984	12.1	15.2
Cancer of the—			
Larynx	341	0.5	0.7
Lung and pleura	371	0.6	0.7
Pancreas	686	1.0	1.3
Kidneys and suprarenals	538	0.8	1.0
Prostate	784	1.2	1.5
Bladder	1,014	1.5	1.9
Brain	141	0.2	0.3
Bones (except jaw)	497	0.8	0.9
Testes	121	0.2	0.2
Others of this class	3,491	5.3	6.7

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914.

The following table shows, for the registration states exclusive of North Carolina, the death rates, by sex and by age groups, per 100,000 population of the sex and in the age group specified, for the seven titles of the International Classification and for the subdivisions of these titles as presented in this report. The estimates of population on which these rates are based are given in the table on page 13. The "age unknown" in both the population and the deaths has been distributed among the various groups according to the proportions which the population and the deaths, respectively, in these groups formed of the total population and total deaths at known ages.

North Carolina has not been included in the area covered by this table for the reason that the returns from that state relate only to municipalities having 1,000 population or over in 1910, for which it was not deemed feasible to make estimates of population by sex and age.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES:[1] 1914.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

SEAT OF DISEASE.	DEATH RATE PER 100,000 POPULATION BY SEX AND IN THE AGE GROUP SPECIFIED.													
	All ages.[2]	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
	BOTH SEXES.													
Cancer and other malignant tumors (aggregate)	79.1	2.8	13.9	42.0	78.6	128.6	199.7	305.9	393.1	516.0	672.3	766.6	889.6	875.6
Cancer of the buccal cavity (total)	3.4	0.1	0.3	0.9	2.3	3.9	7.0	11.9	16.9	25.1	36.2	46.0	65.0	66.3
Cancer of the—														
Lip	0.6	[3]	[3]	0.1	0.2	0.3	0.9	1.3	2.7	3.9	5.7	9.7	23.9	25.2
Tongue	0.9	[3]	0.1	0.4	0.6	1.4	2.2	3.8	4.9	6.6	8.6	10.1	10.1	10.1
Mouth	0.4	[3]	[3]	[3]	0.2	0.3	0.5	1.3	1.9	2.9	4.2	5.2	7.5	6.7
Jaw	1.3	0.1	0.1	0.4	1.0	1.5	2.8	4.6	5.7	9.9	13.9	16.7	18.4	19.3
Others of this class	0.3	[3]	0.1	0.1	0.2	0.4	0.6	0.9	1.6	1.8	3.8	4.2	5.0	5.0
Cancer of the stomach, liver (total)	30.2	0.3	3.1	10.9	21.3	41.0	74.8	122.5	171.1	230.4	296.1	329.3	344.6	239.3
Cancer of the—														
Pharynx	0.1	[3]	.....	[3]	0.1	0.1	0.2	0.7	0.3	0.4	0.6	0.8	0.4	0.8
Esophagus	0.9	.....	[3]	0.3	0.6	1.4	2.8	3.8	5.1	6.4	7.6	8.1	8.8	8.4
Stomach	19.3	0.1	2.0	7.2	13.6	25.8	47.7	77.9	110.4	147.8	192.4	214.0	228.1	151.9
Liver and gall bladder	9.8	0.2	1.1	3.4	7.0	13.6	24.1	40.2	55.3	75.8	95.4	106.5	107.3	78.1
Cancer of the peritoneum, intestines, rectum (total)	10.3	0.4	2.4	4.9	8.9	15.0	22.9	39.2	54.3	70.1	96.8	108.1	104.4	90.7
Cancer of the—														
Mesentery and peritoneum	0.7	0.1	0.3	0.4	0.7	0.8	1.8	3.3	3.4	3.5	5.2	8.5	5.0	4.2
Intestines (except rectum)	6.2	0.2	1.3	3.0	5.3	9.4	13.3	23.2	33.5	43.6	57.2	67.8	68.3	53.7
Rectum and anus	3.3	0.1	0.8	1.4	2.8	4.7	7.7	12.6	17.0	22.6	34.2	31.5	31.0	32.7
Others of this class	[3]	.....	[3]	0.1	.....	0.1	0.1	0.1	0.3	0.4	0.2	0.4	.....	.....
Cancer of the female genital organs (total)	12.0	0.2	3.7	12.6	22.6	30.6	39.4	50.4	49.7	50.4	53.5	55.3	56.2	54.6
Cancer of the—														
Ovary and fallopian tube	0.7	0.1	0.3	0.8	1.5	1.4	2.2	2.5	3.3	2.0	1.7	2.0	1.7	1.7
Uterus	10.9	0.1	3.3	11.6	20.7	28.5	36.6	46.7	45.0	46.1	48.6	49.2	49.0	43.7
Vagina and vulva	0.3	[3]	0.1	0.1	0.2	0.4	0.5	0.9	1.0	2.0	2.9	3.0	5.4	8.4
Others of this class	0.1	[3]	[3]	[3]	0.1	0.2	0.1	0.3	0.4	0.2	0.4	1.0	.....	0.8
Cancer of the breast	8.3	[3]	1.4	6.7	12.2	20.1	24.4	33.2	34.2	43.3	52.7	62.7	86.8	102.4
Cancer of the skin	3.0	0.1	0.2	0.3	0.8	2.2	4.5	6.4	11.1	18.2	33.3	55.5	101.9	194.8
Cancer of other organs or of organs not specified (total)	11.9	1.7	2.8	5.6	10.6	15.8	26.8	42.2	55.9	78.6	103.7	109.7	120.8	127.6
Cancer of the—														
Larynx	0.5	[3]	[3]	0.2	0.4	0.7	1.6	2.2	3.4	4.2	3.5	4.2	3.4	5.0
Lung and pleura	0.5	0.1	0.2	0.4	0.6	1.0	1.6	2.5	2.9	2.2	2.9	0.8	1.3	1.7
Pancreas	1.0	[3]	0.2	0.6	1.1	1.6	2.8	4.7	6.0	6.9	8.2	8.9	3.8	5.0
Kidneys and suprarenals	0.8	0.3	0.2	0.5	0.7	1.1	1.6	2.8	2.4	4.0	4.6	5.6	5.0	4.2
Prostate	1.2	.....	[3]	0.1	0.3	0.5	1.0	3.7	6.8	12.9	18.0	20.8	17.6	13.4
Bladder	1.5	[3]	0.2	0.5	1.0	1.6	3.8	5.1	8.7	11.3	16.3	19.6	18.4	20.1
Brain	0.2	0.1	0.2	0.3	0.3	0.5	0.6	0.7	0.3	0.7	0.4	.....	.....	.....
Bones (except jaw)	0.7	0.3	0.4	0.3	0.9	0.9	1.7	2.1	2.5	3.8	4.8	3.4	3.4	2.5
Testes	0.2	0.1	0.2	0.3	0.3	0.4	0.2	0.3	0.4	0.6	0.8	0.8	1.3	.....
Others of this class	5.3	0.8	1.2	2.4	5.1	7.3	12.0	18.3	22.5	32.0	44.0	44.6	76.7	75.6

[1] Exclusive of North Carolina. [2] "Age unknown," distributed. [3] Less than one-tenth of 1 per 100,000 population.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES:[1] 1914—Continued.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

SEAT OF DISEASE.	DEATH RATE PER 100,000 POPULATION BY SEX AND IN THE AGE GROUP SPECIFIED.													
	All ages.[2]	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
MALE.														
Cancer and other malignant tumors (aggregate)	62.4	2.8	8.7	21.5	43.0	78.9	140.9	237.7	339.8	467.0	627.4	684.2	826.4	824.3
Cancer of the buccal cavity (total)	5.5	0.1	0.5	1.5	3.2	6.4	11.3	20.8	27.5	42.8	59.9	70.9	104.6	109.4
Cancer of the—														
Lip	1.1	(3)	0.1	0.2	0.4	0.6	1.6	2.5	5.2	7.6	10.9	18.1	41.7	45.3
Tongue	1.5	(3)	0.1	0.6	0.8	2.2	3.8	6.9	8.2	11.4	14.8	15.2	15.1	17.0
Mouth	0.5	(3)	(3)	.....	0.2	0.5	0.9	2.1	3.1	4.7	6.8	7.0	11.5	9.4
Jaw	2.0	0.1	0.2	0.5	1.4	2.2	4.2	7.7	8.6	16.2	21.8	24.7	28.4	32.1
Others of this class	0.5	(3)	0.1	0.1	0.3	0.7	0.8	1.6	2.4	2.9	5.6	5.8	8.0	5.7
Cancer of the stomach, liver (total)	29.6	0.3	2.7	9.9	20.1	39.5	75.8	122.8	175.9	232.0	295.6	307.9	331.6	216.9
Cancer of the—														
Pharynx	0.1	(3)	.....	(3)	(3)	0.2	0.4	1.1	0.6	0.8	0.7	0.4	0.9	1.9
Esophagus	1.3	.....	0.1	0.2	0.8	2.1	4.4	6.4	7.8	9.3	11.4	12.8	12.4	13.2
Stomach	20.5	0.1	1.8	6.9	14.1	27.1	53.8	85.5	122.7	162.1	202.2	214.3	227.9	139.6
Liver and gall bladder	7.6	0.2	0.8	2.8	5.1	10.0	17.3	29.9	44.8	59.8	81.2	80.4	90.4	62.2
Cancer of the peritoneum, intestines, rectum (total)	8.6	0.5	2.1	3.4	7.5	11.8	17.9	32.6	48.4	60.3	81.5	90.7	85.1	84.9
Cancer of the—														
Mesentery and peritoneum	0.5	0.1	0.3	0.5	0.5	0.6	1.5	2.2	2.2	1.8	2.7	4.5	1.8	.....
Intestines (except rectum)	4.9	0.3	1.1	2.2	4.7	7.2	9.5	17.6	27.9	34.9	44.6	54.0	49.7	47.2
Rectum and anus	3.1	0.1	0.7	0.7	2.3	4.0	6.9	12.8	18.1	23.5	33.7	32.1	33.7	37.7
Others of this class	(3)	.....	.....	0.1	.....	.....	.....	.....	0.2	0.2	0.5	.....	.....	.....
Cancer of the breast	0.3	.....	0.1	0.1	0.2	0.4	0.8	0.8	1.4	2.1	2.2	2.5	1.8	3.8
Cancer of the skin	3.8	0.1	0.2	0.4	0.7	3.1	5.7	9.0	14.5	25.9	44.6	69.7	124.1	235.8
Cancer of other organs or of organs not specified (total)	14.6	1.9	3.3	6.1	11.2	17.7	29.3	51.7	72.0	103.9	143.6	142.6	179.1	173.5
Cancer of the—														
Larynx	0.8	(3)	0.1	0.2	0.6	1.1	2.6	3.8	5.3	7.1	6.1	7.8	6.2	5.7
Lung and pleura	0.6	0.1	0.3	0.4	0.6	1.2	1.6	2.7	3.3	2.1	3.2	0.8	1.8	3.8
Pancreas	1.0	(3)	0.1	0.6	1.3	1.9	2.5	4.8	7.0	7.2	7.8	7.0	1.8	5.7
Kidneys and suprarenals	0.8	0.4	0.2	0.5	0.8	1.1	1.5	3.0	2.3	3.1	4.6	5.8	4.4	3.8
Prostate	2.3	.....	0.1	0.3	0.5	1.0	1.8	7.1	13.3	25.4	36.1	42.5	37.2	30.2
Bladder	2.1	(3)	0.1	0.5	0.9	1.6	5.3	7.2	12.7	16.6	25.2	28.0	26.6	28.3
Brain	0.2	0.1	0.2	0.2	0.3	0.6	0.7	0.7	0.2	0.8	.....	.....	.....	.....
Bones (except jaw)	0.7	0.3	0.4	0.4	0.8	0.6	1.5	2.3	2.4	4.5	5.1	2.5	2.7	1.9
Testes	0.4	0.1	0.4	0.6	0.6	0.8	0.3	0.5	0.7	1.1	1.7	1.6	2.7	.....
Others of this class	5.7	0.8	1.5	2.6	4.6	7.7	11.5	19.6	24.8	36.0	53.8	46.6	95.8	94.3
FEMALE.														
Cancer and other malignant tumors (aggregate)	96.8	2.7	19.6	64.7	118.7	184.4	266.5	381.1	449.4	566.6	717.1	845.5	946.2	916.7
Cancer of the buccal cavity (total)	1.2	0.1	0.1	0.4	1.2	1.1	2.1	2.0	5.6	6.8	12.6	22.1	29.4	31.8
Cancer of the—														
Lip	0.1	(3)	(3)	.....	.....	.....	.....	.....	0.1	0.2	0.5	1.6	8.0	9.1
Tongue	0.3	(3)	(3)	0.1	0.4	0.4	0.5	0.3	1.4	1.7	2.4	5.1	5.6	4.5
Mouth	0.2	(3)	.....	(3)	0.2	.....	0.2	0.3	0.6	1.0	1.7	3.6	4.0	4.5
Jaw	0.6	(3)	(3)	0.2	0.5	0.7	1.1	1.3	2.7	3.3	6.0	9.1	9.5	9.1
Others of this class	0.1	(3)	(3)	.....	0.1	.....	0.4	0.1	0.8	0.7	1.9	2.8	2.4	4.5
Cancer of the stomach, liver (total)	30.7	0.3	3.7	12.0	22.6	42.7	73.7	122.2	166.0	228.8	296.6	349.9	356.2	257.2
Cancer of the—														
Pharynx	(3)	(3)	.....	.....	0.1	.....	.....	0.2	.....	.....	0.5	1.2	.....	.....
Esophagus	0.4	.....	(3)	0.4	0.4	0.7	1.0	1.0	2.2	3.3	3.9	3.6	5.6	4.5
Stomach	18.1	0.1	2.2	7.6	13.2	24.3	40.7	69.5	97.4	133.1	182.7	213.6	228.2	161.9
Liver and gall bladder	12.2	0.2	1.5	4.0	9.0	17.7	31.9	51.5	66.4	92.3	109.6	131.5	122.5	90.8
Cancer of the peritoneum, intestines, rectum (total)	12.0	0.3	2.7	6.5	10.4	18.6	28.5	46.5	60.4	80.2	112.0	124.8	121.7	95.3
Cancer of the—														
Mesentery and peritoneum	0.9	0.1	0.2	0.4	1.0	1.1	2.2	4.5	4.7	5.3	7.7	12.2	8.0	7.6
Intestines (except rectum)	7.6	0.2	1.5	3.9	6.0	12.0	17.5	29.4	39.5	52.6	69.7	81.0	85.1	59.0
Rectum and anus	3.4	0.1	1.0	2.2	3.4	5.5	8.7	12.5	15.8	21.7	34.6	30.8	28.6	28.7
Others of this class	0.1	.....	0.1	0.1	.....	0.1	0.2	0.2	0.4	0.7	.....	0.8	.....	.....
Cancer of the female genital organs (total)	24.6	0.4	7.7	26.5	48.0	65.0	84.1	106.0	102.1	102.3	106.9	108.2	106.5	98.3
Cancer of the—														
Ovary and fallopian tube	1.4	0.1	0.6	1.7	3.3	3.0	4.7	5.3	6.8	4.1	3.4	3.9	3.2	3.0
Uterus	22.5	0.2	6.9	24.4	44.1	60.6	78.1	98.3	92.4	93.7	97.0	96.4	93.0	78.7
Vagina and vulva	0.6	(3)	0.2	0.2	0.5	0.9	1.0	1.9	2.0	4.0	5.8	5.9	10.3	15.1
Others of this class	0.1	(3)	0.1	0.1	0.2	0.4	0.2	0.5	0.9	0.5	0.7	2.0	.....	1.5
Cancer of the breast	16.9	0.1	2.9	14.1	25.7	42.3	51.2	69.0	68.8	85.7	103.1	120.4	163.0	181.5
Cancer of the skin	2.2	0.1	0.1	0.2	0.9	1.1	3.1	3.6	7.5	10.3	22.0	41.9	81.9	161.9
Cancer of other organs or of organs not specified (total)	9.1	1.4	2.3	6.1	9.9	13.6	23.9	31.8	39.0	52.6	63.9	78.2	87.5	90.8
Cancer of the—														
Larynx	0.2	(3)	(3)	0.2	0.2	0.3	0.5	0.3	1.4	1.2	1.0	0.8	0.8	4.5
Lung and pleura	0.5	0.1	0.2	0.5	0.6	0.8	1.6	2.2	2.5	2.3	2.7	2.8	0.8	.....
Pancreas	1.0	(3)	0.2	0.5	0.8	1.4	3.1	4.6	5.0	6.6	8.7	10.7	5.6	4.5
Kidneys and suprarenals	0.8	0.3	0.3	0.5	0.7	1.1	1.6	2.5	2.4	5.0	4.6	5.5	5.6	4.5
Bladder	0.9	(3)	0.2	0.4	1.0	1.6	2.1	2.8	4.5	6.0	7.5	11.5	11.1	13.6
Brain	0.2	0.1	0.2	0.4	0.2	0.4	0.5	0.6	0.4	0.7	0.7	.....	.....	.....
Bones (except jaw)	0.7	0.3	0.4	0.3	1.0	1.2	1.9	1.8	2.7	3.0	4.6	4.3	4.0	3.0
Others of this class	4.8	0.7	0.9	2.3	5.6	6.8	12.6	17.0	20.1	27.9	34.1	42.6	59.6	60.5

[1] Exclusive of North Carolina.

[2] "Age unknown" distributed.

[3] Less than one-tenth of 1 per 100,000 population.

Of all deaths charged to cancer, 31,138 were those of females, as compared with 21,282 deaths of males. Under four of the seven headings deaths of males predominate; but those of females are so largely in excess among deaths assignable to the headings, "Cancer and other malignant tumors of the peritoneum, intestines, and rectum" and "Cancer and other malignant tumors of the breast," that, taken with the 8,152 assigned to "Cancer and other malignant tumors of the female genital organs," they bring the total for females far in excess of that for males. This is a condition which prevails year after year.

DEATH RATES IN FOREIGN COUNTRIES: 1900–1914.

The crude death rates per 100,000 population from cancer, for each of the years 1900 to 1914, for the registration area of the United States and for certain foreign countries, are shown in the following table. The rates for foreign countries were computed by the Bureau of the Census and were based on the population and deaths as given in the Annual Report of the Registrar-General of England and Wales, 1914.

COUNTRY.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS.														
	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900
United States (registration area)	79.4	78.9	77.0	74.3	76.2	73.8	71.5	70.9	69.1	71.4	70.2	68.3	65.1	64.3	63.0
Australian Commonwealth	74.7	75.0	76.1	74.0	73.3	72.3	69.6	71.3	64.2	63.5	60.1	61.5	64.1	63.3	62.6
Austria	(1)	(1)	81.4	82.3	77.9	78.7	78.0	77.4	77.9	76.2	74.9	73.7	74.2	72.9	70.9
Belgium	(1)	(1)	71.0	68.6	63.3	64.2	63.8	69.1	58.5	58.7	56.1	58.5	(1)	(1)	(1)
Chile	36.3	33.1	32.2	29.8	31.8	40.9	43.5	38.5	37.8	30.2	38.4	29.2	(1)	(1)	(1)
France	(1)	(1)	(1)	80.2	79.2	77.7	76.5	74.6	69.5	(1)	(1)	(1)	(1)	(1)	(1)
German Empire [2]	(1)	(1)	90.1	88.9	87.9	84.5	83.6	83.1	82.0	(1)	(1)	(1)	(1)	(1)	(1)
Prussia	(1)	[3] 82.7	81.5	80.6	78.5	74.8	73.6	73.4	70.4	69.4	68.6	65.2	61.9	61.7	59.6
Hungary	(1)	(1)	47.2	46.4	45.6	44.5	44.1	42.7	40.9	40.8	40.9	39.4	38.2	35.9	36.7
Italy	(1)	66.7	64.7	66.8	65.6	64.2	64.5	61.7	62.0	58.3	57.1	54.1	53.9	52.8	52.2
Jamaica	18.1	17.7	17.4	17.9	20.8	18.3	16.1	15.1	17.0	18.8	15.9	15.7	14.0	15.5	16.5
Japan	(1)	(1)	(1)	65.5	64.2	64.8	61.4	58.3	57.8	55.9	55.0	54.7	53.4	48.7	45.4
Netherlands	106.8	109.5	109.4	108.6	106.4	102.6	102.8	101.8	100.7	101.2	97.9	98.9	95.0	93.7	92.1
New Zealand	82.9	80.1	78.2	79.7	74.7	73.2	69.5	73.3	69.6	65.1	67.6	71.0	67.2	66.2	56.3
Norway [4]	(1)	97.3	104.8	96.7	92.9	95.2	97.1	100.3	97.6	98.4	95.9	93.2	87.1	95.1	91.2
Ontario	69.6	67.4	68.8	63.5	70.9	71.5	60.5	59.9	63.7	55.4	56.9	52.6	47.5	50.1	45.4
Serbia	(1)	(1)	(1)	13.5	12.8	13.1	12.6	13.3	10.6	10.4	10.3	9.1	9.6	9.1	9.4
Spain	[3] 55.7	[3] 55.0	[3] 55.7	[3] 51.4	[3] 51.7	[3] 51.0	[3] 51.4	47.7	47.6	45.8	46.6	44.1	43.3	42.4	39.3
Switzerland [5]	(1)	126.7	127.2	123.6	123.5	126.7	128.0	122.5	129.0	129.5	128.6	129.7	125.8	127.8	129.9
United Kingdom	105.7	105.1	101.6	98.0	96.0	95.1	92.1	90.6	91.5	87.6	86.0	85.1	82.2	82.0	80.0
England and Wales	106.9	106.4	102.6	99.2	96.7	96.1	93.3	91.5	92.2	88.9	88.2	87.4	84.6	84.3	82.9
Scotland	113.5	110.2	109.6	104.1	102.6	101.5	98.5	97.9	97.6	90.0	85.9	83.7	82.3	81.8	79.0
Ireland	86.9	89.1	85.2	81.7	83.5	79.8	75.6	76.1	79.2	74.8	69.3	69.0	64.5	65.1	60.8

[1] Figures not available.
[2] The rates for the years shown relate to the deaths for 24 of the 26 states of the Empire, representing 98.9 per cent of the total population in 1912.
[3] Figures are provisional.
[4] The figures for deaths from cancer are incomplete; only about 85 per cent were stated in 1901, 88 per cent in 1910, and 84 per cent in 1913.
[5] The deaths from cancer include only those which were medically certified; the proportion of such certified deaths was 97 per cent in 1911.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
SUMMARY.			
The registration area (total)	65,989,295	52,420	79.4
White	62,631,566	50,515	80.7
Colored	3,357,729	1,905	56.7
Registration states [1] (total)	61,114,200	48,259	79.0
White	58,408,039	46,739	80.0
Colored	2,706,161	1,520	56.2
Cities in registration states [1] (total)	30,287,640	26,795	88.5
White	29,029,647	25,893	89.2
Colored	1,257,993	902	71.7
Rural part of registration states (total)	30,826,560	21,464	69.6
White	29,378,392	20,846	71.0
Colored	1,448,168	618	42.7
Registration states, [1] exclusive of North Carolina (total)	60,641,905	47,986	79.1
White	58,098,403	46,549	80.1
Colored	2,543,502	1,437	56.5
Registration cities in other states (total)	4,875,095	4,161	85.4
White	4,223,527	3,776	89.4
Colored	651,568	385	59.1
All registration cities [1] (total)	35,162,735	30,956	88.0
White	33,253,174	29,669	89.2
Colored	1,909,561	1,287	67.4
REGISTRATION STATES.			
California (total)	2,757,895	2,701	97.9
White	2,621,161	2,649	101.1
Colored	136,734	52	38.0
Colorado (total)	909,537	530	58.3
White	891,769	517	58.0
Colored	17,768	13	73.2
Connecticut (total)	1,202,688	1,040	86.5
White	1,185,578	1,022	86.2
Colored	17,110	18	105.2
Indiana (total)	2,779,467	2,199	79.1
White	2,716,779	2,162	79.6
Colored	62,688	37	59.0
Kansas (total)	1,784,897	1,095	61.3
White	1,725,156	1,064	61.7
Colored	59,741	31	51.9
Kentucky (total)	2,350,731	1,081	46.0
White	2,081,819	959	46.1
Colored	268,912	122	45.4
Maine (total)	762,787	821	107.6
White	760,346	819	107.7
Colored	2,441	2	81.9
Maryland (total)	1,341,075	1,092	81.4
White	1,100,153	947	86.1
Colored	240,922	145	60.2
Massachusetts (total)	3,605,522	3,649	101.2
White	3,561,085	3,613	101.5
Colored	44,437	36	81.0
Michigan (total)	2,976,030	2,395	80.5
White	2,949,633	2,379	80.7
Colored	26,397	16	60.6
REGISTRATION STATES—Continued.			
Minnesota (total)	2,213,919	1,701	76.8
White	2,196,341	1,696	77.2
Colored	17,578	5	28.4
Missouri (total)	3,372,886	2,326	69.0
White	3,210,657	2,233	69.5
Colored	162,229	93	57.3
Montana (total)	432,614	223	51.5
White	414,814	218	52.6
Colored	17,800	5	28.1
New Hampshire (total)	438,662	442	100.8
White	437,983	440	100.5
Colored	679	2	294.6
New Jersey (total)	2,815,663	2,223	79.0
White	2,714,371	2,163	79.7
Colored	101,292	60	59.2
New York (total)	9,899,761	8,907	90.0
White	9,740,332	8,791	90.3
Colored	159,429	116	72.8
North Carolina [2] (total)	472,295	273	57.8
White	309,636	190	61.4
Colored	162,659	83	51.0
Ohio (total)	5,026,898	4,176	83.1
White	4,908,559	4,080	83.1
Colored	118,339	96	81.1
Pennsylvania (total)	8,245,967	5,997	72.7
White	8,033,610	5,807	72.3
Colored	212,357	190	89.5
Rhode Island (total)	591,215	539	91.2
White	580,191	530	91.3
Colored	11,024	9	81.6
Utah (total)	414,518	190	45.8
White	407,004	185	45.5
Colored	7,514	5	66.5
Vermont (total)	361,205	397	109.9
White	359,523	396	110.1
Colored	1,682	1	59.5
Virginia (total)	2,150,009	1,051	48.9
White	1,449,401	767	52.9
Colored	700,608	284	40.5
Washington (total)	1,407,865	871	61.9
White	1,367,331	865	63.3
Colored	40,534	6	14.8
Wisconsin	2,446,716	1,985	81.1
White	2,432,768	1,976	81.2
Colored	13,948	9	64.5
REGISTRATION CITIES.			
ALABAMA.[3]			
Registration cities (total)	263,504	159	60.3
White	152,236	115	75.5
Colored	111,268	44	39.5
Birmingham (total)	166,154	77	46.3
White	100,642	56	55.6
Colored	65,512	21	32.1
Mobile (total)	55,573	52	93.6
White	30,997	41	132.3
Colored	24,576	11	44.8
REGISTRATION CITIES—Continued.			
ALABAMA [3]—continued.			
Montgomery (total)	41,777	30	71.8
White	20,597	18	87.4
Colored	21,180	12	56.7
CALIFORNIA.			
Registration cities (total)	1,546,725	1,754	113.4
White	1,478,748	1,720	116.3
Colored	67,977	34	50.0
Alameda	26,330	19	72.2
Bakersfield	15,538	20	128.7
Berkeley	52,105	46	88.3
Eureka	13,768	30	217.9
Fresno	29,809	28	93.9
Long Beach	24,437	39	159.6
Los Angeles (total)	438,914	443	100.9
White	419,813	436	103.9
Colored	19,101	7	36.6
Oakland	183,002	170	92.9
Pasadena	40,880	53	129.6
Pomona	12,202	10	82.0
Redlands	12,856	8	62.2
Riverside (total)	18,297	15	82.0
White	16,245	15	92.3
Colored	2,052	.....	.....
Sacramento	62,717	65	103.6
San Bernardino	15,603	25	160.2
San Diego	48,900	85	173.8
San Francisco (total)	448,502	576	128.4
White	430,324	563	130.8
Colored	18,178	13	71.5
San Jose	37,086	41	110.6
Santa Barbara	13,818	20	144.7
Santa Cruz	13,482	22	163.2
Stockton *	25,702	28	108.9
Vallejo	12,777	11	86.1
COLORADO.			
Registration cities (total)	341,257	293	85.9
White	330,537	281	85.0
Colored	10,720	12	111.9
Colorado Springs	31,717	30	94.6
Denver	245,523	222	90.4
Pueblo	51,218	37	72.2
Trinidad	12,799	4	31.3
CONNECTICUT.			
Registration cities (total)	825,290	717	86.9
White	812,646	699	86.0
Colored	12,644	18	142.4
Ansonia	16,204	3	18.5
Bridgeport	115,289	97	84.1
Bristol	15,145	11	72.6
Danbury town	25,219	21	83.3
Greenwich town	18,290	14	76.5
Hartford	107,038	132	123.3
Manchester town	14,935	12	80.3
Meriden town	33,501	35	104.5
Middletown town	22,138	18	81.3
Naugatuck	13,651	3	22.0
New Britain	50,612	26	51.4
New Haven	144,505	164	113.5
New London	20,557	21	102.2

[1] Includes District of Columbia.
[2] Includes only municipalities having a population of 1,000 or over in 1910.
[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.			
CONNECTICUT—continued.			
Norwalk	26,033	29	111.4
Norwich town	29,032	17	58.6
Orange town	13,094	7	53.5
Stamford town	33,095	23	69.5
Torrington town	18,709	8	42.8
Wallingford town	12,072	9	74.6
Waterbury	82,517	57	69.1
Windham town	13,654	10	73.2
DELAWARE.[1]			
Wilmington (total)	92,057	81	88.0
White	82,471	75	90.9
Colored	9,586	6	62.6
DISTRICT OF COLUMBIA.			
Washington (total)	353,378	355	100.5
White	252,039	271	107.5
Colored	101,339	84	82.9
FLORIDA.[1]			
Registration cities (total)	116,535	72	61.8
White	63,729	58	91.0
Colored	52,806	14	26.5
Jacksonville (total)	70,173	47	67.0
White	34,453	38	110.3
Colored	35,720	9	25.2
Key West (total)	21,150	18	85.1
White	15,280	16	104.7
Colored	5,870	2	34.1
Pensacola (total)	25,212	7	27.8
White	13,996	4	28.6
Colored	11,216	3	26.7
GEORGIA.[1]			
Registration cities (total)	296,660	186	62.7
White	179,573	139	77.4
Colored	117,087	47	40.1
Atlanta (total)	179,292	106	59.1
White	119,105	82	68.8
Colored	60,187	24	39.9
Augusta (total)	49,451	37	74.8
White	27,290	24	87.9
Colored	22,161	13	58.7
Savannah (total)	67,917	43	63.3
White	33,178	33	99.5
Colored	34,739	10	28.8
ILLINOIS.[1]			
Registration cities (total)	2,627,143	2,338	89.0
White	2,567,385	2,278	88.7
Colored	59,758	60	100.4
Aurora	33,022	33	99.9
Belleville	21,129	16	75.7
Chicago (total)	2,397,600	2,107	87.9
White	2,346,883	2,059	87.7
Colored	50,717	48	94.6
Decatur	37,525	38	101.3
Evanston	27,724	25	90.2
Jacksonville*	15,131	29	129.6
Quincy	36,730	37	100.7
Springfield	57,972	62	106.9
INDIANA.			
Registration cities (total)	901,437	765	84.9
White	856,953	739	86.2
Colored	44,484	26	58.4
Anderson	23,528	13	55.3
East Chicago	25,658	10	39.0
Elkhart	21,028	32	152.2
Elwood	10,211	3	29.4
Evansville	71,284	46	64.5
REGISTRATION CITIES—Continued.			
INDIANA—continued.			
Fort Wayne	72,423	69	95.3
Gary	(2)	8	(2)
Hammond	24,481	12	49.0
Huntington	10,479	13	124.1
Indianapolis (total)	259,820	265	102.0
White	235,590	250	106.2
Colored	24,230	15	61.7
Jeffersonville (total)	10,260	7	68.2
White	8,744	4	45.7
Colored	1,516	3	197.9
Kokomo	19,694	20	101.6
Lafayette	20,896	29	138.8
Laporte	12,533	9	71.8
Logansport	20,262	22	108.6
Marion	19,656	18	91.6
Michigan City	20,710	18	86.9
Mishawaka	14,579	9	61.7
Muncie	24,969	19	76.1
New Albany	20,629	20	97.0
Peru	12,201	9	73.8
Richmond	23,932	12	50.1
South Bend	65,114	34	52.2
Terre Haute	63,529	52	81.9
Vincennes	16,759	16	95.5
KANSAS.			
Registration cities (total)	345,260	282	81.7
White	312,516	263	84.2
Colored	32,744	19	58.0
Atchison (total)	16,635	18	108.2
White	13,984	15	107.3
Colored	2,651	3	113.2
Coffeyville (total)	15,982	8	50.1
White	14,181	8	56.4
Colored	1,801	.....	.....
Fort Scott (total)	10,522	14	133.1
White	9,469	13	137.3
Colored	1,053	1	95.0
Hutchinson	19,339	15	77.6
Independence	13,296	6	45.1
Kansas City (total)	94,271	61	64.7
White	83,582	55	65.8
Colored	10,689	6	56.1
Lawrence (total)	13,018	18	138.3
White	10,457	16	153.0
Colored	2,561	2	78.1
Leavenworth (total)	18,778	19	101.2
White	16,371	17	103.8
Colored	2,407	2	83.1
Parsons	14,500	10	69.0
Pittsburg	16,845	11	65.3
Topeka (total) *	47,102	52	110.4
White	42,198	49	116.1
Colored	4,904	3	61.2
Wichita	64,972	50	77.0
KENTUCKY.			
Registration cities (total)	425,563	328	77.1
White	351,273	291	82.8
Colored	74,290	37	49.8
Covington (total)	55,896	38	68.0
White	52,840	35	66.2
Colored[3]	3,056	3	98.2
Frankfort (total)	10,882	6	55.1
White	7,917	4	50.5
Colored	2,965	2	67.5
Henderson (total)	11,953	18	150.6
White	8,805	17	193.1
Colored	3,148	1	31.8
Lexington (total) *	38,819	41	105.6
White	26,628	33	123.9
Colored	12,191	8	65.6
REGISTRATION CITIES—Continued.			
KENTUCKY—continued.			
Louisville (total)	235,114	187	79.5
White	192,551	168	87.2
Colored	42,563	19	44.6
Newport (total)	31,517	17	53.9
White	30,925	16	51.7
Colored[3]	592	1	168.9
Owensboro (total)	17,212	11	63.9
White	13,862	9	64.9
Colored	3,350	2	59.7
Paducah (total)	24,170	10	41.4
White	17,745	9	50.7
Colored	6,425	1	15.6
LOUISIANA.[1]			
New Orleans (total)	361,221	358	99.1
White	265,692	257	96.7
Colored	95,529	101	105.7
MAINE.			
Registration cities (total)	175,127	212	121.0
White	174,404	212	121.6
Colored	723	.....	.....
Auburn	15,965	23	144.1
Augusta *	13,860	16	115.4
Bangor *	26,061	42	161.2
Biddeford	17,475	12	68.7
Lewiston	27,305	42	153.8
Portland	62,161	65	104.6
Waterville	12,300	12	97.6
MARYLAND.			
Registration cities (total)	640,317	653	102.0
White	547,542	567	103.6
Colored	92,775	86	92.7
Baltimore (total)	579,590	589	101.6
White	491,276	510	103.8
Colored	88,314	79	89.5
Cumberland (total)	25,054	25	99.8
White	23,830	24	100.7
Colored[3]	1,224	1	81.7
Frederick (total)	10,886	16	147.0
White	9,349	14	149.7
Colored	1,537	2	130.1
Hagerstown (total)	24,787	[4] 23	[4] 92.8
White	23,087	[4] 19	[4] 82.3
Colored[3]	1,700	[4] 4	[4] 235.3
MASSACHUSETTS.			
Registration cities (total)	2,814,238	2,781	98.8
White	2,776,966	2,749	99.0
Colored	37,272	32	85.9
Adams town	13,830	7	50.6
Arlington town	12,287	9	73.2
Attleborough town	18,294	23	125.7
Beverly	20,679	31	149.9
Boston (total)	733,802	871	118.7
White	717,767	854	119.0
Colored	16,035	17	106.0
Brockton	64,043	55	85.9
Brookline town	31,138	45	144.5
Cambridge	110,357	111	100.6
Chelsea	31,765	45	141.7
Chicopee	28,057	15	53.5
Clinton town	12,762	11	86.2
Everett	37,381	28	74.9
Fall River	125,443	70	55.8
Fitchburg	40,507	38	93.8
Framingham town	13,648	17	124.6
Gardner town	16,353	11	67.3
Gloucester	23,666	32	135.2
Greenfield town	11,492	13	113.1
Haverhill	47,071	42	89.2
Holyoke	62,852	42	66.8
Lawrence	95,834	60	62.6
Leominster town	19,789	19	96.0

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Incorporated in 1906; population not estimated.
[3] Colored population less than 10 per cent of the total in 1910.
[4] Probably does not include deaths in territory annexed in April, 1914.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.			
MASSACHUSETTS—contd.			
Lowell	111,004	98	88.3
Lynn	98,207	91	92.7
Malden	48,979	44	89.8
Marlborough	14,991	18	120.1
Medford	25,240	23	91.1
Melrose	16,887	20	118.4
Methuen town	13,123	12	91.4
Milford town	13,770	12	87.1
New Bedford	111,230	93	83.6
Newburyport	15,147	29	191.5
Newton	42,455	41	96.6
North Adams	21,090	26	123.3
Northampton*	19,766	26	131.5
Peabody town	17,510	7	40.0
Pittsfield	36,531	41	112.2
Plymouth town	13,227	13	98.3
Quincy	36,366	36	99.0
Revere town	21,552	6	27.8
Salem	46,994	44	93.6
Somerville	83,881	71	84.6
Southbridge town	13,685	6	43.8
Springfield	100,490	92	91.6
Taunton*	35,631	46	129.1
Wakefield town	12,305	8	65.0
Waltham	29,688	35	117.9
Watertown town	14,225	12	84.4
Webster town	12,662	5	39.5
Westfield town	17,635	22	124.8
Weymouth town	13,564	13	95.8
Winthrop town	11,866	9	75.8
Woburn	15,735	11	69.8
Worcester	157,732	176	111.6
MICHIGAN.			
Registration cities (total)	1,169,668	997	85.2
White	1,157,410	988	85.4
Colored	12,258	9	73.4
Adrian	11,234	11	97.9
Alpena	13,089	4	30.6
Ann Arbor	14,948	38	254.2
Battle Creek	28,122	38	135.1
Bay City	47,047	29	61.6
Detroit	537,650	424	78.9
Escanaba	14,747	9	61.0
Flint	49,546	25	50.5
Grand Rapids	123,227	120	97.4
Holland	11,639	11	94.5
Ironwood	14,147	6	42.4
Ishpeming	12,106	7	57.8
Jackson	34,097	35	102.6
Kalamazoo*	45,842	49	106.9
Lansing	37,512	20	53.3
Manistee	11,581	9	77.7
Marquette	12,117	17	140.3
Menominee	9,522	4	42.0
Muskegon	25,442	33	129.7
Pontiac*	16,560	23	138.9
Port Huron	18,738	15	80.1
Saginaw	53,988	50	92.6
Sault Ste. Marie	13,499	6	44.4
Traverse City*	13,268	14	105.5
MINNESOTA.			
Registration cities (total)	732,326	605	82.6
White	724,979	604	83.3
Colored	7,347	1	13.6
Duluth	89,331	68	76.1
Mankato	10,268	11	107.1
Minneapolis	343,466	313	91.1
St. Cloud	11,425	13	113.8
St. Paul	236,766	166	70.1
Stillwater	9,296	7	75.3
Virginia	13,671	4	29.3
Winona	18,103	23	127.1
REGISTRATION CITIES—Continued.			
MISSOURI.			
Registration cities (total)	1,232,741	1,171	95.0
White	1,144,160	1,121	98.0
Colored	88,581	50	56.4
Hannibal (total)	20,710	15	72.4
White	18,622	14	75.2
Colored	2,088	1	47.9
Jefferson City (total)	13,031	9	69.1
White	10,915	9	82.5
Colored	2,116	.....	.....
Joplin	32,848	33	100.5
Kansas City (total)	281,911	254	90.1
White	255,007	240	94.1
Colored	26,904	14	52.0
Moberly	12,162	10	82.2
St. Joseph*	[1] 82,712	97	117.3
St. Louis (total)	734,667	701	95.4
White	687,038	671	97.7
Colored	47,629	30	63.0
Sedalia (total)	18,925	17	89.8
White	16,938	15	88.6
Colored	1,987	2	100.7
Springfield	38,685	29	75.0
Webb City	13,299	6	45.1
MONTANA.			
Registration cities (total)	109,011	82	75.2
White	106,608	81	76.0
Colored	2,403	1	41.6
Anaconda	10,424	6	57.6
Billings	13,020	8	61.4
Butte	42,286	28	66.2
Great Falls	13,531	19	140.4
Helena	13,258	6	45.3
Missoula	16,492	15	91.0
NEBRASKA.[2]			
Registration cities (total)	178,917	187	104.5
White	173,287	185	106.8
Colored	5,630	2	35.5
Lincoln	45,643	47	103.0
Omaha	133,274	140	105.0
NEW HAMPSHIRE.			
Registration cities (total)	184,187	173	93.9
White	183,849	172	93.6
Colored	338	1	295.9
Berlin	13,013	9	69.2
Concord*	22,291	29	130.1
Dover	13,264	21	158.3
Keene	10,451	6	57.4
Laconia	11,094	7	63.1
Manchester	75,635	56	74.0
Nashua	26,901	21	78.1
Portsmouth	11,538	24	208.0
NEW JERSEY.			
Registration cities (total)	1,828,462	1,426	78.0
White	1,765,930	1,384	78.4
Colored	62,532	42	67.2
Ashury Park (total)	12,763	12	94.0
White	10,322	11	106.6
Colored	2,441	1	41.0
Atlantic City (total)	53,952	39	72.3
White	42,356	36	85.0
Colored	11,596	3	25.9
Bayonne	65,271	28	42.9
Bloomfield	17,372	13	74.8
Bridgeton	14,335	20	139.5
Camden	102,465	74	72.2
East Orange	39,852	17	42.7
Elizabeth	82,411	76	92.2
Garfield	13,071	6	45.9
Hackensack	16,011	16	99.9
Harrison	16,160	12	74.3
Hoboken	74,994	49	65.3
REGISTRATION CITIES—Continued.			
NEW JERSEY—continued.			
Irvington	14,697	15	102.1
Jersey City	293,921	217	73.8
Kearny	21,967	10	45.5
Long Branch	14,719	15	101.9
Millville	13,246	13	98.1
Montclair (total)	24,782	21	84.7
White	21,902	19	86.8
Colored	2,880	2	69.4
Morristown	13,033	23	176.5
New Brunswick	24,827	22	88.6
Newark	389,106	340	87.4
Orange	31,968	40	125.1
Passaic	66,276	29	43.8
Paterson	134,305	124	92.3
Perth Amboy	38,265	19	49.7
Phillipsburg	15,057	6	39.8
Plainfield	22,755	27	118.7
Trenton*	106,831	98	91.7
Union	23,588	10	42.4
West Hoboken	40,647	19	46.7
West New York	17,093	10	58.5
West Orange	12,722	6	47.2
NEW YORK.			
Registration cities (total)	7,520,670	6,621	88.0
White	7,388,358	6,528	88.4
Colored	132,312	93	70.3
Albany	102,961	151	146.7
Amsterdam	35,223	20	56.8
Auburn	36,509	36	98.6
Batavia	12,614	12	95.1
Binghamton*	52,191	46	88.1
Buffalo	454,112	435	95.8
Cohoes	25,049	24	95.8
Corning	14,866	7	47.1
Cortland	12,565	11	87.5
Dunkirk	19,607	7	35.7
Elmira	37,816	42	111.1
Fulton	11,448	6	52.4
Geneva	13,303	11	82.7
Glens Falls	16,362	21	128.3
Gloversville	21,618	19	87.9
Hornell	14,341	18	125.5
Hudson	12,221	16	130.9
Ithaca	15,510	19	122.5
Jamestown	34,878	48	137.6
Johnstown	10,582	12	113.4
Kingston	26,493	45	169.9
Lackawanna	19,012	4	21.0
Little Falls	13,077	11	84.1
Lockport	19,581	20	102.1
Middletown*	15,650	27	172.5
Mount Vernon	35,047	31	88.5
New Rochelle	34,893	28	80.2
New York (total)	5,333,539	4,452	83.5
Bronx Borough	529,108	516	97.5
Brooklyn Borough	1,833,696	1,439	78.5
Manhattan Borough	2,536,716	2,124	83.7
Queens Borough	339,886	277	81.5
Richmond Borough	94,043	96	102.1
White	5,224,202	4,369	83.6
Bronx Borough	523,758	511	97.6
Brooklyn Borough	1,806,496	1,410	78.1
Manhattan Borough	2,465,456	2,079	84.3
Queens Borough	335,798	276	82.2
Richmond Borough	92,694	93	100.3
Colored	109,337	83	75.9
Bronx Borough	5,440	5	91.9
Brooklyn Borough	27,200	29	106.6
Manhattan Borough	71,260	45	63.1
Queens Borough	4,088	1	24.5
Richmond Borough	1,349	3	222.4

[1] Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.			
NEW YORK—continued.			
Newburgh	29,023	37	127.5
Niagara Falls	35,127	26	74.0
North Tonawanda	13,184	9	68.3
Ogdensburg *	16,464	17	103.3
Olean	16,018	14	87.4
Ossining	12,987	15	115.5
Oswego	23,865	30	125.7
Peekskill	17,327	13	75.0
Plattsburg	12,289	8	65.1
Port Chester	15,095	11	72.9
Poughkeepsie	29,598	31	104.7
Rensselaer	11,027	13	117.9
Rochester	245,077	261	106.5
Rome	22,693	25	110.2
Saratoga Springs	12,813	18	140.5
Schenectady	91,012	38	30.6
Syracuse	149,353	126	84.4
Troy	77,560	136	175.3
Utica *	82,060	82	99.9
Watertown	28,874	33	114.3
Watervliet	15,394	17	110.4
White Plains	19,379	19	98.0
Yonkers	93,383	65	69.6
NORTH CAROLINA.			
Registration cities (total)	176,010	124	70.5
White	109,604	76	69.3
Colored	66,406	48	72.3
Asheville (total)	20,157	11	54.6
White	14,397	9	62.5
Colored	5,760	2	34.7
Charlotte (total)	37,951	30	79.0
White	24,835	19	76.5
Colored	13,116	11	83.9
Durham (total)	22,863	14	61.2
White	14,253	6	42.1
Colored	8,610	8	92.9
Greensboro (total)	18,201	15	81.6
White	11,783	9	76.4
Colored	6,608	6	90.8
Raleigh (total) *	19,833	21	105.9
White	12,225	10	81.8
Colored	7,608	11	144.6
Wilmington (total)	27,781	19	68.4
White	14,703	12	81.6
Colored	13,078	7	53.5
Winston-Salem (total)	29,034	14	48.2
White	17,408	11	63.2
Colored	11,626	3	25.8
OHIO.			
Registration cities (total)	2,410,207	2,104	87.3
White	2,335,493	2,041	87.4
Colored	74,714	63	84.3
Akron	80,291	62	77.2
Alliance	17,718	15	84.7
Ashtabula	20,478	10	48.8
Bellaire	13,896	7	50.4
Cambridge	12,844	9	70.1
Canton	57,426	35	60.9
Chillicothe	15,160	15	98.9
Cincinnati (total)	402,175	419	104.2
White	380,415	400	105.1
Colored	21,760	19	87.3
Cleveland	639,431	483	75.5
Columbus (total)	204,567	220	107.5
White	190,139	208	109.4
Colored	14,428	12	83.2
Dayton	123,794	133	107.4
REGISTRATION CITIES—Continued.			
OHIO—continued.			
East Liverpool	21,877	13	59.4
Elyria	17,396	19	109.2
Findlay	13,684	19	138.8
Hamilton	38,814	31	79.9
Ironton	13,690	14	102.3
Lakewood	20,219	11	54.4
Lancaster	14,840	11	74.1
Lima	33,904	40	118.0
Lorain	34,360	20	58.2
Mansfield	22,100	15	67.9
Marietta	14,742	15	101.8
Marion	22,032	22	99.9
Massillon	14,912	7	46.9
Middletown	14,827	5	33.7
Newark	28,271	17	60.1
Norwood	20,320	16	78.7
Piqua	13,906	16	115.1
Portsmouth	27,511	17	61.8
Sandusky	20,127	23	114.3
Springfield (total)	50,058	37	73.9
White	44,782	33	73.7
Colored	5,276	4	75.8
Steubenville	25,817	19	73.6
Tiffin	12,278	10	81.4
Toledo	184,126	184	99.9
Warren	12,074	10	82.8
Youngstown	100,593	66	65.6
Zanesville	29,949	39	130.2
OREGON.[1]			
Portland (total)	260,601	229	87.9
White	250,210	222	88.7
Colored [2]	10,391	7	67.4
PENNSYLVANIA.			
Registration cities (total)	3,957,679	3,245	82.0
White	3,800,812	3,104	81.7
Colored	156,867	141	89.9
Allentown	60,297	59	97.8
Altoona	56,553	44	77.8
Beaver Falls	13,100	11	84.0
Bethlehem	13,721	8	58.3
Braddock	20,935	6	28.7
Bradford	14,838	9	60.7
Butler	25,543	21	82.2
Carbondale	18,332	13	70.1
Carlisle (total)	10,589	10	94.4
White	9,436	8	84.8
Colored	1,153	2	173.5
Carnegie	11,150	2	17.9
Chambersburg	12,192	16	131.2
Chester (total)	40,474	25	61.8
White	35,419	22	62.1
Colored	5,055	3	59.3
Coatesville (total)	13,369	5	37.4
White	11,533	5	43.4
Colored	1,836	.....	.....
Columbia	11,055	17	153.8
Connellsville	14,613	15	102.6
Dubois	14,007	9	64.3
Dunmore	19,757	6	30.4
Duquesne	18,576	8	43.1
Easton	29,882	25	83.7
Erie	72,401	55	76.0
Farrell	(3)	1	(3)
Greensburg	14,687	7	47.7
Harrisburg	69,453	57	82.0
Hazleton	27,511	27	98.1
Homestead	21,256	10	47.0
REGISTRATION CITIES—Continued.			
PENNSYLVANIA—contd.			
Johnstown	64,642	36	55.7
Lancaster	49,685	55	110.7
Lebanon	19,926	20	100.4
McKees Rocks	18,258	3	16.4
McKeesport	45,965	26	56.6
Mahanoy City	16,971	5	29.5
Meadville	13,472	19	141.0
Monessen	18,752	1	5.3
Mount Carmel	19,386	4	20.6
Nanticoke	21,756	6	27.8
New Castle	39,569	25	63.2
Norristown *	30,265	26	85.9
North Braddock	14,076	2	14.2
Oil City	18,645	11	59.0
Old Forge	13,748	4	29.1
Philadelphia (total)	1,657,810	1,541	93.0
White	1,566,158	1,455	92.9
Colored	91,652	86	93.8
Phoenixville	11,400	8	70.2
Pittsburgh (total)	564,878	481	85.2
White	537,479	460	85.6
Colored	27,399	21	76.6
Pittston	17,847	11	61.6
Plymouth	18,422	9	48.9
Pottstown	16,408	15	91.4
Pottsville	21,684	18	83.0
Reading	103,361	86	83.2
Scranton	141,351	85	60.1
Shamokin	20,841	14	67.2
Sharon	17,538	10	57.0
Shenandoah	28,097	6	21.4
South Bethlehem	22,840	9	39.4
Steelton	15,126	7	46.3
Sunbury	15,458	14	90.6
Uniontown	19,140	18	94.0
Warren	14,045	12	85.4
Washington	20,702	12	58.0
West Chester (total)	12,722	15	117.9
White	10,691	13	121.6
Colored	2,031	2	98.5
Wilkes-Barre	73,660	46	62.4
Wilkinsburg	21,701	22	101.4
Williamsport	33,181	50	150.7
York	49,430	47	95.1
RHODE ISLAND.			
Registration cities (total)	479,487	426	88.8
White	470,169	419	89.1
Colored	9,318	7	75.1
Central Falls	24,707	11	44.5
Cranston [4]	24,415	34	139.3
Cumberland town	10,608	10	94.3
East Providence town	17,369	23	132.4
Newport	29,154	25	85.8
Pawtucket	56,901	44	77.3
Providence	245,099	227	92.6
Warwick town [5]	28,893	31	107.3
Woonsocket	42,350	21	49.6
SOUTH CAROLINA.[1]			
Charleston (total)	60,121	35	58.2
White	28,372	23	81.1
Colored	31,749	12	37.8

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Colored population less than 10 per cent of the total in 1910.
[3] Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.
[4] Includes state institutions.
[5] Includes West Warwick town, organized Nov. 1, 1913.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.			
TENNESSEE.[1]			
Registration cities (total)	370,662	289	78.0
White	237,961	209	87.8
Colored	132,701	80	60.3
Chattanooga (total)	57,077	40	70.1
White	34,115	32	93.8
Colored	22,962	8	34.8
Jackson (total)	17,531	8	45.6
White	11,170	4	35.8
Colored	6,361	4	62.9
Knoxville (total)	37,924	29	76.5
White	29,952	19	63.4
Colored	7,972	10	125.4
Memphis (total)	143,231	114	79.6
White	85,859	86	100.2
Colored	57,372	28	48.8
Nashville (total)	114,899	98	85.3
White	76,865	68	88.5
Colored	38,034	30	78.9
TEXAS.[1]			
Registration cities (total)	204,857	181	88.4
White	181,036	170	93.9
Colored	23,821	11	46.2
El Paso (total)	49,505	48	97.0
White	47,371	48	101.3
Colored [2]	2,134	.....	.....
Galveston (total)	40,289	52	129.1
White	31,480	45	142.9
Colored	8,809	7	79.5
San Antonio (total)	115,063	81	70.4
White	102,185	77	75.4
Colored	12,878	4	31.1
UTAH.			
Registration cities (total)	139,264	93	66.8
White	136,968	88	64.2
Colored	2,296	5	217.8
Ogden	29,528	22	74.5
Salt Lake City	109,736	71	64.7
VERMONT.			
Registration cities (total)	47,370	73	154.1
White	47,221	72	152.5
Colored	149	1	671.1
Barre	11,706	5	42.7
Burlington	21,247	35	164.7
Rutland	14,417	33	228.9
VIRGINIA.			
Registration cities (total)	423,671	304	71.8
White	277,249	216	77.9
Colored	146,422	88	60.1
Alexandria (total)	15,670	16	102.1
White	11,380	14	123.0
Colored	4,290	2	46.6
Danville (total)	19,627	19	96.5
White	13,267	14	105.5
Colored	6,430	5	77.8
Lynchburg (total)	31,830	27	84.8
White	21,609	20	92.6
Colored	10,221	7	68.5
Newport News (total)	20,446	5	24.5
White	13,089	4	30.6
Colored	7,357	1	13.6
Norfolk (total)	86,540	46	53.2
White	54,338	33	60.7
Colored	32,202	13	40.4
Petersburg (total)	25,112	20	79.6
White	13,647	11	80.6
Colored	11,465	9	78.5
REGISTRATION CITIES—Continued.			
VIRGINIA—continued.			
Portsmouth (total)	37,569	18	47.9
White	24,405	11	45.1
Colored	13,164	7	53.2
Richmond (total)	134,917	127	94.1
White	85,498	89	104.1
Colored	49,419	38	76.9
Roanoke (total)	40,574	20	49.3
White	31,349	15	47.8
Colored	9,225	5	54.2
Staunton (total)*	11,316	6	53.0
White	8,667	5	57.7
Colored	2,649	1	37.8
WASHINGTON.			
Registration cities (total)	674,321	499	74.0
White	655,896	497	75.8
Colored	18,425	2	10.9
Aberdeen	18,220	10	54.9
Bellingham	29,937	21	70.1
Everett	32,048	19	59.3
North Yakima	18,737	20	106.7
Seattle	313,029	221	70.6
Spokane	135,657	102	75.2
Tacoma	103,418	84	81.2
Walla Walla	23,275	22	94.5
WEST VIRGINIA.[1]			
Wheeling (total)	42,817	46	107.4
White	41,575	45	108.2
Colored [2]	1,242	1	80.5
WISCONSIN.			
Registration cities (total)	833,974	712	85.4
White	831,317	710	85.4
Colored	2,657	2	75.3
Appleton	17,492	21	120.1
Ashland	10,964	10	91.2
Beloit	17,122	15	87.6
Eau Claire	18,647	25	134.1
Fond du Lac	20,367	26	127.7
Green Bay	28,026	36	128.5
Janesville	14,195	20	140.9
Kenosha	29,062	16	55.1
La Crosse	31,367	36	114.8
Madison	29,469	29	98.4
Manitowoc	13,553	17	125.4
Marinette	13,937	11	78.9
Milwaukee	419,589	291	69.4
Oshkosh	35,097	38	108.3
Racine	44,528	44	98.8
Sheboygan	27,863	35	125.6
Superior	44,344	26	58.6
Wausau	18,352	16	87.2
RURAL PART OF REGISTRATION STATES.[3]			
CALIFORNIA.			
Total	1,211,170	947	78.2
White	1,142,413	929	81.3
Colored	68,757	18	26.2
Alameda County	34,101	39	114.4
Alpine County	226	.....	.....
Amador County	8,224	7	85.1
Butte County	31,641	23	72.7
Calaveras County	8,309	2	24.1
Colusa County	7,893	3	38.0
Contra Costa County	37,483	18	48.0
Del Norte County	2,421	2	82.6
Eldorado County	6,857	10	145.8
Fresno County	61,954	40	64.6
RURAL PART OF REGISTRATION STATES.[3]—Con.			
CALIFORNIA—continued.			
Glenn County	8,033	4	49.8
Humboldt County	22,967	13	56.6
Imperial County	16,683	5	30.0
Inyo County	8,082	2	24.7
Kern County	31,226	4	12.8
Kings County	18,940	12	63.4
Lake County	5,320	5	94.0
Lassen County	4,925	4	81.2
Los Angeles County	129,965	161	123.9
Madera County	9,222	5	54.2
Marin County	29,126	14	48.1
Mariposa County	3,633	1	27.5
Mendocino County*	25,405	10	39.4
Merced County	17,676	11	62.2
Modoc County	6,667	2	30.0
Mono County	1,992	.....	.....
Monterey County	26,176	16	61.1
Napa County*	21,228	32	150.7
Nevada County	13,748	14	101.8
Orange County	40,716	39	95.8
Placer County	19,281	13	67.4
Plumas County	5,516	1	18.1
Riverside County	23,557	7	29.7
Sacramento County	14,416	5	34.7
San Benito County	8,639	9	104.2
San Bernardino County*	40,510	34	83.9
San Diego County	26,789	24	89.6
San Joaquin County	31,539	32	101.5
San Luis Obispo County	20,553	14	68.1
San Mateo County	32,759	23	70.2
Santa Barbara County	17,670	5	28.3
Santa Clara County*	56,391	78	138.3
Santa Cruz County	14,628	9	61.5
Shasta County	19,602	13	66.3
Sierra County	4,132	2	48.4
Siskiyou County	19,584	8	40.8
Solano County	16,238	9	55.4
Sonoma County	52,618	63	119.7
Stanislaus County	28,048	19	67.7
Sutter County	6,515	5	76.7
Tehama County	11,574	10	86.4
Trinity County	2,842	2	70.4
Tulare County	42,712	23	53.8
Tuolumne County	9,474	5	52.8
Ventura County	20,043	14	69.8
Yolo County	14,057	12	85.4
Yuba County	10,648	10	93.9
COLORADO.			
Total	568,280	237	41.7
White	561,232	236	42.1
Colored	7,048	1	14.2
Adams County	10,652	3	28.2
Arapahoe County	12,295	4	32.5
Archuleta County	3,808	.....	.....
Baca County	3,266	.....	.....
Bent County	5,894	2	33.9
Boulder County	34,073	25	73.4
Chaffee County	7,850	6	76.4
Cheyenne County	5,044	1	19.8
Clear Creek County	4,117	1	24.3
Conejos County [4]	18,213	3	16.5
Custer County	1,527	1	65.5
Delta County	17,182	4	23.3
Dolores County	435	.....	.....
Douglas County	3,223	3	93.1
Eagle County	2,978	1	33.6

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Colored population less than 10 per cent of the total in 1910.
[3] Exclusive of municipalities having a population of 10,000 or over in 1910.
[4] Includes Alamosa and Costilla Counties; separate estimated populations not available.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
COLORADO—continued.			
El Paso County	16,597	5	30.1
Elbert County	6,281	1	15.9
Fremont County	19,266	7	36.3
Garfield County	11,980	4	33.4
Gilpin County	3,042	1	32.9
Grand County	2,339	.....	.....
Gunnison County	6,138	.....	.....
Hinsdale County	(2)	2	(2)
Huerfano County	15,418	5	32.4
Jackson County	1,246	.....	.....
Jefferson County	16,329	7	42.9
Kiowa County	3,834	.....	.....
Kit Carson County	9,998	2	20.0
La Plata County	12,429	6	48.3
Lake County	(2)	4	(2)
Larimer County	31,053	18	58.0
Las Animas County	25,874	10	38.6
Lincoln County	8,043	.....	.....
Logan County	12,213	1	8.2
Mesa County	27,706	14	50.5
Mineral County	953	2	209.9
Montezuma County	5,867	3	52.8
Montrose County	12,742	5	39.2
Morgan County	12,265	6	48.9
Otero County [3]	23,899	11	46.0
Ouray County	2,996	1	33.4
Park County	2,277	1	43.9
Phillips County	3,857	2	51.9
Pitkin County	3,522	3	85.2
Prowers County	11,970	7	58.5
Pueblo County *	8,580	13	151.5
Rio Blanco County	2,606	.....	.....
Rio Grande County	7,619	.....	.....
Routt County [4]	9,222	2	21.7
Saguache County	4,290	1	23.3
San Juan County	3,370	.....	.....
San Miguel County	4,412	3	68.0
Sedgwick County	3,950	2	50.6
Summit County	1,687	1	59.3
Teller County	8,109	8	98.7
Washington County	7,190	1	13.9
Weld County	48,709	19	39.0
Yuma County	10,180	5	49.1
CONNECTICUT.			
Total	377,398	323	85.6
White	372,932	323	86.6
Colored	4,466	.....	.....
Fairfield County	53,443	43	80.5
Hartford County	85,763	76	88.6
Litchfield County	54,359	41	75.4
Middlesex County	25,150	21	83.5
New Haven County	50,768	48	94.5
New London County *	45,284	46	101.6
Tolland County	27,285	19	69.6
Windham County	35,346	29	82.0
INDIANA.			
Total	1,878,030	1,434	76.4
White	1,859,826	1,423	76.5
Colored	18,204	11	60.4
Adams County	21,675	17	78.4
Allen County	27,830	21	75.5
Bartholomew County	24,905	25	100.4
Benton County	12,503	5	40.0
Blackford County	15,227	15	98.5
Boone County	23,971	11	45.9
Brown County	7,230	3	41.5
Carroll County	17,126	12	70.1
Cass County *	16,879	9	53.3
Clark County	19,331	14	72.4
RURAL PART OF REGISTRATION STATES [1]—Con.			
INDIANA—continued.			
Clay County	31,790	24	75.5
Clinton County	26,026	32	123.0
Crawford County	11,455	3	26.2
Daviess County	26,825	17	63.4
Dearborn County	21,057	18	85.5
Decatur County	18,486	18	97.4
Dekalb County	24,776	23	92.8
Delaware County	27,206	19	69.8
Duhois County	19,624	6	22.1
Elkhart County	29,662	42	141.6
Fayette County	14,805	19	128.3
Floyd County	9,738	9	92.4
Fountain County	20,010	16	80.0
Franklin County	14,888	10	67.2
Fulton County	16,635	13	87.3
Gibson County	30,151	16	53.1
Grant County [5]	30,379	35	115.2
Greene County	40,427	16	39.6
Hamilton County	25,797	19	73.7
Hancock County	18,963	18	94.9
Harrison County	19,606	15	76.5
Hendricks County	20,649	10	48.4
Henry County	31,747	14	44.1
Howard County	15,443	10	64.8
Huntington County	18,537	11	59.3
Jackson County	23,915	13	54.4
Jasper County	12,514	15	119.9
Jay County	24,170	18	74.5
Jefferson County *	19,448	31	159.4
Jennings County	13,542	12	88.6
Johnson County	20,465	14	68.4
Knox County	25,165	9	35.8
Kosciusko County	27,437	25	91.1
Lagrange County	15,092	11	72.9
Lake County	35,087	25	71.3
Laporte County	15,709	13	82.8
Lawrence County	32,709	15	45.9
Madison County	29,250	20	68.4
Marion County *	32,150	26	80.9
Marshall County	23,775	25	105.2
Martin County	12,201	4	32.8
Miami County	17,576	14	79.7
Monroe County	24,511	22	89.8
Montgomery County	29,258	27	92.3
Morgan County	21,488	11	51.2
Newton County	10,524	12	114.0
Noble County	24,210	18	74.3
Ohio County	4,161	.....	.....
Orange County	17,334	6	34.6
Owen County	13,586	11	81.0
Parke County	21,881	14	64.0
Perry County	17,780	8	45.0
Pike County	19,343	12	62.0
Porter County	21,120	23	108.9
Posey County	21,388	5	23.4
Pulaski County	13,005	14	107.7
Putnam County	20,112	24	119.3
Randolph County	29,164	23	78.9
Ripley County	19,271	21	109.0
Rush County	19,009	15	78.9
St. Joseph County	15,455	18	116.5
Scott County	8,328	12	144.1
Shelby County	26,933	18	66.8
Spencer County	19,939	15	75.2
Starke County	10,624	12	113.0
Steuben County	13,874	14	100.9
Sullivan County	35,179	19	54.0
Switzerland County	9,063	12	132.0
Tippecanoe County	19,765	21	106.2
Tipton County	16,754	12	71.6
RURAL PART OF REGISTRATION STATES [1]—Con.			
INDIANA—continued.			
Union County	6,054	8	132.1
Vanderburg County *	8,570	10	116.7
Vermilion County	20,404	15	73.5
Vigo County	35,435	19	53.6
Wabash County	26,370	20	75.8
Warren County	10,699	4	37.4
Warrick County	21,734	11	50.6
Washington County	16,610	8	48.2
Wayne County *	21,864	29	132.6
Wells County	21,980	9	40.9
White County	16,950	16	94.4
Whitley County	16,707	11	65.8
KANSAS.			
Total	1,439,637	813	56.5
White	1,412,640	801	56.7
Colored	26,997	12	44.4
Allen County	31,105	19	61.1
Anderson County	13,784	9	65.3
Atchison County	11,262	2	17.8
Barber County	11,331	5	44.1
Barton County	19,619	11	56.0
Bourbon County	13,187	10	75.8
Brown County	20,867	10	47.9
Butler County	22,932	18	78.5
Chase County	7,223	3	41.5
Chautauqua County	11,271	6	53.2
Cherokee County	36,232	18	49.7
Cheyenne County	4,933	2	40.5
Clark County	5,112	2	39.1
Clay County	15,005	9	60.0
Cloud County	18,524	13	70.2
Coffey County	14,595	5	34.3
Comanche County	3,989	1	25.1
Cowley County	32,485	25	77.0
Crawford County	39,603	20	50.5
Decatur County	8,868	3	33.8
Dickinson County	25,446	12	47.2
Doniphan County	14,145	9	63.6
Douglas County	11,550	7	60.6
Edwards County	8,461	5	59.1
Elk County	9,569	10	104.5
Ellis County	13,681	9	65.8
Ellsworth County	10,792	7	64.9
Finney County	8,574	1	11.9
Ford County	13,906	8	57.5
Franklin County	20,687	14	67.7
Geary County	13,507	9	66.6
Gove County	7,580	1	13.2
Graham County	10,203	3	29.4
Grant County	1,370	.....	.....
Gray County	3,913	1	25.6
Greeley County	1,694	.....	.....
Greenwood County	16,004	12	75.0
Hamilton County	4,184	1	23.9
Harper County	16,639	8	48.1
Harvey County	19,887	18	90.5
Haskell County	1,221	.....	.....
Hodgeman County	3,314	.....	.....
Jackson County	16,754	14	83.6
Jefferson County	15,100	12	79.5
Jewell County	17,608	13	73.8
Johnson County	18,365	17	92.6
Kearny County	4,099	1	24.4
Kingman County	14,546	7	48.1
Kiowa County	7,796	1	12.8
Labette County	18,642	13	69.7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Population not estimated, decrease since 1900.
[3] Includes Crowley County; separate estimated populations not available.
[4] Includes Moffat County; separate estimated populations not available.
[5] Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
KANSAS—continued.			
Lane County	3,046	1	32.8
Leavenworth County	22,544	16	71.0
Lincoln County	10,251	2	19.5
Linn County	13,903	23	165.4
Logan County	5,208	2	38.4
Lyon County	24,865	21	84.5
McPherson County	21,563	18	83.5
Marion County	23,156	10	43.2
Marshall County	23,678	10	42.2
Meade County	6,534	2	30.6
Miami County	19,344	12	62.0
Mitchell County	13,853	8	57.7
Montgomery County	28,903	13	45.0
Morris County	12,578	3	23.9
Morton County	1,771	1	56.5
Nemaha County	18,516	7	37.8
Neosho County	25,669	18	70.1
Ness County	6,455	1	15.5
Norton County	11,736	8	68.2
Osage County	18,306	13	71.0
Osborne County	13,244	12	90.6
Ottawa County	12,077	7	58.0
Pawnee County	10,467	6	57.3
Phillips County	14,028	2	14.3
Pottawatomie County	17,118	9	52.6
Pratt County	12,890	1	7.8
Rawlins County	6,864	3	43.7
Reno County	22,274	11	49.4
Republic County	17,106	16	93.5
Rice County	15,258	5	32.8
Riley County	16,616	12	72.2
Rooks County	12,696	5	39.4
Rush County	8,546	2	23.4
Russell County	11,785	10	84.9
Saline County	21,727	11	50.6
Scott County	3,876	1	25.8
Sedgwick County	20,504	5	24.4
Seward County	5,484	.....	.....
Shawnee County	18,244	12	65.8
Sheridan County	6,430	2	31.1
Sherman County	5,062	3	59.3
Smith County	14,931	7	46.9
Stafford County	13,651	4	29.3
Stanton County	1,333	.....	.....
Stevens County	3,232	.....	.....
Sumner County	32,793	17	51.8
Thomas County	6,027	1	16.6
Trego County	5,538	.....	.....
Wabaunsee County	12,683	9	71.0
Wallace County	3,432	3	87.4
Washington County	19,492	8	41.0
Wichita County	2,351	.....	.....
Wilson County	21,594	16	74.1
Woodson County	9,206	4	43.4
Wyandotte County	17,235	16	92.8
KENTUCKY.			
Total	1,925,168	753	39.1
White	1,730,546	668	38.6
Colored	194,622	85	43.7
Adair County (total)	17,190	4	23.3
White	15,643	4	25.6
Colored [2]	1,547	.....	.....
Allen County (total)	14,978	7	46.7
White	14,055	6	42.7
Colored [2]	923	1	108.3
Anderson County (total)	10,185	1	9.8
White	9,443	1	10.6
Colored [2]	742	.....	.....
Ballard County (total)	13,512	2	14.8
White	11,812	2	16.9
Colored	1,700	.....	.....
RURAL PART OF REGISTRATION STATES [1]—Con.			
KENTUCKY—continued.			
Barren County (total)	26,186	9	34.4
White	22,442	9	40.1
Colored	3,744	.....	.....
Bath County (total)	13,673	4	29.5
White	12,358	4	32.4
Colored [2]	1,315	.....	.....
Bell County (total)	33,878	6	17.7
White	30,376	5	16.5
Colored	3,502	1	28.6
Boone County (total)	8,676	5	57.6
White	8,233	5	60.7
Colored [2]	443	.....	.....
Bourbon County (total)	17,206	15	87.2
White	11,606	9	77.5
Colored	5,600	6	107.1
Boyd County (total)	25,408	10	39.4
White	24,496	10	40.8
Colored [2]	912	.....	.....
Boyle County (total)	15,031	7	46.6
White	10,744	4	37.2
Colored	4,287	3	70.0
Bracken County (total)	9,530	7	73.5
White	9,215	7	76.0
Colored [2]	315	.....	.....
Breathitt County (total)	18,912	1	5.3
White	18,629	1	5.4
Colored [2]	283	.....	.....
Breckinridge County (total)	21,246	11	51.8
White	19,636	9	45.8
Colored [2]	1,610	2	124.2
Bullitt County (total)	9,442	.....	.....
White	8,761	.....	.....
Colored [2]	681	.....	.....
Butler County (total)	15,768	7	44.4
White	15,204	7	46.0
Colored [2]	564	.....	.....
Caldwell County (total)	13,875	2	14.4
White	11,371	1	8.8
Colored	2,504	1	39.9
Calloway County (total)	20,819	9	43.2
White	19,691	9	45.7
Colored [2]	1,128	.....	.....
Campbell County (total)	30,046	24	79.9
White	29,867	24	80.4
Colored [2]	179	.....	.....
Carlisle County (total)	8,561	1	11.7
White	8,186	1	12.2
Colored [2]	375	.....	.....
Carroll County (total)	7,383	7	94.8
White	6,897	6	87.0
Colored [2]	486	1	205.8
Carter County (total)	22,708	4	17.6
White	22,593	4	17.7
Colored [2]	115	.....	.....
Casey County (total)	15,623	4	25.6
White	15,340	4	26.1
Colored [2]	283	.....	.....
Christian County (total) *	39,221	26	66.3
White	22,993	17	73.9
Colored	16,228	9	55.5
Clark County (total)	18,538	16	86.3
White	13,900	14	100.7
Colored	4,638	2	43.1
Clay County (total)	18,821	8	42.5
White	18,294	7	38.3
Colored [2]	527	1	189.8
Clinton County (total)	8,272	.....	.....
White	8,176	.....	.....
Colored [2]	96	.....	.....
Crittenden County (total)	12,490	2	16.0
White	11,934	2	16.8
Colored [2]	556	.....	.....
RURAL PART OF REGISTRATION STATES [1]—Con.			
KENTUCKY—continued.			
Cumberland County (total)	10,222	1	9.8
White	9,151	1	10.9
Colored	1,071	.....	.....
Daviess County (total)	24,811	4	16.1
White	22,824	4	17.5
Colored [2]	1,987	.....	.....
Edmonson County (total)	10,634	2	18.8
White	10,185	2	19.6
Colored [2]	449	.....	.....
Elliott County (total)	9,571	2	20.9
White	9,566	2	20.9
Colored [2]	5	.....	.....
Estill County (total)	12,531	2	16.0
White	12,422	2	16.1
Colored [2]	109	.....	.....
Fayette County (total)	11,300	4	35.4
White	7,822	4	51.1
Colored	3,478	.....	.....
Fleming County (total)	15,637	11	70.3
White	14,630	11	75.2
Colored [2]	1,007	.....	.....
Floyd County (total)	19,932	2	10.0
White	19,776	2	10.1
Colored [2]	156	.....	.....
Franklin County (total)	10,372	6	57.8
White	9,564	5	52.3
Colored [2]	808	1	123.8
Fulton County (total)	15,208	6	39.5
White	11,566	6	51.9
Colored	3,642	.....	.....
Gallatin County (total)	4,499	2	44.5
White	4,235	2	47.2
Colored [2]	264	.....	.....
Garrard County (total)	11,831	5	42.3
White	9,543	4	41.9
Colored	2,288	1	43.7
Grant County (total)	9,449	2	21.2
White	9,186	2	21.8
Colored [2]	263	.....	.....
Graves County (total)	33,682	11	32.7
White	30,748	10	32.5
Colored [2]	2,934	1	34.1
Grayson County (total)	19,992	8	40.0
White	19,656	8	40.7
Colored [2]	336	.....	.....
Green County (total)	11,708	6	51.2
White	10,373	5	48.2
Colored	1,335	1	74.9
Greenup County (total)	19,771	9	45.5
White	19,483	9	46.2
Colored [2]	288	.....	.....
Hancock County (total)	8,343	2	24.0
White	7,784	2	25.7
Colored [2]	559	.....	.....
Hardin County (total)	22,595	9	39.8
White	20,764	6	28.9
Colored [2]	1,831	3	163.8
Harlan County (total)	10,874	2	18.4
White	10,290	2	19.4
Colored [2]	584	.....	.....
Harrison County (total)	16,151	10	61.9
White	14,463	9	62.2
Colored	1,688	1	59.2
Hart County (total)	18,080	3	16.6
White	16,085	3	18.7
Colored	1,995	.....	.....
Henderson County (total)	15,884	9	56.7
White	12,542	7	55.8
Colored	3,342	2	59.8
Henry County (total)	13,333	10	75.0
White	11,578	7	60.5
Colored	1,755	3	170.9

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Colored population less than 10 per cent of the total in 1910.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
KENTUCKY—continued.			
Hickman County (total)	11,750	6	51.1
White	9,971	5	50.1
Colored	1,779	1	56.2
Hopkins County (total)	35,694	20	56.0
White	28,802	13	45.1
Colored	6,892	7	101.6
Jackson County (total)	10,806	3	27.8
White	10,784	3	27.8
Colored [2]	22		
Jefferson County (total) *	40,747	11	27.0
White	35,204	11	31.2
Colored	5,543		
Jessamine County (total)	12,905	10	77.5
White	9,851	8	81.2
Colored	3,054	2	65.5
Johnson County (total)	19,080	5	26.2
White	19,029	5	26.3
Colored [2]	51		
Kenton County (total)	17,342	10	57.7
White	17,021	10	58.8
Colored [2]	321		
Knott County (total)	11,679	2	17.1
White	11,506	2	17.4
Colored [2]	173		
Knox County (total)	24,136	9	37.3
White	22,965	9	39.2
Colored [2]	1,171		
Larue County (total)	10,676	6	56.2
White	9,887	6	60.7
Colored [2]	789		
Laurel County (total)	20,843	5	24.0
White	20,144	4	19.9
Colored [2]	699	1	143.1
Lawrence County (total)	20,261	5	24.7
White	20,095	5	24.9
Colored [2]	166		
Lee County (total)	10,188	1	9.8
White	9,936	1	10.1
Colored [2]	252		
Leslie County (total)	9,923	1	10.1
White	9,776	1	10.2
Colored [2]	147		
Letcher County (total)	11,241	1	8.9
White	11,223	1	8.9
Colored [2]	18		
Lewis County (total)	16,470	8	48.6
White	16,331	8	49.0
Colored [2]	139		
Lincoln County (total)	18,253	9	49.3
White	15,217	8	52.6
Colored	3,036	1	32.9
Livingston County (total)	10,319	3	29.1
White	9,663	3	31.0
Colored [2]	656		
Logan County (total)	24,544	14	57.0
White	19,245	11	57.2
Colored	5,299	3	56.6
Lyon County (total)	9,465	2	21.1
White	7,644	1	13.1
Colored	1,821	1	54.9
McCracken County (total)	13,592	5	36.8
White	11,454	5	43.7
Colored	2,138		
McLean County (total)	13,578	2	14.7
White	12,803	2	15.6
Colored [2]	775		
Madison County (total)	27,523	13	47.2
White	21,657	12	55.4
Colored	5,866	1	17.0
Magoffin County (total)	14,356	2	13.9
White	14,201	2	14.1
Colored [2]	155		
RURAL PART OF REGISTRATION STATES[1]—Con.			
KENTUCKY—continued.			
Marion County (total)	16,347	14	85.6
White	14,063	12	85.3
Colored	2,284	2	87.6
Marshall County (total)	16,655	2	12.0
White	16,511	2	12.1
Colored [2]	144		
Martin County (total)	7,935		
White	7,931		
Colored [2]	4		
Mason County (total)	17,829	9	50.5
White	15,060	8	53.1
Colored	2,769	1	36.1
Meade County (total)	9,463	6	63.4
White	8,824	6	68.0
Colored [2]	639		
Menifee County (total)	5,871	1	17.0
White	5,833	1	17.1
Colored [2]	38		
Mercer County (total)	13,910	6	43.1
White	11,747	5	42.6
Colored	2,163	1	46.2
Metcalfe County (total)	10,651	7	65.7
White	9,836	5	50.8
Colored [2]	815	2	245.4
Monroe County (total)	13,922	4	28.7
White	13,178	4	30.4
Colored [2]	744		
Montgomery County (total)	12,881	9	69.9
White	9,661	6	62.1
Colored	3,220	3	93.2
Morgan County (total)	17,736	6	33.8
White	17,699	6	33.9
Colored [2]	37		
Muhlenberg County (total)	31,944	13	40.7
White	28,668	11	38.4
Colored	3,276	2	61.1
Nelson County (total)	16,931	16	94.5
White	13,957	13	93.1
Colored	2,974	3	100.9
Nicholas County (total)	10,026	7	69.8
White	9,173	7	76.3
Colored [2]	853		
Ohio County (total)	27,794	11	39.6
White	26,490	11	41.5
Colored [2]	1,304		
Oldham County (total)	7,320	2	27.3
White	6,223	2	32.1
Colored	1,097		
Owen County (total)	12,841	6	46.7
White	11,985	6	50.1
Colored [2]	856		
Owsley County (total)	8,448	3	35.5
White	8,368	3	35.9
Colored [2]	80		
Pendleton County (total)	10,722	6	56.0
White	10,487	6	57.2
Colored [2]	235		
Perry County (total)	12,523	1	8.0
White	12,283	1	8.1
Colored [2]	240		
Pike County (total)	35,510	3	8.4
White	35,135	3	8.5
Colored [2]	375		
Powell County (total)	6,194		
White	5,859		
Colored [2]	335		
Pulaski County [3] (total)	91,570	34	37.1
White	88,280	33	37.4
Colored [2]	3,200	1	30.4
Robertson County (total)	3,791	1	26.4
White	3,727	1	26.8
Colored [2]	64		
RURAL PART OF REGISTRATION STATES[1]—Con.			
KENTUCKY—continued.			
Rockcastle County (total)	15,348	5	32.6
White	15,214	5	32.9
Colored [2]	134		
Rowan County (total)	9,931	2	20.1
White	9,869	2	20.3
Colored [2]	62		
Russell County (total)	11,358	4	35.2
White	11,140	4	35.9
Colored [2]	218		
Scott County (total)	16,480	8	48.5
White	12,522	7	55.9
Colored	3,958	1	25.3
Shelby County (total)	17,915	8	44.7
White	13,923	8	57.5
Colored	3,992		
Simpson County (total)	11,393	5	43.9
White	9,225	5	54.2
Colored	2,168		
Spencer County (total)	7,634	4	52.4
White	6,863	4	58.3
Colored	771		
Taylor County (total)	12,338	5	40.5
White	10,853	5	46.1
Colored	1,485		
Todd County (total)	16,113	12	74.5
White	10,854	8	73.7
Colored	5,259	4	76.1
Trigg County (total)	14,737	6	40.7
White	11,346	6	52.9
Colored	3,391		
Trimble County (total)	6,189		
White	6,053		
Colored [2]	136		
Union County (total)	19,274	9	46.7
White	16,917	7	41.4
Colored	2,357	2	84.9
Warren County (total)	30,837	20	64.9
White	24,627	18	73.1
Colored	6,210	2	32.2
Washington County (total)	13,839	5	36.1
White	12,060	4	33.2
Colored	1,779	1	56.2
Webster County (total)	21,347	6	28.1
White	18,638	6	32.2
Colored	2,709		
Wolfe County (total)	10,331	1	9.7
White	10,272	1	9.7
Colored [2]	59		
Woodford County (total)	12,331	6	48.7
White	8,652	3	34.7
Colored	3,679	3	81.5
MAINE.			
Total	587,660	609	103.6
White	585,942	607	103.6
Colored	1,718	2	116.4
Androscoggin County	18,931	24	126.8
Aroostook County	80,595	46	57.1
Cumberland County	54,679	60	109.7
Franklin County	19,406	20	103.1
Hancock County	34,717	37	106.6
Kennebec County [4]	38,298	55	143.6
Knox County	28,526	32	112.2
Lincoln County	17,597	40	227.3
Oxford County	37,968	29	76.4
Penobscot County	63,075	54	85.6
Piscataquis County	21,137	17	80.4
Sagadahoc County	17,827	19	106.6
Somerset County	37,345	44	117.8
Waldo County	23,042	18	78.1
Washington County	41,915	54	128.8
York County	52,602	60	114.1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Colored population less than 10 per cent of the total in 1910.
[3] Includes Wayne, Whitley, and McCreary Counties; separate estimated populations not available.
[4] Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
MARYLAND.			
Total	700,758	439	62.6
White	552,611	380	68.8
Colored	148,147	59	39.8
Allegany County (total)	41,071	23	56.0
White	40,681	23	56.5
Colored[2]	390	.....	.....
Anne Arundel County (total)	39,527	34	86.0
White	25,149	29	115.3
Colored	14,378	5	34.8
Baltimore County (total)*	135,813	111	81.7
White	121,581	104	85.5
Colored	14,232	7	49.2
Calvert County (total)	10,368	2	19.3
White	5,218	1	19.2
Colored	5,150	1	19.4
Caroline County (total)	20,480	8	39.1
White	15,293	6	39.2
Colored	5,187	2	38.6
Carroll County (total)	33,965	20	58.9
White	31,917	19	59.5
Colored	2,048	1	48.8
Cecil County (total)	23,377	18	77.0
White	20,044	14	69.8
Colored	3,333	4	120.0
Charles County (total)	15,843	4	25.2
White	7,419	2	27.0
Colored	8,424	2	23.7
Dorchester County (total)	28,968	16	55.2
White	19,292	12	62.2
Colored	9,676	4	41.3
Frederick County (total)	42,107	24	57.0
White	38,147	20	52.4
Colored	3,960	4	101.0
Garrett County (total)	21,128	10	47.3
White	21,015	10	47.6
Colored[2]	113	.....	.....
Harford County (total)	27,837	13	46.7
White	22,661	13	57.4
Colored	5,176	.....	.....
Howard County (total)	15,848	8	50.5
White	12,074	7	58.0
Colored	3,774	1	26.5
Kent County (total)	16,178	8	49.4
White	10,203	4	39.2
Colored	5,975	4	66.9
Montgomery County (total)	32,786	11	33.6
White	23,188	10	43.1
Colored	9,598	1	10.4
Prince Georges County (total)	38,809	18	46.4
White	26,256	16	60.9
Colored	12,553	2	15.9
Queen Annes County (total)	16,191	9	55.6
White	10,508	8	76.1
Colored	5,683	1	17.6
St. Marys County (total)	16,967	5	29.5
White	9,571	5	52.2
Colored	7,396	.....	.....
Somerset County (total)	26,681	26	97.4
White	16,997	19	112.0
Colored	9,714	7	72.1
Talbot County (total)	19,313	17	88.0
White	12,531	12	95.8
Colored	6,782	5	73.7
Washington County (total)	26,741	22	82.3
White	26,231	22	83.9
Colored[2]	510	.....	.....
Wicomico County (total)	28,503	10	35.1
White	21,686	9	41.5
Colored	6,817	1	14.7
RURAL PART OF REGISTRATION STATES[1]—Con.			
MARYLAND—continued.			
Worcester County (total)	22,257	22	98.8
White	14,979	15	100.1
Colored	7,278	7	96.2
MASSACHUSETTS.			
Total	791,284	868	109.7
White	784,110	864	110.2
Colored	7,165	4	55.8
Barnstable County	27,423	37	134.9
Berkshire County	37,895	42	110.8
Bristol County	56,332	56	99.4
Dukes County	4,482	9	200.8
Essex County *	92,103	105	114.0
Franklin County	33,127	33	99.6
Hampden County	46,101	35	75.9
Hampshire County	45,481	33	72.6
Middlesex County*	125,247	173	138.1
Nantucket County	2,946	9	305.5
Norfolk County *	105,294	99	94.0
Plymouth County *	80,000	99	123.8
Worcester County *	134,853	138	102.3
MICHIGAN.			
Total	1,806,362	1,398	77.4
White	1,792,223	1,391	77.6
Colored	14,139	7	49.5
Alcona County	5,708	1	17.5
Alger County	8,446	2	23.6
Allegan County	40,249	30	74.5
Alpena County	7,605	9	118.3
Antrim County	15,322	13	84.8
Arenac County	9,565	4	41.8
Baraga County	6,898	3	43.5
Barry County	22,685	24	105.8
Bay County	23,688	14	59.1
Benzie County	11,043	8	72.4
Berrien County	55,521	58	104.5
Branch County	24,667	23	93.2
Calhoun County	31,636	35	110.6
Cass County	20,520	29	141.3
Charlevoix County	21,373	13	60.8
Cheboygan County	18,875	10	53.0
Chippewa County	12,308	7	56.9
Clare County	9,616	3	31.2
Clinton County	22,276	18	80.8
Crawford County	4,356	5	114.8
Delta County	18,013	4	22.2
Dickinson County	21,647	14	64.7
Eaton County	30,003	25	83.3
Emmet County	19,681	15	76.2
Genesee County	24,705	24	97.1
Gladwin County	9,201	3	32.6
Gogebic County	11,996	2	16.7
Grand Traverse County	11,924	4	33.5
Gratiot County	28,366	21	74.0
Hillsdale County	29,594	28	94.6
Houghton County	97,488	45	46.2
Huron County	35,011	28	80.0
Ingham County	21,547	31	143.9
Ionia County *	33,220	14	42.1
Iosco County	9,544	7	73.3
Iron County	17,794	3	16.9
Isabella County	23,132	7	30.3
Jackson County	21,547	25	116.0
Kalamazoo County	21,453	17	79.2
Kalkaska County	8,506	9	105.8
Kent County	48,459	50	103.2
Keweenaw County	8,834	3	34.0
Lake County	4,933	1	20.3
Lapeer County	25,349	18	71.0
Leelanau County	10,629	12	112.9
RURAL PART OF REGISTRATION STATES[1]—Con.			
MICHIGAN—continued.			
Lenawee County	36,462	39	107.0
Livingston County	16,915	21	124.2
Luce County *	4,438	5	112.7
Mackinac County	9,906	2	20.2
Macomb County	32,337	34	105.1
Manistee County	14,610	9	61.6
Marquette County	24,879	8	32.2
Mason County	23,086	12	52.0
Mecosta County	18,944	25	132.0
Menominee County	15,532	6	38.6
Midland County	13,821	7	50.6
Missaukee County	11,157	7	62.7
Monroe County	32,984	28	84.9
Montcalm County	31,779	35	110.1
Montmorency County	3,976	2	50.3
Muskegon County	16,642	15	90.1
Newaygo County	19,877	9	45.3
Oakland County	35,053	25	71.3
Oceana County	19,417	11	57.5
Ogemaw County	9,392	9	95.8
Ontonagon County	9,694	5	51.6
Osceola County	17,902	12	67.0
Oscoda County	2,263	2	88.4
Otsego County	6,712	3	44.7
Ottawa County	36,061	22	61.0
Presque Isle County	12,283	5	40.7
Roscommon County	2,480	1	40.3
Saginaw County	38,740	21	54.2
St. Clair County	32,374	30	92.7
St. Joseph County	26,185	25	95.5
Sanilac County	33,451	29	86.7
Schoolcraft County	9,018	9	99.8
Shiawassee County	32,983	32	97.0
Tuscola County	34,497	29	84.1
Van Buren County	33,147	43	129.7
Washtenaw County	28,470	24	84.3
Wayne County	71,842	63	87.7
Wexford County	22,440	15	66.8
MINNESOTA.			
Total	1,481,593	1,096	74.0
White	1,471,362	1,092	74.2
Colored	10,231	4	39.1
Aitkin County	11,917	7	58.7
Anoka County *	12,995	8	61.6
Becker County	20,097	10	49.8
Beltrami County	24,010	9	37.5
Benton County	11,045	6	54.3
Big Stone County	9,637	8	83.0
Blue Earth County	17,824	17	95.4
Brown County	20,282	20	98.6
Carlton County	20,773	10	48.1
Carver County	17,418	10	57.4
Cass County	13,258	13	98.1
Chippewa County	13,867	15	108.2
Chisago County	13,660	14	102.5
Clay County	20,365	11	54.0
Clearwater County	8,531	2	23.4
Cook County	1,560	1	64.1
Cottonwood County	12,899	8	62.0
Crow Wing County	17,972	17	94.6
Dakota County *	26,636	14	52.6
Dodge County	11,564	15	129.7
Douglas County	17,544	23	131.1
Faribault County	19,053	8	42.0
Fillmore County	24,590	25	101.7
Freeborn County	22,471	28	124.6
Goodhue County	31,848	31	97.3
Grant County	9,190	9	97.9
Hennepin County	34,820	20	57.4
Houston County	13,829	13	94.0
Hubbard County	11,216	2	17.8
Isanti County	13,015	13	99.9

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Colored population less than 10 per cent of the total in 1910.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
MINNESOTA—continued.			
Itasca County	23,121	9	38.9
Jackson County	14,365	10	69.6
Kanabec County	7,248	3	41.4
Kandiyohi County	19,205	14	72.9
Kittson County	10,427	8	76.7
Koochiching County	8,641	4	46.3
Lac qui Parle County	15,923	9	56.5
Lake County	9,442	4	42.4
Le Sueur County	17,919	8	44.6
Lincoln County	10,260	5	48.7
Lyon County	16,202	14	86.4
McLeod County	18,308	14	76.5
Mahnomen County	3,249	3	92.3
Marshall County	16,610	13	78.3
Martin County	17,765	14	78.8
Meeker County	16,711	18	107.7
Mille Lacs County	11,829	8	67.6
Morrison County	24,547	19	77.4
Mower County	22,768	6	26.4
Murray County	11,690	10	85.5
Nicollet County *	13,849	20	144.4
Nobles County	15,328	6	39.1
Norman County	13,446	10	74.4
Olmsted County *	22,232	99	445.3
Otter Tail County *	46,318	43	92.8
Pennington County	10,314	6	58.2
Pine County	17,722	9	50.8
Pipestone County	9,675	6	62.0
Polk County	36,245	24	66.2
Pope County	12,818	4	31.2
Ramsey County	9,546	6	62.9
Red Lake County	7,221	1	13.8
Redwood County	18,020	5	27.4
Renville County	22,882	14	42.6
Rice County	25,839	28	108.4
Rock County	10,458	11	105.2
Roseau County	13,180	4	30.3
St. Louis County	94,510	32	33.9
Scott County	14,779	8	55.3
Sherburne County	7,521	7	93.1
Sibley County	14,977	12	80.1
Stearns County	39,973	17	42.5
Steele County	15,986	10	62.6
Stevens County	8,112	5	61.6
Swift County	12,713	6	47.2
Todd County	23,914	8	33.5
Traverse County	8,251	1	12.1
Wabasha County	18,398	25	135.9
Wadena County	8,963	8	89.3
Waseca County	12,915	11	85.2
Washington County	15,953	8	50.1
Watonwan County	11,336	6	52.9
Wilkin County	9,480	3	31.6
Winona County	14,322	15	104.7
Wright County	27,625	28	101.4
Yellow Medicine County	15,747	10	63.5
MISSOURI.			
Total	2,140,145	1,155	54.0
White	2,066,497	1,112	53.8
Colored	73,648	43	58.4
Adair County	23,112	13	56.2
Audrew County	14,410	17	118.0
Atchison County	12,370	2	16.2
Audrain County	21,909	21	95.9
Barry County	23,101	8	34.5
Barton County	16,106	5	31.0
Bates County	24,050	13	54.1
Benton County	14,168	8	56.5
Bollinger County	14,545	3	20.6
Boone County	31,336	15	47.9
Buchanan County	[2] 15,160	8	52.8
Butler County	22,264	7	31.4
Caldwell County	13,732	20	145.6
Callaway County *	23,726	10	42.1
Camden County	10,929	6	54.9
Cape Girardeau County	29,028	10	34.4
Carroll County	21,666	17	78.5
Carter County	4,993	2	40.1
Cass County	22,690	9	39.7
Cedar County	15,721	15	95.4
Chariton County	22,088	11	49.8
Christian County	15,360	6	39.1
Clark County	11,716	11	93.9
Clay County	20,807	16	76.6
Clinton County	14,417	12	83.2
Cole County	9,512	9	94.6
Cooper County	19,365	20	103.3
Crawford County	13,837	7	50.6
Dade County	14,544	10	68.8
Dallas County	12,874	3	23.3
Daviess County	16,022	14	87.4
Dekalb County	11,727	10	85.3
Dent County	13,354	2	15.0
Douglas County	16,606	6	36.1
Dunklin County	34,002	8	23.5
Franklin County	29,510	22	74.6
Gasconade County	13,079	3	22.9
Gentry County	15,229	8	52.5
Greene County	29,883	14	46.8
Grundy County	16,281	6	36.9
Harrison County	18,791	12	63.9
Henry County	26,897	12	44.6
Hickory County	8,211	5	60.9
Holt County	13,457	12	89.2
Howard County	14,510	15	103.4
Howell County	[2] 20,738	9	43.4
Iron County	8,500	7	82.4
Jackson County	39,251	24	61.1
Jasper County	45,333	15	32.7
Jefferson County	28,800	11	38.2
Johnson County	25,640	27	105.3
Knox County	11,944	8	67.0
Laclede County	17,721	4	22.6
Lafayette County	29,506	34	115.2
Lawrence County	24,420	11	45.0
Lewis County	15,000	6	38.9
Lincoln County	16,473	10	60.7
Linn County	25,148	12	47.7
Livingston County	18,324	17	93.2
McDonald County	13,526	3	22.2
Macon County	29,954	22	73.4
Madison County	11,824	4	33.8
Maries County	10,288	8	77.8
Marion County	11,667	12	102.9
Mercer County	11,325	6	53.0
Miller County	17,368	5	28.8
Mississippi County	15,714	3	19.1
Moniteau County	13,714	8	58.3
Monroe County	17,702	14	79.1
Montgomery County	15,193	17	111.9
Morgan County	13,155	2	15.2
New Madrid County	22,985	4	17.4
Newton County	27,192	7	25.7
Nodaway County	27,085	18	66.5
Oregon County	15,009	8	53.3
Osage County	14,363	8	55.7
Ozark County	11,833	2	16.9
Pemiscot County	22,730	2	8.8
Perry County	14,798	10	67.6
Pettis County	15,615	9	57.6
Phelps County	16,478	6	36.4
Pike County	21,199	12	56.6
Platte County	13,679	6	43.9
Polk County	20,841	11	52.8
Pulaski County	11,881	6	50.5
Putnam County	13,294	3	22.6
Ralls County	13,178	3	22.8
Randolph County	14,761	13	88.1
Ray County	20,024	11	54.9
Reynolds County	10,202	1	9.8
Ripley County	13,063		
St. Charles County	24,788	20	80.7
St. Clair County	15,776	8	50.7
St. Francois County *	40,717	15	36.8
St. Louis County	96,212	49	50.9
Ste. Genevieve County	10,712	3	28.0
Saline County	27,635	22	79.6
Schuyler County	8,304	8	96.3
Scotland County	11,288	6	53.2
Scott County	26,325	6	22.8
Shannon County	11,525	1	8.7
Shelby County	14,308	10	69.9
Stoddard County	29,143	11	37.7
Stone County	12,268	1	8.2
Sullivan County	17,882	17	95.1
Taney County	8,713	4	45.9
Texas County	21,147	6	28.4
Vernon County *	27,639	25	90.5
Warren County	8,786	3	34.1
Washington County	13,003	12	92.3
Wayne County	15,126	9	59.5
Webster County	17,689	9	50.9
Worth County	7,230	4	55.3
Wright County	18,652	4	21.4
MONTANA.			
Total	323,603	141	43.6
White	308,206	137	44.5
Colored	15,397	4	26.0
Beaverhead County	6,801	2	29.4
Broadwater County	3,854	3	77.8
Cascade County	16,603	9	54.2
Chouteau County [3]	31,291	17	54.3
Custer County [4]	34,557	23	66.6
Deer Lodge County *	3,004	1	33.3
Fergus County [5]	74,505	17	22.8
Flathead County	23,443	14	59.7
Gallatin County	16,007	4	25.0
Granite County	2,354	1	42.5
Jefferson County	5,716		
Lewis and Clark County	9,737	3	30.8
Lincoln County	4,541	1	22.0
Madison County	7,032	2	28.4
Missoula County [6]	12,018	4	33.3
Park County	12,176	8	65.7
Powell County	6,104	4	65.5

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
[3] Includes Blaine, Hill, Teton, and Toole Counties, the last named formed from parts of Teton and Hill Counties, May 7, 1914; separate estimated populations not available.
[4] Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.
[5] Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available.
[6] Includes Mineral County, organized Aug. 7, 1914; separate estimated populations not available.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
MONTANA—continued.			
Ravalli County	13,304	9	67.6
Sanders County	4,486	1	22.3
Silver Bow County	18,488	13	70.3
Valley County[2]	17,582	5	28.4
NEW HAMPSHIRE.			
Total	254,475	269	105.7
White	254,134	268	105.5
Colored	341	1	293.3
Belknap County	10,974	14	127.6
Carroll County	16,072	24	149.3
Cheshire County	19,927	23	115.4
Coos County	18,288	19	103.9
Grafton County	41,996	43	102.4
Hillsborough County	29,260	26	88.9
Merrimack County	31,429	30	95.5
Rockingham County	41,105	51	124.1
Strafford County	25,523	19	74.4
Sullivan County	19,901	20	100.5
NEW JERSEY.			
Total	987,201	797	80.7
White	948,441	779	82.1
Colored	38,760	18	46.4
Atlantic County	28,806	21	72.9
Bergen County	134,303	101	75.2
Burlington County	70,114	60	85.6
Camden County	54,218	33	60.9
Cape May County	22,532	20	88.8
Cumberland County	29,261	34	116.2
Essex County	47,945	36	75.1
Gloucester County	39,696	38	95.7
Hudson County	48,018	36	75.0
Hunterdon County	33,170	37	111.5
Mercer County	31,734	17	53.6
Middlesex County	66,106	38	57.5
Monmouth County	72,654	86	118.4
Morris County *	65,739	50	76.1
Ocean County	21,988	14	63.7
Passaic County	41,190	21	51.0
Salem County	27,625	31	112.2
Somerset County	41,321	37	89.5
Sussex County	27,910	16	57.3
Union County	52,438	48	91.5
Warren County	30,433	23	75.6
NEW YORK.			
Total	2,379,091	2,286	96.1
White	2,351,974	2,263	96.2
Colored	27,117	23	84.8
Albany County	33,711	28	83.1
Allegany County	41,375	42	101.5
Broome County	30,735	34	110.6
Cattaraugus County	50,020	53	106.0
Cayuga County	30,968	38	122.7
Chautauqua County	57,805	58	100.3
Chemung County	17,100	23	134.5
Chenango County	35,155	24	68.3
Clinton County *	30,283	17	46.9
Columbia County	31,627	23	72.7
Cortland County	17,396	18	103.5
Delaware County	45,220	60	132.7
Dutchess County *	60,615	63	103.9
Erie County *	96,473	71	73.6
Essex County	34,629	39	112.6
Franklin County	46,938	49	104.4
Fulton County	13,655	14	102.2
Genesee County	26,302	32	121.7
Greene County	29,676	27	91.0
Hamilton County	1,130	2	48.4
RURAL PART OF REGISTRATION STATES[1]—Con.			
NEW YORK—continued.			
Herkimer County	45,540	43	94.4
Jefferson County	53,058	42	79.2
Lewis County	23,752	22	92.6
Livingston County	38,455	32	83.2
Madison County	38,755	48	123.9
Monroe County	65,987	50	75.8
Montgomery County	26,638	27	101.4
Nassau County	96,068	78	81.2
Niagara County	31,421	30	95.5
Oneida County	58,506	74	126.5
Onondaga County	64,396	62	96.3
Ontario County	40,125	56	139.6
Orange County	76,501	55	71.9
Orleans County	32,784	31	94.6
Oswego County	36,684	39	106.3
Otsego County	46,484	49	105.4
Putnam County	15,039	11	73.1
Rensselaer County	33,934	25	73.7
Rockland County	50,526	51	100.9
St. Lawrence County	72,508	50	69.0
Saratoga County	49,546	39	78.9
Schenectady County	14,856	10	67.3
Schoharie County	22,579	34	150.6
Schuyler County	13,234	21	158.7
Seneca County *	26,487	33	124.6
Steuben County	54,383	69	126.9
Suffolk County *	104,045	92	88.4
Sullivan County	34,448	26	75.5
Tioga County	24,634	28	113.7
Tompkins County	18,061	21	116.3
Ulster County	66,702	45	67.5
Warren County	16,832	19	112.9
Washington County	48,695	35	71.9
Wayne County	50,825	59	116.1
Westchester County	97,047	106	109.2
Wyoming County	32,503	37	113.8
Yates County	17,930	22	122.7
NORTH CAROLINA.[3]			
Total	296,285	149	50.3
White	200,032	114	57.0
Colored	96,253	35	36.4
OHIO.			
Total	2,616,691	2,072	79.2
White	2,573,066	2,039	79.2
Colored	43,625	33	75.6
Adams County	24,087	6	24.9
Allen County	26,343	13	49.3
Ashland County	23,738	26	109.5
Ashtabula County	42,521	39	91.7
Athens County *	51,662	32	61.9
Auglaize County	31,268	26	83.2
Belmont County	69,770	48	68.8
Brown County	23,383	19	81.3
Butler County	22,342	18	80.6
Carroll County	15,316	14	91.4
Champaign County	26,230	21	80.1
Clark County	19,572	16	81.7
Clermont County	28,677	30	104.6
Clinton County	23,459	29	123.6
Columbiana County	58,163	46	79.1
Coshocton County	30,454	23	75.5
Crawford County	34,087	31	90.9
Cuyahoga County	62,283	49	78.7
Darke County	43,101	45	104.4
Defiance County	23,694	14	59.1
Delaware County	27,514	20	72.7
Erie County	18,486	23	124.4
Fairfield County	26,465	9	34.0
Fayette County	21,751	17	78.2
Franklin County	41,337	36	87.1
RURAL PART OF REGISTRATION STATES[1]—Con.			
OHIO—continued.			
Fulton County	24,386	25	102.5
Gallia County	24,819	14	56.4
Geauga County	14,640	8	54.6
Greene County	28,933	22	76.0
Guernsey County	33,403	25	74.8
Hamilton County	60,078	54	89.9
Hancock County	22,417	16	71.4
Hardin County	30,075	27	89.8
Harrison County	18,476	18	97.4
Henry County	24,197	15	62.0
Highland County	27,744	25	90.1
Hocking County	23,333	14	60.0
Holmes County	17,227	9	52.2
Huron County	35,006	34	97.1
Jackson County	29,318	30	102.3
Jefferson County	48,582	31	63.8
Knox County	31,208	25	80.1
Lake County	23,457	28	119.4
Lawrence County	25,780	14	54.3
Licking County	30,949	19	61.4
Logan County	29,941	29	96.9
Lorain County	33,306	31	93.1
Lucas County	25,292	15	59.3
Madison County	19,610	16	81.6
Mahoning County	35,169	24	68.2
Marion County	14,195	11	77.5
Medina County	24,297	24	98.8
Meigs County	24,306	19	78.2
Mercer County	27,330	14	51.2
Miami County	31,967	26	81.3
Monroe County	23,057	16	69.4
Montgomery County[4]	54,294	45	82.9
Morgan County	15,327	11	71.8
Morrow County	16,363	20	122.2
Muskingum County	29,371	30	102.1
Noble County	18,235	11	60.3
Ottawa County	22,422	16	71.4
Paulding County	20,686	15	72.5
Perry County	36,911	19	51.5
Pickaway County	25,793	13	50.4
Pike County	14,679	7	47.7
Portage County	30,757	36	117.0
Preble County	28,885	25	104.7
Putnam County	28,886	16	55.4
Richland County	27,006	32	118.5
Ross County	24,539	19	77.4
Sandusky County	35,537	29	81.6
Scioto County	24,159	15	62.1
Seneca County	30,678	22	71.7
Shelby County	24,678	25	101.3
Stark County *	44,964	38	84.5
Summit County	43,533	36	82.7
Trumbull County	43,322	30	69.2
Tuscarawas County	58,432	56	95.8
Union County	21,673	12	55.4
Van Wert County	28,576	20	70.0
Vinton County	12,145	2	16.5
Warren County	24,034	18	74.9
Washington County	29,478	17	57.7
Wayne County	38,138	33	86.5
Williams County	25,301	29	114.6
Wood County	44,104	33	74.8
Wyandot County	20,604	14	67.9
PENNSYLVANIA.			
Total	4,288,288	2,752	64.2
White	4,232,798	2,703	63.9
Colored	55,490	49	88.3
Adams County	34,245	36	105.1
Allegheny County	383,396	223	57.9
Armstrong County	74,412	38	51.1
Beaver County	74,595	45	60.3
Bedford County	38,632	21	54.4

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Includes Sheridan County; separate estimated populations not available.
[3] Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.
[4] Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
PENNSYLVANIA—contd.			
Berks County*	89,920	66	73.4
Blair County	62,431	44	70.5
Bradford County	52,449	68	129.6
Bucks County	78,805	76	96.4
Butler County	53,847	33	61.3
Cambria County	127,611	46	36.0
Cameron County	7,898	4	50.6
Carbon County	56,399	38	67.4
Center County	43,648	31	71.0
Chester County	77,484	65	83.9
Clarion County	37,641	24	63.8
Clearfield County	85,368	50	58.6
Clinton County	32,545	40	122.9
Columbia County	52,121	30	57.6
Crawford County	47,210	48	101.7
Cumberland County	45,651	33	72.3
Dauphin County*	60,784	39	64.2
Delaware County	87,294	74	84.8
Elk County	37,135	21	56.6
Erie County	50,381	67	133.0
Fayette County	158,002	67	42.4
Forest County	8,754	7	80.0
Franklin County	49,659	31	62.4
Fulton County	9,611	7	72.8
Greene County	29,138	18	61.8
Huntingdon County	39,862	30	75.3
Indiana County	76,290	31	40.6
Jefferson County	64,784	51	78.7
Juniata County	14,572	5	34.3
Lackawanna County	94,198	33	35.0
Lancaster County	109,605	90	82.1
Lawrence County	35,997	21	58.3
Lebanon County	42,084	15	35.6
Lehigh County	64,260	45	70.0
Luzerne County	220,666	99	44.9
Lycoming County	49,825	35	70.2
McKean County	31,551	19	60.2
Mercer County	58,427	47	80.4
Mifflin County	29,755	15	50.4
Monroe County	23,699	20	84.4
Montgomery County	135,954	95	69.9
Montour County*	14,590	17	116.5
Northampton County	78,047	54	69.2
Northumberland County	64,474	35	54.3
Perry County	23,231	17	73.2
Pike County	7,722	5	64.8
Potter County	20,350	20	98.1
Schuylkill County	156,044	89	57.0
Snyder County	16,585	16	96.5
Somerset County	75,495	32	42.4
Sullivan County	10,935	7	64.0
Susquehanna County	36,770	23	62.6
Tioga County	40,165	39	97.1
Union County	15,677	17	108.4
Venango County	40,572	34	83.8
Warren County*	25,793	19	73.7
Washington County	144,924	75	51.8
Wayne County	28,339	23	79.8
Westmoreland County	228,177	110	48.2
Wyoming County	14,810	15	101.3
York County	95,493	64	67.0
RHODE ISLAND.			
Total	111,728	113	101.1
White	110,022	111	100.9
Colored	1,706	2	117.2
Bristol County	19,501	26	133.3
Kent County	10,213	12	117.5
Newport County	13,052	8	61.3
Providence County	43,684	30	68.7
Washington County	25,278	37	146.4
RURAL PART OF REGISTRATION STATES[1]—Con.			
UTAH.			
Total	275,254	97	35.2
White	270,036	97	35.9
Colored	5,218	.....	.....
Beaver County	5,187	3	57.8
Box Elder County	15,549	5	32.2
Cache County	25,159	10	39.7
Carbon County	10,165	6	59.0
Davis County	11,126	4	36.0
Emery County	7,642	.....	.....
Garfield County	3,770	1	26.5
Grand County	1,785	.....	.....
Iron County	4,098	.....	.....
Juab County	10,966	.....	.....
Kane County	1,586	1	63.1
Millard County	6,304	4	63.5
Morgan County	2,646	.....	.....
Piute County	1,642	.....	.....
Rich County	1,859	.....	.....
Salt Lake County	44,576	22	49.4
San Juan County	2,955	.....	.....
Sanpete County	16,869	5	29.6
Sevier County	10,340	5	48.4
Summit County	7,675	1	13.0
Tooele County	8,165	.....	.....
Uinta County	7,304	4	54.8
Utah County*	40,279	19	47.2
Wasatch County	10,701	1	9.3
Washington County	5,339	2	37.5
Wayne County	1,682	.....	.....
Weber County	9,885	4	40.5
VERMONT.			
Total	313,835	324	103.2
White	312,302	324	103.7
Colored	1,533	.....	.....
Addison County	19,201	19	99.0
Bennington County	21,239	18	84.7
Caledonia County	26,734	25	93.5
Chittenden County	22,412	22	98.2
Essex County	7,098	5	70.4
Franklin County	29,727	32	107.6
Grand Isle County	3,462	1	28.9
Lamoille County	12,711	17	133.7
Orange County	18,444	32	173.5
Orleans County	23,897	33	138.1
Rutland County	35,396	26	73.5
Washington County*	32,168	33	102.6
Windham County	27,046	25	92.4
Windsor County	34,300	36	105.0
VIRGINIA.			
Total	1,726,338	747	43.3
White	1,172,152	551	47.0
Colored	554,186	196	35.4
Accomac County (total)	38,389	22	57.3
White	24,366	13	53.4
Colored	14,023	9	64.2
Albemarle County (total)	30,466	19	62.4
White	20,515	13	63.4
Colored	9,951	6	60.3
Alexandria County (total)	11,852	6	50.6
White	8,762	6	68.5
Colored	3,090	.....	.....
Alleghany County (total)	14,780	9	60.9
White	11,681	8	68.5
Colored	3,099	1	32.3
Amelia County (total)	8,586	7	81.5
White	3,134	4	127.6
Colored	5,452	3	55.0
Amherst County (total)	19,388	4	20.6
White	11,670	1	8.6
Colored	7,718	3	38.9
RURAL PART OF REGISTRATION STATES[1]—Con.			
VIRGINIA—continued.			
Appomattox County (total)	8,583	3	35.0
White	5,579	3	53.8
Colored	3,004	.....	.....
Augusta County (total)	33,178	17	51.2
White	28,503	16	56.1
Colored	4,675	1	21.4
Bath County (total)	6,939	4	57.6
White	5,680	4	70.4
Colored	1,259	.....	.....
Bedford County (total)	29,208	11	37.7
White	20,779	7	33.7
Colored	8,429	4	47.5
Bland County (total)	5,011	1	20.0
White	4,881	1	20.5
Colored [2]	130	.....	.....
Botetourt County (total)	17,968	6	33.4
White	14,395	5	34.7
Colored	3,573	1	28.0
Bristol (city) (total)	6,958	5	71.9
White	5,684	3	52.8
Colored	1,274	2	157.0
Brunswick County (total)	19,683	11	55.9
White	7,958	4	50.3
Colored	11,725	7	59.7
Buchanan County (total)	13,459	.....	.....
White	13,455	.....	.....
Colored [2]	4	.....	.....
Buckingham County (total)	15,180	5	32.9
White	7,557	2	26.5
Colored	7,623	3	39.4
Buena Vista (city) (total)	3,609	.....	.....
White	3,146	.....	.....
Colored	463	.....	.....
Campbell County (total)	25,135	5	19.9
White	15,232	5	32.8
Colored	9,903	.....	.....
Caroline County (total)	16,551	6	36.3
White	7,750	2	25.8
Colored	8,801	4	45.4
Carroll County (total)	21,887	6	27.4
White	21,602	6	27.8
Colored [2]	285	.....	.....
Charles City County (total)	5,343	1	18.7
White	1,365	1	73.3
Colored	3,978	.....	.....
Charlotte County (total)	15,973	5	31.3
White	7,467	2	26.8
Colored	8,506	3	35.3
Charlottesville (city) (total)	6,900	5	72.5
White	4,321	5	115.7
Colored	2,579	.....	.....
Chesterfield County (total)	22,361	12	53.7
White	14,390	12	83.4
Colored	7,971	.....	.....
Clarke County (total)	7,275	6	82.5
White	5,408	3	55.5
Colored	1,867	3	160.7
Clifton Forge (city) (total)	6,670	1	15.0
White	5,401	1	18.5
Colored	1,269	.....	.....
Craig County (total)	4,889	2	40.9
White	4,672	2	42.8
Colored [2]	217	.....	.....
Culpeper County (total)	13,196	10	75.8
White	7,998	7	87.5
Colored	5,198	3	57.7
Cumberland County (total)	9,280	2	21.6
White	3,119	1	32.1
Colored	6,161	1	16.2
Dickenson County (total)	9,819	1	10.2
White	9,812	1	10.2
Colored [2]	7	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Colored population less than 10 per cent of the total in 1910.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
VIRGINIA—continued.			
Dinwiddie County (total)*	15,470	4	25.9
White	6,004	3	50.0
Colored	9,466	1	10.6
Elizabeth City County[2] (total)	21,976	24	109.2
White	13,624	20	146.8
Colored	8,352	4	47.9
Essex County (total)	8,853	1	11.3
White	3,641		
Colored	5,212	1	19.2
Fairfax County (total)	21,370	9	42.1
White	16,264	7	43.0
Colored	5,106	2	39.2
Fauquier County (total)	22,166	13	58.6
White	14,734	8	54.3
Colored	7,432	5	67.3
Floyd County (total)	13,542	9	66.5
White	12,731	9	70.7
Colored[3]	811		
Fluvanna County (total)	8,016	7	87.3
White	4,738	6	126.6
Colored	3,278	1	30.5
Franklin County (total)	26,704	12	44.9
White	21,176	10	47.2
Colored	5,528	2	36.2
Frederick County (total)	12,597	6	47.6
White	11,907	6	50.4
Colored[3]	690		
Fredericksburg (city) (total)	6,215	4	64.4
White	4,646	4	86.1
Colored	1,569		
Giles County (total)	11,978	8	66.8
White	11,193	7	62.5
Colored[3]	785	1	127.4
Gloucester County (total)	12,326	3	24.3
White	6,440	1	15.5
Colored	5,886	2	34.0
Goochland County (total)	9,120	5	54.8
White	3,912	2	51.1
Colored	5,208	3	57.6
Grayson County (total)	21,136	8	37.9
White	20,127	8	39.7
Colored[3]	1,009		
Greene County (total)	7,245	1	13.8
White	5,835	1	17.1
Colored	1,410		
Greensville County (total)	12,799	1	7.8
White	4,773		
Colored	8,026	1	12.5
Halifax County (total)	41,257	23	55.7
White	20,461	10	48.9
Colored	20,796	13	62.5
Hanover County (total)	17,024	6	35.2
White	9,996	1	10.0
Colored	7,028	5	71.1
Henrico County (total)	27,331	11	40.2
White	19,290	9	46.7
Colored	8,041	2	24.9
Henry County (total)	18,119	9	49.7
White	10,731	7	65.2
Colored	7,388	2	27.1
Highland County (total)	5,179	2	38.6
White	4,924	2	40.6
Colored[3]	255		
Isle of Wight County (total)	15,709	2	12.7
White	7,735	2	25.9
Colored	7,974		
James City County (total)*	6,596	4	60.6
White	3,408	4	117.4
Colored	3,188		
King and Queen County (total)	9,708	5	51.5
White	4,214	3	71.2
Colored	5,494	2	36.4
King George County (total)	6,151	3	48.8
White	3,318	1	30.1
Colored	2,833	2	70.6
King William County (total)	8,619	3	34.8
White	3,498		
Colored	5,121	3	58.6
Lancaster County (total)	10,094	2	19.8
White	4,729	2	42.3
Colored	5,365		
Lee County (total)	25,536	6	23.5
White	24,439	6	24.6
Colored[3]	1,097		
Loudoun County (total)	20,835	14	67.2
White	15,652	9	57.5
Colored	5,183	5	96.5
Louisa County (total)	16,603	13	78.3
White	8,640	9	104.2
Colored	7,963	4	50.2
Lunenburg County (total)	13,237	7	52.9
White	6,121	6	98.0
Colored	7,116	1	14.1
Madison County (total)	9,988	12	120.1
White	6,718	10	148.9
Colored	3,270	2	61.2
Mathews County (total)	9,212	6	65.1
White	6,595	6	91.0
Colored	2,617		
Mecklenburg County (total)	29,979	14	46.7
White	12,860	6	46.7
Colored	17,119	8	46.7
Middlesex County (total)	9,121	5	54.8
White	4,303	2	46.5
Colored	4,818	3	62.3
Montgomery County (total)	17,870	7	39.2
White	15,445	7	45.3
Colored	2,425		
Nansemond County (total)	28,507	11	38.6
White	11,892	7	58.9
Colored	16,615	4	24.1
Nelson County (total)	17,137	7	40.8
White	11,729	5	42.6
Colored	5,408	2	37.0
New Kent County (total)	4,606	3	65.1
White	1,726	1	57.9
Colored	2,880	2	69.4
Norfolk County (total)	45,706	10	21.9
White	17,885	6	33.5
Colored	27,821	4	14.4
Northampton County (total)	17,908	8	44.7
White	7,815	7	89.6
Colored	10,093	1	9.9
Northumberland County (total)	11,173	9	80.6
White	6,711	9	134.1
Colored	4,462		
Nottoway County (total)	13,929	8	57.4
White	6,262	5	79.8
Colored	7,667	3	39.1
Orange County (total)	13,873	7	50.5
White	8,138	2	24.6
Colored	5,735	5	87.2
Page County (total)	14,296	7	49.0
White	13,108	7	53.4
Colored[3]	1,188		
Patrick County (total)	17,957	1	5.6
White	16,253	1	6.2
Colored[3]	1,704		
Pittsylvania County (total)	52,721	13	24.7
White	31,571	6	19.0
Colored	21,150	7	33.1
Powhatan County (total)	5,792	1	17.3
White	2,312		
Colored	3,480	1	28.7
Prince Edward County (total)	13,936	4	28.7
White	5,603	1	17.8
Colored	8,333	3	36.0
Prince George County (total)	7,887	3	38.0
White	3,274	1	30.5
Colored	4,613	2	43.4
Prince William County (total)	12,413	12	96.7
White	9,471	10	105.6
Colored	2,942	2	68.0
Princess Anne County[4] (total)	11,667	5	42.9
White	5,727		
Colored	5,940	5	84.2
Pulaski County (total)	18,370	3	16.3
White	15,222	3	19.7
Colored	3,148		
Radford (city) (total)	4,567	3	65.7
White	3,843	3	78.1
Colored	724		
Rappahannock County (total)	7,704	4	51.9
White	5,629	2	35.5
Colored	2,075	2	96.4
Richmond County (total)	7,554	2	26.5
White	4,398	1	22.7
Colored	3,156	1	31.7
Roanoke County (total)	21,235	10	47.1
White	17,386	7	40.3
Colored	3,849	3	77.9
Rockbridge County (total)	20,906	13	62.2
White	17,391	13	74.8
Colored	3,515		
Rockingham County (total)	35,488	34	95.8
White	33,093	31	93.7
Colored[3]	2,395	3	125.3
Russell County (total)	25,793	6	23.3
White	24,656	6	24.3
Colored[3]	1,137		
Scott County (total)	24,290	8	32.9
White	23,773	8	33.7
Colored[3]	517		
Shenandoah County (total)	21,234	10	47.1
White	20,729	10	48.2
Colored[3]	505		
Smyth County (total)*	21,690	9	41.5
White	20,634	8	38.8
Colored[3]	1,056	1	94.7
Southampton County (total)	27,773	5	18.0
White	10,635	1	9.4
Colored	17,138	4	23.3
Spotsylvania County (total)	10,230		
White	6,498		
Colored	3,732		
Stafford County (total)	8,059	5	62.0
White	6,326	4	63.2
Colored	1,733	1	57.7
Surry County (total)	10,245	3	29.3
White	3,858	3	77.8
Colored	6,387		

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Includes National Military Home.
[3] Colored population less than 10 per cent of the total in 1910.
[4] Includes Norfolk City Almshouse.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
VIRGINIA—continued.			
Sussex County (total)	14,337	2	13.9
White	4,853	2	41.2
Colored	9,484	.....	.....
Tazewell County (total)	25,611	6	23.4
White	22,691	5	22.0
Colored	2,920	1	34.2
Warren County (total)	8,484	4	47.1
White	7,356	4	54.4
Colored	1,128	.....	.....
Warwick County (total)	6,531	2	30.6
White	1,805	1	55.4
Colored	4,726	1	21.2
Washington County (total)	34,463	14	40.6
White	32,006	12	37.5
Colored [2]	2,457	2	81.4
Westmoreland County (total)	9,342	3	32.1
White	4,619	2	43.3
Colored	4,723	1	21.2
Winchester (city) (total)	6,163	5	81.1
White	5,072	5	98.6
Colored	1,091	.....	.....
Wise County (total)	40,344	13	32.2
White	36,936	11	29.8
Colored [2]	3,408	2	58.7
Wythe County (total)	20,347	10	49.1
White	18,142	7	38.6
Colored	2,205	3	136.1
York County (total)	7,873	3	38.1
White	4,020	2	49.8
Colored	3,853	1	26.0
WASHINGTON.			
Total	733,544	372	50.7
White	711,435	368	51.7
Colored	22,109	4	18.1
Adams County	13,511	3	22.2
Asotin County	6,831	5	72.7
Benton County	10,198	4	39.2
Chehalis County	26,092	13	49.8
Chelan County	19,866	7	35.2
Clallam County	7,245	3	41.4
Clarke County	31,536	17	53.9
Columbia County	7,007	6	85.6
Cowlitz County	14,557	6	41.2
Douglas County	12,079	2	16.6
Ferry County	4,902	3	61.2
Franklin County	7,140	1	14.0
Garfield County	4,318	3	69.5
Grant County	11,386	5	43.9
Island County	5,913	5	84.6
RURAL PART OF REGISTRATION STATES [1]—Con.			
WASHINGTON—continued.			
Jefferson County	9,455	2	21.2
King County	46,009	27	58.7
Kitsap County	22,283	17	76.3
Kittitas County	22,336	10	44.8
Klickitat County	13,078	7	53.5
Lewis County	39,358	17	43.2
Lincoln County	19,914	8	40.2
Mason County	5,729	2	34.9
Okanogan County	16,381	2	12.2
Pacific County	15,323	10	65.3
Pierce County *	45,221	30	66.3
San Juan County	3,890	2	51.4
Skagit County	35,620	32	89.8
Skamania County	3,397	1	29.4
Snohomish County	42,186	20	47.4
Spokane County *	38,633	29	75.1
Stevens County [3]	31,585	10	31.7
Thurston County	20,843	12	57.6
Wahkiakum County	3,484	.....	.....
Walla Walla County	14,303	6	41.9
Whatcom County	30,395	19	62.5
Whitman County	36,656	14	38.2
Yakima County	34,844	12	34.4
WISCONSIN.			
Total	1,612,742	1,273	78.9
White	1,601,451	1,266	79.1
Colored	11,291	7	62.0
Adams County	8,378	10	119.4
Ashland County	11,764	2	17.0
Barron County	31,430	22	70.0
Bayfield County	16,666	6	36.0
Brown County	29,369	11	37.5
Buffalo County	15,684	12	76.5
Burnett County	9,685	5	51.6
Calumet County	16,542	11	66.5
Chippewa County	35,336	25	70.7
Clark County	31,875	24	75.3
Columbia County	31,132	33	106.0
Crawford County	15,864	13	81.9
Dane County *	51,376	42	81.8
Dodge County	47,778	45	94.2
Door County	19,192	9	46.9
Douglas County	7,802	5	64.1
Dunn County	25,354	18	71.0
Eau Claire County	14,513	10	68.9
Florence County	3,458	2	57.8
Fond du Lac County	32,957	44	133.5
Forest County	9,077	4	44.1
Grant County	39,060	32	81.9
RURAL PART OF REGISTRATION STATES [1]—Con.			
WISCONSIN—continued.			
Green County	21,183	28	132.2
Green Lake County	15,362	24	156.2
Iowa County	22,237	16	72.0
Iron County	9,027	4	44.3
Jackson County	16,912	13	76.9
Jefferson County	34,101	46	134.9
Juneau County	19,120	24	125.5
Kenosha County	8,649	7	80.9
Kewaunee County	16,604	21	126.5
La Crosse County	13,055	14	107.2
Lafayette County	19,701	10	50.8
Langlade County	18,982	13	68.5
Lincoln County	20,256	15	74.1
Manitowoc County	32,582	17	52.2
Marathon County	41,728	30	71.9
Marinette County	21,148	8	37.8
Marquette County	10,838	6	55.4
Milwaukee County [4]	57,563	59	102.5
Monroe County	29,211	21	71.9
Oconto County	27,694	22	79.4
Oneida County	12,523	5	39.9
Outagamie County	32,826	20	60.9
Ozaukee County	17,446	14	80.2
Pepin County	7,438	6	80.7
Pierce County	21,286	13	61.1
Polk County	22,886	16	69.9
Portage County	31,568	21	66.5
Price County	15,792	11	69.7
Racine County	17,916	19	106.1
Richland County	18,523	15	81.0
Rock County	26,068	18	69.1
Rusk County	12,284	6	48.8
St. Croix County	25,519	16	62.7
Sauk County	32,811	28	85.3
Sawyer County	7,349	4	54.4
Shawano County	33,761	20	59.2
Sheboygan County	28,961	21	72.5
Taylor County	14,655	11	75.1
Trempealeau County	22,850	15	65.6
Vernon County	28,017	10	35.7
Vilas County	6,482	1	15.4
Walworth County	29,766	35	117.6
Washburn County	9,334	8	85.7
Washington County	23,866	17	71.2
Waukesha County	37,995	34	89.7
Waupaca County	33,279	36	108.2
Waushara County	20,127	10	49.7
Winnebago County *	28,677	30	104.6
Wood County	32,592	30	92.0

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Colored population less than 10 per cent of the total in 1910.
[3] Includes Pend Oreille County; separate estimated populations not available.
[4] Includes National Military Home.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—												
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
SUMMARY.																
The registration area (total)	65,980,295	79.4	0.9	1.3	0.9	19.3	9.8	6.1	3.3	11.3	8.2	3.0	1.0	1.2	1.5	11.5
White	62,631,566	80.7	1.0	1.3	0.9	19.7	10.0	6.3	3.4	11.0	8.3	3.1	1.1	1.2	1.6	11.7
Colored	3,357,729	56.7	0.4	0.9	0.5	11.9	5.4	2.7	1.8	17.4	6.0	1.0	0.8	0.6	0.6	6.9
Registration states [1] (total)	61,114,200	79.0	0.9	1.3	0.9	19.3	9.8	6.2	3.3	11.0	8.3	3.0	1.0	1.2	1.5	11.3
White	58,408,039	80.0	0.9	1.3	0.9	19.6	10.0	6.3	3.3	10.7	8.4	3.1	1.0	1.2	1.5	11.5
Colored	2,706,161	56.2	0.4	0.8	0.6	12.2	5.6	2.8	1.7	16.5	6.0	0.8	0.7	0.6	0.7	6.9
Cities in registration states [1] (total)	30,287,640	88.5	1.2	1.3	1.3	20.4	10.3	7.6	3.9	13.3	9.3	2.2	1.3	1.4	2.0	13.0
White	29,029,647	89.2	1.2	1.3	1.3	20.6	10.5	7.8	3.9	12.9	9.4	2.3	1.3	1.4	2.0	13.2
Colored	1,257,993	71.7	0.7	0.9	1.1	15.7	6.6	3.5	2.3	21.5	7.2	1.0	1.1	0.9	0.8	8.4
Rural part of registration states (total)	30,826,560	69.6	0.6	1.3	0.5	18.2	9.3	4.8	2.7	8.7	7.3	3.8	0.7	1.0	1.0	9.7
White	29,378,392	71.0	0.6	1.3	0.5	18.6	9.5	4.9	2.8	8.5	7.4	4.0	0.7	1.0	1.1	9.9
Colored	1,448,168	42.7	0.1	0.8	0.1	9.2	4.7	2.1	1.1	12.2	4.9	0.8	0.3	0.3	0.6	5.6
Registration states, [1] exclusive of North Carolina (total)	60,641,905	79.1	0.9	1.3	0.9	19.3	9.8	6.2	3.3	10.9	8.3	3.0	1.0	1.2	1.5	11.4
White	58,098,403	80.1	0.9	1.3	0.9	19.7	10.0	6.4	3.4	10.7	8.4	3.1	1.0	1.2	1.5	11.6
Colored	2,543,502	56.5	0.4	0.9	0.6	12.4	5.7	2.9	1.7	16.1	6.1	0.9	0.7	0.6	0.7	6.8
Registration cities in other states (total)	4,875,095	85.4	1.4	1.3	1.4	20.2	9.3	5.6	3.5	15.6	7.1	2.2	1.4	1.4	1.9	12.9
White	4,223,527	89.4	1.5	1.4	1.6	21.7	10.1	6.1	3.6	14.8	7.3	2.3	1.4	1.5	2.2	13.9
Colored	651,568	59.1	0.3	0.9	0.2	10.9	4.5	2.5	2.5	20.9	5.8	1.4	1.2	0.8	0.3	7.1
All registration cities [1] (total)	35,162,735	88.0	1.2	1.3	1.3	20.4	10.2	7.3	3.8	13.6	9.0	2.2	1.3	1.4	2.0	13.0
White	33,253,174	89.2	1.3	1.3	1.4	20.7	10.5	7.6	3.9	13.2	9.2	2.3	1.4	1.4	2.0	13.3
Colored	1,909,561	67.4	0.6	0.9	0.8	14.0	5.9	3.1	2.4	21.3	6.8	1.1	1.2	0.8	0.6	8.0
REGISTRATION STATES.																
California (total)	2,757,895	97.9	1.5	2.0	1.3	25.3	11.1	7.1	4.6	12.1	10.8	3.6	1.5	1.6	1.6	13.7
White	2,621,161	101.1	1.6	2.1	1.3	26.0	11.3	7.4	4.8	12.5	11.3	3.8	1.5	1.7	1.7	14.1
Colored	136,734	38.0	.....	0.7	1.5	11.7	8.0	1.5	.....	4.4	2.9	.....	0.7	.....	.....	6.6
Colorado	909,537	58.3	0.5	1.3	0.4	18.0	8.2	3.2	2.7	8.1	5.8	1.5	0.5	0.7	0.3	6.7
Connecticut	1,202,688	86.5	1.4	1.5	0.7	17.8	9.1	9.3	3.2	12.1	10.1	2.7	1.3	1.9	2.7	12.7
Indiana	2,779,467	79.1	0.6	1.4	0.4	18.5	12.2	5.0	2.6	11.9	8.2	5.0	1.4	0.7	1.5	9.8
Kansas	1,784,897	61.3	0.4	1.1	0.3	15.4	9.1	4.6	1.4	7.2	6.2	2.6	0.8	1.1	0.8	10.5
Kentucky (total)	2,350,731	46.0	0.5	0.5	(2)	8.9	6.6	2.7	1.4	8.3	4.9	2.5	0.5	0.3	0.6	8.2
White	2,081,819	46.1	0.5	0.5	(2)	9.0	6.7	2.8	1.5	7.5	5.1	2.6	0.5	0.3	0.6	8.3
Colored	268,912	45.4	0.4	0.4	.....	7.8	6.3	2.2	0.7	14.9	3.7	1.5	.....	0.4	.....	7.1
Maine	762,787	107.6	0.9	1.4	0.7	23.6	14.9	11.3	4.9	18.1	12.2	3.7	1.0	0.8	1.7	12.5
Maryland (total)	1,341,075	81.4	1.1	1.0	0.7	16.8	11.4	5.7	3.2	12.8	9.8	2.6	1.3	0.9	1.9	12.1
White	1,100,153	86.1	1.2	1.1	0.6	18.2	12.3	6.3	3.8	11.3	10.3	3.0	1.3	1.1	2.3	13.5
Colored	240,922	60.2	0.8	0.8	1.2	10.4	7.5	3.3	0.4	19.5	7.9	0.8	1.2	.....	0.4	5.8
Massachusetts	3,605,522	101.2	1.4	1.3	1.4	20.0	10.4	12.8	4.8	14.4	12.1	2.6	1.0	1.9	1.9	15.3
Michigan	2,976,030	80.5	0.7	1.7	0.6	21.4	10.6	5.5	2.7	11.5	7.2	3.8	1.1	1.3	1.2	11.0
Minnesota	2,213,919	76.8	0.6	1.4	0.9	27.6	7.8	5.7	3.3	7.9	5.4	2.6	0.8	1.1	1.3	10.4
Missouri (total)	3,372,886	69.0	0.9	1.1	0.8	16.6	8.6	3.8	2.5	10.3	6.6	4.6	0.7	0.9	1.3	10.1
White	3,210,657	69.5	1.0	1.1	0.8	16.9	8.8	3.8	2.5	10.0	6.6	4.8	0.8	1.0	1.3	10.2
Colored	162,229	57.3	.....	1.2	0.6	11.7	4.3	3.7	1.2	17.3	6.2	1.2	.....	0.6	1.2	8.0
Montana	432,614	51.5	0.7	1.6	0.7	15.0	5.8	3.7	2.1	6.0	4.2	1.6	1.4	0.9	0.2	7.6
New Hampshire	438,662	100.8	0.9	1.6	0.2	15.3	14.6	14.4	4.8	18.0	12.3	3.9	1.1	1.4	2.1	10.3
New Jersey (total)	2,815,663	79.0	1.1	0.8	0.7	19.5	9.8	7.1	3.8	10.3	8.2	2.3	0.8	1.2	1.5	11.7
White	2,714,371	79.7	1.1	0.8	0.7	19.8	10.1	7.2	3.8	9.9	8.4	2.4	0.8	1.3	1.5	11.9
Colored	101,292	59.2	.....	.....	.....	11.8	3.9	4.9	4.9	18.8	4.9	.....	.....	.....	2.0	7.9
New York (total)	9,899,761	90.0	1.3	1.1	1.6	20.7	10.3	7.7	4.3	11.3	10.5	2.5	1.1	1.3	2.3	14.1
White	9,740,332	90.3	1.3	1.1	1.6	20.8	10.4	7.8	4.3	11.2	10.5	2.5	1.1	1.3	2.3	14.2
Colored	159,429	72.8	0.6	1.3	1.3	15.7	6.3	6.3	2.5	18.2	10.0	.....	0.6	1.3	1.3	7.5
North Carolina [3] (total)	472,265	57.8	0.2	0.4	0.4	10.2	7.4	3.0	1.9	17.2	4.9	2.5	.....	0.2	0.8	8.7
White	369,636	61.4	0.3	0.6	0.6	11.0	9.0	4.5	2.3	13.9	5.2	3.6	.....	0.3	1.0	9.0
Colored	102,659	51.0	.....	.....	.....	8.6	4.3	.....	1.2	23.4	4.3	0.6	.....	.....	0.6	8.0
Ohio (total)	5,026,808	83.1	0.8	1.5	0.9	19.9	11.7	5.3	3.6	11.6	8.6	4.0	1.1	1.3	1.4	11.5
White	4,908,559	83.1	0.8	1.5	0.9	19.8	11.8	5.4	3.6	11.3	8.6	4.1	1.1	1.3	1.4	11.5
Colored	118,339	81.1	.....	0.8	0.8	20.3	7.6	1.7	2.5	24.5	8.5	.....	0.8	0.8	.....	12.7
Pennsylvania (total)	8,245,967	72.7	0.7	1.5	0.7	17.8	9.8	5.0	2.8	10.7	7.9	2.7	1.0	1.0	1.3	9.7
White	8,033,610	72.3	0.7	1.5	0.7	17.7	9.9	5.0	2.8	10.4	7.8	2.7	1.0	1.0	1.3	9.8
Colored	212,357	89.5	0.9	1.9	1.4	22.6	8.0	5.2	4.2	21.7	10.4	0.9	0.5	1.4	2.4	8.0
Rhode Island	591,215	91.2	0.8	1.9	0.7	17.9	8.6	9.5	4.4	14.7	12.2	2.5	1.5	1.4	2.0	13.0
Utah	414,518	45.8	0.2	0.5	0.5	19.5	4.3	1.7	1.4	6.0	3.1	1.2	0.7	0.7	0.2	5.5
Vermont	361,205	109.9	0.8	0.6	0.3	24.4	11.6	8.0	7.2	17.4	8.3	4.4	2.5	2.8	1.4	20.2
Virginia (total)	2,150,069	48.9	0.4	0.8	0.2	10.0	5.0	2.3	1.3	11.1	4.9	3.0	0.7	0.7	0.9	7.5
White	1,449,461	52.9	0.6	1.0	0.3	10.8	6.3	2.5	1.7	9.0	5.2	3.9	0.8	0.9	1.0	9.0
Colored	709,608	40.5	.....	0.6	.....	8.3	2.4	1.9	0.4	15.4	4.1	1.1	0.7	0.3	0.7	4.6
Washington	1,497,805	61.9	0.6	0.6	0.4	20.8	6.3	4.3	2.3	7.1	5.2	1.9	0.9	1.3	1.3	8.9
Wisconsin	2,446,716	81.1	0.7	1.4	1.3	27.7	10.7	6.0	3.1	7.6	6.6	2.9	0.7	1.4	1.1	9.7

[1] Including District of Columbia. [2] Less than one-tenth of 1 per 100,000 population. [3] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
REGISTRATION CITIES.																
ALABAMA.[1]																
Registration cities	263,504	60.3	0.8	.....	0.4	9.1	4.2	4.6	1.5	18.6	3.4	3.8	1.9	0.8	0.8	10.6
Birmingham	166,154	46.3	0.6	.....	0.6	7.2	3.6	3.0	1.8	16.2	1.8	1.2	0.6	0.6	0.6	8.4
Mobile	55,573	93.6	1.8	.....	.....	16.2	3.6	10.8	1.8	25.2	3.6	3.6	1.8	1.8	1.8	21.6
Montgomery[2]	41,777	71.8	.....	.....	.....	7.2	7.2	2.4	.....	19.1	9.6	14.4	7.2	.....	.....	4.8
CALIFORNIA.																
Registration cities	1,546,725	113.4	2.0	1.7	1.7	27.3	13.6	8.2	5.5	14.7	12.9	3.3	1.9	1.9	2.0	16.7
Los Angeles	438,914	100.9	1.4	2.5	1.1	21.4	12.5	8.2	4.1	14.1	12.1	1.8	1.8	1.4	0.9	17.5
Oakland	183,092	92.9	0.5	1.6	0.5	23.0	11.5	7.1	4.9	11.5	13.1	6.0	0.5	1.1	0.5	10.9
Pasadena	40,880	129.6	.....	2.4	2.4	41.6	4.9	9.8	7.3	12.2	17.1	7.3	.....	7.3	2.4	14.7
Sacramento	62,717	103.6	1.6	1.6	1.6	31.9	11.2	3.2	4.8	19.1	8.0	1.6	.....	1.6	1.6	15.9
San Diego	48,900	173.8	6.1	.....	2.0	40.9	18.4	10.2	10.2	10.2	30.7	6.1	2.0	4.1	2.0	30.7
San Francisco	448,502	128.4	3.6	1.3	2.9	30.5	13.2	8.2	6.9	16.1	13.6	2.9	3.3	1.6	2.7	21.6
Other cities	323,810	111.8	1.2	1.5	1.2	28.4	17.6	9.3	4.9	15.4	10.8	3.7	1.2	2.5	3.4	10.5
COLORADO.																
Registration cities	341,257	85.9	1.2	2.9	1.2	24.0	8.8	4.7	4.1	13.8	10.0	2.3	0.6	0.6	0.9	10.8
Denver	245,523	90.4	1.6	3.7	0.8	27.3	7.7	4.9	3.7	13.8	11.4	2.4	0.8	0.4	1.2	10.6
Other cities	95,734	74.2	.....	1.0	2.1	15.7	11.5	4.2	5.2	13.6	6.3	2.1	.....	1.0	.....	11.5
CONNECTICUT.																
Registration cities	825,290	86.9	1.3	1.1	0.7	18.5	8.8	9.1	3.4	13.2	8.8	2.5	1.6	1.9	2.9	12.8
Bridgeport	115,289	84.1	1.7	1.7	2.6	15.6	8.7	13.9	1.7	6.9	6.9	2.6	1.7	0.9	3.5	15.6
Hartford	107,038	123.3	2.8	2.8	0.9	28.0	7.5	13.1	4.7	20.6	7.5	3.7	1.9	2.8	1.9	25.2
New Haven	144,505	113.5	2.1	0.7	0.7	24.2	12.5	6.2	3.5	18.0	13.1	4.2	2.1	5.5	4.8	15.9
Waterbury	82,517	69.1	.....	1.2	.....	13.3	9.7	12.1	2.4	15.8	2.4	.....	1.2	2.4	1.2	7.3
Other cities	375,941	71.0	0.8	0.5	0.3	15.7	7.7	6.9	3.7	10.6	9.6	2.1	1.3	0.5	2.7	8.5
DELAWARE.[1]																
Wilmington	92,057	88.0	1.1	2.2	1.1	20.6	9.8	9.8	5.4	17.4	7.6	3.3	.....	.....	3.3	6.5
DISTRICT OF COLUMBIA.																
Washington (total)	353,378	100.5	1.7	2.0	0.8	17.8	13.0	8.5	3.7	14.7	10.2	2.5	2.3	3.4	3.7	16.1
White	252,039	107.5	2.4	1.2	1.2	17.1	13.1	10.7	3.2	12.7	11.5	3.6	2.8	3.6	5.2	19.4
Colored	101,339	82.9	.....	3.9	.....	19.7	12.8	3.0	4.9	19.7	6.9	.....	1.0	3.0	.....	7.9
FLORIDA.[3]																
Registration cities	116,535	61.8	1.7	0.9	.....	9.4	3.4	1.7	1.7	17.2	10.3	1.7	1.7	.....	2.6	9.4
GEORGIA.[1]																
Registration cities	296,660	62.7	1.0	1.0	0.3	8.4	6.4	4.0	2.0	16.5	5.1	2.7	1.0	1.0	1.0	12.1
Atlanta	179,292	59.1	1.1	.....	.....	8.9	5.6	5.0	1.1	17.3	6.1	2.8	0.6	1.1	0.6	8.9
Other cities[4]	117,368	68.2	0.9	2.6	0.9	7.7	7.7	2.6	3.4	15.3	3.4	2.6	1.7	0.9	1.7	17.0
ILLINOIS.[1]																
Registration cities (total)	2,627,143	89.0	1.6	1.3	2.2	25.0	10.1	5.7	3.6	12.7	7.3	1.7	1.1	1.5	2.4	12.7
White	2,567,385	88.7	1.6	1.4	2.3	24.9	10.2	5.8	3.6	12.4	7.3	1.8	1.1	1.5	2.4	12.7
Colored	59,758	100.4	1.7	.....	.....	30.1	6.7	5.0	5.0	26.8	8.4	.....	.....	.....	1.7	15.1
Chicago	2,397,600	87.9	1.8	1.2	2.4	25.0	9.9	5.4	3.6	12.2	7.2	1.5	1.0	1.5	2.4	12.7
Springfield	57,972	106.9	.....	3.4	.....	29.3	12.1	8.6	5.2	19.0	6.9	5.2	.....	1.7	1.7	13.8
Other cities[5]	171,571	98.5	0.6	2.3	0.6	22.7	11.7	9.3	3.5	18.1	9.3	2.9	1.7	0.6	2.3	12.8
INDIANA.																
Registration cities	901,437	84.9	0.9	1.0	0.8	18.0	11.2	6.5	3.0	15.6	9.3	2.9	2.4	1.0	1.7	10.5
Fort Wayne	72,423	95.3	1.4	.....	.....	22.1	11.0	8.3	8.3	11.0	4.1	2.8	1.4	4.1	.....	20.7
Indianapolis	259,820	102.0	0.4	1.9	0.8	18.1	11.5	9.6	1.2	20.4	12.3	3.8	3.5	0.4	2.7	15.4
Terre Haute	63,529	81.9	.....	.....	1.6	26.8	4.7	4.7	1.6	17.3	14.2	.....	1.6	1.6	.....	7.9
Other cities	505,665	75.0	1.2	0.8	0.8	16.2	11.9	4.9	3.4	13.6	7.9	2.8	2.2	0.8	1.6	6.9
KANSAS.																
Registration cities	345,260	81.7	0.6	0.9	0.3	17.7	12.2	7.5	2.6	12.5	7.2	2.9	2.6	2.0	0.9	11.9
Kansas City	94,271	64.7	1.1	.....	.....	19.1	8.5	4.2	4.2	7.4	3.2	1.1	4.2	2.1	.....	9.5
Topeka*	47,102	110.4	2.1	.....	.....	23.4	8.5	10.6	2.1	23.4	8.5	4.2	2.1	2.1	.....	23.4
Wichita	64,972	77.0	.....	.....	.....	13.9	10.8	6.2	1.5	13.9	6.2	4.6	1.5	4.6	3.1	10.8
Other cities	138,915	85.7	.....	2.2	0.7	16.6	16.6	9.4	2.2	11.5	10.1	2.9	2.2	0.7	0.7	10.1
KENTUCKY.																
Registration cities	425,563	77.1	1.4	0.7	0.2	13.4	14.3	4.9	2.1	15.7	8.0	2.8	0.9	0.5	1.4	10.6
Louisville	235,114	79.5	1.3	1.3	.....	16.2	14.9	7.2	1.3	15.7	6.0	1.7	1.3	0.9	1.3	10.6
Other cities	190,449	74.0	1.6	.....	0.5	10.0	13.7	2.1	3.2	15.8	10.5	4.2	0.5	.....	1.6	10.5

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] The only other registration unit; less than 50 deaths from cancer were reported.
[3] Nonregistration state; the registration cities are Jacksonville, Key West, and Pensacola.
[4] Includes Augusta and Savannah.
[5] Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—												
			Tongue	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
LOUISIANA.[1]																
New Orleans (total)	361,221	99.1	2.5	1.9	1.1	18.0	11.4	5.8	3.3	21.0	8.0	3.3	2.5	2.5	1.7	16.1
White	265,692	96.7	3.0	2.3	1.1	17.7	10.5	6.8	3.4	15.8	7.9	4.1	2.3	2.3	1.9	17.7
Colored	95,529	105.7	1.0	1.0	1.0	18.8	13.6	3.1	3.1	35.6	8.4	1.0	3.1	3.1	1.0	11.5
MAINE.																
Registration cities	175,127	121.1	0.6	1.7	1.1	26.3	15.4	11.4	6.3	26.8	14.3	2.3	1.1	0.6	1.7	11.4
Portland	62,161	104.6	1.6	.....	1.6	14.5	12.9	8.0	8.0	22.5	22.5	1.6	1.6	.....	1.6	8.0
Other cities	112,966	130.1	.....	2.7	0.9	32.8	16.8	13.3	5.3	29.2	9.7	2.7	0.9	0.9	1.8	13.3
MARYLAND.																
Registration cities (total)	640,317	102.0	1.7	0.6	1.4	20.8	14.8	6.9	4.2	16.4	11.2	1.7	2.3	1.4	3.3	15.1
White	547,542	103.6	1.8	0.5	1.1	21.4	15.9	6.9	4.7	14.2	11.1	1.6	2.2	1.6	3.7	16.6
Colored	92,775	92.7	1.1	1.1	3.2	17.2	8.6	6.5	1.1	29.1	11.9	2.2	3.2	.....	1.1	6.5
Baltimore (total)	579,590	101.6	1.6	0.3	1.6	20.9	14.1	7.4	4.5	15.9	11.2	1.7	2.6	1.6	3.5	14.8
White	491,276	103.8	1.8	0.4	1.2	21.4	15.1	7.5	5.3	13.4	11.2	1.6	2.4	1.8	3.9	16.7
Colored	88,314	89.5	.....	.....	3.4	18.1	9.1	6.8	.....	29.4	11.3	2.3	3.4	.....	1.1	4.5
Other cities	60,727	105.4	3.3	3.3	.....	19.8	21.4	1.6	1.6	21.4	11.5	1.6	.....	.....	1.6	18.1
MASSACHUSETTS.																
Registration cities	2,814,238	98.8	1.3	1.5	1.4	19.0	10.1	12.9	4.6	14.2	11.7	2.1	1.2	2.0	1.8	15.0
Boston	733,802	118.7	1.4	1.6	2.0	20.3	12.3	16.4	5.7	17.3	14.7	1.9	1.6	2.6	2.0	18.8
Brockton	64,043	85.9	.....	.....	1.6	20.3	7.8	9.4	9.4	4.7	12.5	.....	1.6	3.1	3.1	12.5
Cambridge	110,357	100.6	0.9	2.7	1.8	22.7	6.3	9.2	4.5	9.1	17.2	3.6	0.9	1.8	0.9	19.0
Fall River	125,443	55.8	.....	.....	.....	8.0	4.8	8.0	3.2	8.0	5.6	0.8	1.6	.....	3.2	12.8
Lawrence	95,834	62.6	2.1	2.1	2.1	17.7	8.3	7.3	4.2	9.4	4.2	.....	.....	.....	.....	5.2
Lowell	111,004	88.3	0.9	.....	1.8	20.7	16.2	5.4	4.5	9.9	11.7	3.6	.....	0.9	0.9	11.7
Lynn	98,207	92.7	.....	2.0	2.0	20.4	7.1	9.2	1.0	18.3	9.2	2.0	1.0	1.0	2.0	17.3
New Bedford	111,230	83.6	1.8	1.8	.....	17.1	9.0	13.5	1.8	12.6	9.9	2.7	.....	0.9	0.9	11.7
Somerville	83,881	84.6	.....	1.2	.....	21.5	3.6	13.1	4.8	9.5	10.7	.....	.....	1.2	2.4	16.7
Springfield	100,490	91.6	2.0	1.0	1.0	18.9	12.9	16.9	2.0	7.0	6.0	1.0	2.0	.....	2.0	18.9
Worcester	157,732	111.6	1.9	1.9	0.6	26.0	8.9	13.9	5.1	14.6	12.7	2.5	1.9	4.4	2.5	14.6
Other cities	1,022,215	97.1	1.5	1.5	1.3	17.8	10.0	12.8	4.5	15.8	11.2	2.6	1.3	2.3	1.6	13.2
MICHIGAN.																
Registration cities	1,169,668	85.2	0.9	1.4	1.0	21.6	11.5	7.1	2.7	13.7	7.2	2.6	1.5	1.6	1.0	11.3
Detroit	537,650	78.9	1.5	0.9	1.1	21.6	10.6	6.1	3.0	13.9	5.6	1.1	0.7	1.5	0.9	10.2
Grand Rapids	123,227	97.4	0.8	0.8	0.8	28.4	14.6	8.1	4.1	12.2	11.4	4.1	0.8	0.8	.....	10.5
Saginaw	53,988	92.6	.....	5.6	1.9	20.4	16.7	9.3	.....	14.8	3.7	3.7	1.9	3.7	1.9	9.3
Other cities	454,803	88.6	0.4	1.5	0.9	20.0	11.2	7.7	2.4	13.6	8.4	3.7	2.6	1.8	1.3	13.0
MINNESOTA.																
Registration cities	732,326	82.6	1.2	2.0	1.1	24.4	8.6	6.1	3.6	11.2	7.2	2.0	1.4	1.2	1.6	10.8
Duluth	89,331	76.1	.....	2.2	.....	30.2	12.3	4.5	3.4	6.7	4.5	3.4	.....	.....	2.2	6.7
Minneapolis	343,466	91.1	1.2	2.0	0.9	25.6	7.3	8.7	3.5	13.1	9.0	1.7	1.5	1.5	2.6	12.5
St. Paul	236,766	70.1	2.1	1.3	2.1	21.5	8.0	3.0	4.3	10.1	4.2	2.1	1.7	1.3	0.4	8.0
Other cities	62,763	92.4	.....	4.8	.....	20.7	12.7	6.4	1.6	11.2	12.7	1.6	1.6	1.6	.....	17.5
MISSOURI.																
Registration cities (total)	1,232,741	95.0	2.0	1.5	1.7	21.4	9.2	5.4	4.4	17.8	8.8	3.7	1.4	1.2	2.5	14.0
White	1,144,160	98.0	2.2	1.5	1.7	21.9	9.9	5.5	4.7	17.5	9.3	3.9	1.5	1.2	2.7	14.4
Colored	88,581	56.4	.....	1.1	1.1	14.7	1.1	4.5	.....	21.4	3.4	.....	.....	1.1	.....	7.9
Kansas City	281,911	90.1	3.2	1.1	0.7	18.1	6.7	5.7	5.0	17.0	10.3	6.0	0.7	.....	2.1	13.5
St. Joseph *	[2] 82,712	117.3	1.2	1.2	.....	27.8	10.9	8.5	6.0	23.0	19.3	2.4	1.2	1.2	2.4	12.1
St. Louis	734,667	95.4	1.9	1.6	2.5	22.9	9.9	5.4	4.5	16.3	7.4	3.1	1.9	1.6	2.7	13.6
Other cities	133,451	89.2	0.7	1.5	0.7	16.5	9.7	3.0	1.5	24.0	7.5	2.2	.....	1.5	2.2	18.0
MONTANA.																
Registration cities	109,011	75.2	2.8	1.8	0.9	22.9	5.5	4.6	2.8	11.0	4.6	0.9	2.8	0.9	0.9	12.8
NEBRASKA.[1]																
Registration cities	178,917	104.5	0.6	0.6	.....	24.6	12.3	8.9	2.2	19.0	10.1	2.8	1.1	0.6	2.8	19.0
Omaha	133,274	105.0	.....	.....	.....	24.0	10.5	5.3	3.0	21.8	9.8	3.8	1.5	0.8	3.0	21.8
Lincoln [3]	45,643	103.0	2.2	2.2	.....	26.3	17.5	19.7	.....	11.0	11.0	.....	.....	.....	2.2	11.0
NEW HAMPSHIRE.																
Registration cities	184,187	93.9	.....	1.1	0.5	15.7	9.8	14.7	6.0	17.4	14.1	2.7	0.5	1.6	1.1	8.7
Winchester	75,635	74.0	.....	2.6	.....	13.2	2.6	13.2	4.0	17.2	10.6	4.0	.....	.....	.....	6.6
Other cities	108,552	107.8	.....	.....	0.9	17.5	14.7	15.7	7.4	17.5	16.6	1.8	0.9	2.8	1.8	10.1

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
[3] The only other registration unit; less than 50 deaths from cancer were reported.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—												
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
NEW JERSEY.																
Registration cities	1,828,462	78.0	1.1	0.8	0.8	19.3	9.6	7.0	3.8	10.8	7.4	1.7	1.0	0.9	1.5	12.3
Camden	102,465	72.2	.....	.....	1.0	19.5	4.9	2.9	7.8	11.7	4.9	4.9	1.0	2.0	3.9	7.8
Elizabeth	82,411	92.2	2.4	1.2	1.2	25.5	13.3	4.9	2.4	8.5	6.1	1.2	1.2	.....	2.4	21.8
Jersey City	293,921	73.8	0.7	0.7	0.3	21.4	11.2	6.5	2.0	8.5	6.1	1.7	0.7	0.7	0.7	12.6
Newark	389,106	87.4	1.5	1.0	2.1	21.8	10.3	7.5	5.1	11.8	8.0	2.3	1.0	.....	1.8	13.1
Paterson	134,305	92.3	.....	0.7	0.7	28.3	8.2	11.9	1.5	14.9	8.9	.....	1.5	1.5	2.2	11.9
Trenton *	106,831	91.7	2.8	2.8	0.9	18.7	13.1	7.5	4.7	8.4	10.3	1.9	1.9	1.9	.....	16.8
Other cities	719,423	69.1	1.1	0.4	0.1	14.7	8.6	6.8	3.8	10.8	7.5	1.3	0.8	1.3	1.3	10.6
NEW YORK.																
Registration cities (total)	7,520,670	88.0	1.3	1.1	1.8	20.4	9.7	8.2	4.2	11.3	9.6	1.6	1.1	1.2	2.4	14.0
White	7,388,358	88.4	1.3	1.1	1.9	20.5	9.7	8.2	4.2	11.2	9.6	1.6	1.2	1.2	2.5	14.1
Colored	132,312	70.3	0.8	.....	1.5	11.3	7.6	4.5	3.0	20.4	10.6	.....	0.8	1.5	0.8	7.6
Albany	102,961	146.7	1.9	.....	1.0	31.1	10.7	11.7	3.9	26.2	19.4	1.9	.....	6.8	5.8	26.2
Buffalo	454,112	95.8	1.1	1.8	2.0	23.3	10.3	7.0	4.0	12.3	10.1	1.8	1.1	3.5	2.6	14.8
New York (total)	5,333,539	83.5	1.3	1.0	2.2	20.6	9.5	7.8	4.1	9.7	8.4	1.3	1.0	0.8	2.3	13.4
White	5,224,202	83.6	1.3	1.0	2.2	20.8	9.5	7.8	4.2	9.4	8.3	1.3	1.0	0.7	2.4	13.6
Colored	109,337	75.9	0.9	.....	0.9	10.1	9.1	4.6	3.7	23.8	11.9	.....	0.9	1.8	0.9	7.3
Bronx Borough	529,198	97.5	1.7	0.4	1.9	23.4	9.8	11.9	6.0	10.8	10.4	1.5	0.8	1.5	2.6	14.7
Brooklyn Borough	1,833,696	78.5	1.3	1.0	1.6	19.9	9.4	7.4	3.7	9.7	8.4	1.6	0.8	0.4	2.0	11.2
Manhattan Borough	2,536,716	83.7	1.3	0.9	2.6	20.5	9.2	7.5	4.0	9.5	8.0	1.0	1.3	0.9	2.3	14.6
Queens Borough	339,886	81.5	0.9	1.2	2.6	20.3	9.4	5.6	5.3	8.5	9.4	1.2	0.6	0.3	3.5	12.7
Richmond Borough	94,043	102.1	.....	3.2	2.1	25.5	16.0	6.4	2.1	13.8	5.3	.....	2.1	1.1	3.2	21.3
Rochester	245,077	106.5	2.0	0.8	1.2	18.0	13.1	11.4	6.1	14.7	12.2	2.4	1.2	2.4	2.9	18.0
Syracuse	149,353	84.4	.....	1.3	0.7	11.4	9.4	4.0	3.3	15.4	13.4	2.7	2.7	2.7	2.7	14.7
Troy	77,560	175.3	3.9	3.9	1.3	34.8	15.5	11.6	7.7	27.1	28.4	3.9	2.6	2.6	7.7	24.5
Utica *	82,060	99.9	.....	.....	.....	24.4	12.2	9.7	11.0	15.8	13.4	.....	1.2	.....	1.2	11.0
Yonkers	93,383	69.6	2.1	.....	.....	18.2	8.6	8.6	2.1	6.4	12.9	.....	1.1	.....	1.1	8.6
Other cities	982,625	92.9	1.0	1.4	0.7	17.2	9.2	9.8	3.9	15.5	11.7	3.1	1.5	1.7	2.2	14.0
NORTH CAROLINA.																
Registration cities	176,010	70.5	0.6	.....	0.6	10.8	9.7	2.3	1.7	21.0	5.7	4.0	.....	0.6	0.6	13.1
OHIO.																
Registration cities (total)	2,410,207	87.3	0.8	1.5	1.4	19.8	11.9	5.9	4.0	14.4	8.5	2.7	1.1	1.2	1.5	12.5
White	2,335,493	87.4	0.9	1.5	1.4	19.9	12.0	6.0	4.1	14.0	8.6	2.8	1.1	1.2	1.6	12.5
Colored	74,714	84.3	.....	.....	1.3	18.7	9.4	1.3	2.7	26.8	8.0	.....	1.3	1.3	.....	13.4
Akron	80,291	77.2	.....	.....	.....	18.7	11.2	6.2	2.5	12.5	12.5	1.2	.....	1.2	2.5	8.7
Cincinnati	402,175	104.2	1.2	1.5	1.7	22.6	16.7	3.5	5.0	17.9	9.0	3.7	1.0	2.2	2.5	15.7
Cleveland	639,431	75.5	0.6	1.3	1.9	21.7	8.8	5.8	3.8	9.4	6.6	1.6	0.5	0.8	0.6	12.4
Columbus	204,567	107.5	1.0	2.0	1.0	18.6	15.6	6.4	2.4	26.4	11.7	3.9	1.5	1.5	1.0	14.7
Dayton	123,794	107.4	1.6	0.8	2.4	18.6	13.7	6.5	7.3	24.2	11.3	5.7	3.2	2.4	2.4	7.3
Toledo	184,126	99.9	0.5	2.7	2.7	28.2	10.3	5.4	4.9	13.6	8.1	4.3	1.6	2.2	2.2	13.0
Youngstown	109,593	65.6	.....	1.0	1.0	11.9	9.9	5.0	4.0	8.9	4.0	3.0	1.0	.....	1.0	14.9
Other cities	675,230	79.5	0.9	1.5	0.6	16.0	11.4	7.3	3.6	12.9	9.0	2.1	1.2	0.6	1.6	11.0
OREGON.[1]																
Portland	260,601	87.9	1.2	1.9	0.8	21.5	10.0	7.7	6.5	11.9	6.5	1.5	1.9	1.2	2.3	13.0
PENNSYLVANIA.																
Registration cities (total)	3,957,679	82.0	1.0	1.6	1.1	19.4	9.9	5.8	3.2	13.3	9.3	2.0	1.4	1.2	1.8	10.9
White	3,800,812	81.7	0.9	1.7	1.1	19.2	10.0	5.8	3.1	13.0	9.4	2.1	1.5	1.2	1.8	11.0
Colored	156,867	89.9	1.3	1.3	1.9	24.2	7.0	5.7	3.8	21.0	8.3	1.3	0.6	1.3	2.5	9.6
Allentown	60,297	97.8	.....	.....	1.7	18.2	3.3	11.6	1.7	21.6	18.2	5.0	.....	3.3	.....	13.3
Erie	72,401	76.0	1.4	1.4	.....	19.3	8.3	5.5	2.8	8.3	9.7	2.8	.....	1.4	2.8	12.4
Harrisburg	69,493	82.0	.....	2.9	.....	7.2	10.1	11.5	2.9	18.7	11.5	5.8	.....	1.4	1.4	8.6
Lancaster	49,685	110.7	.....	4.0	2.0	24.2	14.1	4.0	10.1	10.1	16.1	2.0	6.0	2.0	4.0	12.1
Philadelphia (total)	1,657,810	93.0	1.5	1.8	1.5	21.1	10.3	6.3	3.0	14.9	11.2	2.0	2.2	1.2	2.4	13.6
White	1,566,158	92.9	1.5	1.9	1.4	20.8	10.5	6.4	2.9	14.5	11.4	2.1	2.3	1.3	2.4	13.7
Colored	91,652	93.8	1.1	1.1	3.3	26.2	6.5	5.5	4.4	21.8	8.7	.....	1.1	.....	3.3	10.9
Pittsburgh	564,878	85.2	1.1	1.6	1.1	22.8	11.0	4.4	3.5	14.5	7.3	1.6	1.4	1.1	1.8	12.0
Reading	103,361	83.2	1.9	1.0	2.9	15.5	10.6	6.8	3.9	12.6	9.7	1.0	1.0	1.0	.....	15.5
Scranton	141,351	60.1	.....	1.4	.....	16.3	3.5	9.9	0.7	8.5	9.2	0.7	.....	1.4	1.4	7.1
Williamsport	33,181	150.7	.....	.....	.....	54.2	18.1	9.0	18.1	15.1	12.1	3.0	.....	3.0	3.0	15.1
Other cities	1,205,222	64.4	0.3	1.5	0.6	15.8	9.5	4.6	2.9	10.9	6.7	2.1	0.7	1.0	1.2	6.6
RHODE ISLAND.																
Registration cities	479,487	88.8	1.0	1.7	0.6	16.7	8.8	9.2	3.8	15.2	11.3	2.5	1.0	1.7	2.1	13.3
Providence	245,090	92.6	0.4	0.8	1.2	16.3	9.8	11.4	3.7	14.3	10.6	2.0	0.8	2.9	3.3	15.1
Other cities	234,397	84.9	1.7	2.6	.....	17.1	7.7	6.8	3.8	16.2	11.9	3.0	1.3	0.4	0.9	11.5

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—												
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
SOUTH CAROLINA.[1]																
Charleston	60,121	58.2	.....	.....	.....	5.0	5.0	.....	3.3	20.0	13.3	1.7	.....	3.3	.....	6.7
TENNESSEE.[2]																
Registration cities (total)	370,662	78.0	0.3	1.3	.....	12.9	7.6	4.0	3.5	23.4	5.7	2.7	2.7	0.5	.....	11.3
White	237,961	87.8	0.4	1.3	.....	14.7	10.1	5.5	2.9	24.8	5.0	3.4	2.8	0.8	.....	15.1
Colored	132,701	60.3	.....	1.5	.....	9.8	3.0	1.5	4.5	26.4	6.8	1.5	0.8	.....	.....	4.5
Memphis	143,231	79.6	.....	2.8	.....	16.1	9.1	4.2	3.5	25.1	5.6	1.4	2.1	.....	.....	9.8
Nashville	114,899	85.3	0.9	.....	.....	10.4	7.8	6.1	3.5	22.6	7.0	5.2	2.6	0.9	.....	18.3
Other cities[3]	112,532	68.4	.....	0.9	.....	11.6	5.3	1.8	3.6	28.4	4.4	1.8	3.6	0.9	.....	6.2
TEXAS.[2]																
Registration cities	204,857	88.4	0.5	2.0	0.5	14.2	10.7	4.4	4.4	18.1	6.3	2.9	2.0	2.0	2.0	18.5
Galveston	40,289	129.1	.....	2.5	2.5	12.4	22.3	.....	7.4	14.9	12.4	7.4	2.5	5.0	2.5	37.2
San Antonio	115,063	70.4	.....	2.6	.....	13.9	6.1	3.5	3.5	14.8	4.3	1.7	2.6	0.9	1.7	14.8
El Paso	49,505	97.0	2.0	.....	.....	16.2	12.1	10.1	4.0	28.3	6.1	2.0	.....	2.0	2.0	12.1
UTAH.																
Registration cities	139,264	66.8	.....	1.4	0.7	28.0	3.6	2.9	2.9	10.1	3.6	3.6	0.7	.....	0.7	8.6
Salt Lake City	109,736	64.7	.....	1.8	.....	23.7	4.6	3.6	2.7	10.9	3.6	3.6	.....	.....	0.9	9.1
Ogden[5]	29,528	74.5	.....	.....	3.4	44.0	.....	.....	3.4	6.8	3.4	3.4	3.4	.....	.....	6.8
VERMONT.																
Registration cities	47,370	154.1	.....	.....	.....	48.6	10.6	12.7	12.7	16.9	14.8	2.1	4.2	2.1	2.1	27.4
VIRGINIA.																
Registration cities (total)	423,671	71.8	0.5	0.5	0.5	11.1	6.8	5.0	1.9	20.3	6.6	2.1	1.9	1.7	1.4	11.6
White	277,249	77.9	0.7	0.7	0.7	12.6	8.7	6.1	2.5	15.9	7.2	2.2	1.8	2.2	1.4	15.1
Colored	146,422	60.1	.....	.....	.....	8.2	3.4	2.7	0.7	28.7	5.5	2.0	2.0	0.7	1.4	4.8
Richmond	134,917	94.1	0.7	0.7	.....	16.3	9.6	6.7	3.0	18.5	10.4	3.7	2.2	3.7	1.5	17.0
Other cities (total)	288,754	61.3	0.3	0.3	0.7	8.7	5.5	4.2	1.4	21.1	4.8	1.4	1.7	0.7	1.4	9.0
White	191,751	66.2	0.5	0.5	1.0	9.9	7.3	5.7	1.6	17.7	4.2	1.6	2.1	1.0	1.6	11.5
Colored	97,003	51.5	.....	.....	.....	6.2	2.1	1.0	1.0	27.8	6.2	1.0	1.0	.....	1.0	4.1
WASHINGTON.																
Registration cities	674,321	74.0	0.6	0.7	0.7	24.0	6.7	5.8	3.0	8.7	6.2	1.6	0.9	1.5	2.1	11.4
Seattle	313,029	70.6	1.3	1.3	0.6	21.4	6.7	4.8	3.2	8.3	6.7	1.3	1.3	0.6	2.6	10.5
Spokane	135,657	75.2	.....	0.7	1.5	24.3	6.6	5.2	1.5	11.8	6.6	1.5	0.7	3.7	2.9	8.1
Tacoma	103,418	81.2	.....	.....	.....	30.0	5.8	9.7	3.9	2.9	7.7	1.0	1.0	1.9	.....	17.4
Other cities	122,217	75.3	.....	.....	0.8	25.4	7.4	5.7	3.3	11.5	3.3	3.3	.....	0.8	1.6	12.3
WEST VIRGINIA.[1]																
Wheeling	42,817	107.4	.....	2.3	2.3	16.3	11.7	14.0	2.3	18.7	16.3	2.3	2.3	4.7	.....	14.0
WISCONSIN.																
Registration cities	833,974	85.4	1.1	1.3	1.4	24.7	12.4	7.3	3.4	10.0	7.2	1.8	0.7	1.3	1.9	10.9
Milwaukee	419,589	69.4	1.2	0.7	1.2	19.1	12.2	5.0	3.3	6.9	7.1	1.0	0.5	0.7	1.9	8.6
Other cities	414,385	101.6	1.0	1.9	1.7	30.4	12.5	9.7	3.4	13.0	7.2	2.7	1.0	1.9	1.9	13.3
RURAL PART OF REGISTRATION STATES.[6]																
CALIFORNIA.																
Total	1,211,170	78.2	0.9	2.4	0.7	22.8	8.0	5.6	3.5	8.8	8.2	4.0	0.9	1.3	1.1	9.9
Los Angeles County	129,965	123.9	1.5	5.4	2.3	31.5	18.5	9.2	4.6	14.6	13.8	3.1	.....	3.8	2.3	13.1
Santa Clara County *	56,391	138.3	3.5	5.3	5.3	30.1	16.0	12.4	3.5	16.0	12.4	1.8	3.5	3.5	1.8	23.1
Sonoma County	52,618	119.7	.....	1.9	.....	39.9	13.3	9.5	1.9	17.1	22.8	1.9	.....	.....	.....	11.4
Other rural districts	972,196	66.3	0.7	1.9	0.3	20.3	5.9	4.6	3.4	7.1	6.4	4.4	0.9	0.9	0.9	8.6
COLORADO.																
Total	568,280	41.7	0.2	0.4	.....	14.4	7.9	2.3	1.9	4.8	3.3	1.1	0.5	0.7	.....	4.2
CONNECTICUT.																
Total	377,398	85.6	1.0	2.4	0.5	16.2	9.5	9.8	2.9	9.5	12.7	3.2	0.8	1.9	2.1	12.5
Hartford County	85,763	88.6	1.2	4.7	1.2	16.3	12.8	10.5	2.3	5.8	15.2	4.7	1.2	1.2	1.2	10.5
Other rural districts	291,635	84.7	1.7	1.7	0.3	16.1	8.6	9.6	3.1	10.6	12.0	2.7	0.7	2.1	2.4	13.0
INDIANA.																
Total	1,878,030	76.4	0.4	1.7	0.2	18.7	12.6	4.2	2.4	10.1	7.7	6.0	0.9	0.6	1.4	9.5

[1] Nonregistration state; the only registration unit is shown, and less than 50 deaths from cancer were reported.
[2] Nonregistration state; cities shown below only those with effective local ordinances.
[3] Includes, Chattanooga, Jackson, and Knoxville.
[4] The only other registration unit; less than 50 deaths from cancer were reported.
[5] The only other city of 10,000 inhabitants or over in 1910; less than 50 deaths from cancer were reported.
[6] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE II.—DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—												
			Tongue	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
RURAL PART OF REGISTRATION STATES[1]—Continued.																
KANSAS.																
Total	1,439,637	56.5	0.3	1.1	0.3	14.9	8.3	3.9	1.1	6.0	5.9	2.5	0.3	0.8	0.8	10.1
KENTUCKY.																
Total	1,925,168	39.1	0.3	0.5	.....	7.9	4.9	2.2	1.3	6.7	4.3	2.4	0.4	0.3	0.4	7.6
White	1,730,546	38.6	0.3	0.5	.....	8.0	4.7	2.1	1.3	5.9	4.4	2.5	0.4	0.3	0.4	7.6
Colored	194,622	43.7	.....	.....	.....	6.7	6.7	3.1	1.0	13.9	3.1	1.0	.....	0.5	.....	7.7
MAINE.																
Total	587,660	103.6	1.0	1.4	0.5	22.8	14.8	11.2	4.4	15.5	11.6	4.1	1.0	0.9	1.7	12.8
Cumberland County	54,679	109.7	.....	5.5	1.8	25.6	12.8	7.3	3.7	14.6	14.6	5.5	1.8	1.8	5.5	9.1
Kennebec County[2]	38,298	143.6	.....	2.6	2.6	13.1	18.3	18.3	7.8	15.7	7.8	15.7	.....	5.2	.....	36.6
Penobscot County	63,675	85.6	.....	.....	.....	17.4	19.0	7.9	4.8	12.7	12.7	1.6	.....	.....	1.6	7.9
Washington County	41,915	128.8	4.8	.....	.....	33.4	21.5	7.2	4.8	31.0	7.2	4.8	.....	.....	2.4	11.9
York County	52,602	114.1	1.9	.....	.....	26.6	11.4	13.3	7.6	7.6	28.5	1.9	3.8	.....	.....	11.4
Other rural districts	337,091	96.7	0.9	1.2	0.3	22.5	13.6	11.9	3.6	15.4	9.2	3.3	0.9	0.6	1.5	11.9
MARYLAND.																
Total	700,758	62.6	0.6	1.4	0.1	13.1	8.3	4.7	2.3	9.4	8.6	3.4	0.3	0.4	0.7	9.3
White	552,611	68.8	0.5	1.6	0.2	15.0	8.7	5.6	2.9	8.3	9.4	4.3	0.4	0.5	0.9	10.3
Colored	148,147	39.8	0.7	0.7	.....	6.1	6.8	1.4	.....	13.5	5.4	.....	.....	.....	.....	5.4
Baltimore County *	135,813	81.7	0.7	2.2	0.7	13.3	11.8	7.4	2.9	11.0	15.5	2.9	1.5	.....	0.7	11.0
Other rural districts (total)	564,945	58.1	0.5	1.2	.....	13.1	7.4	4.1	2.1	9.0	6.9	3.5	.....	0.5	0.7	8.9
White	431,030	64.0	0.5	1.4	.....	15.3	7.4	5.1	2.8	7.9	7.7	4.6	.....	0.7	0.9	9.9
Colored	133,915	38.8	0.7	0.7	.....	6.0	7.5	0.7	.....	12.7	4.5	.....	.....	.....	.....	6.0
MASSACHUSETTS.																
Total	791,284	109.7	2.0	0.9	1.4	23.5	11.6	12.1	5.4	14.8	13.6	4.3	0.1	1.4	2.3	16.2
Bristol County	56,332	99.4	.....	.....	.....	23.1	12.4	8.9	8.9	14.2	10.7	1.8	.....	.....	.....	19.5
Essex County *	92,103	114.0	1.1	.....	2.2	29.3	11.9	15.2	7.6	13.0	8.7	2.2	1.1	2.2	5.4	14.1
Middlesex County *	125,247	138.1	6.4	2.4	3.2	32.7	12.8	9.6	4.0	23.2	15.2	4.8	.....	3.2	.....	20.8
Norfolk County *	105,294	94.0	1.9	0.9	1.9	20.9	10.4	18.0	3.8	10.4	9.5	1.9	.....	1.9	1.9	10.4
Plymouth County *	80,000	123.8	1.3	1.3	2.5	25.0	15.0	8.8	6.3	10.0	21.3	6.3	.....	1.3	2.5	22.5
Worcester County *	134,853	102.3	0.7	0.7	0.7	19.3	9.6	14.1	3.0	12.6	15.6	4.4	.....	0.7	3.0	17.8
Other rural districts	197,455	100.3	1.5	0.5	.....	18.7	11.1	10.1	6.6	16.2	13.7	6.1	.....	0.5	2.5	12.7
MICHIGAN.																
Total	1,806,362	77.4	0.6	1.9	0.4	21.3	10.0	4.5	2.7	10.0	7.2	4.7	0.9	1.1	1.3	10.8
Berrien County	55,521	104.5	1.8	.....	.....	28.8	19.8	5.4	5.4	18.0	9.0	9.0	.....	1.8	3.6	1.8
Kent County	48,459	103.2	.....	4.1	.....	20.6	12.4	6.2	2.1	20.6	6.2	14.4	2.1	.....	.....	14.4
Wayne County	71,842	87.7	.....	2.8	1.4	22.3	11.1	7.0	2.8	12.5	8.4	8.4	1.4	.....	2.8	7.0
Other rural districts	1,630,540	75.3	0.6	1.9	0.4	21.0	9.6	4.4	2.6	9.3	7.1	4.0	0.9	1.1	1.2	11.2
MINNESOTA.																
Total	1,481,593	74.0	0.3	1.1	0.8	29.2	7.4	5.5	3.2	6.2	4.5	2.8	0.5	1.1	1.1	10.2
Olmsted County *	22,232	445.3	.....	.....	4.5	152.9	22.5	72.0	36.0	18.0	4.5	18.0	18.0	9.0	27.0	63.0
Other rural districts	1,459,361	68.3	0.3	1.1	0.8	27.3	7.2	4.5	2.7	6.0	4.5	2.6	0.3	1.0	0.8	9.4
MISSOURI.																
Total	2,140,145	54.0	0.3	0.9	0.3	13.9	8.3	2.9	1.4	6.0	5.2	5.2	0.4	0.8	0.6	7.9
MONTANA.																
Total	323,603	43.6	.....	1.5	0.6	12.4	5.9	3.4	1.9	4.3	4.0	1.9	0.9	0.9	.....	5.9
NEW HAMPSHIRE.																
Total	254,475	105.7	1.6	2.0	.....	14.9	18.1	14.1	3.9	18.5	11.0	4.7	1.6	1.2	2.8	11.4
Rockingham County	41,105	124.1	2.4	2.4	.....	29.2	14.6	14.6	4.9	26.8	12.2	2.4	4.9	2.4	2.4	4.9
Other rural districts	213,370	102.2	1.4	1.9	.....	12.2	18.7	14.1	3.7	16.9	10.8	5.2	0.9	0.9	2.8	12.7
NEW JERSEY.																
Total	987,201	80.7	1.0	0.9	0.5	19.9	10.2	7.4	3.8	9.3	9.7	3.5	0.4	1.7	1.5	10.7
Bergen County	134,303	75.2	.....	2.2	.....	17.9	11.2	6.0	5.2	8.2	10.4	1.5	.....	1.5	1.5	9.7
Burlington County	70,114	85.6	.....	1.4	.....	20.0	5.7	5.7	4.3	11.4	12.8	4.3	1.4	4.3	4.3	10.0
Monmouth County	72,654	118.4	.....	.....	.....	34.4	12.4	9.6	5.5	15.1	13.8	6.9	1.4	1.4	2.8	15.1
Morris County *	65,739	76.1	3.0	1.5	1.5	19.8	12.2	6.1	1.5	6.1	3.0	7.6	1.5	1.5	1.5	9.1
Other rural districts	644,391	77.6	1.2	0.6	0.6	18.6	10.1	7.8	3.6	9.0	9.5	3.1	0.2	1.6	1.1	10.7
NEW YORK.																
Total	2,379,091	96.1	1.1	1.4	0.8	21.8	12.2	6.3	4.4	11.3	13.0	5.2	0.8	1.3	1.6	14.5
Cattaraugus County	50,020	106.0	2.0	.....	.....	14.0	14.0	6.0	6.0	20.0	8.0	10.0	2.0	.....	4.0	20.0
Chautauqua County	57,805	100.3	3.5	5.2	.....	15.6	15.6	12.1	3.5	10.4	15.6	1.7	.....	.....	1.7	15.6
Delaware County	45,220	132.7	2.2	.....	2.2	31.0	24.3	11.1	4.4	17.7	22.1	2.2	.....	.....	4.4	11.1
Dutchess County *	60,615	103.9	3.3	.....	1.6	14.8	18.1	8.2	1.6	11.5	14.8	6.6	.....	.....	.....	23.1
Erie County *	96,473	73.6	1.0	1.0	.....	16.6	14.5	6.2	4.1	3.1	9.3	4.1	1.0	2.1	3.1	7.3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Includes National Military Home.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFID ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—												
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
RURAL PART OF REGISTRATION STATES [1]—Continued.																
NEW YORK—continued.																
Monroe County	65,987	75.8	.....	1.5	.....	7.6	12.1	1.5	4.5	9.1	10.6	3.0	3.0	3.0	1.5	18.2
Nassau County	96,068	81.2	.....	2.1	.....	21.9	13.5	9.4	5.2	5.2	8.3	3.1	3.1	1.0	1.0	7.3
Oneida County	58,506	126.5	3.4	1.7	1.7	23.9	18.8	6.8	6.8	22.2	17.1	6.8	1.7	1.7	1.7	12.0
Onondaga County	64,396	96.3	1.6	.....	3.1	29.5	7.8	1.6	1.6	6.2	20.2	4.7	1.6	1.6	.....	17.1
Ontario County	40,125	139.6	.....	.....	.....	44.9	10.0	10.0	10.0	7.5	24.9	10.0	5.0	5.0	.....	12.5
Orange County	76,501	71.9	.....	.....	.....	18.3	9.2	5.2	2.6	7.8	5.2	2.6	.....	1.3	3.9	15.7
Rockland County	50,526	100.9	2.0	.....	.....	25.7	9.9	4.0	5.9	11.9	7.9	4.0	.....	2.0	7.9	19.8
St. Lawrence County	72,508	69.0	.....	2.8	.....	16.5	8.3	2.8	6.9	6.9	6.9	2.8	.....	1.4	.....	13.8
Steuben County	54,383	126.9	1.8	1.8	1.8	27.6	20.2	7.4	3.7	20.2	1.8	16.5	.....	.....	1.8	22.1
Suffolk County*	104,045	88.4	1.0	1.0	1.0	25.0	7.7	11.5	3.8	11.5	12.5	1.0	.....	1.0	1.0	10.6
Wayne County	50,825	116.1	.....	2.0	2.0	27.5	15.7	7.9	5.9	19.7	11.8	2.0	.....	.....	2.0	19.7
Westchester County	97,047	109.2	4.1	5.2	.....	18.5	10.3	4.1	7.2	11.3	10.3	11.3	.....	1.0	3.1	22.7
Other rural districts	1,238,041	95.2	0.8	1.2	1.0	22.2	11.6	6.0	4.0	11.6	14.4	5.3	0.7	1.5	1.2	13.9
NORTH CAROLINA. [2]																
Total	296,285	50.3	.....	0.7	0.3	9.8	6.1	3.4	2.0	14.9	4.4	1.7	.....	.....	1.0	6.1
OHIO.																
Total	2,616,691	79.2	0.7	1.5	0.5	19.9	11.5	4.9	3.2	9.1	8.6	5.1	1.1	1.3	1.3	10.7
Hamilton County	60,078	89.9	1.7	.....	.....	26.6	10.0	6.7	5.0	10.0	10.0	5.0	.....	3.3	3.3	8.3
Tuscarawas County	58,432	95.8	.....	.....	.....	29.1	15.4	8.6	6.8	10.3	5.1	6.8	.....	.....	3.4	10.3
Other rural districts	2,498,181	78.5	0.7	1.6	0.5	19.5	11.4	4.7	3.0	9.0	8.6	5.0	1.2	1.3	1.2	10.7
PENNSYLVANIA.																
Total	4,288,288	64.2	0.4	1.4	0.4	16.4	9.8	4.2	2.5	8.3	6.5	3.3	0.6	0.8	0.9	8.6
Allegheny County	385,396	57.9	.....	1.0	0.8	16.3	9.9	3.6	1.6	9.6	6.2	2.9	.....	.....	1.0	4.0
Berks County*	89,920	73.4	1.1	3.3	1.1	17.8	8.9	4.4	1.1	7.8	10.0	4.4	1.1	3.3	3.3	5.6
Bradford County	52,449	129.6	.....	3.8	.....	15.3	15.3	13.3	5.7	26.7	13.3	11.4	1.9	1.9	5.7	15.3
Bucks County	78,895	96.4	1.3	1.3	1.3	16.5	19.0	8.9	1.3	14.0	12.7	5.1	.....	1.3	2.5	11.4
Chester County	77,484	83.9	.....	3.9	1.3	20.6	9.0	1.3	1.3	9.0	7.7	2.6	.....	1.3	3.9	14.2
Clearfield County	85,368	58.6	.....	1.2	1.2	17.6	10.5	7.0	1.2	8.2	1.2	3.5	.....	.....	1.2	5.9
Delaware County	87,294	84.8	.....	1.1	.....	21.8	14.9	1.1	4.6	10.3	18.3	2.3	1.1	.....	.....	9.2
Erie County	50,381	133.0	.....	4.0	.....	21.8	11.9	2.0	7.9	15.9	23.8	6.0	4.0	2.0	2.0	31.8
Fayette County	158,002	42.4	0.6	0.6	.....	12.7	6.3	3.2	1.3	5.1	2.5	1.9	0.6	0.6	.....	7.0
Jefferson County	64,784	78.7	.....	4.6	.....	23.2	12.3	3.1	1.5	6.2	3.1	3.1	3.1	3.1	1.5	13.9
Lancaster County	109,605	82.1	.....	2.7	.....	21.0	12.8	7.3	2.7	8.2	10.9	4.6	.....	.....	2.7	9.1
Luzerne County	220,666	44.9	0.5	0.9	.....	16.3	5.9	3.6	1.8	2.3	4.1	3.2	0.5	.....	.....	5.9
Montgomery County	135,954	69.9	0.7	0.7	0.7	16.2	11.0	3.7	5.9	5.1	8.1	5.1	0.7	2.9	0.7	8.1
Northampton County	78,047	69.2	.....	2.6	.....	20.5	14.1	.....	.....	9.0	5.1	1.3	1.3	3.8	2.6	9.0
Schuylkill County	156,044	57.0	.....	1.9	0.6	14.1	9.0	2.6	3.8	6.4	5.1	3.2	.....	.....	0.6	9.6
Washington County	144,924	51.8	.....	.....	0.7	20.0	8.3	1.4	.....	5.5	4.1	2.1	.....	1.4	0.7	7.6
Westmoreland County	228,177	48.2	1.3	1.3	0.4	9.2	10.1	3.1	2.2	7.9	3.9	0.9	.....	0.4	.....	7.5
York County	95,493	67.0	.....	3.1	.....	9.4	11.5	4.2	3.1	10.5	10.5	2.1	1.0	.....	.....	11.5
Other rural districts	1,989,495	63.8	0.6	1.2	0.3	16.5	9.3	4.4	2.8	8.4	6.0	3.5	0.8	0.7	0.6	8.7
RHODE ISLAND.																
Total	111,728	101.1	.....	2.7	0.9	23.3	8.1	10.7	7.2	12.5	16.1	2.7	3.6	.....	1.8	11.6
UTAH.																
Total	275,254	35.2	0.4	.....	0.4	15.3	4.7	1.1	0.7	4.0	2.9	.....	0.7	1.1	.....	4.0
VERMONT.																
Total	313,835	103.2	1.0	0.6	0.3	20.7	11.8	7.3	6.4	17.5	7.3	4.8	2.2	2.9	1.3	19.1
VIRGINIA.																
Total	1,726,338	43.3	0.4	0.9	0.1	9.7	4.6	1.6	1.1	8.9	4.5	3.2	0.5	0.5	0.8	6.5
White	1,172,152	47.0	0.6	1.0	0.2	10.3	5.7	1.6	1.5	7.4	4.8	4.4	0.5	0.6	0.9	7.5
Colored	554,186	35.4	.....	0.7	.....	8.3	2.2	1.6	0.4	11.9	3.8	0.9	0.4	0.2	0.5	4.5
WASHINGTON.																
Total	733,544	50.7	0.5	0.5	.....	17.9	5.9	3.0	1.8	5.6	4.2	2.2	1.0	1.1	0.5	6.5
WISCONSIN.																
Total	1,612,742	78.9	0.6	1.5	1.3	20.3	9.8	5.3	3.0	6.3	6.3	3.5	0.7	1.5	0.7	9.1
Milwaukee County [3]	57,563	102.5	.....	3.5	3.5	33.0	15.6	3.5	5.2	6.9	.....	3.5	.....	3.5	.....	24.3
Other rural districts	1,555,179	78.1	0.6	1.4	1.2	29.1	9.6	5.4	2.9	6.3	6.6	3.5	0.8	1.4	0.7	8.6

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

[3] Includes National Military Home.

GENERAL TABLES

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and counties in registration states are shown in Table I, p. 21.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown ages.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
SUMMARY.																
The registration area	52,420	919	1,651	2,119	3,325	4,632	6,131	6,663	6,909	6,780	5,803	4,033	2,213	828	267	57
Males	21,282	475	545	566	967	1,502	2,323	2,741	3,071	3,134	2,754	1,757	966	352	107	22
Females	31,138	444	1,106	1,553	2,358	3,130	3,808	3,922	3,838	3,646	3,139	2,276	1,247	476	160	35
Diagnosis reasonably certain: Males	10,749	312	372	351	567	891	1,282	1,426	1,476	1,416	1,157	734	471	207	74	13
Diagnosis reasonably certain: Females	19,806	306	880	1,241	1,876	2,373	2,735	2,618	2,249	1,913	1,524	1,050	634	282	107	18
Diagnosis uncertain: Males	6,966	90	65	116	217	353	647	849	1,045	1,177	1,136	762	368	117	19	5
Diagnosis uncertain: Females	7,438	67	114	155	265	411	645	811	1,082	1,174	1,181	884	448	150	38	13
Diagnosis unknown: Males	3,567	73	108	99	183	258	394	466	550	541	461	261	127	28	14	4
Diagnosis unknown: Females	3,894	71	112	157	217	346	428	493	507	559	434	342	165	44	15	4
White	50,515	868	1,517	1,935	3,129	4,373	5,838	6,454	6,708	6,629	5,788	3,964	2,185	816	259	52
Males	20,717	458	515	528	919	1,441	2,232	2,666	2,995	3,077	2,714	1,736	960	351	105	20
Females	29,798	410	1,002	1,407	2,210	2,932	3,606	3,788	3,713	3,552	3,074	2,228	1,225	465	154	32
Diagnosis reasonably certain: Males	10,511	302	355	335	545	858	1,248	1,394	1,449	1,396	1,140	729	467	207	74	12
Diagnosis reasonably certain: Females	18,831	285	797	1,123	1,749	2,226	2,579	2,520	2,174	1,853	1,484	1,024	622	274	104	17
Diagnosis uncertain: Males	6,774	84	62	104	203	333	619	824	1,015	1,157	1,120	748	367	116	18	4
Diagnosis uncertain: Females	7,235	63	105	148	255	388	617	787	1,047	1,153	1,164	870	441	149	37	11
Diagnosis unknown: Males	3,432	72	98	89	171	250	365	448	531	524	454	259	126	28	13	4
Diagnosis unknown: Females	3,732	62	100	136	206	318	410	481	492	546	426	334	162	42	13	4
Colored	1,905	51	134	184	196	259	293	209	201	151	105	69	28	12	8	5
Males	565	17	30	38	48	61	91	75	76	57	40	21	6	1	2	2
Females	1,340	34	104	146	148	198	202	134	125	94	65	48	22	11	6	3
Diagnosis reasonably certain: Males	238	10	17	16	22	33	34	32	27	20	17	5	4	.....	.....	1
Diagnosis reasonably certain: Females	975	21	83	118	127	147	156	98	75	60	40	26	12	8	3	1
Diagnosis uncertain: Males	192	6	3	12	14	20	28	25	30	20	16	14	1	1	1	1
Diagnosis uncertain: Females	203	4	9	7	10	23	28	24	35	21	17	14	7	1	1	2
Diagnosis unknown: Males	135	1	10	10	12	8	29	18	19	17	7	2	1	.....	1	.....
Diagnosis unknown: Females	162	9	12	21	11	28	18	12	15	13	8	8	3	2	2	.....
Registration states [1]	48,259	829	1,449	1,885	2,996	4,159	5,540	6,094	6,376	6,343	5,554	3,807	2,128	790	258	51
Males	19,546	427	476	506	864	1,343	2,074	2,483	2,824	2,911	2,585	1,663	933	336	102	19
Females	28,713	402	973	1,379	2,132	2,816	3,466	3,611	3,552	3,432	2,969	2,144	1,195	454	156	32
Diagnosis reasonably certain: Males	9,845	281	329	321	512	795	1,134	1,294	1,358	1,308	1,084	693	457	197	72	10
Diagnosis reasonably certain: Females	18,155	281	773	1,099	1,691	2,134	2,476	2,405	2,079	1,797	1,445	978	607	269	105	16
Diagnosis uncertain: Males	6,538	83	59	101	190	321	592	790	976	1,122	1,083	728	357	113	18	5
Diagnosis uncertain: Females	7,038	59	102	146	244	389	607	757	1,022	1,123	1,129	843	432	143	38	13
Diagnosis unknown: Males	3,163	63	88	84	162	227	348	399	490	481	418	242	119	26	12	4
Diagnosis unknown: Females	3,520	62	98	134	197	302	383	449	451	512	395	323	156	42	13	3
White	46,739	791	1,352	1,743	2,849	3,960	5,317	5,928	6,202	6,208	5,465	3,743	2,103	779	252	47
Males	19,100	413	460	476	830	1,298	2,007	2,426	2,757	2,860	2,549	1,644	928	335	100	17
Females	27,639	378	892	1,267	2,019	2,662	3,310	3,502	3,445	3,348	2,916	2,099	1,175	444	152	30
Diagnosis reasonably certain: Males	9,677	272	320	309	498	775	1,114	1,271	1,336	1,292	1,069	689	454	197	72	9
Diagnosis reasonably certain: Females	17,396	267	707	1,010	1,594	2,023	2,358	2,327	2,018	1,745	1,414	955	597	262	103	16
Diagnosis uncertain: Males	6,373	78	56	91	180	303	571	770	950	1,103	1,067	715	356	112	17	4
Diagnosis uncertain: Females	6,861	56	96	140	238	360	584	737	989	1,104	1,113	829	425	142	37	11
Diagnosis unknown: Males	3,050	63	84	76	152	220	322	385	471	465	413	240	118	26	11	4
Diagnosis unknown: Females	3,382	55	89	117	187	279	368	438	438	499	389	315	133	40	12	3
Colored	1,520	38	97	142	147	199	223	166	174	135	89	64	25	11	6	4
Males	446	14	16	30	34	45	67	57	67	51	36	19	5	1	2	2
Females	1,074	24	81	112	113	154	156	109	107	84	53	45	20	10	4	2
Diagnosis reasonably certain: Males	168	9	9	12	14	20	20	23	22	16	15	4	3	.....	.....	1
Diagnosis reasonably certain: Females	759	14	66	89	97	111	118	78	61	52	31	23	10	7	2	.....
Diagnosis uncertain: Males	165	5	3	10	10	18	21	20	26	19	16	13	1	1	1	1
Diagnosis uncertain: Females	177	3	6	6	6	20	23	20	33	19	16	14	7	1	1	2
Diagnosis unknown: Males	113	.....	4	8	10	7	26	14	19	16	5	2	1	.....	1	.....
Diagnosis unknown: Females	138	7	9	17	10	23	15	11	13	13	6	8	3	2	1	.....
Cities in registration states [1]	26,795	488	971	1,251	1,931	2,741	3,463	3,632	3,541	3,293	2,582	1,671	829	308	86	8
Males	10,505	262	318	345	572	894	1,311	1,494	1,575	1,465	1,125	662	326	118	35	3
Females	16,290	226	653	906	1,359	1,847	2,152	2,138	1,966	1,828	1,457	1,009	503	190	51	5
Diagnosis reasonably certain: Males	5,566	182	218	234	351	528	743	815	804	690	484	290	143	58	24	2
Diagnosis reasonably certain: Females	10,652	168	528	730	1,077	1,407	1,546	1,425	1,155	1,000	772	450	237	120	33	4
Diagnosis uncertain: Males	3,158	41	40	53	112	207	333	432	497	532	443	275	133	52	7	1
Diagnosis uncertain: Females	3,616	28	58	94	154	240	357	435	543	549	504	396	187	56	15	.....
Diagnosis unknown: Males	1,781	39	60	58	109	159	235	247	274	243	198	97	50	8	4	.....
Diagnosis unknown: Females	2,022	30	67	82	128	200	249	278	268	279	181	163	79	14	3	1
White	25,893	467	909	1,148	1,832	2,594	3,323	3,533	3,452	3,227	2,552	1,646	816	302	85	7
Males	10,247	254	311	322	547	861	1,272	1,456	1,538	1,443	1,110	655	324	117	35	2
Females	15,646	213	598	826	1,285	1,733	2,051	2,077	1,914	1,784	1,442	991	492	185	50	5
Diagnosis reasonably certain: Males	5,461	176	215	223	341	513	733	799	790	683	476	288	141	58	24	1
Diagnosis reasonably certain: Females	10,196	159	485	666	1,017	1,325	1,470	1,379	1,129	975	763	441	234	117	32	4

[1] Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
SUMMARY—Continued.																
Cities in registration states[1]—Continued.																
White—Continued.																
Diagnosis uncertain	M. 3,074	39	38	47	106	193	320	420	486	523	439	271	133	51	7	1
	F. 3,513	27	53	91	148	224	341	426	526	537	499	389	182	55	15	.....
Diagnosis unknown	M. 1,712	39	58	52	100	155	219	237	262	237	195	96	50	8	4	.....
	F. 1,937	27	60	69	120	184	240	272	259	272	180	161	76	13	3	1
Colored	902	21	62	103	99	147	140	99	89	66	30	25	13	6	1	1
Males	258	8	7	23	25	33	39	38	37	22	15	7	2	1	.....	1
Females	644	13	55	80	74	114	101	61	52	44	15	18	11	5	1	.....
Diagnosis reasonably certain	M. 105	6	3	11	10	15	10	16	14	7	8	2	2	.....	.....	1
	F. 456	9	43	64	60	82	76	46	26	25	9	9	3	3	1	.....
Diagnosis uncertain	M. 84	2	2	6	4	14	13	12	11	9	4	4	.....	1	.....	.....
	F. 103	1	5	3	6	10	16	9	17	12	5	7	5	1	.....	.....
Diagnosis unknown	M. 69	.....	2	6	9	4	16	10	12	6	3	1	.....	.....	.....	.....
	F. 85	3	7	13	8	16	9	6	9	7	1	2	3	1	.....	.....
Rural part of registration states	21,464	341	478	634	1,065	1,418	2,077	2,462	2,835	3,050	2,972	2,136	1,299	482	172	43
Males	9,041	165	158	161	292	449	763	989	1,249	1,446	1,460	1,001	607	218	67	16
Females	12,423	176	320	473	773	969	1,314	1,473	1,586	1,604	1,512	1,135	692	264	105	27
Diagnosis reasonably certain	M. 4,279	99	111	87	161	267	391	479	554	618	600	403	314	139	48	3
	F. 7,503	113	245	369	614	727	930	980	924	797	673	528	370	149	72	12
Diagnosis uncertain	M. 3,380	42	19	48	78	114	259	358	479	590	640	453	224	61	11	4
	F. 3,422	31	44	52	90	140	250	322	479	574	625	447	245	87	23	13
Diagnosis unknown	M. 1,382	24	28	26	53	68	113	152	216	238	220	145	69	18	8	4
	F. 1,498	32	31	52	69	102	134	171	183	233	214	160	77	28	10	2
White	20,846	324	443	595	1,017	1,366	1,994	2,395	2,750	2,981	2,913	2,097	1,287	477	167	40
Males	8,853	159	149	154	283	437	735	970	1,219	1,417	1,439	989	604	218	65	15
Females	11,993	165	294	441	734	929	1,259	1,425	1,531	1,564	1,474	1,108	683	259	102	25
Diagnosis reasonably certain	M. 4,216	96	105	86	157	262	381	472	546	609	593	401	313	139	48	8
	F. 7,200	108	222	344	577	698	888	948	889	770	651	514	363	145	71	12
Diagnosis uncertain	M. 3,299	35	18	44	74	110	251	350	464	580	628	444	223	61	10	3
	F. 3,348	29	43	49	90	136	243	311	463	567	614	440	243	87	22	11
Diagnosis unknown	M. 1,338	24	26	24	52	65	103	148	203	228	218	144	68	18	7	4
	F. 1,445	28	29	48	67	95	128	166	179	227	209	154	77	27	9	2
Colored	618	17	35	39	48	52	83	67	85	69	59	39	12	5	5	3
Males	188	6	9	7	9	12	28	19	30	29	21	12	3	.....	2	1
Females	430	11	26	32	39	40	55	48	55	40	38	27	9	5	3	2
Diagnosis reasonably certain	M. 63	3	6	1	4	5	10	7	8	9	7	2	1	.....	.....	.....
	F. 303	5	23	25	37	29	42	32	35	27	22	14	7	4	1	.....
Diagnosis uncertain	M. 81	3	1	4	4	4	8	8	15	10	12	9	1	.....	1	1
	F. 74	2	1	3	.....	4	7	11	16	7	11	7	2	.....	1	2
Diagnosis unknown	M. 44	.....	2	2	1	3	10	4	7	10	2	1	1	.....	1	.....
	F. 53	4	2	4	2	7	6	5	4	6	5	6	.....	1	1	.....
Registration states,[1] exclusive of North Carolina	47,986	821	1,435	1,872	2,969	4,128	5,500	6,064	6,330	6,310	5,545	3,797	2,121	786	257	51
Males	19,474	424	472	503	860	1,340	2,066	2,473	2,809	2,898	2,583	1,659	931	335	102	19
Females	28,512	397	963	1,369	2,109	2,788	3,434	3,591	3,521	3,412	2,962	2,138	1,190	451	155	32
Diagnosis reasonably certain	M. 9,810	279	326	319	510	795	1,131	1,287	1,351	1,305	1,084	690	455	196	72	10
	F. 18,010	278	764	1,089	1,671	2,116	2,449	2,387	2,064	1,785	1,440	975	605	267	104	16
Diagnosis uncertain	M. 6,517	82	59	100	190	320	589	788	972	1,115	1,081	728	357	113	18	5
	F. 7,006	59	101	146	241	375	604	755	1,014	1,120	1,129	840	429	142	38	13
Diagnosis unknown	M. 3,147	63	87	84	160	225	346	398	486	478	418	241	119	26	12	4
	F. 3,496	60	98	134	197	297	381	449	443	507	393	323	156	42	13	3
White	46,549	785	1,343	1,738	2,832	3,945	5,295	5,905	6,162	6,180	5,459	3,735	2,097	775	251	47
Males	19,047	410	457	475	827	1,296	2,004	2,418	2,746	2,848	2,548	1,641	926	334	100	17
Females	27,502	375	886	1,263	2,005	2,649	3,291	3,487	3,416	3,332	2,911	2,094	1,171	441	151	30
Diagnosis reasonably certain	M. 9,652	270	318	308	497	775	1,113	1,265	1,332	1,289	1,069	687	452	196	72	9
	F. 17,306	266	701	1,006	1,583	2,017	2,343	2,314	2,004	1,735	1,411	953	595	260	102	16
Diagnosis uncertain	M. 6,357	77	56	91	179	303	570	768	947	1,097	1,065	715	356	112	17	4
	F. 6,834	56	96	140	235	357	581	735	982	1,101	1,113	826	423	141	37	11
Diagnosis unknown	M. 3,038	63	83	76	151	218	321	385	467	462	414	239	118	26	11	4
	F. 3,362	53	89	117	187	275	367	438	430	496	387	315	153	40	12	3
Colored	1,437	36	92	134	137	183	205	159	168	130	86	62	24	11	6	4
Males	427	14	15	28	33	44	62	55	63	50	35	18	5	1	2	2
Females	1,010	22	77	106	104	139	143	104	105	80	51	44	19	10	4	2
Diagnosis reasonably certain	M. 158	9	8	11	13	20	18	22	19	16	15	3	3	.....	.....	1
	F. 704	12	63	83	88	99	106	73	60	50	29	22	10	7	2	.....
Diagnosis uncertain	M. 160	5	3	9	11	17	19	20	25	18	16	13	1	1	1	1
	F. 172	3	5	6	6	18	23	20	32	19	16	14	6	1	1	2
Diagnosis unknown	M. 109	.....	4	8	9	7	25	13	19	16	4	2	1	.....	1	.....
	F. 134	7	9	17	10	22	14	11	13	11	6	8	3	2	1	.....

[1] Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
SUMMARY—Continued.																
Registration cities in other states	4,161	90	202	234	329	473	591	569	533	437	339	226	85	38	9	6
Males	1,736	48	69	60	103	159	249	258	247	223	169	94	33	16	5	3
Females	2,425	42	133	174	226	314	342	311	286	214	170	132	52	22	4	3
Diagnosis reasonably certain	M.. 904	31	43	30	55	96	148	132	118	108	73	41	14	10	2	3
	F.. 1,651	25	107	142	185	239	259	213	170	116	79	72	27	13	2	2
Diagnosis uncertain	M.. 428	7	6	15	27	32	55	59	69	55	53	34	11	4	1	.....
	F.. 400	8	12	9	21	31	38	54	60	51	52	41	16	7	.....	.....
Diagnosis unknown	M.. 404	10	20	15	21	31	46	67	60	60	43	19	8	2	2	.....
	F.. 374	9	14	3	20	44	45	44	56	47	39	19	9	2	2	1
White	3,776	77	165	192	280	413	521	526	506	421	323	221	82	37	7	5
Males	1,617	45	55	52	89	143	225	240	238	217	165	92	32	16	5	3
Females	2,159	32	110	140	191	270	296	286	268	204	158	129	50	21	2	2
Diagnosis reasonably certain	M.. 834	30	35	26	47	83	134	123	113	104	71	40	13	10	2	3
	F.. 1,435	18	90	113	155	203	221	193	156	108	70	69	25	12	1	1
Diagnosis uncertain	M.. 401	6	6	13	23	30	48	54	65	54	53	33	11	4	1	.....
	F.. 374	7	9	8	17	28	33	50	58	49	51	41	16	7	.....	.....
Diagnosis unknown	M.. 382	9	14	13	19	30	43	63	60	59	41	19	8	2	2	.....
	F.. 350	7	11	19	19	39	42	43	54	47	37	19	9	2	1	1
Colored	385	13	37	42	49	60	70	43	27	16	16	5	3	1	2	1
Males	119	3	14	8	14	16	24	18	9	6	4	2	1	.....	.....	.....
Females	266	10	23	34	35	44	46	25	18	10	12	3	2	1	2	1
Diagnosis reasonably certain	M.. 70	1	8	4	8	13	14	9	5	4	2	1	1	.....	.....	.....
	F.. 216	7	17	29	30	36	38	20	14	8	9	3	2	1	1	1
Diagnosis uncertain	M.. 27	1	.....	2	4	2	7	5	4	1	.....	1	.....	.....	.....	.....
	F.. 26	1	3	1	4	3	5	4	2	2	1	.....	.....	.....	.....	.....
Diagnosis unknown	M.. 22	1	6	2	2	1	3	4	.....	1	2	.....	.....	.....	.....	.....
	F.. 24	2	3	4	1	5	3	1	2	.....	2	.....	.....	.....	1	.....
All registration cities [1]	30,956	578	1,173	1,485	2,260	3,214	4,054	4,201	4,074	3,730	2,921	1,897	914	346	95	14
Males	12,241	310	387	405	675	1,053	1,560	1,752	1,822	1,688	1,294	756	359	134	40	6
Females	18,715	268	786	1,080	1,585	2,161	2,494	2,449	2,252	2,042	1,627	1,141	555	212	55	8
Diagnosis reasonably certain	M.. 6,470	213	261	264	406	624	891	947	922	798	557	331	157	68	26	5
	F.. 12,303	193	635	872	1,262	1,646	1,805	1,638	1,325	1,116	851	522	264	133	35	6
Diagnosis uncertain	M.. 3,586	48	46	68	129	239	388	491	566	537	496	309	144	56	8	1
	F.. 4,016	36	70	103	175	271	395	489	603	600	556	437	203	63	15	.....
Diagnosis unknown	M.. 2,185	49	80	73	130	190	281	314	334	303	241	116	58	10	6	.....
	F.. 2,396	39	81	105	148	244	294	322	324	326	220	182	88	16	5	2
White	29,669	544	1,074	1,340	2,112	3,007	3,844	4,059	3,958	3,648	2,875	1,867	898	339	92	12
Males	11,864	299	366	374	636	1,004	1,497	1,696	1,776	1,660	1,275	747	356	133	40	5
Females	17,805	245	708	966	1,476	2,003	2,347	2,363	2,182	1,988	1,600	1,120	542	206	52	7
Diagnosis reasonably certain	M.. 6,295	206	250	249	388	596	867	922	903	787	547	328	154	68	26	4
	F.. 11,631	177	575	779	1,172	1,528	1,691	1,572	1,285	1,083	833	510	259	129	33	5
Diagnosis uncertain	M.. 3,475	45	44	60	129	223	368	474	551	577	492	304	144	55	8	1
	F.. 3,887	34	62	99	165	252	374	476	584	586	550	430	198	62	15	.....
Diagnosis unknown	M.. 2,094	48	72	65	119	183	262	300	322	296	236	115	58	10	6	.....
	F.. 2,287	34	71	88	139	223	282	315	313	319	217	180	85	15	4	2
Colored	1,287	34	99	145	148	207	210	142	116	82	46	30	16	7	3	2
Males	377	11	21	31	39	49	63	56	46	28	19	9	3	1	.....	1
Females	910	23	78	114	109	158	147	86	70	54	27	21	13	6	3	1
Diagnosis reasonably certain	M.. 175	7	11	15	18	28	24	25	19	11	10	3	3	.....	.....	1
	F.. 672	16	60	93	90	118	114	66	40	33	18	12	5	4	2	1
Diagnosis uncertain	M.. 111	3	2	8	10	16	20	17	15	10	4	5	.....	1	.....	.....
	F.. 129	2	8	4	10	19	21	13	19	14	6	7	5	1	.....	.....
Diagnosis unknown	M.. 91	1	8	8	11	5	19	14	12	7	5	1	.....	.....	.....	.....
	F.. 109	5	10	17	9	21	12	7	11	7	3	2	3	1	1	.....
REGISTRATION STATES.																
CALIFORNIA	2,701	30	92	117	180	238	319	331	361	345	326	208	103	37	13	1
Males	1,278	14	46	35	63	85	140	153	196	174	172	110	64	20	6	.....
Females	1,423	16	46	82	117	153	179	178	165	171	154	98	39	17	7	1
Diagnosis reasonably certain	M.. 731	7	38	24	41	58	84	87	119	94	79	52	34	11	3	.....
	F.. 1,004	13	40	67	96	123	136	143	114	103	83	52	18	13	3	.....
White	2,649	29	88	113	175	236	306	328	350	340	323	208	103	37	12	1
Males	1,244	13	45	34	60	84	131	150	187	171	170	110	64	20	5	.....
Females	1,405	16	43	79	115	152	175	178	163	169	153	98	39	17	7	1
Diagnosis reasonably certain	M.. 715	7	37	23	39	57	82	86	114	93	77	52	34	11	3	.....
	F.. 991	13	38	65	94	122	133	143	113	101	83	52	18	13	3	.....
Colored	52	1	4	4	5	2	13	3	11	5	3	.....	.....	.....	1	.....
Males	34	1	1	1	3	1	9	3	9	3	2	.....	.....	.....	1	.....
Females	18	.....	3	3	2	1	4	.....	2	2	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain	M.. 16	.....	1	1	2	1	2	1	5	1	2	.....	.....	.....	.....	.....
	F.. 13	.....	2	2	2	1	3	.....	1	2	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
COLORADO	530	6	20	23	51	51	73	70	63	60	53	33	20	5	2	.....
Males	232	2	3	8	20	16	25	32	40	30	28	12	13	2	1	.....
Females	298	4	17	15	31	35	48	38	23	30	25	21	7	3	1	.....
Diagnosis reasonably certain. {M	133	2	3	8	12	12	12	23	13	17	16	7	5	2	1	.....
Diagnosis reasonably certain. {F	199	2	9	13	25	27	34	27	14	18	17	9	2	2	.....	.....
White	517	6	20	22	49	49	72	69	60	58	53	32	20	5	2	.....
Males	230	2	3	8	20	16	24	32	39	30	28	12	13	2	1	.....
Females	287	4	17	14	29	33	48	37	21	28	25	20	7	3	1	.....
Diagnosis reasonably certain. {M	133	2	3	8	12	12	12	23	13	17	16	7	5	2	1	.....
Diagnosis reasonably certain. {F	194	2	9	12	24	26	34	26	14	17	17	9	2	2	.....	.....
Colored	13	.....	.....	1	2	2	1	1	3	2	.....	1	.....	.....	.....	.....
Males	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	11	.....	.....	1	2	2	.....	1	2	2	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	5	.....	.....	1	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
CONNECTICUT	1,040	13	29	27	56	95	111	150	141	124	127	98	40	19	7	3
Males	394	6	12	12	14	39	31	55	56	53	56	30	19	10	1	.....
Females	646	7	17	15	42	56	80	95	85	71	71	68	21	9	6	3
Diagnosis reasonably certain. {M	199	3	8	8	9	23	20	27	25	29	21	18	3	4	1	.....
Diagnosis reasonably certain. {F	412	6	12	15	32	43	58	62	50	37	32	43	10	7	4	1
White	1,022	12	28	26	53	93	108	149	138	124	127	96	40	18	7	3
Males	390	6	12	11	13	39	31	55	54	53	56	30	19	10	1	.....
Females	632	6	16	15	40	54	77	94	84	71	71	66	21	8	6	3
Diagnosis reasonably certain. {M	198	3	8	8	9	23	20	27	24	29	21	18	3	4	1	.....
Diagnosis reasonably certain. {F	400	5	11	15	30	41	55	61	49	37	32	42	10	7	4	1
Colored	18	1	1	1	3	2	3	1	3	.....	.....	2	.....	1	.....	.....
Males	4	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Females	14	1	1	.....	2	2	3	1	1	.....	.....	2	.....	1	.....	.....
Diagnosis reasonably certain. {M	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	12	1	1	.....	2	2	3	1	1	.....	.....	1	.....	.....	.....	.....
INDIANA	2,199	29	64	79	118	180	219	282	268	313	275	202	116	44	8	2
Males	821	9	19	16	35	46	75	97	106	131	131	75	57	20	3	1
Females	1,378	20	45	63	83	134	144	185	162	182	144	127	59	24	5	1
Diagnosis reasonably certain. {M	433	5	12	12	20	30	40	54	52	64	54	41	33	12	3	1
Diagnosis reasonably certain. {F	847	18	38	51	71	106	98	131	89	78	60	60	28	14	4	1
White	2,162	29	62	75	118	175	212	277	265	309	271	201	115	44	7	2
Males	812	9	18	16	35	45	73	95	105	131	130	75	56	20	3	1
Females	1,350	20	44	59	83	130	139	182	160	178	141	126	59	24	4	1
Diagnosis reasonably certain. {M	429	5	11	12	20	30	40	53	52	64	53	41	32	12	3	1
Diagnosis reasonably certain. {F	830	18	38	48	71	103	95	130	87	76	59	59	28	14	3	1
Colored	37	.....	2	4	.....	5	7	5	3	4	4	1	1	.....	1	.....
Males	9	.....	1	.....	.....	1	2	2	1	.....	1	.....	1	.....	.....	.....
Females	28	.....	1	4	.....	4	5	3	2	4	3	1	.....	.....	1	.....
Diagnosis reasonably certain. {M	4	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F	17	.....	.....	3	.....	3	3	1	2	2	1	1	.....	.....	1	.....
KANSAS	1,095	22	27	30	52	73	101	132	161	170	146	93	65	17	6	.....
Males	504	10	9	11	15	26	28	58	68	94	92	53	27	9	4	.....
Females	591	12	18	19	37	47	73	74	93	76	54	40	38	8	2	.....
Diagnosis reasonably certain. {M	257	8	5	7	7	13	19	32	27	45	40	26	18	6	4	.....
Diagnosis reasonably certain. {F	364	8	11	17	31	32	55	49	54	35	21	24	20	5	2	.....
White	1,064	22	22	28	50	71	101	127	157	168	142	90	63	17	6	.....
Males	496	10	8	10	14	25	28	57	68	93	90	53	27	9	4	.....
Females	568	12	14	18	36	46	73	70	89	75	52	37	36	8	2	.....
Diagnosis reasonably certain. {M	254	8	5	7	6	13	19	31	27	45	39	26	18	6	4	.....
Diagnosis reasonably certain. {F	349	8	8	16	30	32	55	47	51	34	21	21	19	5	2	.....
Colored	31	.....	5	2	2	2	.....	5	4	2	4	3	2	.....	.....	.....
Males	8	.....	1	1	1	1	.....	1	.....	1	2	.....	.....	.....	.....	.....
Females	23	.....	4	1	1	1	.....	4	4	1	2	3	2	.....	.....	.....
Diagnosis reasonably certain. {M	3	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	15	.....	3	1	1	.....	.....	2	3	1	.....	3	1	.....	.....	.....
KENTUCKY	1,081	26	43	59	79	85	105	118	146	146	107	79	54	14	3	17
Males	388	10	7	11	18	21	38	40	55	66	51	30	23	10	1	7
Females	693	16	36	48	61	64	67	78	91	80	56	49	31	4	2	10
Diagnosis reasonably certain. {M	162	6	5	4	8	10	17	20	14	24	23	9	12	6	1	3
Diagnosis reasonably certain. {F	446	7	24	33	45	51	43	60	50	46	28	26	22	3	2	6
White	959	22	35	44	67	72	91	104	129	138	101	71	52	14	3	16
Males	356	8	7	8	17	19	32	36	50	62	49	28	22	10	1	7
Females	603	14	28	36	50	53	59	68	79	76	52	43	30	4	2	9
Diagnosis reasonably certain. {M	155	5	5	4	8	8	15	19	14	24	22	9	12	6	1	3
Diagnosis reasonably certain. {F	382	7	16	22	36	43	37	53	43	42	27	24	21	3	2	6

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
KENTUCKY—Continued.																
Colored	122	4	8	15	12	13	14	14	17	8	6	8	2	.....	.....	1
Males	32	2	.....	3	1	2	6	4	5	4	2	2	1	.....	.....	.....
Females	90	2	8	12	11	11	8	10	12	4	4	6	1	.....	.....	1
Diagnosis reasonably certain. (M.	7	1	.....	.....	.....	2	2	1	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	64	.....	8	11	9	8	6	7	7	4	1	2	1	.....	.....	.....
MAINE	821	9	12	31	39	63	73	87	103	125	105	90	50	25	7	2
Males	293	4	1	5	6	16	19	26	43	46	45	44	24	12	1	1
Females	528	5	11	26	33	47	54	61	60	79	60	46	26	13	6	1
Diagnosis reasonably certain. (M.	122	2	1	1	3	8	9	9	21	19	13	14	10	10	1	1
Diagnosis reasonably certain. (F.	308	3	9	19	27	32	41	38	38	38	25	14	15	6	3	.....
White	819	9	12	31	39	63	73	87	103	124	104	90	50	25	7	2
Males	292	4	1	5	6	16	19	26	43	45	45	44	24	12	1	1
Females	527	5	11	26	33	47	54	61	60	79	59	46	26	13	6	1
Diagnosis reasonably certain. (M.	122	2	1	1	3	8	9	9	21	19	13	14	10	10	1	1
Diagnosis reasonably certain. (F.	308	3	9	19	27	32	41	38	38	38	25	14	15	6	3	.....
Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
MARYLAND	1,092	17	30	51	69	105	137	138	167	139	103	74	40	14	7	1
Males	401	6	13	12	22	30	38	54	80	51	46	28	9	8	4	.....
Females	691	11	17	39	47	75	99	84	87	88	57	46	31	6	3	1
Diagnosis reasonably certain. (M.	215	5	10	10	13	20	18	33	42	18	22	13	2	5	4	.....
Diagnosis reasonably certain. (F.	457	7	16	29	40	58	68	64	49	49	34	23	14	4	2	.....
White	947	15	23	39	52	88	108	126	149	126	94	70	37	13	6	1
Males	365	6	12	12	18	28	32	48	73	46	42	27	9	8	4	.....
Females	582	9	11	27	34	60	76	78	76	80	52	43	28	5	2	1
Diagnosis reasonably certain. (M.	199	5	9	10	12	19	16	29	39	16	20	13	2	5	4	.....
Diagnosis reasonably certain. (F.	373	6	10	19	29	46	52	58	44	44	31	21	13	3	2	.....
Colored	145	2	7	12	17	17	29	12	18	13	9	4	3	1	1	.....
Males	36	.....	1	.....	4	2	6	6	7	5	4	1	.....	.....	.....	.....
Females	109	2	6	12	13	15	23	6	11	8	5	3	3	1	1	.....
Diagnosis reasonably certain. (M.	16	.....	1	.....	1	1	2	4	3	2	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	79	1	6	10	11	12	16	6	5	5	3	2	1	1	.....	.....
MASSACHUSETTS	3,649	52	90	121	222	317	420	457	483	491	424	295	175	71	31	.....
Males	1,324	29	30	27	63	86	140	169	196	190	183	111	67	20	13	.....
Females	2,325	23	60	94	159	231	280	288	287	301	241	184	108	51	18	.....
Diagnosis reasonably certain. (M.	683	23	22	19	36	57	76	94	102	88	88	33	30	9	6	.....
Diagnosis reasonably certain. (F.	1,475	17	51	68	125	182	204	187	175	165	129	81	47	29	15	.....
White	3,613	52	88	117	220	312	417	450	479	487	422	295	174	69	31	.....
Males	1,310	29	29	26	61	83	139	168	195	187	183	111	67	19	13	.....
Females	2,303	23	59	91	159	229	278	282	284	300	239	184	107	50	18	.....
Diagnosis reasonably certain. (M.	678	23	21	19	36	55	76	93	102	87	88	33	30	9	6	.....
Diagnosis reasonably certain. (F.	1,457	17	50	65	125	181	203	181	172	164	128	81	47	28	15	.....
Colored	36	.....	2	4	2	5	3	7	4	4	2	.....	1	2	.....	.....
Males	14	.....	1	1	2	3	1	1	1	3	.....	.....	.....	1	.....	.....
Females	22	.....	1	3	.....	2	2	6	3	1	2	.....	1	1	.....	.....
Diagnosis reasonably certain. (M.	5	.....	1	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	18	.....	1	3	.....	1	1	6	3	1	1	.....	.....	1	.....	.....
MICHIGAN	2,395	34	77	72	137	196	271	301	330	334	308	190	99	28	15	3
Males	1,015	21	27	20	44	58	108	116	146	165	151	84	49	18	7	1
Females	1,380	13	50	52	93	138	163	185	184	169	157	106	50	10	8	2
Diagnosis reasonably certain. (M.	498	11	20	13	26	37	53	62	69	64	67	28	30	13	5	.....
Diagnosis reasonably certain. (F.	854	10	38	40	75	95	112	125	112	77	74	51	31	8	6	.....
White	2,379	32	76	70	135	193	270	300	329	331	308	190	99	28	15	3
Males	1,010	19	27	20	44	57	108	116	146	163	151	84	49	18	7	1
Females	1,369	13	49	50	91	136	162	184	183	168	157	106	50	10	8	2
Diagnosis reasonably certain. (M.	495	10	20	13	26	36	53	62	69	63	67	28	30	13	5	.....
Diagnosis reasonably certain. (F.	850	10	37	40	74	94	112	124	112	77	74	51	31	8	6	.....
Colored	16	2	1	2	2	3	1	1	1	3	.....	.....	.....	.....	.....	.....
Males	5	2	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Females	11	.....	1	2	2	2	1	1	1	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (M.	3	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	4	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
MINNESOTA	1,701	35	52	59	96	133	202	187	226	222	199	162	90	28	10	.....
Males	829	19	17	17	32	69	88	95	109	119	100	100	44	13	7	.....
Females	872	16	35	42	64	64	114	92	117	103	99	62	46	15	3	.....
Diagnosis reasonably certain (M.)	406	9	14	14	19	40	50	44	60	52	42	32	19	6	5	.....
Diagnosis reasonably certain (F.)	519	11	29	31	52	49	79	64	65	53	37	22	17	8	2	.....
White	1,696	34	52	58	96	133	202	187	224	222	199	161	90	28	10	.....
Males	828	19	17	17	32	69	88	95	108	119	100	100	44	13	7	.....
Females	868	15	35	41	64	64	114	92	116	103	99	61	46	15	3	.....
Diagnosis reasonably certain (M.)	406	9	14	14	19	40	50	44	60	52	42	32	19	6	5	.....
Diagnosis reasonably certain (F.)	519	11	29	31	52	49	79	64	65	53	37	22	17	8	2	.....
Colored	5	1	.....	1	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	4	1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
MISSOURI	2,326	50	85	82	153	180	282	290	296	302	270	182	114	24	13	3
Males	978	20	29	22	37	65	118	126	125	159	122	88	50	11	5	1
Females	1,348	30	56	60	116	115	164	164	171	143	148	94	64	13	8	2
Diagnosis reasonably certain (M.)	534	12	24	14	23	50	68	80	64	70	48	46	27	4	4	.....
Diagnosis reasonably certain (F.)	870	19	40	49	94	95	131	103	111	83	62	38	32	6	5	2
White	2,233	46	74	75	149	168	271	279	284	297	262	177	111	24	13	3
Males	945	17	25	21	37	61	114	123	119	157	118	86	50	11	5	1
Females	1,288	29	49	54	112	107	157	156	165	140	144	91	61	13	8	2
Diagnosis reasonably certain (M.)	518	9	22	13	23	50	68	78	60	69	46	45	27	4	4	.....
Diagnosis reasonably certain (F.)	827	19	34	44	90	88	126	99	108	81	60	36	29	6	5	2
Colored	93	4	11	7	4	12	11	11	12	5	8	5	3	.....	.....	.....
Males	33	3	4	1	.....	4	4	3	6	2	4	2	.....	.....	.....	.....
Females	60	1	7	6	4	8	7	8	6	3	4	3	3	.....	.....	.....
Diagnosis reasonably certain (M.)	16	3	2	1	.....	.....	.....	2	4	1	2	1	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	43	.....	6	5	4	7	5	4	3	2	2	2	3	.....	.....	.....
MONTANA	223	6	9	13	16	25	26	27	37	16	20	15	9	3	1	.....
Males	107	3	4	5	5	10	11	16	19	11	10	8	4	1	.....	.....
Females	116	3	5	8	11	15	15	11	18	5	10	7	5	2	.....	.....
Diagnosis reasonably certain (M.)	67	3	4	3	2	5	6	10	10	6	6	7	4	1	.....	.....
Diagnosis reasonably certain (F.)	74	1	5	8	7	14	13	5	8	1	5	2	2	2	1	.....
White	218	6	9	13	16	25	25	26	36	15	20	14	9	3	1	.....
Males	106	3	4	5	5	10	11	16	18	11	10	8	4	1	.....	.....
Females	112	3	5	8	11	15	14	10	18	4	10	6	5	2	1	.....
Diagnosis reasonably certain (M.)	66	3	4	3	2	5	6	10	9	6	6	7	4	1	.....	.....
Diagnosis reasonably certain (F.)	72	1	5	8	7	14	12	4	8	1	5	2	2	2	1	.....
Colored	5	.....	.....	.....	.....	.....	1	1	1	1	.....	1	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	4	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
NEW HAMPSHIRE	442	3	7	16	18	38	54	47	55	47	59	52	28	12	4	2
Males	142	1	.....	5	6	9	11	19	20	13	22	21	10	3	1	1
Females	300	2	7	11	12	29	43	28	35	34	37	31	18	9	3	1
Diagnosis reasonably certain (M.)	64	1	.....	1	2	6	5	9	9	9	6	8	4	2	1	1
Diagnosis reasonably certain (F.)	187	2	5	10	9	22	33	19	22	18	19	11	8	6	2	1
White	440	3	7	16	18	38	54	47	55	47	59	52	27	12	4	1
Males	141	1	.....	5	6	9	11	19	20	13	22	21	10	3	1	.....
Females	299	2	7	11	12	29	43	28	35	34	37	31	17	9	3	1
Diagnosis reasonably certain (M.)	63	1	.....	1	2	6	5	9	9	9	6	8	4	2	1	.....
Diagnosis reasonably certain (F.)	187	2	5	10	9	22	33	19	22	18	19	11	8	6	2	1
Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain (M.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Diagnosis reasonably certain (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW JERSEY	2,223	37	52	83	139	210	275	287	323	294	251	139	93	30	10	.....
Males	859	23	14	20	41	57	94	116	140	135	105	59	39	11	5	.....
Females	1,364	14	38	63	98	153	181	171	183	159	146	80	54	19	5	.....
Diagnosis reasonably certain (M.)	370	12	7	11	21	29	47	52	63	44	44	19	14	6	1	.....
Diagnosis reasonably certain (F.)	808	7	31	49	68	117	121	102	87	82	71	42	19	10	2	.....
White	2,163	37	49	77	137	199	267	280	315	287	245	138	92	30	10	.....
Males	845	23	14	19	40	56	91	113	139	132	104	59	39	11	5	.....
Females	1,318	14	35	58	97	143	176	167	176	155	141	79	53	19	5	.....
Diagnosis reasonably certain (M.)	366	12	7	11	21	28	47	51	63	43	43	19	14	6	1	.....
Diagnosis reasonably certain (F.)	774	7	28	44	67	109	117	99	83	80	69	41	18	10	2	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
NEW JERSEY—Continued.																
Colored	60	.....	3	6	2	11	8	7	8	7	6	1	1	.....	.....	.....
Males	14	.....	.....	1	1	1	3	3	1	3	1	.....	.....	.....	.....	.....
Females	46	.....	3	5	1	10	5	4	7	4	5	1	1	.....	.....	.....
Diagnosis reasonably certain. {M.	4	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	34	.....	3	5	1	8	4	3	4	2	2	1	1	.....	.....	.....
NEW YORK	8,907	168	299	385	580	873	1,090	1,187	1,170	1,108	946	622	323	113	38	5
Males	3,568	90	115	100	172	289	429	509	501	492	419	264	125	49	13	1
Females	5,339	78	184	285	408	584	661	678	669	616	527	358	198	64	25	4
Diagnosis reasonably certain. {M.	1,863	65	73	64	116	168	260	255	246	231	173	119	52	28	13	.....
Diagnosis reasonably certain. {F.	3,359	52	156	234	318	437	458	423	370	323	266	153	108	39	19	3
White	8,791	166	287	370	572	864	1,073	1,173	1,162	1,095	941	612	321	113	38	4
Males	3,536	90	112	99	171	285	425	501	499	489	418	260	125	49	13	.....
Females	5,255	76	175	271	401	579	648	672	663	606	523	352	196	64	25	4
Diagnosis reasonably certain. {M.	1,853	65	72	63	116	167	260	251	246	228	173	119	52	28	13	.....
Diagnosis reasonably certain. {F.	3,298	51	148	222	311	433	448	419	367	318	262	151	107	39	19	3
Colored	116	2	12	15	8	9	17	14	8	13	5	10	2	.....	.....	1
Males	32	.....	3	1	1	4	4	8	2	3	1	4	.....	.....	.....	1
Females	84	2	9	14	7	5	13	6	6	10	4	6	2	.....	.....	.....
Diagnosis reasonably certain. {M.	10	.....	1	1	.....	1	.....	4	.....	3	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	61	1	8	12	7	4	10	4	3	5	4	2	1	.....	.....	.....
NORTH CAROLINA [1]	273	8	14	13	27	31	40	30	46	33	9	10	7	4	1	.....
Males	72	3	4	3	4	3	8	10	15	13	2	4	2	1	.....	.....
Females	201	5	10	10	23	28	32	20	31	20	7	6	5	3	1	.....
Diagnosis reasonably certain. {M.	35	2	3	2	2	.....	3	7	7	3	.....	3	2	1	.....	.....
Diagnosis reasonably certain. {F.	145	3	9	10	20	18	27	18	15	12	5	3	2	2	1	.....
White	190	6	9	5	16	15	22	23	40	28	7	8	6	4	1	.....
Males	53	3	3	1	2	2	3	8	11	12	2	3	2	1	.....	.....
Females	137	3	6	4	14	13	19	15	29	16	5	5	4	3	1	.....
Diagnosis reasonably certain. {M.	25	2	2	1	1	.....	1	6	4	3	.....	2	2	1	.....	.....
Diagnosis reasonably certain. {F.	90	1	6	4	11	6	15	13	14	10	3	2	2	2	1	.....
Colored	83	2	5	8	11	16	18	7	6	5	2	2	1	.....	.....	.....
Males	19	.....	1	2	2	1	5	2	4	1	.....	1	.....	.....	.....	.....
Females	64	2	4	6	9	15	13	5	2	4	2	1	1	.....	.....	.....
Diagnosis reasonably certain. {M.	10	.....	1	1	1	.....	2	1	3	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	55	2	3	6	9	12	12	5	1	2	2	1	.....	.....	.....	.....
OHIO	4,176	63	113	167	267	314	454	516	536	564	523	335	204	95	25	.....
Males	1,660	40	37	40	74	101	164	194	236	261	242	136	84	42	9	.....
Females	2,516	23	76	127	193	213	290	322	300	303	281	199	120	53	16	.....
Diagnosis reasonably certain {M.	813	25	19	24	39	53	94	102	112	119	95	60	42	26	3	.....
Diagnosis reasonably certain {F.	1,603	15	59	99	153	172	210	224	179	160	141	90	67	25	9	.....
Wbite	4,080	62	110	155	256	302	441	510	523	553	517	330	203	94	24	.....
Males	1,632	40	37	36	71	99	162	194	233	254	239	133	83	42	9	.....
Females	2,448	22	73	119	185	203	279	316	290	299	278	197	120	52	15	.....
Diagnosis reasonably certain. {M.	806	25	19	23	39	51	94	102	112	117	95	58	42	26	3	.....
Diagnosis reasonably certain. {F.	1,555	15	56	93	146	165	199	218	175	158	139	90	67	25	9	.....
Colored	96	1	3	12	11	12	13	6	13	11	6	5	1	1	1	.....
Males	28	.....	.....	4	3	2	2	.....	3	7	3	3	1	.....	.....	.....
Females	68	1	3	8	8	10	11	6	10	4	3	2	.....	1	1	.....
Diagnosis reasonably certain. {M.	7	.....	.....	1	.....	2	.....	.....	.....	2	.....	2	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	48	.....	3	6	7	7	11	6	4	2	2	.....	.....	.....	.....	.....
PENNSYLVANIA	5,997	111	194	266	399	546	683	760	786	781	656	463	218	98	31	5
Males	2,304	58	50	70	102	189	263	291	335	352	284	184	82	29	13	2
Females	3,693	53	144	196	297	357	420	469	451	429	372	279	136	69	18	3
Diagnosis reasonably certain. {M.	1,131	41	34	40	60	106	125	156	157	150	116	66	51	18	10	1
Diagnosis reasonably certain. {F.	2,325	39	114	154	232	252	299	308	269	225	182	126	68	45	10	2
White	5,807	103	189	251	380	505	657	740	771	766	645	456	214	96	29	5
Males	2,241	56	49	66	95	176	256	282	329	348	278	182	81	29	12	2
Females	3,566	47	140	185	285	329	401	458	442	418	367	274	133	67	17	3
Diagnosis reasonably certain. {M.	1,108	40	34	37	57	101	123	152	156	149	114	66	50	18	10	1
Diagnosis reasonably certain. {F.	2,233	34	111	147	222	233	285	299	262	217	178	123	68	43	9	2
Colored	190	8	5	15	19	41	26	20	15	15	11	7	4	2	2	.....
Males	63	2	1	4	7	13	7	9	6	4	6	2	1	.....	1	.....
Females	127	6	4	11	12	28	19	11	9	11	5	5	3	2	1	.....
Diagnosis reasonably certain. {M.	23	1	.....	3	3	5	2	4	1	1	2	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	92	5	3	7	10	19	14	9	7	8	4	3	.....	2	1	.....

[1] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to [49] years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
RHODE ISLAND	539	10	11	19	33	50	72	73	74	71	54	45	19	7	1	.....
Males	196	2	4	3	11	20	28	28	27	31	23	12	4	2	1	.....
Females	343	8	7	16	22	30	44	45	47	40	31	33	15	5	.....	.....
Diagnosis reasonably certain {M	102	1	2	3	8	11	12	17	9	19	11	5	2	2	.....	.....
Diagnosis reasonably certain {F	220	7	5	15	20	22	29	32	25	19	18	13	11	4	.....	.....
White	530	9	10	19	32	48	71	72	73	70	54	45	19	7	1	.....
Males	194	1	4	3	10	20	28	28	27	31	23	12	4	2	1	.....
Females	336	8	6	16	22	28	43	44	46	39	31	33	15	5	.....	.....
Diagnosis reasonably certain {M	101	.....	2	3	8	11	12	17	9	19	11	5	2	2	.....	.....
Diagnosis reasonably certain {F	218	7	5	15	20	21	28	32	25	19	18	13	11	4	.....	.....
Colored	9	1	1	.....	1	2	1	1	1	1	.....	.....	.....	.....	.....	.....
Males	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	7	.....	1	.....	.....	2	1	1	1	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {M	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
UTAH	190	7	4	9	11	20	27	29	26	21	18	11	7	.....	.....	.....
Males	94	5	1	3	3	8	13	12	18	9	13	5	4	.....	.....	.....
Females	96	2	3	6	8	12	14	17	8	12	5	6	3	.....	.....	.....
Diagnosis reasonably certain {M	41	3	1	3	2	4	8	5	4	4	4	.....	3	.....	.....	.....
Diagnosis reasonably certain {F	61	2	3	5	6	7	9	12	5	4	3	2	3	.....	.....	.....
White	185	7	4	9	11	16	27	28	26	21	18	11	7	.....	.....	.....
Males	91	5	1	3	3	5	13	12	18	9	13	5	4	.....	.....	.....
Females	94	2	3	6	8	11	14	16	8	12	5	6	3	.....	.....	.....
Diagnosis reasonably certain {M	40	3	1	3	2	3	8	5	4	4	4	.....	3	.....	.....	.....
Diagnosis reasonably certain {F	61	2	3	5	6	7	9	12	5	4	3	2	3	.....	.....	.....
Colored	5	.....	.....	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Males	3	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {M	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VERMONT	397	9	8	10	11	12	28	53	41	51	67	45	38	18	4	2
Males	159	4	1	3	3	3	6	24	15	24	31	18	17	7	2	1
Females	238	5	7	7	8	9	22	29	26	27	36	27	21	11	2	1
Diagnosis reasonably certain {M	88	3	1	1	2	2	2	10	6	16	20	7	12	3	2	1
Diagnosis reasonably certain {F	145	5	4	6	7	7	17	19	16	16	16	15	11	4	2	.....
White	396	9	8	10	11	12	28	53	41	51	66	45	38	18	4	2
Males	158	4	1	3	3	3	6	24	15	24	30	18	17	7	2	1
Females	238	5	7	7	8	9	22	29	26	27	36	27	21	11	2	1
Diagnosis reasonably certain {M	87	3	1	1	2	2	2	10	6	16	19	7	12	3	2	1
Diagnosis reasonably certain {F	145	5	4	6	7	7	17	19	16	16	16	15	11	4	2	.....
Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Females	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VIRGINIA	1,051	24	36	50	77	81	108	121	137	126	128	84	43	27	8	1
Males	390	12	6	16	17	16	37	46	58	46	66	37	18	12	3	.....
Females	661	12	30	34	60	65	71	75	79	80	62	47	25	15	5	1
Diagnosis reasonably certain {M	189	7	5	7	14	7	24	13	28	19	22	20	10	11	2	.....
Diagnosis reasonably certain {F	440	7	23	28	49	43	53	49	53	50	30	22	18	10	5	.....
White	767	15	16	26	42	49	70	87	101	102	110	76	41	24	8	.....
Males	324	9	5	10	12	12	28	37	47	38	59	35	17	12	3	.....
Females	443	6	11	16	30	37	42	50	54	64	51	41	24	12	5	.....
Diagnosis reasonably certain {M	165	5	4	5	10	5	19	12	25	17	21	20	9	11	2	.....
Diagnosis reasonably certain {F	286	3	9	14	23	23	32	33	37	41	22	19	17	8	5	.....
Colored	284	9	20	24	35	32	38	34	36	24	18	8	2	3	.....	1
Males	66	3	1	6	5	4	9	9	11	8	7	2	1	.....	.....	.....
Females	218	6	19	18	30	28	29	25	25	16	11	6	1	3	.....	1
Diagnosis reasonably certain {M	24	2	1	2	4	2	5	1	3	2	1	.....	1	.....	.....	.....
Diagnosis reasonably certain {F	154	4	14	14	26	20	21	16	16	9	8	3	1	2	.....	.....
WASHINGTON	871	18	25	36	51	82	119	120	120	104	84	59	42	7	1	3
Males	446	12	10	17	18	26	57	59	72	66	42	32	27	6	.....	2
Females	425	6	15	19	33	56	62	61	48	38	42	27	15	1	1	1
Diagnosis reasonably certain {M	242	8	9	13	9	14	34	35	39	31	17	15	14	2	.....	2
Diagnosis reasonably certain {F	300	6	13	17	30	46	47	43	33	21	24	12	7	1	.....	.....
White	865	18	25	36	50	82	117	119	120	104	84	58	41	7	1	3
Males	442	12	10	17	17	26	56	59	72	66	42	31	26	6	.....	2
Females	423	6	15	19	33	56	61	60	48	38	42	27	15	1	1	1
Diagnosis reasonably certain {M	240	8	9	13	9	14	33	35	39	31	17	15	13	2	.....	2
Diagnosis reasonably certain {F	298	6	13	17	30	46	46	42	33	21	24	12	7	1	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at bead of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
WASHINGTON—Continued.																
Colored	6	.....	.....	.....	1	.....	2	1	.....	.....	.....	1	1	.....	.....	.....
Males	4	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Females	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. M	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain. F	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
WISCONSIN	1,985	35	37	52	86	130	209	263	247	301	259	187	117	49	12	1
Males	948	20	12	19	30	47	91	124	132	150	130	105	66	19	2	1
Females	1,037	15	25	33	56	83	118	139	115	151	129	82	51	30	10	.....
Diagnosis reasonably certain. M	394	14	6	11	13	28	41	51	52	59	48	38	22	9	2	.....
Diagnosis reasonably certain. F	596	12	20	24	43	70	83	83	66	67	52	32	22	16	6	.....
White	1,976	35	37	51	86	130	209	262	245	299	259	186	116	48	12	1
Males	947	20	12	19	30	47	91	124	131	150	130	105	66	19	2	1
Females	1,029	15	25	32	56	83	118	138	114	149	129	81	50	29	10	.....
Diagnosis reasonably certain. M	394	14	6	11	13	28	41	51	52	59	48	38	22	9	2	.....
Diagnosis reasonably certain. F	590	12	20	24	43	70	83	83	65	65	52	31	21	15	6	.....
Colored	9	.....	.....	1	.....	.....	.....	1	2	2	.....	1	1	1	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	8	.....	.....	1	.....	.....	.....	1	1	2	.....	1	1	1	.....	.....
Diagnosis reasonably certain. M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	1	.....	.....
REGISTRATION CITIES.																
ALABAMA.[1]																
Registration cities	159	6	16	11	14	20	20	15	15	16	6	13	4	2	.....	1
Males	53	1	5	2	2	8	10	4	7	6	3	3	.....	1	.....	1
Females	106	5	11	9	12	12	10	11	8	10	3	10	4	1	.....	.....
Diagnosis reasonably certain. M	41	.....	4	2	.....	7	6	4	6	6	2	2	.....	1	.....	1
Diagnosis reasonably certain. F	81	3	9	7	11	9	9	6	7	9	3	6	1	1	.....	.....
White	115	3	11	6	10	10	15	12	12	14	4	12	3	2	.....	1
Males	44	1	3	1	1	5	9	4	6	6	3	3	.....	1	.....	1
Females	71	2	8	5	9	5	6	8	6	8	1	9	3	1	.....	.....
Diagnosis reasonably certain. M	34	.....	2	1	.....	4	6	4	5	6	2	2	.....	1	.....	1
Diagnosis reasonably certain. F	55	2	8	4	8	5	5	4	5	7	1	5	.....	1	.....	.....
Colored	44	3	5	5	4	10	5	3	3	2	2	1	1	.....	.....	.....
Males	9	.....	2	1	1	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Females	35	3	3	4	3	7	4	3	2	2	2	1	1	.....	.....	.....
Diagnosis reasonably certain. M	7	.....	2	1	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	26	1	1	3	3	4	4	2	2	2	2	1	1	.....	.....	.....
Birmingham	77	2	9	5	9	9	12	8	9	5	2	3	2	1	.....	1
Males	26	1	1	.....	1	5	6	1	4	3	2	1	.....	.....	.....	1
Females	51	1	8	5	8	4	6	7	5	2	.....	2	2	1	.....	.....
Diagnosis reasonably certain. M	19	.....	1	.....	.....	5	3	1	3	3	1	1	.....	.....	.....	1
Diagnosis reasonably certain. F	40	1	7	3	8	3	5	4	5	2	.....	1	.....	1	.....	.....
White	56	2	6	2	6	4	10	7	7	4	2	2	2	1	.....	1
Males	20	1	.....	.....	.....	2	6	1	3	3	2	1	.....	.....	.....	1
Females	36	1	6	2	6	2	4	6	4	1	.....	1	2	1	.....	.....
Diagnosis reasonably certain. M	14	.....	.....	.....	.....	2	3	1	2	3	1	1	.....	.....	.....	1
Diagnosis reasonably certain. F	28	1	6	1	6	2	3	3	4	1	.....	.....	1	.....	.....	.....
Colored	21	.....	3	3	3	5	2	1	2	1	.....	1	.....	.....	.....	.....
Males	6	.....	1	.....	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	15	.....	2	3	2	2	2	1	1	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. M	5	.....	1	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	12	.....	1	2	2	1	2	1	1	1	.....	1	.....	.....	.....	.....
Mobile	52	3	5	5	2	6	5	2	4	9	3	7	1	.....	.....	.....
Males	21	.....	2	2	1	3	3	1	3	3	1	2	.....	.....	.....	.....
Females	31	3	3	3	1	3	2	1	1	6	2	5	1	.....	.....	.....
Diagnosis reasonably certain. M	18	.....	2	2	.....	2	3	1	3	3	1	1	.....	.....	.....	.....
Diagnosis reasonably certain. F	23	1	2	3	1	2	2	.....	1	5	2	4	.....	.....	.....	.....
White	41	1	4	3	2	5	4	2	3	8	1	7	1	.....	.....	.....
Males	20	.....	2	1	1	3	3	1	3	3	1	2	.....	.....	.....	.....
Females	21	1	2	2	1	2	1	1	.....	5	.....	5	1	.....	.....	.....
Diagnosis reasonably certain. M	17	.....	2	1	.....	2	3	1	3	3	1	1	.....	.....	.....	.....
Diagnosis reasonably certain. F	17	1	2	2	1	2	1	.....	.....	4	.....	4	.....	.....	.....	.....
Colored	11	2	1	2	.....	1	1	.....	1	1	2	.....	.....	.....	.....	.....
Males	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	10	2	1	1	.....	1	1	.....	1	1	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain. M	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	6	.....	.....	.....	.....	1	1	.....	1	1	2	.....	.....	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown ages.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
ALABAMA[1]—continued.																
Montgomery[2]	30	1	2	1	3	5	3	5	2	2	1	3	1	1		
Males	6		2				1	2						1		
Females	24	1		1	3	5	2	3	2	2	1	3	1			
Diagnosis reasonably certain {M	4		1					2						1		
Diagnosis reasonably certain {F	18	1		1	2	4	2	2	1	2	1	1	1			
White	18		1	1	2	1	1	3	2	2	1	3		1		
Males	4		1					2						1		
Females	14			1	2	1	1	1	2	2	1	3				
Diagnosis reasonably certain {M	3							2						1		
Diagnosis reasonably certain {F	10			1	1	1	1	1	1	2	1	1				
Colored	12	1	1		1	4	2	2					1			
Males	2		1				1									
Females	10	1			1	4	1	2					1			
Diagnosis reasonably certain {M	1		1													
Diagnosis reasonably certain {F	8	1			1	3	1	1					1			
CALIFORNIA.																
Registration cities	1,754	18	69	81	119	179	232	220	227	222	193	121	52	15	6	
Males	782	8	31	24	46	65	97	95	125	108	87	58	29	7	2	
Females	972	10	38	57	73	114	135	125	102	114	106	63	23	8	4	
Diagnosis reasonably certain {M	288	3	25	19	30	41	61	58	75	62	41	30	15	3	1	
Diagnosis reasonably certain {F	684	9	33	43	59	94	104	96	68	69	56	35	10	6	2	
White	1,720	17	66	77	115	178	222	219	219	220	193	121	52	15	6	
Males	761	7	31	23	43	65	91	94	118	106	87	58	29	7	2	
Females	959	10	35	54	72	113	131	125	101	114	106	63	23	8	4	
Diagnosis reasonably certain {M	456	3	25	18	28	41	61	58	70	62	41	30	15	3	1	
Diagnosis reasonably certain {F	674	9	31	41	58	93	101	96	67	69	56	35	10	6	2	
Colored	34	1	3	4	4	1	10	1	8	2						
Males	21	1		1	3		6	1	7	2						
Females	13		3	3	1	1	4		1							
Diagnosis reasonably certain {M	8			1	2				5							
Diagnosis reasonably certain {F	10		2	2	1	1	3		1							
Los Angeles	443	4	21	20	33	38	69	61	48	65	51	21	7	4	1	
Males	172	3	10	4	10	11	25	26	22	26	18	9	5	2	1	
Females	271	1	11	16	23	27	44	35	26	39	33	12	2	2		
Diagnosis reasonably certain {M	103		8	3	7	8	19	16	10	18	11	6	3			
Diagnosis reasonably certain {F	189	1	8	10	19	23	33	25	13	23	19	4	1	1		
White	436	3	20	20	32	38	67	61	46	65	51	21	7	4	1	
Males	167	2	10	4	9	11	24	26	20	26	18	9	5	2	1	
Females	269	1	10	16	23	27	43	35	26	39	33	12	2	2		
Diagnosis reasonably certain {M	105		8	3	6	8	19	16	8	18	11	6	3			
Diagnosis reasonably certain {F	178	1	7	10	19	23	32	25	13	23	19	4	1	1		
Colored	7	1	1		1		2		2							
Males	5	1			1		1		2							
Females	2		1				1									
Diagnosis reasonably certain {M	3				1				2							
Diagnosis reasonably certain {F	2		1				1									
Oakland	170	2	4	8	11	15	19	21	21	17	23	18	9	1	1	
Males	61	1	2	2	2	3	3	10	7	10	9	8	4			
Females	109	1	2	6	9	12	16	11	14	7	14	10	5	1	1	
Diagnosis reasonably certain {M	39	1	1	2	1	1	2	8	3	8	5	6	1			
Diagnosis reasonably certain {F	75		2	6	6	9	10	8	11	6	7	6	3		1	
Pasadena	53	1		1	3	2	4	7	5	9	8	5	4	2	2	
Males	17					1			1	3	5	3	1	2	1	
Females	36	1		1	3	1	4	7	4	6	3	2	3		1	
Diagnosis reasonably certain {M	10					1			1	2	3			2	1	
Diagnosis reasonably certain {F	24	1		1	2	1	2	6	3	4	3		1			
Sacramento	65		5		3	7	6	8	13	6	6	7	4			
Males	32		2		2	1	4	4	6	5	2	4	2			
Females	33		3		1	6	2	4	7	1	4	3	2			
Diagnosis reasonably certain {M	20		1		1	1	2	4	4	3		3	1			
Diagnosis reasonably certain {F	23		3		1	5	1	4	4	1	2	2				
San Diego	85		3	1	5	6	11	8	13	15	9	6	8			
Males	39				3	1	3	3	10	6	7	2	4			
Females	46		3	1	2	5	8	5	3	9	2	4	4			
Diagnosis reasonably certain {M	17				3	1			6	2	2	1	2			
Diagnosis reasonably certain {F	35		3	1	2	5	7	4	3	7		1	2			

[1] Nonregistration state; cities shown below only those with effective local ordinances. [2] The only other registration unit; shown in order to complete the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at bead of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
CALIFORNIA—continued.																
San Francisco	576	8	24	38	53	78	79	59	77	56	54	35	9	4	2	.....
Males	292	4	11	16	24	37	38	29	51	33	26	17	5	1	.....	.....
Females	284	4	13	22	29	41	41	30	26	23	28	18	4	3	2	.....
Diagnosis reasonably certain { M.	186	2	11	14	16	22	26	19	37	16	13	7	3	.....	.....	.....
Diagnosis reasonably certain { F.	208	4	11	17	23	31	34	25	16	13	15	13	2	3	1	.....
White	563	8	23	34	52	77	76	59	74	56	54	35	9	4	2	.....
Males	286	4	11	15	24	37	36	29	48	33	26	17	5	1	.....	.....
Females	277	4	12	19	28	40	40	30	26	23	28	18	4	3	2	.....
Diagnosis reasonably certain { M.	183	2	11	13	16	22	26	19	35	16	13	7	3	.....	.....	.....
Diagnosis reasonably certain { F.	203	4	11	15	22	30	33	25	16	13	15	13	2	3	1	.....
Colored	13	.....	1	4	1	1	3	.....	3	.....	.....	.....	.....	.....	.....	.....
Males	6	.....	.....	1	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....
Females	7	.....	1	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { M.	3	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F.	5	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other cities	362	3	12	13	11	33	44	56	50	54	42	29	11	4	.....	.....
Males	169	.....	6	2	5	11	24	23	28	25	20	15	8	2	.....	.....
Females	193	3	6	11	6	22	20	33	22	29	22	14	3	2	.....	.....
Diagnosis reasonably certain { M.	83	.....	4	.....	2	7	12	11	14	13	7	7	5	1	.....	.....
Diagnosis reasonably certain { F.	139	3	6	8	6	20	17	24	18	15	10	9	1	2	.....	.....
COLORADO.																
Registration cities	293	5	15	13	28	25	43	38	38	36	25	11	11	3	2	.....
Males	123	2	1	6	10	9	15	16	22	18	10	5	7	1	1	.....
Females	170	3	14	7	18	16	28	22	16	18	15	6	4	2	1	.....
Diagnosis reasonably certain { M.	76	2	1	6	9	6	6	12	8	10	6	5	3	1	1	.....
Diagnosis reasonably certain { F.	121	1	8	7	15	12	20	17	10	11	13	5	1	1	.....	.....
White	281	5	15	12	26	23	42	37	35	35	25	10	11	3	2	.....
Males	121	2	1	6	10	9	14	16	21	18	10	5	7	1	1	.....
Females	160	3	14	6	16	14	28	21	14	17	15	6	4	2	1	.....
Diagnosis reasonably certain { M.	76	2	1	6	9	6	6	12	8	10	6	5	3	1	1	.....
Diagnosis reasonably certain { F.	117	1	8	6	14	11	20	16	10	11	13	5	1	1	.....	.....
Colored	12	.....	.....	1	2	2	1	1	3	1	.....	1	.....	.....	.....	.....
Males	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	10	.....	.....	1	2	2	.....	1	2	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain { M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F.	4	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Denver	222	4	8	9	22	17	37	29	28	29	19	7	9	3	1	.....
Males	94	2	.....	5	7	7	13	11	18	11	8	3	7	1	1	.....
Females	128	2	8	4	15	10	24	18	10	18	11	4	2	2	.....	.....
Diagnosis reasonably certain { M.	55	2	.....	5	6	5	5	8	7	5	4	3	3	1	1	.....
Diagnosis reasonably certain { F.	92	.....	4	4	12	8	17	14	6	11	10	4	1	1	.....	.....
Other cities	71	1	7	4	6	8	6	9	10	7	6	4	2	.....	1	.....
Males	29	.....	1	1	3	2	2	5	4	7	2	2	.....	.....	.....	.....
Females	42	1	6	3	3	6	4	4	6	.....	4	2	2	.....	1	.....
Diagnosis reasonably certain { M.	21	.....	1	1	3	1	1	4	1	5	2	2	.....	.....	.....	.....
Diagnosis reasonably certain { F.	29	1	4	3	3	4	3	3	4	.....	3	1	.....	.....	.....	.....
CONNECTICUT.																
Registration cities	717	12	25	20	43	74	83	103	105	78	76	58	24	14	2	.....
Males	271	5	8	9	11	32	23	40	43	34	32	16	12	6	.....	.....
Females	446	7	17	11	32	42	60	63	62	44	44	42	12	8	2	.....
Diagnosis reasonably certain { M.	136	2	4	5	7	18	16	19	20	20	12	10	2	1	.....	.....
Diagnosis reasonably certain { F.	290	6	12	11	25	33	45	41	36	25	22	23	3	6	2	.....
White	699	11	24	19	40	72	80	102	102	78	76	56	24	13	2	.....
Males	267	5	8	8	10	32	23	40	41	34	32	16	12	6	.....	.....
Females	432	6	16	11	30	40	57	62	61	44	44	40	12	7	2	.....
Diagnosis reasonably certain { M.	135	2	4	5	7	18	16	19	19	20	12	10	2	1	.....	.....
Diagnosis reasonably certain { F.	278	5	11	11	23	31	42	40	35	25	22	22	3	6	2	.....
Colored	18	1	1	1	3	2	3	1	3	.....	.....	2	.....	1	.....	.....
Males	4	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Females	14	1	1	.....	2	2	3	1	1	.....	.....	2	.....	1	.....	.....
Diagnosis reasonably certain { M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F.	12	1	1	.....	2	2	3	1	1	.....	.....	1	.....	.....	.....	.....
Bridgeport	97	3	6	5	6	11	11	13	19	11	6	4	.....	1	1	.....
Males	40	1	4	3	4	5	2	5	5	6	4	1	.....	.....	.....	.....
Females	57	2	2	2	2	6	9	8	14	5	2	3	.....	1	1	.....
Diagnosis reasonalby certain { M.	19	.....	2	3	2	1	1	3	3	3	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F.	27	1	.....	2	.....	3	6	3	6	2	.....	2	.....	1	1	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
CONNECTICUT—continued.																
Hartford	132			4	11	15	21	18	17	12	11	12	4	1		
Males	56	2		1	5	8	7	8	7	5	4	5	3	1		
Females	76	1	3	3	6	7	14	10	10	7	7	7	1			
Diagnosis reasonably certain {M	37	2		1	5	6	5	5	4	2	3	3	1			
Diagnosis reasonably certain {F	57	1	3	3	5	5	10	6	7	6	5	6				
New Haven	164	2	4	4	11	22	15	24	23	17	23	10	4	5		
Males	57	1	2	1	1	7	3	6	13	9	8	2	2	2		
Females	107	1	2	3	10	15	12	18	10	8	15	8	2	3		
Diagnosis reasonably certain {M	30		1			4	3	3	8	6	2	1	1			
Diagnosis reasonably certain {F	73	1	2	3	9	13	10	12	8	5	5	3		2		
Waterbury	57	1	3	3	2	6	7	12	8	3	2	4	5	1		
Males	22	1	1	2		1	1	7	5		2		1	1		
Females	35		2	1	2	5	6	5	3	3		4	4			
Diagnosis reasonably certain {M	8			1		1	1	2	2		1					
Diagnosis reasonably certain {F	21		2	1	2	4	5	3	1	1						
Other cities	267	3	9	4	13	20	29	36	38	35	34	28	11	6	1	
Males	96		1	2	1	11	10	14	13	14	14	8	6	2		
Females	171	3	8	2	12	9	19	22	25	21	20	5	4	1		
Diagnosis reasonably certain {M	42		1			6	6	6	3	9	5	6				
Diagnosis reasonably certain {F	112	3	5	2	9	8	14	17	14	11	12	11	2	3	1	
DELAWARE.[1]																
Wilmington	81			4	3	9	13	10	12	7	12	9		2		
Males	33			2	2	4	4	3	2	3	8	4		1		
Females	48			2	1	5	9	7	10	4	4	5		1		
Diagnosis reasonably certain {M	8					2	1	1			2	1		1		
Diagnosis reasonably certain {F	38			1	1	5	8	4	8	4	3	4				
White	75			4	2	8	11	10	11	7	11	9		2		
Males	31			2	1	3	4	3	2	3	8	4		1		
Females	44			2	1	5	7	7	9	4	3	5		1		
Diagnosis reasonably certain {M	7					1	1	1			2	1		1		
Diagnosis reasonably certain {F	36			1	1	5	7	4	8	4	2	4				
Colored	6				1	1	2		1		1					
Males	2				1	1										
Females	4						2		1		1					
Diagnosis reasonably certain {M	1					1										
Diagnosis reasonably certain {F	2						1				1					
DISTRICT OF COLUMBIA.																
Washington	355	7	19	15	29	31	42	38	33	55	37	34	14	1		
Males	144	4	5	6	9	8	14	14	16	30	19	13	5	1		
Females	211	3	14	9	20	23	28	24	17	25	18	21	9			
Diagnosis reasonably certain {M	73	3	3	4	5	4	7	7	8	14	9	7	2			
Diagnosis reasonably certain {F	137	2	9	8	16	14	18	15	10	17	11	12	5			
White	271	7	12	7	19	22	25	25	27	46	35	31	14	1		
Males	112	4	4	2	8	6	7	8	11	26	18	12	5	1		
Females	159	3	8	5	11	16	18	17	16	20	17	19	9			
Diagnosis reasonably certain {M	61	3	3	2	4	3	3	6	7	13	8	7	2			
Diagnosis reasonably certain {F	104	2	5	5	10	10	12	11	10	13	10	11	5			
Colored	84		7	8	10	9	17	13	6	9	2	3				
Males	32		1	4	1	2	7	6	5	4	1	1				
Females	52		6	4	9	7	10	7	1	5	1	2				
Diagnosis reasonably certain {M	12			2	1	1	4	1	1	1	1					
Diagnosis reasonably certain {F	33		4	3	6	4	6	4		4	1	1				
FLORIDA.[2]																
Registration cities	72	2	1	5	7	15	9	8	3	4	8	3	2			
Males	26	2		2	2	4	1	5	4	1	2	2	1			
Females	46		1	3	5	11	8	3	4	3	6	1	1			
Diagnosis reasonably certain {M	16			1	1	4	1	2	3		2	2				
Diagnosis reasonably certain {F	38		1	3	5	11	6	2	4	2	3		1			
White	58		1	3	4	14	8	8	6	4	5	3	2			
Males	23			2	1	4	1	5	4	1	2	2	1			
Females	35		1	1	3	10	7	3	2	3	3	1	1			
Diagnosis reasonably certain {M	16			1	1	4	1	2	3		2	2				
Diagnosis reasonably certain {F	29		1	1	3	10	5	2	2	2	2		1			
Colored	14	2		2	3	1	1		2		3					
Males	3	2														
Females	11			2	2	1	1		2		3					
Diagnosis reasonably certain {M																
Diagnosis reasonably certain {F	9			2	2	1	1		2		1					

[1] Nonregistration state; cities shown below only those with effective local ordinances. [2] Nonregistration state; includes Jacksonville, Key West, and Pensacola.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
GEORGIA.[1]																
Registration cities	186	6	15	15	13	21	23	25	17	25	13	8	4	.....	1	.....
Males	66	2	6	1	.....	6	8	13	7	12	6	3	2	.....	.....	.....
Females	120	4	9	14	13	15	15	12	10	13	7	5	2	.....	1	.....
Diagnosis reasonably certain {M	41	1	3	.....	.....	5	6	8	3	8	3	3	1	.....	.....	.....
Diagnosis reasonably certain {F	85	4	8	13	9	10	9	9	8	7	4	3	1	.....	.....	.....
White	139	3	7	8	9	14	15	19	16	25	12	7	4	.....	.....	.....
Males	52	2	2	.....	.....	5	6	9	7	12	5	2	2	.....	.....	.....
Females	87	1	5	8	9	9	9	10	9	13	7	5	2	.....	.....	.....
Diagnosis reasonably certain {M	31	1	.....	.....	.....	4	5	4	3	8	3	2	1	.....	.....	.....
Diagnosis reasonably certain {F	58	1	5	7	6	7	3	7	7	7	4	3	1	.....	.....	.....
Colored	47	3	8	7	4	7	8	6	1	.....	1	1	.....	.....	1	.....
Males	14	.....	4	1	.....	1	2	4	.....	.....	1	1	.....	.....	.....	.....
Females	33	3	4	6	4	6	6	2	1	.....	.....	.....	.....	.....	1	.....
Diagnosis reasonably certain {M	10	.....	3	.....	4	1	1	4	.....	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	27	3	3	6	3	3	6	2	1	.....	.....	.....	.....	.....	.....	.....
Atlanta	106	4	11	9	7	11	12	15	10	12	9	3	3	.....	.....	.....
Males	36	2	5	.....	.....	3	5	6	2	6	5	1	1	.....	.....	.....
Females	70	2	6	9	7	8	7	9	8	6	4	2	2	.....	.....	.....
Diagnosis reasonably certain {M	22	1	3	.....	.....	2	4	4	1	3	3	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	54	2	6	8	5	4	5	7	7	4	3	2	1	.....	.....	.....
White	82	2	5	6	5	7	7	13	10	12	9	3	3	.....	.....	.....
Males	29	2	1	.....	.....	3	3	5	2	6	5	1	1	.....	.....	.....
Females	53	.....	4	6	5	4	4	8	8	6	4	2	2	.....	.....	.....
Diagnosis reasonably certain {M	17	1	.....	.....	.....	2	3	3	1	3	3	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	40	.....	4	5	4	2	2	6	7	4	3	2	1	.....	.....	.....
Colored	24	2	6	3	2	4	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Males	7	.....	4	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Females	17	2	2	3	2	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {M	5	.....	3	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	14	2	2	3	1	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Other cities[2]	80	2	4	6	6	10	11	10	7	13	4	5	1	.....	1	.....
Males	30	.....	1	1	.....	3	3	7	5	6	1	2	1	.....	.....	.....
Females	50	2	3	5	6	7	8	3	2	7	3	3	.....	.....	1	.....
Diagnosis reasonably certain {M	19	.....	.....	.....	.....	3	2	4	2	5	.....	2	1	.....	.....	.....
Diagnosis reasonably certain {F	31	2	2	5	4	6	4	2	1	3	1	1	.....	.....	.....	.....
White	57	1	2	2	4	7	8	6	6	13	3	4	1	.....	.....	.....
Males	23	.....	1	.....	.....	2	3	4	5	6	.....	1	1	.....	.....	.....
Females	34	1	1	2	4	5	5	2	1	7	3	3	.....	.....	.....	.....
Diagnosis reasonably certain {M	14	.....	.....	.....	.....	2	2	1	2	5	.....	1	1	.....	.....	.....
Diagnosis reasonably certain {F	18	1	1	2	2	5	1	1	.....	3	1	1	.....	.....	.....	.....
Colored	23	1	2	4	2	3	3	4	1	.....	1	1	.....	.....	1	.....
Males	7	.....	.....	1	.....	1	.....	3	.....	.....	1	1	.....	.....	.....	.....
Females	16	1	2	3	2	2	3	1	1	.....	.....	.....	.....	.....	1	.....
Diagnosis reasonably certain {M	5	.....	.....	.....	.....	1	.....	3	.....	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	13	1	1	3	2	1	3	1	1	.....	.....	.....	.....	.....	.....	.....
ILLINOIS.[1]																
Registration cities	2,338	42	90	101	182	270	334	327	322	257	207	127	49	23	6	1
Males	1,033	25	31	28	69	97	147	155	159	138	103	50	15	10	5	1
Females	1,305	17	59	73	113	173	187	172	163	119	104	77	34	13	1	.....
Diagnosis reasonably certain {M	497	16	21	14	38	54	87	69	68	62	38	19	4	4	2	1
Diagnosis reasonably certain {F	826	7	45	59	84	125	138	114	90	61	42	36	18	7	.....	.....
White	2,278	41	89	98	174	260	320	317	317	250	207	127	49	22	6	1
Males	1,009	25	31	28	65	93	141	150	156	136	103	50	15	10	5	1
Females	1,269	16	58	70	109	167	179	167	161	114	104	77	34	12	1	.....
Diagnosis reasonably certain {M	479	16	21	14	34	50	81	68	67	60	38	19	4	4	2	1
Diagnosis reasonably certain {F	799	7	44	57	81	120	133	110	88	57	42	36	18	6	.....	.....
Colored	60	1	1	3	8	10	14	10	5	7	.....	.....	.....	1	.....	.....
Males	24	.....	.....	.....	4	4	6	5	3	2	.....	.....	.....	.....	.....	.....
Females	36	1	1	3	4	6	8	5	2	5	.....	.....	.....	1	.....	.....
Diagnosis reasonably certain {M	18	.....	.....	.....	4	4	6	1	1	2	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	27	.....	1	2	3	5	5	4	2	4	.....	.....	.....	1	.....	.....
Chicago	2,107	41	82	90	167	250	305	292	292	231	178	107	47	19	6	.....
Males	948	24	27	26	66	93	135	142	147	127	91	43	15	7	5	.....
Females	1,159	17	55	64	101	157	170	150	145	104	87	64	32	12	1	.....
Diagnosis reasonably certain {M	452	15	19	12	36	51	80	64	60	56	34	16	4	3	2	.....
Diagnosis reasonably certain {F	724	7	42	50	76	114	124	95	79	53	33	29	16	6	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Includes Augusta and Savannah.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
ILLINOIS[1]—continued.																
Chicago—Continued.																
White	2,059	40	81	87	101	240	294	284	288	227	178	107	47	19	6	.....
Males	926	24	27	26	62	89	129	138	144	126	91	43	15	7	5	.....
Females	1,133	16	54	61	99	151	165	146	144	101	87	64	32	12	1	.....
Diagnosis reasonably certain. {M	435	15	19	12	32	47	74	63	59	55	34	16	4	3	2	.....
Diagnosis reasonably certain. {F	704	7	41	48	74	109	122	91	78	50	33	29	16	6	.....	.....
Colored	48	1	1	3	6	10	11	8	4	4	.....	.....	.....	.....	.....	.....
Males	22	.....	.....	.....	4	4	6	4	3	1	.....	.....	.....	.....	.....	.....
Females	26	1	1	3	2	6	5	4	1	3	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M	17	.....	.....	.....	4	4	6	1	1	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	20	.....	1	2	2	5	2	4	1	3	.....	.....	.....	.....	.....	.....
Springfield	62	1	5	4	2	5	4	10	11	10	4	4	1	1	.....	.....
Males	20	1	3	1	.....	.....	2	3	3	5	.....	1	.....	1	.....	.....
Females	42	.....	2	3	2	5	2	7	8	5	4	3	1	.....	.....	.....
Diagnosis reasonably certain. {M	10	1	1	1	.....	.....	1	1	2	3	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	26	.....	1	3	1	4	.....	6	6	.....	2	2	1	.....	.....	.....
Other cities[2]	169	.....	3	7	13	15	25	25	19	16	25	16	1	3	.....	1
Males	65	.....	1	1	3	4	10	10	9	6	12	6	.....	2	.....	1
Females	104	.....	2	6	10	11	15	15	10	10	13	10	1	1	.....	.....
Diagnosis reasonably certain. {M	35	.....	1	1	2	3	6	4	6	3	4	3	.....	1	.....	1
Diagnosis reasonably certain. {F	76	.....	2	6	7	7	14	13	5	8	7	5	1	1	.....	.....
INDIANA.																
Registration cities	765	13	28	39	40	74	102	101	96	104	66	60	29	11	1	1
Males	243	2	7	9	12	20	32	33	38	34	26	15	13	2	.....	.....
Females	522	11	21	30	28	54	70	68	58	70	40	45	16	9	1	1
Diagnosis reasonably certain. {M	130	1	5	7	7	15	16	19	21	14	11	7	6	1	.....	.....
Diagnosis reasonably certain. {F	330	9	16	22	24	43	47	48	26	34	23	21	9	7	.....	.....
White	739	13	27	36	40	72	97	96	94	100	64	59	28	11	1	1
Males	238	2	7	9	12	20	31	31	37	34	26	15	12	2	.....	.....
Females	501	11	20	27	28	52	66	65	57	66	38	44	16	9	1	1
Diagnosis reasonably certain. {M	128	1	5	7	7	15	16	18	21	14	11	7	5	1	.....	.....
Diagnosis reasonably certain. {F	319	9	16	20	24	42	45	47	25	32	22	20	9	7	.....	1
Colored	26	.....	1	3	.....	2	5	5	2	4	2	1	1	.....	.....	.....
Males	5	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	1	.....	.....	.....
Females	21	.....	1	3	.....	2	4	3	1	4	2	1	.....	.....	.....	.....
Diagnosis reasonably certain. {M	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F	11	.....	.....	2	.....	1	2	1	1	2	1	1	.....	.....	.....	.....
Fort Wayne	69	3	2	2	6	6	7	13	8	11	7	2	.....	2	.....	.....
Males	25	.....	2	.....	1	1	4	7	1	6	3	.....	.....	.....	.....	.....
Females	44	3	.....	2	5	5	3	6	7	5	4	2	.....	2	.....	.....
Diagnosis reasonably certain. {M	16	.....	2	.....	1	1	1	4	.....	5	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	21	2	.....	1	4	2	2	3	3	.....	2	.....	.....	2	.....	.....
Indianapolis	265	3	9	17	15	24	40	33	36	37	17	20	10	3	1	.....
Males	84	1	2	3	6	9	9	10	19	7	9	4	5	.....	.....	.....
Females	181	2	7	14	9	15	31	23	17	30	8	16	5	3	1	.....
Diagnosis reasonably certain. {M	53	.....	1	3	4	7	6	7	12	2	5	3	3	.....	.....	.....
Diagnosis reasonably certain. {F	120	2	6	10	9	12	21	16	6	16	5	10	5	2	.....	.....
White	250	3	9	16	15	23	37	30	36	34	15	19	9	3	1	.....
Males	81	1	2	3	6	9	9	8	19	7	9	4	4	.....	.....	.....
Females	169	2	7	13	9	14	28	22	17	27	6	15	5	3	1	.....
Diagnosis reasonably certain. {M	51	.....	1	3	4	7	6	6	12	2	5	3	2	.....	.....	.....
Diagnosis reasonably certain. {F	114	2	6	9	9	12	20	16	6	14	4	9	5	2	.....	.....
Colored	15	.....	.....	1	.....	1	3	3	.....	3	2	1	1	.....	.....	.....
Males	3	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....
Females	12	.....	.....	1	.....	1	3	1	.....	3	2	1	.....	.....	.....	.....
Diagnosis reasonably certain {M	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	6	.....	.....	1	.....	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
Terre Haute	52	1	3	1	5	7	8	6	9	4	2	5	.....	1	.....	.....
Males	14	.....	2	.....	1	2	2	1	2	1	1	1	.....	1	.....	.....
Females	38	1	1	1	4	5	6	5	7	3	1	4	.....	.....	.....	.....
Diagnosis reasonably certain. {M	5	.....	1	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	25	1	1	.....	4	5	3	5	4	.....	1	1	.....	.....	.....	.....
Other cities	379	6	14	19	14	37	47	49	43	52	40	33	19	5	.....	1
Males	120	1	1	6	4	8	17	15	16	20	13	10	8	1	.....	.....
Females	259	5	13	13	10	29	30	34	27	32	27	23	11	4	.....	1
Diagnosis reasonably certain. {M	56	1	1	4	1	5	9	8	8	7	4	4	3	1	.....	.....
Diagnosis reasonably certain. {F	164	4	9	11	7	24	21	24	13	18	15	10	4	3	.....	1

[1] Nonregistration state; cities shown below only those with effective local ordinances. [2] Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
KANSAS.																
Registration cities	282	4	15	8	22	24	23	43	40	39	23	19	15	4	3	.....
Males	111	2	4	2	4	7	4	20	12	20	14	13	5	2	2	.....
Females	171	2	11	6	18	17	19	23	28	19	9	6	10	2	1	.....
Diagnosis reasonably certain (M)	62	2	2	2	3	5	2	11	4	13	5	7	3	1	2	.....
Diagnosis reasonably certain (F)	116	2	6	6	15	14	14	15	20	10	4	3	4	2	1	.....
White	263	4	13	7	20	22	23	39	37	38	21	18	14	4	3	.....
Males	108	2	4	2	3	6	4	20	12	20	13	13	5	2	2	.....
Females	155	2	9	5	17	16	19	19	25	18	8	5	9	2	1	.....
Diagnosis reasonably certain (M)	61	2	2	2	2	5	2	11	4	13	5	7	3	1	2	.....
Diagnosis reasonably certain (F)	107	2	5	5	14	14	14	13	18	9	4	2	4	2	1	.....
Colored	19	.....	2	1	2	2	.....	4	3	1	2	1	1	.....	.....	.....
Males	3	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Females	16	.....	2	1	1	1	.....	4	3	1	1	1	1	.....	.....	.....
Diagnosis reasonably certain (M)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F)	9	.....	1	1	1	.....	.....	2	2	1	.....	1	.....	.....	.....	.....
Kansas City	61	1	4	1	5	3	9	14	7	6	1	5	3	1	1	.....
Males	28	1	.....	.....	1	2	2	8	3	5	1	3	.....	1	1	.....
Females	33	.....	4	1	4	1	7	6	4	1	.....	2	3	.....	.....	.....
Diagnosis reasonably certain (M)	17	1	.....	.....	.....	1	1	5	1	4	.....	3	.....	.....	1	.....
Diagnosis reasonably certain (F)	21	.....	2	1	4	1	4	5	3	.....	.....	1	.....	.....	.....	.....
White	55	1	3	1	4	2	9	13	7	6	.....	4	3	1	1	.....
Males	26	1	.....	.....	1	1	2	8	3	5	.....	3	.....	1	1	.....
Females	29	.....	3	1	3	1	7	5	4	1	.....	1	3	.....	.....	.....
Diagnosis reasonably certain (M)	17	1	.....	.....	.....	1	1	5	1	4	.....	3	.....	.....	1	.....
Diagnosis reasonably certain (F)	17	.....	1	1	3	1	4	4	3	.....	.....	.....	.....	1	.....	.....
Colored	6	.....	1	.....	1	1	.....	1	.....	.....	1	1	.....	.....	.....	.....
Males	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Females	4	.....	1	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F)	4	.....	1	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Topeka	52	1	3	2	1	9	4	4	7	7	4	5	4	.....	1	.....
Males	21	1	2	.....	.....	3	1	2	1	4	3	2	2	.....	.....	.....
Females	31	.....	1	2	1	6	3	2	6	3	1	3	2	.....	1	.....
Diagnosis reasonably certain (M)	12	1	.....	.....	.....	2	.....	1	.....	3	2	2	1	.....	.....	.....
Diagnosis reasonably certain (F)	24	.....	1	2	.....	6	2	1	6	2	1	1	1	.....	1	.....
White	49	1	3	1	1	9	4	3	7	7	4	5	3	.....	1	.....
Males	21	1	2	.....	.....	3	1	2	1	4	3	2	2	.....	.....	.....
Females	28	.....	1	1	1	6	3	1	6	3	1	3	1	.....	1	.....
Diagnosis reasonably certain (M)	12	1	.....	.....	.....	2	.....	1	.....	3	2	2	1	.....	.....	.....
Diagnosis reasonably certain (F)	23	.....	1	1	.....	6	2	1	6	2	1	1	1	.....	1	.....
Colored	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F)	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Wichita	50	1	3	1	6	3	2	7	7	9	6	2	.....	2	1	.....
Males	25	.....	1	1	1	.....	1	4	3	6	5	2	.....	.....	1	.....
Females	25	1	2	.....	5	3	1	3	4	3	1	.....	.....	2	.....	.....
Diagnosis reasonably certain (M)	16	.....	1	1	1	.....	1	1	2	4	2	2	.....	1	.....	.....
Diagnosis reasonably certain (F)	21	1	1	.....	3	3	1	3	4	2	1	.....	.....	2	.....	.....
Other cities	119	1	5	4	10	9	8	18	19	17	12	7	8	1	.....	.....
Males	37	.....	1	1	2	2	.....	6	5	5	5	6	3	1	.....	.....
Females	82	1	4	3	8	7	8	12	14	12	7	1	5	.....	.....	.....
Diagnosis reasonably certain (M)	17	.....	1	1	2	2	.....	4	1	2	1	.....	2	1	.....	.....
Diagnosis reasonably certain (F)	50	1	2	3	8	4	7	6	7	6	2	1	3	.....	.....	.....
KENTUCKY.																
Registration cities	328	2	13	27	32	35	40	40	42	36	24	25	10	1	.....	1
Males	109	.....	3	7	7	9	18	16	17	15	7	7	1	1	.....	1
Females	219	2	10	20	25	26	22	24	25	21	17	18	9	.....	.....	.....
Diagnosis reasonably certain (M)	39	.....	2	3	2	5	9	10	4	1	1	1	.....	1	.....	.....
Diagnosis reasonably certain (F)	152	2	7	14	19	23	16	20	15	12	7	12	5	.....	.....	.....
White	291	2	13	16	28	27	37	35	39	34	24	24	10	1	.....	1
Males	96	.....	3	4	7	7	16	14	14	14	7	7	1	1	.....	1
Females	195	2	10	12	21	20	21	21	25	20	17	17	9	.....	.....	.....
Diagnosis reasonably certain (M)	36	.....	2	3	2	3	9	9	4	1	1	1	.....	1	.....	.....
Diagnosis reasonably certain (F)	133	2	7	7	17	18	15	17	15	11	7	12	5	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
KENTUCKY—continued.																
Registration cities—Continued.																
Colored	37	.....	.....	11	4	8	3	5	3	2	.....	1	.....	.....	.....	.....
Males	13	.....	.....	3	.....	2	2	2	3	1	.....	.....	.....	.....	.....	.....
Females	24	.....	.....	8	4	6	1	3	.....	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	3	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	19	.....	.....	7	2	5	1	3	.....	1	.....	.....	.....	.....	.....	.....
Louisville	187	2	5	18	19	23	26	23	24	20	11	12	4	.....	.....	.....
Males	64	.....	.....	6	5	5	13	9	10	10	2	4	.....	.....	.....	.....
Females	123	2	5	12	14	18	13	14	14	10	9	8	4	.....	.....	.....
Diagnosis reasonably certain (M.)	19	.....	.....	3	1	2	6	5	2	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	83	2	4	7	11	16	9	11	8	6	2	5	2	.....	.....	.....
White	168	2	5	12	16	18	26	21	22	20	11	11	4	.....	.....	.....
Males	59	.....	.....	4	5	4	13	9	8	10	2	4	.....	.....	.....	.....
Females	109	2	5	8	11	14	13	12	14	10	9	7	4	.....	.....	.....
Diagnosis reasonably certain (M.)	18	.....	.....	3	1	1	6	5	2	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	73	2	4	4	9	13	9	9	8	6	2	5	2	.....	.....	.....
Colored	19	.....	.....	6	3	5	.....	2	2	.....	.....	1	.....	.....	.....	.....
Males	5	.....	.....	2	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Females	14	.....	.....	4	3	4	.....	2	.....	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	10	.....	.....	3	2	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Other cities	141	.....	8	9	13	12	14	17	18	16	13	13	6	1	.....	1
Males	45	.....	3	1	2	4	5	7	7	5	5	3	1	1	.....	1
Females	96	.....	5	8	11	8	9	10	11	11	8	10	5	.....	.....	.....
Diagnosis reasonably certain (M.)	20	.....	2	.....	1	3	3	5	2	1	1	1	.....	1	.....	.....
Diagnosis reasonably certain (F.)	69	.....	3	7	8	7	7	9	7	6	5	7	3	.....	.....	.....
White	123	.....	8	4	12	9	11	14	17	14	13	13	6	1	.....	1
Males	37	.....	3	.....	2	3	3	5	6	4	5	3	1	1	.....	1
Females	86	.....	5	4	10	6	8	9	11	10	8	10	5	.....	.....	.....
Diagnosis reasonably certain (M.)	18	.....	2	.....	1	2	3	4	2	1	1	1	.....	1	.....	.....
Diagnosis reasonably certain (F.)	60	.....	3	3	8	5	6	8	7	5	5	7	3	.....	.....	.....
Colored	18	.....	.....	5	1	3	3	3	1	2	.....	.....	.....	.....	.....	.....
Males	8	.....	.....	1	.....	1	2	2	1	1	.....	.....	.....	.....	.....	.....
Females	10	.....	.....	4	1	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	9	.....	.....	4	.....	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
LOUISIANA.[1]																
New Orleans	358	4	22	25	31	32	63	59	41	36	25	15	4	1	.....	.....
Males	154	2	7	9	10	11	31	27	21	16	12	5	3	.....	.....	.....
Females	204	2	15	16	21	21	32	32	20	20	13	10	1	1	.....	.....
Diagnosis reasonably certain (M.)	88	1	4	5	7	6	15	20	12	8	6	2	2	.....	.....	.....
Diagnosis reasonably certain (F.)	145	1	13	12	18	14	28	21	15	10	7	7	.....	1	.....	.....
White	257	4	14	15	19	21	46	41	31	29	20	13	3	1	.....	.....
Males	114	2	4	6	4	8	23	22	17	12	10	4	2	.....	.....	.....
Females	143	2	10	9	15	13	23	19	14	17	10	9	1	1	.....	.....
Diagnosis reasonably certain (M.)	67	1	2	3	3	4	12	18	10	6	5	2	1	.....	.....	.....
Diagnosis reasonably certain (F.)	96	1	10	6	14	7	17	11	10	8	5	6	.....	1	.....	.....
Colored	101	.....	8	10	12	11	17	18	10	7	5	2	1	.....	.....	.....
Males	40	.....	3	3	6	3	8	5	4	4	2	1	1	.....	.....	.....
Females	61	.....	5	7	6	8	9	13	6	3	3	1	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	21	.....	2	2	4	2	3	2	2	2	1	.....	1	.....	.....	.....
Diagnosis reasonably certain (F.)	49	.....	3	6	4	7	9	10	5	2	2	1	.....	.....	.....	.....
MAINE.																
Registration cities	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	1
Males	65	2	1	1	3	9	9	8	9	6	7	7	1	1	.....	1
Females	147	1	5	10	13	11	18	22	16	21	12	9	4	4	1	.....
Diagnosis reasonably certain (M.)	26	2	1	.....	1	4	3	2	6	3	1	1	.....	1	.....	1
Diagnosis reasonably certain (F.)	96	1	4	7	9	11	16	16	10	10	4	3	4	1	.....	.....
White	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	1
Males	65	2	1	1	3	9	9	8	9	6	7	7	1	1	.....	1
Females	147	1	5	10	13	11	18	22	16	21	12	9	4	4	1	.....
Diagnosis reasonably certain (M.)	26	2	1	.....	1	4	3	2	6	3	1	1	.....	1	.....	1
Diagnosis reasonably certain (F.)	96	1	4	7	9	11	16	16	10	10	4	3	4	1	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
MAINE—continued.																
Portland	65	1	1	4	8	6	9	5	7	10	7	5	1	1	.....	.....
Males	22	1	.....	1	1	3	3	3	3	3	2	2	.....	.....	.....	.....
Females	43	.....	1	3	7	3	6	2	4	7	5	3	1	1	.....	.....
Diagnosis reasonably certain { M	9	1	.....	.....	.....	1	1	1	2	2	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain { F	32	.....	1	2	5	3	6	2	3	4	2	3	1	.....	.....	.....
Other cities	147	2	5	7	8	14	18	25	18	17	12	11	4	4	1	1
Males	43	1	1	.....	2	6	6	5	6	3	5	5	1	1	.....	1
Females	104	1	4	7	6	8	12	20	12	14	7	6	3	3	1	.....
Diagnosis reasonably certain { M	17	1	1	.....	1	3	2	1	4	1	1	.....	.....	1	.....	1
Diagnosis reasonably certain { F	64	1	3	5	4	8	10	14	7	6	2	.....	3	1	.....	.....
MARYLAND.																
Registration cities	653	8	25	33	46	77	87	84	111	77	43	35	16	9	2	.....
Males	241	3	12	8	17	25	27	36	52	25	19	9	3	4	1	.....
Females	412	5	13	25	29	52	60	48	59	52	24	26	13	5	1	.....
Diagnosis reasonably certain { M	138	3	9	7	10	17	12	23	29	9	11	5	.....	2	1	.....
Diagnosis reasonably certain { F	271	3	13	19	24	43	38	35	37	24	13	13	5	3	1	.....
White	567	7	21	26	33	64	72	75	99	72	41	33	13	9	2	.....
Males	219	3	12	8	13	23	22	32	48	24	17	9	3	4	1	.....
Females	348	4	9	18	20	41	50	43	51	48	24	24	10	5	1	.....
Diagnosis reasonably certain { M	127	3	9	7	9	16	10	20	27	9	9	5	.....	2	1	.....
Diagnosis reasonably certain { F	224	2	9	12	17	34	32	30	33	22	13	12	4	3	1	.....
Colored	86	1	4	7	13	13	15	9	12	5	2	2	3	.....	.....	.....
Males	22	.....	.....	.....	4	2	5	4	4	1	2	.....	.....	.....	.....	.....
Females	64	1	4	7	9	11	10	5	8	4	.....	2	3	.....	.....	.....
Diagnosis reasonably certain { M	11	.....	.....	.....	1	1	2	3	2	.....	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	47	1	4	7	7	9	6	5	4	2	.....	1	1	.....	.....	.....
Baltimore	589	7	24	29	38	72	78	71	103	73	38	30	16	9	1	.....
Males	220	2	12	8	15	25	24	32	47	24	15	8	3	4	1	.....
Females	369	5	12	21	23	47	54	39	56	49	23	22	13	5	.....	.....
Diagnosis reasonably certain { M	126	2	9	7	9	17	11	20	26	9	9	4	.....	2	1	.....
Diagnosis reasonably certain { F	245	3	12	16	21	39	35	28	35	24	13	11	5	3	.....	.....
White	510	6	20	22	26	59	64	64	93	68	37	28	13	9	1	.....
Males	201	2	12	8	11	23	19	29	44	23	14	8	3	4	1	.....
Females	309	4	8	14	15	36	45	35	49	45	23	20	10	5	.....	.....
Diagnosis reasonably certain { M	118	2	9	7	8	16	9	18	25	9	8	4	.....	2	1	.....
Diagnosis reasonably certain { F	200	2	8	9	14	30	29	24	32	22	13	10	4	3	.....	.....
Colored	79	1	4	7	12	13	14	7	10	5	1	2	3	.....	.....	.....
Males	19	.....	.....	.....	4	2	5	3	3	1	1	.....	.....	.....	.....	.....
Females	60	1	4	7	8	11	9	4	7	4	.....	2	3	.....	.....	.....
Diagnosis reasonably certain { M	8	.....	.....	.....	1	1	2	2	1	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	45	1	4	7	7	9	6	4	3	2	.....	1	1	.....	.....	.....
Other cities	64	1	1	4	8	5	9	13	8	4	5	5	.....	.....	1	.....
Males	21	1	.....	.....	2	.....	3	4	5	1	4	1	.....	.....	.....	.....
Females	43	.....	1	4	6	5	6	9	3	3	1	4	.....	.....	1	.....
Diagnosis reasonably certain { M	12	1	.....	.....	1	.....	1	3	3	.....	2	1	.....	.....	.....	.....
Diagnosis reasonably certain { F	26	.....	1	3	3	4	3	7	2	.....	.....	2	.....	.....	1	.....
White	57	1	1	4	7	5	8	11	6	4	4	5	.....	.....	1	.....
Males	18	1	.....	.....	2	.....	3	3	4	1	3	1	.....	.....	.....	.....
Females	39	.....	1	4	5	5	5	8	2	3	1	4	.....	.....	1	.....
Diagnosis reasonably certain { M	9	1	.....	.....	1	.....	1	2	2	.....	1	1	.....	.....	.....	.....
Diagnosis reasonably certain { F	24	.....	1	3	3	4	3	6	1	.....	.....	2	.....	.....	1	.....
Colored	7	.....	.....	.....	1	.....	1	2	2	.....	1	.....	.....	.....	.....	.....
Males	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Females	4	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { M	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
MASSACHUSETTS.																
Registration cities	2,781	45	79	103	171	255	321	354	394	367	316	209	110	43	14	.....
Males	1,006	25	26	29	54	72	106	137	152	143	136	75	42	12	6	.....
Females	1,775	20	53	83	117	183	215	217	242	224	180	134	68	31	8	.....
Diagnosis reasonably certain { M	535	19	18	14	34	45	60	82	79	63	70	22	19	4	6	.....
Diagnosis reasonably certain { F	1,144	16	45	60	91	145	160	142	150	120	106	57	26	20	6	.....
White	2,749	45	78	99	170	250	318	349	390	363	314	209	109	41	14	.....
Males	994	25	26	19	53	69	105	136	151	140	136	75	42	11	6	.....
Females	1,755	20	52	80	117	181	213	213	239	223	178	134	67	30	8	.....
Diagnosis reasonably certain { M	531	19	18	14	34	43	60	81	79	62	70	22	19	4	6	.....
Diagnosis reasonably certain { F	1,128	16	44	57	91	144	159	138	147	119	105	57	26	19	6	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
MASSACHUSETTS—continued.																
Registration cities—Continued.																
Colored	32	.....	1	4	1	5	3	5	4	4	2	.....	1	2	.....	.....
Males	12	.....	.....	1	1	3	1	1	1	3	.....	.....	.....	1	.....	.....
Females	20	.....	1	3	.....	2	2	4	3	1	2	.....	1	1	.....	.....
Diagnosis reasonably certain. M	4	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	16	.....	1	3	.....	1	1	4	3	1	1	.....	.....	1	.....	.....
Boston	871	16	28	31	54	84	113	122	128	104	90	60	21	9	8	.....
Males	347	9	13	6	19	27	42	55	56	36	42	28	9	1	4	.....
Females	524	7	15	25	35	57	71	67	72	68	48	32	15	8	4	.....
Diagnosis reasonably certain. M	196	5	9	4	15	19	28	32	31	15	21	10	3	.....	4	.....
Diagnosis reasonably certain. F	377	6	15	18	28	49	61	46	53	40	33	13	7	5	3	.....
White	854	16	27	28	54	79	111	120	127	103	90	60	24	7	8	.....
Males	340	9	13	6	19	24	41	54	56	35	42	28	9	.....	4	.....
Females	514	7	14	22	35	55	70	66	71	68	48	32	15	7	4	.....
Diagnosis reasonably certain. M	193	5	9	4	15	17	28	31	31	15	21	10	3	.....	4	.....
Diagnosis reasonably certain. F	368	6	14	15	28	48	60	45	52	40	33	13	7	4	3	.....
Colored	17	.....	1	3	.....	5	2	2	1	1	.....	.....	.....	2	.....	.....
Males	7	.....	.....	.....	.....	3	1	1	.....	1	.....	.....	.....	1	.....	.....
Females	10	.....	1	3	.....	2	1	1	1	.....	.....	.....	.....	1	.....	.....
Diagnosis reasonably certain. M	3	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	9	.....	1	3	.....	1	1	1	1	.....	.....	.....	.....	1	.....	.....
Brockton	55	2	2	1	1	2	5	4	10	8	8	4	5	3	.....	.....
Males	15	1	1	.....	.....	1	2	1	3	2	1	.....	2	1	.....	.....
Females	40	1	1	1	1	1	3	3	7	6	7	4	3	2	.....	.....
Diagnosis reasonably certain. M	9	1	1	.....	.....	1	2	1	1	.....	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. F	19	1	1	1	.....	1	2	1	1	2	6	1	.....	2	.....	.....
Cambridge	111	.....	1	7	9	9	16	8	16	18	11	5	8	3	.....	.....
Males	39	.....	1	2	5	1	7	5	5	6	3	.....	3	1	.....	.....
Females	72	.....	.....	5	4	8	9	3	11	12	8	5	5	2	.....	.....
Diagnosis reasonably certain. M	27	.....	.....	1	4	1	5	5	2	4	3	.....	1	1	.....	.....
Diagnosis reasonably certain. F	46	.....	.....	4	4	7	7	2	4	8	6	2	1	1	.....	.....
Fall River	70	1	6	2	3	8	11	11	5	11	5	4	2	1	.....	.....
Males	19	1	1	.....	.....	3	1	4	1	4	3	.....	1	.....	.....	.....
Females	51	.....	5	2	3	5	10	7	4	7	2	4	1	1	.....	.....
Diagnosis reasonably certain. M	11	1	1	.....	.....	2	1	3	.....	1	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	36	.....	3	2	3	3	7	5	4	3	2	2	1	1	.....	.....
Lawrence	60	.....	2	6	3	8	7	6	10	7	8	3	.....	.....	.....	.....
Males	17	.....	.....	.....	1	1	2	2	2	3	4	2	.....	.....	.....	.....
Females	43	.....	2	6	2	7	5	4	8	4	4	1	.....	.....	.....	.....
Diagnosis reasonably certain. M	7	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	24	.....	2	2	1	6	4	2	6	.....	1	.....	.....	.....	.....	.....
Lowell	98	2	4	5	7	6	17	8	18	10	10	6	5	.....	.....	.....
Males	34	1	1	.....	2	2	7	2	9	7	2	1	.....	.....	.....	.....
Females	64	1	3	5	5	4	10	6	9	3	8	5	5	.....	.....	.....
Diagnosis reasonably certain. M	11	1	1	.....	1	.....	2	.....	3	3	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	34	1	3	3	2	3	4	3	4	.....	6	1	4	.....	.....	.....
Lynn	91	2	1	3	7	7	11	9	16	12	14	8	.....	1	.....	.....
Males	28	2	1	.....	2	3	2	3	5	2	4	4	.....	.....	.....	.....
Females	63	.....	.....	3	5	4	9	6	11	10	4	.....	1	.....	.....	.....
Diagnosis reasonably certain. M	13	1	1	.....	1	2	.....	1	3	1	1	2	.....	.....	.....	.....
Diagnosis reasonably certain. F	40	.....	.....	1	5	4	7	6	3	4	7	3	.....	.....	.....	.....
New Bedford	93	1	1	4	13	13	9	9	13	11	7	6	4	2	.....	.....
Males	26	1	1	.....	2	2	3	3	7	4	1	.....	1	1	.....	.....
Females	67	.....	.....	4	11	11	6	6	6	7	6	6	3	1	.....	.....
Diagnosis reasonably certain. M	15	1	1	.....	.....	1	2	1	5	2	1	.....	.....	1	.....	.....
Diagnosis reasonably certain. F	40	.....	.....	3	8	9	2	2	2	5	4	2	2	1	.....	.....
Somerville	71	.....	1	5	1	3	4	7	9	9	14	10	6	2	.....	.....
Males	21	.....	.....	2	1	1	1	1	2	3	5	3	1	1	.....	.....
Females	50	.....	1	3	.....	2	3	6	7	6	9	7	5	1	.....	.....
Diagnosis reasonably certain. M	8	.....	.....	2	1	1	.....	1	.....	1	.....	1	2	.....	.....	.....
Diagnosis reasonably certain. F	27	.....	1	2	.....	2	2	5	6	2	3	2	2	.....	.....	.....
Springfield	92	.....	.....	3	6	6	10	13	16	9	15	7	7	.....	.....	.....
Males	39	.....	.....	.....	3	4	5	6	5	5	6	3	2	.....	.....	.....
Females	53	.....	.....	3	3	2	5	7	11	4	9	4	5	.....	.....	.....
Diagnosis reasonably certain. M	21	.....	.....	.....	3	3	2	4	3	1	5	2	1	.....	.....	.....
Diagnosis reasonably certain. F	21	.....	.....	3	2	2	3	3	2	3	4	2	.....	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
MASSACHUSETTS—continued.																
Worcester	176	3	6	8	14	13	19	24	24	19	21	18	4	2	1	.....
Males	59	.....	3	2	6	2	4	9	6	6	13	3	3	1	1	.....
Females	117	3	3	6	8	11	15	15	18	13	8	15	1	1	.....	.....
Diagnosis reasonably certain { M	30	.....	1	2	3	.....	2	6	4	1	8	1	1	.....	1	.....
Diagnosis reasonably certain { F	76	3	2	5	7	7	10	10	12	6	4	8	1	1	.....	.....
Other cities	993	18	27	28	53	96	99	133	129	149	113	78	45	20	5	.....
Males	362	10	4	8	13	25	30	46	51	65	52	31	20	6	1	.....
Females	631	8	23	20	40	71	69	87	78	84	61	47	25	14	4	.....
Diagnosis reasonably certain { M	184	9	3	5	6	14	15	26	26	32	26	7	12	2	1	.....
Diagnosis reasonably certain { F	401	5	18	16	31	52	51	57	53	47	30	21	8	9	3	.....
MICHIGAN.																
Registration cities	997	15	39	47	69	102	131	129	132	131	109	54	25	8	6	.....
Males	413	10	15	15	23	29	51	53	65	61	50	22	11	4	4	.....
Females	584	5	24	32	46	73	80	76	67	70	59	32	14	4	2	.....
Diagnosis reasonably certain { M	211	7	10	12	13	18	29	27	30	24	22	7	8	2	2	.....
Diagnosis reasonably certain { F	366	4	19	22	36	48	55	49	42	35	34	11	7	3	1	.....
White	988	14	38	45	68	100	130	129	132	130	109	54	25	8	6	.....
Males	411	9	15	15	23	29	51	53	65	60	50	22	11	4	4	.....
Females	577	5	23	30	45	71	79	76	67	70	59	32	14	4	2	.....
Diagnosis reasonably certain { M	209	6	10	12	13	18	29	27	30	23	22	7	8	2	2	.....
Diagnosis reasonably certain { F	364	4	18	22	36	47	55	49	42	35	34	11	7	3	1	.....
Colored	9	1	1	2	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Males	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Females	7	.....	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { M	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Detroit	424	11	23	25	36	44	58	60	56	52	33	14	8	3	1	.....
Males	178	8	9	8	12	11	20	27	31	25	16	6	3	1	1	.....
Females	246	3	14	17	24	33	38	33	25	27	17	8	5	2	.....	.....
Diagnosis reasonably certain { M	91	6	5	7	5	8	11	14	12	9	9	2	2	.....	1	.....
Diagnosis reasonably certain { F	148	2	11	12	18	24	24	17	14	12	9	2	1	2	.....	.....
Grand Rapids	120	3	2	5	4	13	22	14	14	15	13	11	2	1	1	.....
Males	43	1	.....	1	2	5	8	4	2	8	6	3	.....	1	.....	.....
Females	77	2	.....	4	2	8	14	10	12	7	7	8	2	.....	1	.....
Diagnosis reasonably certain { M	19	.....	1	.....	1	3	4	.....	.....	5	3	1	.....	1	.....	.....
Diagnosis reasonably certain { F	46	2	.....	3	1	4	11	7	7	2	4	3	1	.....	1	.....
Saginaw	50	.....	5	.....	2	3	8	10	8	6	4	4	.....	.....	.....	.....
Males	27	.....	1	.....	2	1	7	4	4	4	2	2	.....	.....	.....	.....
Females	23	.....	4	.....	.....	2	1	6	4	2	2	2	.....	.....	.....	.....
Diagnosis reasonably certain { M	14	.....	1	.....	1	.....	3	3	3	2	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	17	.....	3	.....	.....	2	1	6	3	1	1	1	.....	.....	.....	.....
Other cities	403	1	9	17	27	42	43	45	54	58	59	25	15	4	4	.....
Males	165	1	3	6	7	12	16	18	28	24	26	11	8	2	3	.....
Females	238	.....	6	11	20	30	27	27	26	34	33	14	7	2	1	.....
Diagnosis reasonably certain { M	87	1	3	5	6	7	11	10	15	8	9	4	6	1	1	.....
Diagnosis reasonably certain { F	155	.....	5	7	17	18	19	19	18	21	20	5	5	1	.....	.....
MINNESOTA.																
Registration cities	605	14	22	25	36	53	88	73	100	69	58	41	20	4	2	.....
Males	262	9	8	8	7	21	33	35	49	35	19	23	11	2	2	.....
Females	343	5	14	17	29	32	55	38	51	34	39	18	9	2	.....	.....
Diagnosis reasonably certain { M	150	4	8	7	4	13	20	18	31	19	8	10	6	1	1	.....
Diagnosis reasonably certain { F	232	4	12	14	25	27	43	26	33	25	14	5	3	1	.....	.....
White	604	14	22	25	36	53	88	73	99	69	58	41	20	4	2	.....
Males	262	9	8	8	7	21	33	35	49	35	19	23	11	2	2	.....
Females	342	5	14	17	29	32	55	38	50	34	39	18	9	2	.....	.....
Diagnosis reasonably certain { M	150	4	8	7	4	13	20	18	31	19	8	10	6	1	1	.....
Diagnosis reasonably certain { F	232	4	12	14	25	27	43	26	33	25	14	5	3	1	.....	.....
Colored	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Duluth	68	.....	3	5	5	6	12	7	12	7	7	3	.....	.....	1	.....
Males	31	.....	.....	2	2	2	7	5	5	4	2	1	.....	.....	1	.....
Females	37	.....	3	3	3	4	5	2	7	3	5	2	.....	.....	.....	.....
Diagnosis reasonably certain { M	18	.....	.....	2	1	1	5	2	3	2	.....	1	.....	.....	1	.....
Diagnosis reasonably certain { F	24	.....	3	2	2	2	3	2	5	1	3	1	.....	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
MINNESOTA—continued.																
Minneapolis	313	8	13	12	18	22	40	39	56	36	33	22	10	3	1	.....
Males	138	5	5	4	1	11	15	19	27	19	11	13	6	1	1	.....
Females	175	3	8	8	17	11	25	20	29	17	22	9	4	2	.....	.....
Diagnosis reasonably certain. {M	76	3	5	4	1	7	6	9	16	9	5	7	4	.....	.....	.....
Diagnosis reasonably certain. {F	121	2	6	6	17	10	22	16	17	13	7	3	1	1	.....	.....
St. Paul	166	3	5	6	9	18	29	21	26	19	14	11	4	1	.....	.....
Males	69	3	2	1	3	6	8	9	13	10	3	7	3	1	.....	.....
Females	97	.....	3	5	6	12	21	12	13	9	11	4	1	.....	.....	.....
Diagnosis reasonably certain. {M	46	1	2	1	2	4	8	5	9	7	3	1	2	1	.....	.....
Diagnosis reasonably certain. {F	63	.....	3	5	4	10	15	5	10	6	4	1	.....	.....	.....	.....
Other cities	58	3	1	2	4	7	7	6	6	7	4	5	6	.....	.....	.....
Males	24	1	1	1	1	2	3	2	4	2	3	2	2	.....	.....	.....
Females	34	2	.....	1	3	5	4	4	2	5	1	3	4	.....	.....	.....
Diagnosis reasonably certain. {M	10	.....	1	.....	.....	1	1	2	3	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F	24	2	.....	1	2	5	3	3	1	5	.....	.....	2	.....	.....	.....
MISSOURI.																
Registration cities	1,171	20	50	51	94	118	161	164	152	145	95	66	41	9	3	2
Males	489	11	16	16	25	42	66	76	70	77	34	29	20	5	2	.....
Females	682	9	34	35	69	76	95	88	82	68	61	37	21	4	1	2
Diagnosis reasonably certain. {M	295	10	12	11	13	33	40	47	42	39	16	17	11	2	2	.....
Diagnosis reasonably certain. {F	491	7	26	30	59	65	79	62	55	49	24	19	12	1	1	2
White	1,121	17	42	45	92	111	155	159	144	144	92	65	41	9	3	2
Males	472	9	14	15	25	39	64	74	66	77	33	29	20	5	2	.....
Females	649	8	28	30	67	72	91	85	78	67	59	36	21	4	1	2
Diagnosis reasonably certain. {M	286	8	11	10	13	33	40	46	39	39	15	17	11	2	2	.....
Diagnosis reasonably certain. {F	467	7	21	26	57	61	76	61	53	48	23	18	12	1	1	2
Colored	50	3	8	6	2	7	6	5	8	1	3	1	.....	.....	.....	.....
Males	17	2	2	1	.....	3	2	2	4	.....	1	.....	.....	.....	.....	.....
Females	33	1	6	5	2	4	4	3	4	1	2	1	.....	.....	.....	.....
Diagnosis reasonably certain. {M	9	2	1	1	.....	.....	.....	1	3	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	24	.....	5	4	2	4	3	1	2	1	1	1	.....	.....	.....	.....
Kansas City	254	4	8	14	12	32	37	31	37	35	24	13	5	1	1	.....
Males	110	1	4	6	5	14	14	13	17	18	8	6	2	1	1	.....
Females	144	3	4	8	7	18	23	18	20	17	16	7	3	.....	.....	.....
Diagnosis reasonably certain. {M	78	1	3	4	3	10	11	10	13	9	6	4	2	1	1	.....
Diagnosis reasonably certain. {F	115	2	4	8	6	14	21	15	17	15	6	5	2	.....	.....	.....
White	240	3	6	14	10	27	37	29	35	35	24	13	5	1	1	.....
Males	105	1	3	6	5	11	14	13	16	18	8	6	2	1	1	.....
Females	135	2	3	8	5	16	23	16	19	17	16	7	3	.....	.....	.....
Diagnosis reasonably certain. {M	77	1	3	4	3	10	11	10	12	9	6	4	2	1	1	.....
Diagnosis reasonably certain. {F	109	2	3	8	4	12	21	15	16	15	6	5	2	.....	.....	.....
Colored	14	1	2	.....	2	5	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Males	5	.....	1	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	9	1	1	.....	2	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	6	.....	1	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
St. Joseph	97	2	3	5	11	10	9	15	11	12	12	3	3	.....	.....	1
Males	37	2	2	1	3	2	3	6	4	9	2	1	2	.....	.....	.....
Females	60	.....	1	4	8	8	6	9	7	3	10	2	1	.....	.....	1
Diagnosis reasonably certain. {M	21	2	1	.....	2	1	2	3	2	6	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F	45	.....	.....	3	8	7	5	8	4	2	6	1	.....	.....	.....	1
St. Louis	701	11	35	28	56	69	97	106	90	81	51	43	24	7	2	1
Males	302	6	8	8	13	26	42	57	43	41	21	20	13	3	1	.....
Females	399	5	27	20	43	43	55	49	47	40	30	23	11	4	1	1
Diagnosis reasonably certain. {M	179	6	6	7	8	22	24	34	24	20	7	13	6	1	1	.....
Diagnosis reasonably certain. {F	274	4	21	16	36	37	43	31	31	26	10	11	5	1	1	1
White	671	9	30	23	56	67	92	104	85	80	49	42	24	7	2	1
Males	291	4	7	7	13	26	40	55	41	41	20	20	13	3	1	.....
Females	380	5	23	16	43	41	52	49	44	39	29	22	11	4	1	1
Diagnosis reasonably certain. {M	171	4	5	6	8	22	24	33	22	20	6	13	6	1	1	.....
Diagnosis reasonably certain. {F	261	4	18	13	36	35	41	31	30	25	10	10	5	1	1	1
Colored	30	2	5	5	.....	2	5	2	5	1	2	1	.....	.....	.....	.....
Males	11	2	1	1	.....	.....	2	2	2	.....	1	.....	.....	.....	.....	.....
Females	19	.....	4	4	.....	2	3	.....	3	1	1	1	.....	.....	.....	.....
Diagnosis reasonably certain. {M	8	2	1	1	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	13	.....	3	3	.....	2	2	.....	1	1	.....	1	.....	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
MISSOURI—continued.																
Other cities	119	3	4	4	15	7	18	12	14	17	8	7	9	1	.....	.....
Males	40	2	2	1	4	.....	7	.....	6	9	3	2	3	1	.....	.....
Females	79	1	2	3	11	7	11	12	8	8	5	5	6	.....	.....	.....
Diagnosis reasonably certain { M	17	1	2	.....	.....	.....	3	.....	3	4	2	.....	2	.....	.....	.....
Diagnosis reasonably certain { F	57	1	1	3	9	7	10	8	3	6	2	2	5	.....	.....	.....
MONTANA.																
Registration cities	82	4	2	5	7	10	11	12	10	7	7	3	2	2	.....	.....
Males	39	2	1	2	1	3	3	8	5	5	4	3	1	1	.....	.....
Females	43	2	1	3	6	7	8	4	5	2	3	.....	1	1	.....	.....
Diagnosis reasonably certain { M	22	2	1	2	.....	.....	3	5	1	3	1	2	1	1	.....	.....
Diagnosis reasonably certain { F	26	1	1	3	3	7	7	1	1	.....	1	.....	.....	1	.....	.....
White	81	4	2	5	7	10	10	12	10	7	7	3	2	2	.....	.....
Males	39	2	1	2	1	3	3	8	5	5	4	3	1	1	.....	.....
Females	42	2	1	3	6	7	7	4	5	2	3	.....	1	1	.....	.....
Diagnosis reasonably certain { M	22	2	1	2	.....	.....	3	5	1	3	1	2	1	1	.....	.....
Diagnosis reasonably certain { F	25	1	1	3	3	7	6	1	1	.....	1	.....	.....	1	.....	.....
Colored	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEBRASKA.[1]																
Registration cities	187	4	5	13	14	16	25	27	29	20	17	13	1	2	1	.....
Males	81	2	3	3	5	4	10	12	11	9	11	9	1	1	.....	.....
Females	106	2	2	10	9	12	15	15	18	11	6	4	.....	1	1	.....
Diagnosis reasonably certain { M	51	2	2	1	5	2	5	10	6	9	4	3	1	1	.....	.....
Diagnosis reasonably certain { F	75	2	2	9	9	11	11	13	7	5	2	3	.....	.....	1	.....
White	185	3	5	13	14	16	24	27	29	20	17	13	1	2	1	.....
Males	80	2	3	3	5	4	9	12	11	9	11	9	1	1	.....	.....
Females	105	1	2	10	9	12	15	15	18	11	6	4	.....	1	1	.....
Diagnosis reasonably certain { M	51	2	2	1	5	2	5	10	6	9	4	3	1	1	.....	.....
Diagnosis reasonably certain { F	74	1	2	9	9	11	11	13	7	5	2	3	.....	.....	1	.....
Colored	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Omaha	140	4	4	8	11	15	22	19	21	12	10	12	1	1	.....	.....
Males	62	2	2	2	4	4	9	8	8	7	6	8	1	1	.....	.....
Females	78	2	2	6	7	11	13	11	13	5	4	4	.....	.....	.....	.....
Diagnosis reasonably certain { M	38	2	1	1	4	2	5	6	4	7	2	2	1	1	.....	.....
Diagnosis reasonably certain { F	60	2	2	6	7	10	11	10	5	2	2	3	.....	.....	.....	.....
Lincoln [2]	47	.....	1	5	3	1	3	8	8	8	7	1	.....	1	1	.....
Males	19	.....	1	1	1	.....	1	4	3	2	5	1	.....	.....	.....	.....
Females	28	.....	.....	4	2	1	2	4	5	6	2	.....	.....	1	1	.....
Diagnosis reasonably certain { M	13	.....	1	.....	1	.....	.....	4	2	2	2	1	.....	.....	.....	.....
Diagnosis reasonably certain { F	15	.....	.....	3	2	1	.....	3	2	3	.....	.....	.....	.....	1	.....
NEW HAMPSHIRE.																
Registration cities	173	2	2	5	10	18	24	17	20	23	19	22	6	3	1	1
Males	54	.....	.....	1	5	5	5	10	8	5	7	5	2	.....	.....	1
Females	119	2	2	4	5	13	19	7	12	18	12	17	4	3	1	.....
Diagnosis reasonably certain { M	27	.....	.....	.....	1	3	3	7	3	5	2	2	.....	.....	.....	1
Diagnosis reasonably certain { F	82	2	2	4	4	10	14	6	8	12	8	6	3	2	1	.....
White	172	2	2	5	10	18	24	17	20	23	19	22	6	3	1	.....
Males	53	.....	.....	1	5	5	5	10	8	5	7	5	2	.....	.....	.....
Females	119	2	2	4	5	13	19	7	12	18	12	17	4	3	1	.....
Diagnosis reasonably certain { M	26	.....	.....	.....	1	3	3	7	3	5	2	2	.....	.....	.....	.....
Diagnosis reasonably certain { F	82	2	2	4	4	10	14	6	8	12	8	6	3	2	1	.....
Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Females	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Diagnosis reasonably certain { F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] The only other registration unit; shown in order to complete the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
NEW HAMPSHIRE—continued.																
Manchester	56	1	2	.....	2	11	11	7	4	5	5	8	.....	.....	.....	.....
Males	13	.....	.....	.....	.....	3	3	3	1	.....	1	2	.....	.....	.....	.....
Females	43	1	2	.....	2	8	8	4	3	5	4	6	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	7	.....	.....	.....	.....	1	3	1	1	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	30	1	2	.....	2	6	5	3	3	4	2	2	.....	.....	.....	.....
Other cities	117	1	.....	5	8	7	13	10	16	18	14	14	6	3	1	1
Males	41	.....	.....	1	5	2	2	7	7	5	6	3	2	.....	.....	1
Females	76	1	.....	4	3	5	11	3	9	13	8	11	4	3	1	.....
Diagnosis reasonably certain. {M.	20	.....	.....	.....	1	2	.....	6	2	5	2	1	.....	.....	.....	1
Diagnosis reasonably certain. {F.	52	1	.....	4	2	4	9	3	5	8	6	4	3	2	1	.....
NEW JERSEY.																
Registration cities	1,426	26	40	64	108	149	192	191	203	179	141	71	43	13	6	.....
Males	545	15	11	16	31	41	67	82	82	84	57	30	20	5	4	.....
Females	881	11	29	48	77	108	125	109	121	95	84	41	23	8	2	.....
Diagnosis reasonably certain. {M.	243	9	5	10	14	23	32	39	35	30	24	11	8	2	1	.....
Diagnosis reasonably certain. {F.	529	5	24	36	55	83	82	66	55	48	40	20	9	5	1	.....
White	1,384	26	37	60	106	139	185	186	199	173	140	71	43	13	6	.....
Males	537	15	11	16	30	40	65	80	82	82	57	30	20	5	4	.....
Females	847	11	26	44	76	99	120	106	117	91	83	41	23	8	2	.....
Diagnosis reasonably certain. {M.	241	9	5	10	14	22	32	38	35	30	24	11	8	2	1	.....
Diagnosis reasonably certain. {F.	502	5	21	32	54	75	78	63	53	46	40	20	9	5	1	.....
Colored	42	.....	3	4	2	10	7	5	4	6	1	.....	.....	.....	.....	.....
Males	8	.....	.....	.....	1	1	2	2	.....	2	.....	.....	.....	.....	.....	.....
Females	34	.....	3	4	1	9	5	3	4	4	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	27	.....	3	4	1	8	4	3	2	2	.....	.....	.....	.....	.....	.....
Camden	74	2	.....	2	6	8	6	8	13	17	1	6	2	2	1	.....
Males	27	2	.....	.....	1	4	1	3	5	4	1	3	1	1	1	.....
Females	47	.....	.....	2	5	4	5	5	8	13	.....	3	1	1	.....	.....
Diagnosis reasonably certain. {M.	17	2	.....	.....	.....	2	.....	2	3	3	1	2	1	1	.....	.....
Diagnosis reasonably certain. {F.	30	.....	.....	2	4	3	4	4	3	8	.....	1	.....	1	.....	.....
Elizabeth	76	4	1	3	2	8	13	13	10	7	8	4	2	.....	1	.....
Males	36	1	.....	.....	1	5	5	7	6	4	4	3	.....	.....	.....	.....
Females	40	3	1	3	1	3	8	6	4	3	4	1	2	.....	1	.....
Diagnosis reasonably certain. {M.	12	1	.....	.....	.....	2	1	3	2	2	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	19	2	1	1	1	3	3	3	.....	.....	1	1	2	.....	1	.....
Jersey City	217	3	11	10	15	19	24	29	40	24	21	10	9	2	.....	.....
Males	82	2	2	3	4	4	6	12	20	16	5	2	5	1	.....	.....
Females	135	1	9	7	11	15	18	17	20	8	16	8	4	1	.....	.....
Diagnosis reasonably certain. {M.	37	2	.....	3	1	3	4	5	9	4	2	.....	4	.....	.....	.....
Diagnosis reasonably certain. {F.	72	1	7	6	4	10	8	9	9	3	8	5	1	1	.....	.....
Newark	340	9	11	13	26	32	52	44	46	46	35	17	6	1	2	.....
Males	132	4	3	5	5	13	22	19	14	21	15	6	3	.....	2	.....
Females	208	5	8	8	21	19	30	25	32	25	20	11	3	1	.....	.....
Diagnosis reasonably certain. {M.	54	1	1	4	1	6	9	8	6	10	6	1	.....	.....	1	.....
Diagnosis reasonably certain. {F.	129	1	7	7	17	14	22	17	12	13	12	6	1	.....	.....	.....
Paterson	124	1	2	4	7	16	21	19	18	16	9	7	4	.....	.....	.....
Males	50	1	1	2	2	2	20	9	7	8	3	3	2	.....	.....	.....
Females	74	.....	1	2	5	14	11	10	11	8	6	4	2	.....	.....	.....
Diagnosis reasonably certain. {M.	18	.....	1	2	1	1	5	4	.....	1	1	1	1	.....	.....	.....
Diagnosis reasonably certain. {F.	45	.....	1	2	3	11	8	6	6	3	3	2	.....	.....	.....	.....
Trenton	98	2	4	4	10	9	14	20	10	12	5	3	1	4	.....	.....
Males	42	1	1	.....	3	4	7	8	5	5	4	2	.....	2	.....	.....
Females	56	1	3	4	7	5	7	12	5	7	1	1	1	2	.....	.....
Diagnosis reasonably certain. {M.	26	1	1	.....	2	4	4	5	3	2	2	1	.....	1	.....	.....
Diagnosis reasonably certain. {F.	34	.....	2	3	4	5	5	5	3	3	.....	1	1	2	.....	.....
Other cities	497	5	11	28	42	57	62	58	66	57	62	24	19	4	2	.....
Males	176	4	4	6	15	9	16	24	25	26	25	11	9	1	1	.....
Females	321	1	7	22	27	48	46	34	41	31	37	13	10	3	1	.....
Diagnosis reasonably certain. {M.	79	2	2	1	9	5	9	12	12	8	12	5	2	.....	.....	.....
Diagnosis reasonably certain. {F.	200	1	6	15	22	37	32	22	22	18	16	4	4	1	.....	.....
NEW YORK.																
Registration cities	6,621	141	252	332	498	738	884	938	859	790	601	346	174	55	13	.....
Males	2,685	82	99	90	151	250	371	415	379	348	264	150	62	20	4	.....
Females	3,936	59	153	242	347	488	513	523	480	442	337	196	112	35	9	.....
Diagnosis reasonably certain. {M.	1,425	59	66	56	103	143	220	210	193	164	104	71	21	11	4	.....
Diagnosis reasonably certain. {F.	2,489	41	130	202	268	354	346	320	256	227	171	82	63	22	7	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
Registration cities—Continued.																
White	6,528	139	241	317	491	729	870	929	852	781	599	340	172	55	13	.....
Males	2,663	82	97	89	150	246	369	409	377	346	264	148	62	20	4	.....
Females	3,865	57	144	228	341	483	501	520	475	435	335	192	110	35	9	.....
Diagnosis reasonably certain. (M.	1,417	59	65	55	103	142	220	207	193	162	104	71	21	11	4	.....
Diagnosis reasonably certain. (F.	2,435	40	122	190	262	350	336	317	254	224	169	80	62	22	7	.....
Colored	93	2	11	15	7	9	14	9	7	9	2	6	2	.....	.....	.....
Males	22	.....	2	1	1	4	2	6	2	2	.....	2	.....	.....	.....	.....
Females	71	2	9	14	6	5	12	3	5	7	2	4	2	.....	.....	.....
Diagnosis reasonably certain. (M.	8	.....	1	1	.....	1	.....	3	.....	2	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	54	1	8	12	6	4	10	3	2	3	2	2	1	.....	.....	.....
Albany	151	2	1	4	7	12	18	31	18	23	17	11	6	1	.....	.....
Males	48	2	.....	.....	.....	3	3	7	5	8	10	8	1	1	.....	.....
Females	103	.....	1	4	7	9	15	24	13	15	7	3	5	.....	.....	.....
Diagnosis reasonably certain. (M.	23	1	.....	.....	.....	1	2	3	1	6	4	3	1	1	.....	.....
Diagnosis reasonably certain. (F.	64	.....	1	2	4	6	13	13	7	10	4	2	2	.....	.....	.....
Buffalo	435	10	18	21	36	48	61	66	50	42	35	29	14	5	.....	.....
Males	192	7	6	9	10	16	28	28	26	23	19	11	6	3	.....	.....
Females	243	3	12	12	26	32	33	38	24	19	16	18	8	2	.....	.....
Diagnosis reasonably certain. (M.	94	6	3	4	7	7	19	11	7	11	12	4	2	1	.....	.....
Diagnosis reasonably certain. (F.	153	3	8	9	23	24	21	20	11	11	8	12	4	2	.....	.....
New York	4,452	106	187	230	350	530	607	636	584	508	379	207	93	29	6	.....
Males	1,908	61	78	66	118	194	270	309	282	226	169	86	37	11	1	.....
Females	2,544	45	109	164	232	336	337	327	302	282	210	121	56	18	5	.....
Diagnosis reasonably cer- (M.	1,004	42	54	43	82	110	152	162	150	99	58	36	11	4	1	.....
tain. (F.	1,558	30	93	139	173	234	226	191	145	144	99	41	28	11	4	.....
White	4,369	104	177	217	343	522	595	627	578	501	377	202	91	29	6	.....
Males	1,889	61	76	65	117	191	269	303	280	224	169	85	37	11	1	.....
Females	2,480	43	101	152	226	331	326	324	298	277	208	117	54	18	5	.....
Diagnosis reasonably cer- (M.	996	42	53	42	82	109	152	159	150	97	58	36	11	4	1	.....
tain. (F.	1,508	29	86	129	167	230	216	188	143	142	97	39	27	11	4	.....
Colored	83	2	10	13	7	8	12	9	6	7	2	5	2	.....	.....	.....
Males	19	.....	2	1	1	3	1	6	2	2	.....	1	.....	.....	.....	.....
Females	64	2	8	12	6	5	11	3	4	5	2	4	2	.....	.....	.....
Diagnosis reasonably cer- (M.	8	.....	1	1	.....	1	.....	3	.....	2	.....	.....	.....	.....	.....	.....
tain. (F.	50	1	7	10	6	4	10	3	2	2	2	2	1	.....	.....	.....
Bronx Borough	516	11	34	20	37	58	66	85	78	50	48	15	10	4	.....	.....
Males	209	6	14	5	11	20	32	34	39	17	19	7	5	.....	.....	.....
Females	307	5	20	15	26	38	34	51	39	33	29	8	5	4	.....	.....
Diagnosis reasonably certain. (M.	110	2	11	2	9	12	20	15	19	9	6	4	1	.....	.....	.....
Diagnosis reasonably certain. (F.	193	4	17	12	21	26	24	29	16	21	15	2	3	3	.....	.....
White	511	11	34	20	36	58	65	84	77	49	48	15	10	4	.....	.....
Males	207	6	14	5	11	20	31	33	39	17	19	7	5	.....	.....	.....
Females	304	5	20	15	25	38	34	51	38	32	29	8	5	4	.....	.....
Diagnosis reasonably certain. (M.	110	2	11	2	9	12	20	15	19	9	6	4	1	.....	.....	.....
Diagnosis reasonably certain. (F.	190	4	17	12	20	26	24	29	15	20	15	2	3	3	.....	.....
Colored	5	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Males	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Females	3	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	3	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Brooklyn Borough	1,439	31	52	74	107	155	186	214	186	161	140	83	40	8	2	.....
Males	583	16	18	17	35	57	71	101	87	72	63	29	13	3	1	.....
Females	856	15	34	57	72	98	115	113	99	89	77	54	27	5	1	.....
Diagnosis reasonably certain. (M.	304	15	12	12	23	32	42	54	49	31	25	12	4	1	1	.....
Diagnosis reasonably certain. (F.	530	9	28	50	54	77	80	62	56	40	37	20	14	2	1	.....
White	1,410	30	49	73	103	153	179	211	182	160	140	81	39	8	2	.....
Males	578	16	18	17	35	56	71	99	85	72	63	29	13	3	1	.....
Females	832	14	31	56	68	97	108	112	97	88	77	52	26	5	1	.....
Diagnosis reasonably certain. (M.	302	15	12	12	23	32	42	52	49	31	25	12	4	1	1	.....
Diagnosis reasonably certain. (F.	514	9	26	49	50	77	74	61	55	40	37	19	14	2	1	.....
Colored	29	1	3	1	4	2	7	3	4	1	.....	2	1	.....	.....	.....
Males	5	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Females	24	1	3	1	4	1	7	1	2	1	.....	2	1	.....	.....	.....
Diagnosis reasonably certain. (M.	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F.	16	.....	2	1	4	.....	6	1	1	.....	.....	1	.....	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
Manhattan Borough	2,124	55	94	117	183	261	307	294	262	258	154	86	36	13	4	.....
Males	955	33	42	37	68	102	151	152	124	117	68	41	15	5	.....	.....
Females	1,169	22	52	80	115	159	156	142	138	141	86	45	21	8	4	.....
Diagnosis reasonably certain. {M.	506	20	27	22	46	56	84	83	69	52	23	18	5	1	.....	.....
Diagnosis reasonably certain. {F.	722	15	46	66	86	105	106	88	59	76	40	15	11	6	3	.....
White	2,079	54	87	106	181	256	303	289	261	253	152	85	35	13	4	.....
Males	944	33	40	36	67	100	151	149	124	115	68	41	15	5	.....	.....
Females	1,135	21	47	70	114	156	152	140	137	138	84	44	20	8	4	.....
Diagnosis reasonably certain. {M.	500	20	26	21	46	55	84	82	69	50	23	18	5	1	.....	.....
Diagnosis reasonably certain. {F.	693	14	41	57	85	102	102	86	59	75	38	15	10	6	3	.....
Colored	45	1	7	11	2	5	4	5	1	5	2	1	1	.....	.....	.....
Males	11	.....	2	1	1	2	.....	3	.....	2	.....	.....	.....	.....	.....	.....
Females	34	1	5	10	1	3	4	2	1	3	2	1	1	.....	.....	.....
Diagnosis reasonably certain. {M.	6	.....	1	1	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	29	1	5	9	1	3	4	2	.....	1	2	.....	1	.....	.....	.....
Queens Borough	277	7	5	15	19	44	37	32	43	25	29	13	6	2	.....	.....
Males	115	4	4	6	3	12	14	14	21	12	14	7	3	1	.....	.....
Females	162	3	1	9	16	32	23	18	22	13	15	6	3	1	.....	.....
Diagnosis reasonably certain. {M.	60	3	4	6	3	7	4	8	16	2	3	2	1	1	.....	.....
Diagnosis reasonably certain. {F.	89	2	.....	9	10	22	12	10	11	6	5	2	.....	.....	.....	.....
White	276	7	5	15	19	44	37	32	43	25	29	12	6	2	.....	.....
Males	115	4	4	6	3	12	14	14	21	12	14	7	3	1	.....	.....
Females	161	3	1	9	16	32	23	18	22	13	15	5	3	1	.....	.....
Diagnosis reasonably certain. {M.	60	3	4	6	3	7	4	8	16	2	3	2	1	1	.....	.....
Diagnosis reasonably certain. {F.	88	2	.....	9	10	22	12	10	11	6	5	1	.....	.....	.....	.....
Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Richmond Borough	96	2	2	4	4	12	11	11	15	14	8	10	1	2	.....	.....
Males	46	2	.....	1	1	3	2	8	11	8	5	2	1	2	.....	.....
Females	50	.....	2	3	3	9	9	3	4	6	3	8	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	24	2	.....	1	1	3	2	2	6	5	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	24	.....	2	2	2	4	4	2	3	1	2	2	.....	.....	.....	.....
White	93	2	2	3	4	11	11	11	15	14	8	9	1	2	.....	.....
Males	45	2	.....	1	1	3	2	8	11	8	5	1	1	2	.....	.....
Females	48	.....	2	2	3	8	9	3	4	6	3	8	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	24	2	.....	1	1	3	2	2	6	5	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	23	.....	2	2	2	3	4	2	3	1	2	2	.....	.....	.....	.....
Colored	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Females	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rochester	261	7	5	8	15	34	31	29	33	40	32	15	7	3	2	.....
Males	95	5	2	3	4	8	11	5	12	25	13	5	2	.....	.....	.....
Females	166	2	3	5	11	26	20	24	21	15	19	10	5	3	2	.....
Diagnosis reasonably certain. {M.	70	4	2	3	3	5	8	4	10	16	9	5	1	.....	.....	.....
Diagnosis reasonably certain. {F.	118	1	3	4	10	21	16	18	16	6	12	5	3	2	1	.....
Syracuse	126	1	2	9	6	9	20	14	19	21	12	9	3	1	.....	.....
Males	38	1	2	1	.....	4	5	7	4	8	4	2	.....	.....	.....	.....
Females	88	.....	.....	8	6	5	15	7	15	13	8	7	3	1	.....	.....
Diagnosis reasonably certain. {M.	20	1	1	1	.....	3	2	4	1	4	3	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	64	.....	.....	8	6	5	10	4	12	5	5	5	3	1	.....	.....
Troy	136	.....	5	7	8	13	20	17	19	20	15	4	7	1	.....	.....
Males	52	.....	1	1	1	6	8	9	4	10	8	2	2	.....	.....	.....
Females	84	.....	4	6	7	7	12	8	15	10	7	2	5	1	.....	.....
Diagnosis reasonably certain. {M.	25	.....	.....	.....	1	3	8	2	1	6	2	1	1	.....	.....	.....
Diagnosis reasonably certain. {F.	59	.....	4	5	5	7	7	7	10	6	6	.....	2	.....	.....	.....
Utica	82	2	4	4	4	5	12	14	12	9	5	3	5	3	.....	.....
Males	25	1	2	.....	1	2	3	2	4	5	1	2	1	1	.....	.....
Females	57	1	2	4	3	3	9	12	8	4	4	1	4	2	.....	.....
Diagnosis reasonably certain. {M.	11	1	1	.....	.....	2	1	1	1	1	.....	1	1	1	.....	.....
Diagnosis reasonably certain. {F.	37	1	2	4	3	3	6	6	6	.....	2	.....	3	1	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
Yonkers	65	1	5	2	7	6	11	9	4	6	6	4	4	.....	.....	.....
Males	29	.....	1	.....	2	3	4	4	1	4	5	2	3	.....	.....	.....
Females	36	1	4	2	5	3	7	5	3	2	1	2	1	.....	.....	.....
Diagnosis reasonably certain: M	9	.....	.....	.....	1	2	2	2	.....	.....	1	1	.....	.....	.....	.....
Diagnosis reasonably certain: F	20	1	2	1	5	3	2	3	.....	.....	1	1	1	.....	.....	.....
Other cities	913	12	25	47	65	81	104	122	120	121	100	64	35	12	5	.....
Males	298	5	7	10	15	14	39	44	41	39	35	32	10	4	3	.....
Females	615	7	18	37	50	67	65	78	79	82	65	32	25	8	2	.....
Diagnosis reasonably certain: M	169	4	5	5	9	10	26	21	22	21	15	20	4	4	3	.....
Diagnosis reasonably certain: F	416	5	17	30	42	51	45	58	49	45	34	16	17	5	2	.....
NORTH CAROLINA.																
Registration cities	124	3	8	8	14	19	17	9	17	16	2	6	3	2	.....	.....
Males	34	1	3	1	2	2	4	2	8	6	.....	3	1	1	.....	.....
Females	90	2	5	7	12	17	13	7	9	10	2	3	2	1	.....	.....
Diagnosis reasonably certain: M	16	.....	2	1	1	.....	2	1	3	1	.....	3	1	1	.....	.....
Diagnosis reasonably certain: F	69	2	4	7	11	11	10	6	6	7	2	1	1	1	.....	.....
White	76	2	3	2	9	6	7	6	16	13	2	5	3	2	.....	.....
Males	26	1	2	.....	1	1	2	2	7	6	.....	2	1	1	.....	.....
Females	50	1	1	2	8	5	5	4	9	7	2	3	2	1	.....	.....
Diagnosis reasonably certain: M	10	.....	1	.....	.....	.....	1	1	2	1	.....	2	1	1	.....	.....
Diagnosis reasonably certain: F	36	1	1	2	7	2	3	3	6	6	2	1	1	1	.....	.....
Colored	48	1	5	6	5	13	10	3	1	3	.....	1	.....	.....	.....	.....
Males	8	.....	1	1	1	1	2	.....	1	.....	.....	1	.....	.....	.....	.....
Females	40	1	4	5	4	12	8	3	.....	3	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain: M	6	.....	1	1	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain: F	33	1	3	5	4	9	7	3	.....	1	.....	.....	.....	.....	.....	.....
OHIO.																
Registration cities	2,104	39	73	102	165	202	275	294	267	258	213	114	68	29	5	.....
Males	789	22	20	26	44	67	105	102	126	110	90	42	22	11	2	.....
Females	1,315	17	53	76	121	135	170	192	141	148	123	72	46	18	3	.....
Diagnosis reasonably certain: M	393	13	10	17	24	31	63	56	63	50	33	17	10	6	.....	.....
Diagnosis reasonably certain: F	882	13	42	61	98	109	126	136	87	80	66	31	23	9	1	.....
White	2,041	38	70	93	156	190	268	291	260	251	210	113	68	28	5	.....
Males	772	22	20	23	42	65	105	102	123	106	88	41	22	11	2	.....
Females	1,269	16	50	70	114	125	163	189	137	145	122	72	46	17	3	.....
Diagnosis reasonably certain: M	389	13	10	17	24	29	63	56	63	49	33	16	10	6	.....	.....
Diagnosis reasonably certain: F	849	13	39	57	92	102	119	133	86	79	65	31	23	9	1	.....
Colored	63	1	3	9	9	12	7	3	7	7	3	1	.....	1	.....	.....
Males	17	.....	.....	3	2	2	.....	.....	3	4	2	1	.....	.....	.....	.....
Females	46	1	3	6	7	10	7	3	4	3	1	.....	.....	1	.....	.....
Diagnosis reasonably certain: M	4	.....	.....	.....	.....	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain: F	33	.....	3	4	6	7	7	3	1	1	1	.....	.....	.....	.....	.....
Akron	62	1	2	1	3	10	10	12	9	5	7	2	.....	.....	.....	.....
Males	20	1	1	.....	.....	4	4	4	4	.....	.....	2	.....	.....	.....	.....
Females	42	.....	1	1	3	6	6	8	5	5	7	.....	.....	.....	.....	.....
Diagnosis reasonably certain: M	7	.....	1	.....	.....	1	2	1	1	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain: F	28	.....	1	.....	3	4	3	6	5	2	4	.....	.....	.....	.....	.....
Cincinnati	419	6	18	21	32	34	52	61	51	55	44	25	13	4	3	.....
Males	153	5	5	6	10	9	24	17	20	26	16	7	5	2	1	.....
Females	266	1	13	15	22	25	28	44	31	29	28	18	8	2	2	.....
Diagnosis reasonably certain: M	76	5	2	4	7	2	14	9	11	10	6	3	1	2	.....	.....
Diagnosis reasonably certain: F	169	.....	9	13	15	22	22	33	15	15	14	8	2	.....	1	.....
White	400	5	17	18	29	29	50	61	49	53	44	25	13	4	3	.....
Males	150	5	5	5	9	9	24	17	20	25	16	7	5	2	1	.....
Females	250	.....	12	13	20	20	26	44	29	28	28	18	8	2	2	.....
Diagnosis reasonably certain: M	76	5	2	4	7	2	14	9	11	10	6	3	1	2	.....	.....
Diagnosis reasonably certain: F	159	.....	8	11	14	19	20	33	14	15	14	8	2	.....	1	.....
Colored	19	1	1	3	3	5	2	.....	2	2	.....	.....	.....	.....	.....	.....
Males	3	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Females	16	1	1	2	2	5	2	.....	2	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain: M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain: F	10	.....	1	2	1	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Cleveland	483	12	19	21	38	63	57	73	60	62	38	17	17	6	.....	.....
Males	214	6	6	8	16	24	28	26	36	28	19	7	8	2	.....	.....
Females	269	6	13	13	22	39	29	47	24	34	19	10	9	4	.....	.....
Diagnosis reasonably certain: M	105	4	3	6	10	13	12	13	19	13	6	2	4	.....	.....	.....
Diagnosis reasonably certain: F	183	5	10	11	17	32	20	34	17	19	8	4	4	2	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
OHIO—continued.																
Columbus	220	1	4	17	22	17	36	30	36	21	20	7	7	2	.....	.....
Males	78	.....	2	3	3	6	15	10	18	9	7	2	1	2	.....	.....
Females	142	1	2	14	19	11	21	20	18	12	13	5	6	.....	.....	.....
Diagnosis reasonably certain. {M	44	.....	1	2	2	5	11	6	9	4	3	.....	.....	1	.....	.....
Diagnosis reasonably certain. {F	110	1	2	13	16	11	20	14	12	6	10	3	2	.....	.....	.....
White	208	1	4	15	21	14	35	29	35	20	18	7	7	2	.....	.....
Males	74	.....	2	2	3	5	15	10	17	9	6	2	1	2	.....	.....
Females	134	1	2	13	18	9	20	19	18	11	12	5	6	.....	.....	.....
Diagnosis reasonably certain. {M	43	.....	1	2	2	4	11	6	9	4	3	.....	.....	1	.....	.....
Diagnosis reasonably certain. {F	103	1	2	12	15	9	19	13	12	6	9	3	2	.....	.....	.....
Colored	12	.....	.....	2	1	3	1	1	1	1	2	.....	.....	.....	.....	.....
Males	4	.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Females	8	.....	.....	1	1	2	1	1	.....	1	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	7	.....	.....	1	1	2	1	1	.....	.....	1	.....	.....	.....	.....	.....
Dayton	133	.....	5	5	12	9	15	16	16	19	16	9	9	1	1	.....
Males	43	.....	1	1	3	1	3	6	5	8	9	3	2	.....	1	.....
Females	90	.....	4	4	9	8	12	10	11	11	7	6	7	1	.....	.....
Diagnosis reasonably certain. {M	17	.....	1	.....	1	.....	2	5	3	3	1	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F	62	.....	4	2	8	8	7	8	6	9	4	4	2	.....	.....	.....
Toledo	184	3	2	7	12	21	33	19	20	23	19	18	7	.....	.....	.....
Males	77	1	.....	.....	4	10	13	8	10	9	9	11	2	.....	.....	.....
Females	107	2	2	7	8	11	20	11	10	14	10	7	5	.....	.....	.....
Diagnosis reasonably certain. {M	40	.....	.....	.....	.....	4	9	4	6	7	3	5	2	.....	.....	.....
Diagnosis reasonably certain. {F	67	2	2	6	6	10	14	6	6	5	6	1	3	.....	.....	.....
Youngstown	66	3	2	6	5	4	10	10	4	8	8	2	1	3	.....	.....
Males	24	2	.....	2	2	1	2	3	3	4	3	.....	.....	2	.....	.....
Females	42	1	2	4	3	3	8	7	1	4	5	2	1	1	.....	.....
Diagnosis reasonably certain. {M	10	1	.....	1	1	1	2	1	2	.....	.....	.....	.....	1	.....	.....
Diagnosis reasonably certain. {F	27	1	1	3	3	1	4	4	1	2	3	2	1	1	.....	.....
Other cities	537	13	21	24	41	44	62	73	71	65	61	34	14	13	1	.....
Males	180	7	5	6	6	12	16	28	30	26	27	10	4	3	.....	.....
Females	357	6	16	18	35	32	46	45	41	39	34	24	10	10	1	.....
Diagnosis reasonably certain. {M	94	3	2	4	3	5	11	17	12	13	14	5	3	2	.....	.....
Diagnosis reasonably certain. {F	236	4	13	13	30	21	36	31	25	22	17	9	9	6	.....	.....
OREGON.[1]																
Portland	229	10	13	12	14	20	32	28	27	26	19	14	8	5	.....	1
Males	107	5	6	3	4	8	18	10	8	16	13	9	6	1	.....	1
Females	122	5	7	9	10	12	14	18	19	10	6	5	2	4	.....	.....
Diagnosis reasonably certain. {M	63	4	5	2	2	7	12	3	6	6	8	4	3	1	.....	.....
Diagnosis reasonably certain. {F	87	3	3	7	10	10	12	17	12	4	1	3	1	3	.....	1
White	222	10	13	11	14	19	30	26	27	26	18	14	8	5	.....	1
Males	101	5	6	2	4	7	17	8	8	16	12	9	6	1	.....	.....
Females	121	5	7	9	10	12	13	18	19	10	6	5	2	4	.....	1
Diagnosis reasonably certain. {M	58	4	5	1	2	6	11	2	6	6	7	4	3	1	.....	.....
Diagnosis reasonably certain. {F	86	3	3	7	10	10	11	17	12	4	1	3	1	3	.....	1
Colored [2]	7	.....	.....	1	.....	1	2	2	.....	.....	1	.....	.....	.....	.....	.....
Males	6	.....	.....	1	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M	5	.....	.....	1	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
PENNSYLVANIA.																
Registration cities	3,245	64	127	167	252	341	412	439	389	377	310	218	89	45	13	2
Males	1,204	33	30	42	70	113	154	162	163	176	140	77	28	13	3	.....
Females	2,041	31	97	125	182	228	258	277	226	201	170	141	61	32	10	2
Diagnosis reasonably certain. {M	610	25	20	25	43	64	76	84	81	80	60	29	15	6	2	.....
Diagnosis reasonably certain. {F	1,343	22	79	105	142	160	188	184	144	111	94	61	22	23	7	1
White	3,104	56	123	158	237	308	392	424	383	366	302	213	85	43	12	2
Males	1,158	31	29	39	63	104	149	154	162	174	135	75	27	13	3	.....
Females	1,946	25	94	119	174	204	243	270	221	192	167	138	58	30	9	2
Diagnosis reasonably certain. {M	592	24	20	22	40	60	76	81	81	79	58	29	14	6	2	.....
Diagnosis reasonably certain. {F	1,278	17	77	101	136	143	177	179	141	105	92	60	22	21	6	1
Colored	141	8	4	9	15	33	20	15	6	11	8	5	4	2	1	.....
Males	46	2	1	3	7	9	5	8	1	2	5	2	1	.....	.....	.....
Females	95	6	3	6	8	24	15	7	5	9	3	3	3	2	1	.....
Diagnosis reasonably certain. {M	18	1	.....	3	3	4	.....	3	.....	1	2	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F	65	5	2	4	6	17	11	5	3	6	2	1	.....	2	1	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
PENNSYLVANIA—continued.																
Allentown	59	.....	1	7	1	5	12	5	5	3	5	6	5	3	1	.....
Males	13	.....	.....	2	.....	1	4	.....	1	1	3	.....	1	.....	.....	.....
Females	46	.....	1	5	1	4	8	5	4	2	2	6	4	3	1	.....
Diagnosis reasonably certain. {M.	8	.....	.....	1	.....	1	3	.....	.....	1	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	32	.....	.....	4	1	4	6	4	4	2	1	3	.....	2	1	.....
Erie	55	.....	1	3	5	4	6	11	6	6	5	4	2	1	1	.....
Males	22	.....	.....	1	.....	3	2	5	1	1	4	3	1	.....	1	.....
Females	33	.....	1	2	5	1	4	6	5	5	1	1	1	1	.....	.....
Diagnosis reasonably certain. {M.	11	.....	.....	.....	.....	2	1	2	1	1	1	3	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	21	.....	1	2	4	1	3	2	3	2	1	1	.....	1	.....	.....
Harrisburg	57	1	1	6	3	4	6	9	7	6	7	4	1	2	.....	.....
Males	16	1	.....	2	.....	.....	1	.....	2	3	4	1	.....	2	.....	.....
Females	41	.....	1	4	3	4	5	9	5	3	3	3	1	.....	.....	.....
Diagnosis reasonably certain. {M.	7	1	.....	1	.....	.....	.....	.....	.....	1	2	.....	.....	2	.....	.....
Diagnosis reasonably certain. {F.	32	.....	1	4	3	3	2	8	4	2	2	2	1	.....	.....	.....
Lancaster	55	3	.....	4	2	6	6	6	9	5	4	8	1	1	.....	.....
Males	23	1	.....	.....	.....	1	4	4	3	4	3	3	.....	.....	.....	.....
Females	32	2	.....	4	2	5	2	2	6	1	1	5	1	1	.....	.....
Diagnosis reasonably certain. {M.	10	1	.....	.....	.....	1	2	1	3	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	20	2	.....	4	2	3	2	1	4	.....	1	.....	1	.....	.....	.....
Philadelphia	1,541	28	62	74	128	176	204	208	182	177	146	96	36	19	5	.....
Males	591	16	15	19	42	59	75	84	78	93	62	34	9	4	1	.....
Females	950	12	47	55	86	117	129	124	104	84	84	62	27	15	4	.....
Diagnosis reasonably certain. {M.	323	13	11	13	29	42	37	50	35	46	27	12	5	2	1	.....
Diagnosis reasonably certain. {F.	631	7	39	42	68	81	91	86	63	51	52	26	11	11	3	.....
White	1,455	24	59	67	119	158	191	198	176	170	144	94	33	18	4	.....
Males	564	15	14	17	36	54	73	78	77	92	61	34	8	4	1	.....
Females	891	9	45	50	83	104	118	120	99	78	83	60	25	14	3	.....
Diagnosis reasonably certain. {M.	311	13	11	11	27	40	37	47	35	45	26	12	4	2	1	.....
Diagnosis reasonably certain. {F.	591	4	37	39	65	71	84	83	60	47	52	26	11	10	2	.....
Colored	86	4	3	7	9	18	13	10	6	7	2	2	3	1	1	.....
Males	27	1	1	2	6	5	2	6	1	1	1	.....	1	.....	.....	.....
Females	59	3	2	5	3	13	11	4	5	6	1	2	2	1	1	.....
Diagnosis reasonably certain. {M.	12	.....	.....	2	2	2	.....	3	.....	1	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	40	3	2	3	3	10	7	3	3	4	.....	.....	.....	1	1	.....
Pittsburgh	481	12	25	25	37	51	59	79	61	50	43	18	13	5	3	.....
Males	177	7	10	7	11	10	27	27	27	21	19	5	2	3	1	.....
Females	304	5	15	18	26	41	32	52	34	29	24	13	11	2	2	.....
Diagnosis reasonably certain. {M.	95	7	6	3	7	5	14	14	16	9	9	2	2	.....	1	.....
Diagnosis reasonably certain. {F.	194	4	13	15	23	29	24	32	20	15	9	2	5	2	1	.....
White	460	9	5	24	35	44	58	76	61	48	43	18	12	4	3	.....
Males	173	6	10	7	10	10	27	26	27	20	19	5	2	3	1	.....
Females	287	3	15	17	25	34	31	50	34	28	24	13	10	1	2	.....
Diagnosis reasonably certain. {M.	93	6	6	3	6	5	14	14	16	9	9	2	2	.....	1	.....
Diagnosis reasonably certain. {F.	183	3	13	14	22	25	23	31	20	14	9	2	5	1	1	.....
Colored	21	3	.....	1	2	7	1	3	.....	2	.....	.....	1	1	.....	.....
Males	4	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Females	17	2	.....	1	1	7	1	2	.....	1	.....	.....	1	1	.....	.....
Diagnosis reasonably certain. {M.	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	11	1	.....	1	1	4	1	1	.....	1	.....	.....	.....	1	.....	.....
Reading	86	1	2	5	9	6	5	12	12	15	6	8	4	1	.....	.....
Males	36	.....	.....	.....	2	3	2	4	9	9	4	1	2	.....	.....	.....
Females	50	1	2	5	7	3	3	8	3	6	2	7	2	1	.....	.....
Diagnosis reasonably certain. {M.	11	.....	.....	.....	1	.....	1	.....	4	1	3	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	33	1	1	5	5	2	1	6	1	3	.....	6	1	1	.....	.....
Scranton	85	2	5	3	6	10	15	10	10	8	8	4	4	.....	.....	.....
Males	35	.....	.....	2	2	5	8	5	4	1	5	2	1	.....	.....	.....
Females	50	2	5	1	4	5	7	5	6	7	3	2	3	.....	.....	.....
Diagnosis reasonably certain. {M.	15	.....	.....	1	.....	1	5	2	2	.....	2	1	1	.....	.....	.....
Diagnosis reasonably certain. {F.	34	2	4	1	3	4	6	2	4	3	3	1	1	.....	.....	.....
Williamsport	50	1	1	3	4	6	2	9	3	5	7	6	3	.....	.....	.....
Males	19	.....	.....	1	.....	2	.....	3	1	3	4	3	2	.....	.....	.....
Females	31	1	1	2	4	4	2	6	2	2	3	3	1	.....	.....	.....
Diagnosis reasonably certain. {M.	7	.....	.....	1	.....	.....	.....	1	.....	1	1	2	1	.....	.....	.....
Diagnosis reasonably certain. {F.	19	.....	1	2	2	3	2	6	1	1	1	.....	.....	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
PENNSYLVANIA—continued.																
Other cities	776	16	29	37	57	73	97	90	94	102	79	64	20	13	3	2
Males	272	8	5	8	13	29	31	30	37	40	32	25	10	4	.....	.....
Females	504	8	24	29	44	44	66	60	57	62	47	39	10	9	3	2
Diagnosis reasonably certain (M.)	123	3	3	5	6	12	13	14	20	19	14	8	4	2	.....	.....
Diagnosis reasonably certain (F.)	327	6	19	26	31	30	51	37	40	32	24	20	2	6	2	1
RHODE ISLAND.																
Registration cities	426	9	9	16	25	45	53	60	59	51	41	40	12	5	1	.....
Males	155	2	2	2	9	18	21	23	21	25	16	11	3	1	1	.....
Females	271	7	7	14	16	27	32	37	38	26	25	29	9	4	.....	.....
Diagnosis reasonably certain (M.)	86	1	2	2	6	11	10	16	7	16	9	4	1	1	.....	.....
Diagnosis reasonably certain (F.)	175	6	5	13	15	19	22	27	20	13	15	10	7	3	.....	.....
White	419	8	8	16	24	43	52	59	59	51	41	40	12	5	1	.....
Males	153	1	2	2	8	18	21	23	21	25	16	11	3	1	1	.....
Females	266	7	6	14	16	25	31	36	38	26	25	29	9	4	.....	.....
Diagnosis reasonably certain (M.)	85	.....	2	2	6	11	10	16	7	16	9	4	1	1	.....	.....
Diagnosis reasonably certain (F.)	173	6	5	13	15	18	21	27	20	13	15	10	7	3	.....	.....
Colored	7	1	1	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Males	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	5	.....	1	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Providence	227	7	8	6	14	24	17	32	39	28	26	17	6	2	1	.....
Males	82	1	2	1	6	12	5	10	13	16	11	3	1	.....	1	.....
Females	145	6	6	5	8	12	12	22	26	12	15	14	5	2	.....	.....
Diagnosis reasonably certain (M.)	46	1	2	1	5	5	2	8	4	9	7	2	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	94	5	4	5	8	8	9	18	12	6	8	7	3	1	.....	.....
Other cities	199	2	1	10	11	21	36	28	29	23	15	23	6	3	.....	.....
Males	73	1	.....	1	3	6	16	13	8	9	5	8	2	1	.....	.....
Females	126	1	1	9	8	15	20	15	12	14	10	15	4	2	.....	.....
Diagnosis reasonably certain (M.)	40	.....	.....	1	1	6	8	8	3	7	2	2	1	1	.....	.....
Diagnosis reasonably certain (F.)	81	1	1	8	7	11	13	9	8	7	7	3	4	2	.....	.....
SOUTH CAROLINA.[1]																
Charleston[2]	35	2	3	2	3	7	6	2	4	1	3	2	.....	.....	.....	.....
Males	10	1	2	.....	1	1	1	1	.....	1	.....	2	.....	.....	.....	.....
Females	25	1	1	2	2	6	5	1	4	.....	3	.....	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	7	1	1	.....	.....	1	1	.....	.....	1	.....	2	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	19	1	1	2	2	5	4	.....	3	.....	1	.....	.....	.....	.....	.....
White	23	1	2	1	.....	4	5	2	3	1	2	2	.....	.....	.....	.....
Males	7	1	1	.....	.....	.....	1	1	.....	1	.....	2	.....	.....	.....	.....
Females	16	.....	1	1	.....	4	4	1	3	.....	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	6	1	1	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	10	.....	1	1	.....	3	3	.....	2	.....	.....	.....	.....	.....	.....	.....
Colored	12	1	1	1	3	3	1	.....	1	.....	1	.....	.....	.....	.....	.....
Males	3	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	9	1	.....	1	2	2	1	.....	1	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain (M.)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	9	1	.....	1	2	2	1	.....	1	.....	1	.....	.....	.....	.....	.....
TENNESSEE.[1]																
Registration cities	289	5	22	26	26	35	38	41	33	24	14	12	8	1	1	3
Males	85	2	6	1	3	5	11	17	15	12	4	4	3	1	.....	1
Females	204	3	16	25	23	30	27	24	18	12	10	8	5	.....	1	2
Diagnosis reasonably certain (M.)	37	2	2	.....	.....	1	8	6	5	4	3	2	2	1	.....	1
Diagnosis reasonably certain (F.)	160	2	15	20	22	25	23	15	11	8	7	6	4	.....	1	1
White	209	5	9	14	16	20	21	37	30	24	12	11	7	1	.....	2
Males	72	2	3	.....	3	3	6	15	15	12	4	4	3	1	.....	1
Females	137	3	6	14	13	17	15	22	15	12	8	7	4	.....	.....	1
Diagnosis reasonably certain (M.)	32	2	1	.....	.....	1	5	5	5	4	3	2	2	1	.....	1
Diagnosis reasonably certain (F.)	102	2	6	11	13	12	14	13	10	8	5	5	3	.....	.....	.....
Colored	80	.....	13	12	10	15	17	4	3	.....	2	1	1	.....	1	1
Males	13	.....	3	1	.....	2	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Females	67	.....	10	11	10	13	12	2	3	.....	2	1	1	.....	1	1
Diagnosis reasonably certain (M.)	5	.....	1	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F.)	58	.....	9	9	9	13	9	2	1	.....	2	1	1	.....	1	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] The only registration unit in the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
TENNESSEE [1]—continued.																
Memphis	114	1	10	7	13	12	13	18	16	7	1	8	5	1	.....	2
Males	37	.....	1	.....	3	1	4	8	8	4	1	4	2	1	.....	.....
Females	77	1	9	7	10	11	9	10	8	3	.....	4	3	.....	.....	2
Diagnosis reasonably certain {M	10	.....	.....	.....	.....	.....	3	2	1	.....	.....	2	1	1	.....	.....
Diagnosis reasonably certain {F	60	.....	9	4	10	9	8	5	7	2	.....	3	2	.....	.....	1
White	86	1	2	4	9	6	9	17	16	7	1	8	4	1	.....	1
Males	34	.....	.....	.....	3	1	3	7	8	4	1	4	2	1	.....	.....
Females	52	1	.....	4	6	5	6	10	8	3	.....	4	2	.....	.....	1
Diagnosis reasonably certain {M	9	.....	.....	.....	.....	.....	3	1	1	.....	.....	2	1	1	.....	.....
Diagnosis reasonably certain {F	37	.....	2	2	6	3	6	5	7	2	.....	3	1	.....	.....	.....
Colored	28	.....	8	3	4	6	4	1	.....	.....	.....	.....	1	.....	.....	1
Males	3	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Females	25	.....	7	3	4	6	3	.....	.....	.....	.....	.....	1	.....	.....	1
Diagnosis reasonably certain {M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	23	.....	7	2	4	6	2	.....	.....	.....	.....	.....	1	.....	.....	1
Nashville	98	4	4	7	9	15	12	12	10	12	7	2	3	.....	1	.....
Males	30	2	3	1	.....	1	4	4	5	6	3	.....	1	.....	.....	.....
Females	68	2	1	6	9	14	8	8	5	6	4	2	2	.....	1	.....
Diagnosis reasonably certain {M	18	2	1	.....	.....	.....	3	2	3	3	3	.....	1	.....	.....	.....
Diagnosis reasonably certain {F	55	2	1	5	8	12	8	7	2	3	3	1	2	.....	1	.....
White	68	4	2	2	4	8	4	10	10	12	7	2	3	.....	.....	.....
Males	22	2	1	.....	.....	.....	.....	4	5	6	3	.....	1	.....	.....	.....
Females	46	2	1	2	4	8	4	6	5	6	4	2	2	.....	.....	.....
Diagnosis reasonably certain {M	14	2	.....	.....	.....	.....	.....	2	3	3	3	.....	1	.....	.....	.....
Diagnosis reasonably certain {F	34	2	1	1	4	6	4	5	2	3	3	1	2	.....	.....	.....
Colored	30	.....	2	5	5	7	8	2	.....	.....	.....	.....	.....	.....	1	.....
Males	8	.....	2	1	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	22	.....	.....	4	5	6	4	2	.....	.....	.....	.....	.....	.....	1	.....
Diagnosis reasonably certain {M	4	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	21	.....	.....	4	4	6	4	2	.....	.....	.....	.....	.....	.....	1	.....
Other cities [2]	77	.....	8	12	4	8	13	11	7	5	6	2	.....	.....	.....	1
Males	18	.....	2	.....	.....	3	3	5	2	2	.....	.....	.....	.....	.....	1
Females	59	.....	6	12	4	5	10	6	5	3	6	2	.....	.....	.....	.....
Diagnosis reasonably certain {M	9	.....	1	.....	.....	1	2	2	1	1	.....	.....	.....	.....	.....	1
Diagnosis reasonably certain {F	45	.....	5	11	4	4	7	3	2	3	4	2	.....	.....	.....	.....
White	55	.....	5	8	3	6	8	10	4	5	4	1	.....	.....	.....	1
Males	16	.....	2	.....	.....	2	3	4	2	2	.....	.....	.....	.....	.....	1
Females	39	.....	3	8	3	4	5	6	2	3	4	1	.....	.....	.....	.....
Diagnosis reasonably certain {M	9	.....	1	.....	.....	1	2	2	1	1	.....	.....	.....	.....	.....	1
Diagnosis reasonably certain {F	31	.....	3	8	3	3	4	3	1	3	2	1	.....	.....	.....	.....
Colored	22	.....	3	4	1	2	5	1	3	.....	2	1	.....	.....	.....	.....
Males	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Females	20	.....	3	4	1	1	5	.....	3	.....	2	1	.....	.....	.....	.....
Diagnosis reasonably certain {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	14	.....	2	3	1	1	3	.....	1	.....	2	1	.....	.....	.....	.....
TEXAS. [1]																
Registration cities	181	8	13	18	17	24	21	22	19	14	11	7	5	2	.....	.....
Males	74	5	3	9	4	10	7	9	11	7	5	1	2	1	.....	.....
Females	107	3	10	9	13	14	14	13	8	7	6	6	3	1	.....	.....
Diagnosis reasonably certain {M	46	3	1	5	1	6	5	8	8	3	4	.....	1	1	.....	.....
Diagnosis reasonably certain {F	74	2	8	7	11	11	8	9	4	4	4	4	1	1	.....	.....
White	170	6	12	17	13	23	20	22	18	14	11	7	5	2	.....	.....
Males	70	4	2	8	4	10	7	9	10	7	5	1	2	1	.....	.....
Females	100	2	10	9	9	13	13	13	8	7	6	6	3	1	.....	.....
Diagnosis reasonably certain {M	44	2	1	5	1	6	5	8	7	3	4	.....	1	1	.....	.....
Diagnosis reasonably certain {F	68	1	8	7	7	10	8	9	4	4	4	4	1	1	.....	.....
Colored	11	2	1	1	4	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Males	4	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	7	1	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {M	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	6	1	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Galveston	52	5	4	4	4	7	4	5	5	6	4	2	1	1	.....	.....
Males	28	4	3	2	.....	5	1	2	4	3	3	.....	.....	1	.....	.....
Females	24	1	1	2	4	2	3	3	1	3	1	2	1	.....	.....	.....
Diagnosis reasonably certain {M	17	3	1	.....	.....	2	1	2	4	1	2	.....	.....	1	.....	.....
Diagnosis reasonably certain {F	17	1	1	1	3	2	3	2	.....	2	1	1	.....	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Includes Chattanooga, Jackson, and Knoxville.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 71 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
TEXAS [1]—continued.																
Galveston—Continued.																
White	45	3	3	3	2	7	4	5	4	6	4	2	1	1	.....	.....
Males	24	3	2	1	.....	5	1	2	3	3	3	.....	.....	1	.....	.....
Females	21	.....	1	2	2	2	3	3	1	3	1	2	1	.....	.....	.....
Diagnosis reasonably certain. {M.	15	2	1	.....	.....	2	1	2	3	1	2	.....	.....	1	.....	.....
Diagnosis reasonably certain. {F.	14	.....	1	1	1	2	3	2	.....	2	1	1	.....	.....	.....	.....
Colored	7	2	1	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Males	4	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	3	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	3	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
San Antonio	81	2	4	7	8	11	12	12	11	4	4	2	4	.....	.....	.....
Males	29	1	.....	3	3	3	4	5	5	2	1	.....	2	.....	.....	.....
Females	52	1	4	4	5	8	8	7	6	2	3	2	2	.....	.....	.....
Diagnosis reasonably certain. {M.	19	.....	.....	2	1	3	2	4	3	2	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	36	1	3	4	5	6	4	4	3	1	2	2	1	.....	.....	.....
White	77	2	4	7	6	10	11	12	11	4	4	2	4	.....	.....	.....
Males	29	1	.....	3	3	3	4	5	5	2	1	.....	2	.....	.....	.....
Females	48	1	4	4	3	7	7	7	6	2	3	2	2	.....	.....	.....
Diagnosis reasonably certain. {M.	19	.....	.....	2	1	3	2	4	3	2	1	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	33	1	3	4	3	5	4	4	3	1	2	2	1	.....	.....	.....
Colored	4	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	4	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	3	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
El Paso [2]	48	1	5	7	5	6	5	5	3	4	3	3	.....	1	.....	.....
Males	17	.....	.....	4	1	2	2	2	2	2	1	1	.....	.....	.....	.....
Females	31	1	5	3	4	4	3	3	1	2	2	2	.....	1	.....	.....
Diagnosis reasonably certain. {M.	10	.....	.....	3	.....	1	2	2	1	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	21	.....	4	2	3	3	1	3	1	1	1	1	.....	1	.....	.....
UTAH.																
Registration cities	93	3	1	5	8	13	13	13	12	8	10	3	4	.....	.....	.....
Males	45	3	.....	1	2	6	5	6	7	6	6	1	2	.....	.....	.....
Females	48	.....	1	4	6	7	8	7	5	2	4	2	2	.....	.....	.....
Diagnosis reasonably certain. {M.	29	3	.....	1	2	3	4	4	3	4	4	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	32	.....	1	3	4	4	5	5	3	1	3	1	2	.....	.....	.....
White	88	3	1	5	8	9	13	12	12	8	10	3	4	.....	.....	.....
Males	42	3	.....	1	2	3	5	6	7	6	6	1	2	.....	.....	.....
Females	46	.....	1	4	6	6	8	6	5	2	4	2	2	.....	.....	.....
Diagnosis reasonably certain. {M.	28	3	.....	1	2	2	4	4	3	4	4	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	32	.....	1	3	4	4	5	5	3	1	3	1	2	.....	.....	.....
Colored	5	.....	.....	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Males	3	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Salt Lake City	71	2	1	4	6	11	11	11	7	6	9	1	2	.....	.....	.....
Males	32	2	.....	1	1	5	4	4	5	4	5	.....	1	.....	.....	.....
Females	39	.....	1	3	5	6	7	7	2	2	4	1	1	.....	.....	.....
Diagnosis reasonably certain. {M.	21	2	.....	1	1	3	3	3	2	2	4	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	27	.....	1	2	4	4	5	5	1	1	3	.....	1	.....	.....	.....
Ogden [3]	22	1	.....	1	2	2	2	2	5	2	1	2	2	.....	.....	.....
Males	13	1	.....	.....	1	1	1	2	2	2	1	1	1	.....	.....	.....
Females	9	.....	.....	1	1	1	1	.....	3	.....	.....	1	1	.....	.....	.....
Diagnosis reasonably certain. {M.	8	1	.....	.....	1	.....	1	1	1	2	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F.	5	.....	.....	1	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....
VERMONT.																
Registration cities	73	3	3	3	5	2	6	12	8	7	10	9	3	2	.....	.....
Males	29	2	1	.....	2	1	3	9	1	2	4	3	1	.....	.....	.....
Females	44	1	2	3	3	1	3	3	7	5	6	6	2	2	.....	.....
Diagnosis reasonably certain. {M.	19	1	1	.....	2	1	1	5	1	2	3	1	1	.....	.....	.....
Diagnosis reasonably certain. {F.	25	1	2	2	2	1	3	1	2	4	4	1	1	1	.....	.....
White	72	3	3	3	5	2	6	12	8	7	9	9	3	2	.....	.....
Males	28	2	1	.....	2	1	3	9	1	2	3	3	1	.....	.....	.....
Females	44	1	2	3	3	1	3	3	7	5	6	6	2	2	.....	.....
Diagnosis reasonably certain. {M.	18	1	1	.....	2	1	1	5	1	2	2	1	1	.....	.....	.....
Diagnosis reasonably certain. {F.	25	1	2	2	2	1	3	1	2	4	4	1	1	1	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] The only other registration unit; shown in order to complete the state.
[3] The only other city of 10,000 inhabitants or over in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
VERMONT—continued.																
Registration cities—Continued.																
Colored	1										1					
Males	1										1					
Females																
Diagnosis reasonably certain. {M	1										1					
Diagnosis reasonably certain. {F																
VIRGINIA.																
Registration cities	304	5	12	17	33	31	51	42	44	24	27	6	5	6	1	
Males	101	3	2	6	8	5	17	15	16	6	15	1	2	5		
Females	203	2	10	11	25	26	34	27	28	18	12	5	3	1	1	
Diagnosis reasonably certain. {M	62	3	2	3	7	3	14	7	10	3	5		1	4		
Diagnosis reasonably certain. {F	143		7	8	21	16	27	21	17	13	9	2	1		1	
White	216	4	5	6	16	20	35	29	33	24	26	6	5	6	1	
Males	86	2	2	2	8	5	14	11	14	6	14	1	2	5		
Females	130	2	3	4	8	15	21	18	19	18	12	5	3	1	1	
Diagnosis reasonably certain. {M	53	2	2	1	7	3	11	6	9	3	4		1	4		
Diagnosis reasonably certain. {F	90		2	3	6	9	17	14	13	13	9	2	1		1	
Colored	88	1	7	11	17	11	16	13	11		1					
Males	15	1		4			3	4	2		1					
Females	73		7	7	17	11	13	9	9							
Diagnosis reasonably certain. {M	9	1		2			3	1	1		1					
Diagnosis reasonably certain. {F	53		5	5	15	7	10	7	4							
Richmond	127		5	8	18	12	22	16	20	9	10	2	3	2		
Males	48			4	6	3	9	6	8	2	7		1	2		
Females	79		5	4	12	9	13	10	12	7	3	2	2			
Diagnosis reasonably certain. {M	31			1	5	2	6	5	5	1	3		1	2		
Diagnosis reasonably certain. {F	55		3	3	11	3	12	6	8	5	3	1				
White	89		2	3	9	8	17	12	13	9	9	2	3	2		
Males	40			2	6	3	7	4	7	2	6		1	2		
Females	49		2	1	3	5	10	8	6	7	3	2	2			
Diagnosis reasonably certain. {M	27			1	5	2	4	4	5	1	2		1	2		
Diagnosis reasonably certain. {F	37		1	1	3	1	10	6	6	5	3	1				
Colored	38		3	5	9	4	5	4	7		1					
Males	8			2			2	2	1		1					
Females	30		3	3	9	4	3	2	6							
Diagnosis reasonably certain. {M	4						2	1			1					
Diagnosis reasonably certain. {F	18		2	2	8	2	2		2							
Other cities	177	5	7	9	15	19	23	26	24	15	17	4	2	4	1	
Males	53	3	2	2	2	2	8	9	8	4	8	1	1	3		
Females	124	2	5	7	13	17	21	17	16	11	9	3	1	1	1	
Diagnosis reasonably certain. {M	31	3	2	2	2	1	8	2	5	2	2			2		
Diagnosis reasonably certain. {F	88		4	5	10	13	15	15	9	8	6	1	1		1	
White	127	4	3	3	7	12	18	17	20	15	17	4	2	4	1	
Males	46	2	2		2	2	7	7	7	4	8	1	1	3		
Females	81	2	1	3	5	10	11	10	13	11	9	3	1	1	1	
Diagnosis reasonably certain. {M	26	2	2		2	1	7	2	4	2	2			2		
Diagnosis reasonably certain. {F	53		1	2	3	8	7	8	7	8	6	1	1		1	
Colored	50	1	4	6	8	7	11	9	4							
Males	7	1		2			1	2	1							
Females	43		4	4	8	7	10	7	3							
Diagnosis reasonably certain. {M	5	1		2			1		1							
Diagnosis reasonably certain. {F	35		3	3	7	5	8	7	2							
WASHINGTON.																
Registration cities	499	9	17	27	29	48	64	72	67	62	49	31	20	3	1	
Males	251	6	7	14	10	14	32	31	39	40	30	16	9	3		
Females	248	3	10	13	19	34	32	41	28	22	19	15	11		1	
Diagnosis reasonably certain. {M	148	3	7	11	5	9	19	21	22	24	12	8	6	1		
Diagnosis reasonably certain. {F	183	3	8	12	16	28	26	31	23	14	12	6	4			
White	497	9	17	27	28	48	64	72	67	62	49	31	19	3	1	
Males	249	6	7	14	9	14	32	31	39	40	30	16	8	3		
Females	248	3	10	13	19	34	32	41	28	22	19	15	11		1	
Diagnosis reasonably certain. {M	147	3	7	11	5	9	19	21	22	24	12	8	5	1		
Diagnosis reasonably certain. {F	147	3	8	12	16	28	26	31	23	14	12	6	4			
Colored	2				1								1			
Males	2				1								1			
Females																
Diagnosis reasonably certain. {M	1												1			
Diagnosis reasonably certain. {F																

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Continued.																
WASHINGTON—continued.																
Seattle	221	6	4	13	11	18	27	39	31	26	21	11	10	3	1	.....
Males	115	3	.....	8	4	6	14	18	19	16	15	4	5	3	.....	.....
Females	106	3	4	5	7	12	13	21	12	10	6	7	5	.....	1	.....
Diagnosis reasonably certain. {M.	74	2	.....	6	3	6	9	11	13	10	7	2	4	1	.....	.....
Diagnosis reasonably certain. {F.	78	3	2	5	6	11	11	18	10	5	3	2	2	.....	.....	.....
Spokane	102	2	3	4	5	8	21	13	15	12	6	9	4	.....	.....	.....
Males	43	2	.....	1	2	2	6	7	7	9	2	4	1	.....	.....	.....
Females	59	.....	3	3	3	6	15	6	8	3	4	5	3	.....	.....	.....
Diagnosis reasonably certain. {M.	24	.....	.....	1	1	1	4	6	3	5	1	2	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	49	.....	3	3	3	6	13	5	7	3	3	2	1	.....	.....	.....
Tacoma	84	1	5	2	9	10	6	8	9	14	12	5	3	.....	.....	.....
Males	45	1	5	2	3	2	5	1	5	7	8	5	1	.....	.....	.....
Females	39	.....	.....	.....	6	8	1	7	4	7	4	.....	2	.....	.....	.....
Diagnosis reasonably certain. {M.	23	1	5	2	1	.....	1	.....	3	4	2	3	1	.....	.....	.....
Diagnosis reasonably certain. {F.	23	.....	.....	.....	4	5	2	4	2	5	1	.....	1	.....	.....	.....
Other cities	92	.....	5	8	4	12	10	12	12	10	10	6	3	.....	.....	.....
Males	48	.....	2	3	1	4	7	5	8	8	5	3	2	.....	.....	.....
Females	44	.....	3	5	3	8	3	7	4	2	5	3	1	.....	.....	.....
Diagnosis reasonably certain. {M.	27	.....	2	2	.....	2	5	4	3	5	2	1	1	.....	.....	.....
Diagnosis reasonably certain. {F.	33	.....	3	4	3	6	1	4	4	1	5	2	.....	.....	.....	.....
WEST VIRGINIA.[1]																
Wheeling[2]	46	1	2	2	5	4	7	5	6	7	4	3	.....	.....	.....	.....
Males	14	1	.....	.....	1	1	1	2	2	2	2	2	.....	.....	.....	.....
Females	32	.....	2	2	4	3	6	3	4	5	2	1	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	9	1	.....	.....	1	1	1	1	1	1	1	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	23	.....	2	2	3	3	5	3	1	2	2	.....	.....	.....	.....	.....
White	45	1	2	2	5	4	6	5	6	7	4	3	.....	.....	.....	.....
Males	14	1	.....	.....	1	1	1	2	2	2	2	2	.....	.....	.....	.....
Females	31	.....	2	2	4	3	5	3	4	5	2	1	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	9	1	.....	.....	1	1	1	1	1	1	1	1	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	22	.....	2	2	3	3	4	3	1	2	2	.....	.....	.....	.....	.....
Colored[3]	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
WISCONSIN.																
Registration cities	712	14	20	27	32	58	81	116	91	105	68	53	28	16	3	.....
Males	315	8	5	13	9	21	29	50	50	46	32	28	13	10	1	.....
Females	397	6	15	14	23	37	52	66	41	59	36	25	15	6	2	.....
Diagnosis reasonably certain. {M.	151	5	2	9	5	13	15	25	25	17	14	13	2	5	1	.....
Diagnosis reasonably certain. {F.	244	6	13	11	21	33	35	39	21	29	16	10	7	2	1	.....
White	710	14	20	26	32	58	81	116	91	105	68	53	27	16	3	.....
Males	315	8	5	13	9	21	29	50	50	46	32	28	13	10	1	.....
Females	395	6	15	13	23	37	52	66	41	59	36	25	14	6	2	.....
Diagnosis reasonably certain. {M.	151	5	2	9	5	13	15	25	25	17	14	13	2	5	1	.....
Diagnosis reasonably certain. {F.	243	6	13	11	21	33	35	39	21	29	16	10	6	2	1	.....
Colored	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Milwaukee	291	7	6	13	14	25	30	46	42	36	35	20	9	7	1	.....
Males	133	4	1	7	4	9	13	21	21	18	14	12	5	4	.....	.....
Females	158	3	5	6	10	16	17	25	21	18	21	8	4	3	1	.....
Diagnosis reasonably certain. {M.	55	4	1	5	3	3	3	9	8	6	5	6	.....	2	.....	.....
Diagnosis reasonably certain. {F.	96	3	5	4	9	13	11	13	11	11	9	3	3	.....	1	.....
Other cities	421	7	14	14	18	33	51	70	49	69	33	33	19	9	2	.....
Males	182	4	4	6	5	12	16	29	29	28	18	16	8	6	1	.....
Females	239	3	10	8	13	21	35	41	20	41	15	17	11	3	1	.....
Diagnosis reasonably certain. {M.	96	1	1	4	2	10	12	16	17	11	9	7	2	3	1	.....
Diagnosis reasonably certain. {F.	148	3	8	7	12	20	24	26	10	18	7	7	4	2	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] The only registration unit in the state.
[3] Colored population less than 10 per cent of the total in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES.																
CALIFORNIA.																
Total	947	12	23	36	61	59	87	111	134	123	133	87	51	22	7	1
Males	496	6	15	11	17	20	43	58	71	66	85	52	35	13	4	.....
Females	451	6	8	25	44	39	44	53	63	57	48	35	16	9	3	1
Diagnosis reasonably certain. {M	267	4	13	5	11	17	23	29	44	32	38	22	19	8	2	.....
Diagnosis reasonably certain. {F	320	4	7	24	37	29	32	47	46	34	27	17	8	7	1	.....
White	929	12	22	36	60	58	84	109	131	120	130	87	51	22	6	1
Males	483	6	14	11	17	19	40	56	69	65	83	52	35	13	3	.....
Females	446	6	8	25	43	39	44	53	62	55	47	35	16	9	3	1
Diagnosis reasonably certain. {M	259	4	12	5	11	16	21	28	44	31	36	22	19	8	2	.....
Diagnosis reasonably certain. {F	317	4	7	24	36	29	32	47	46	32	27	17	8	7	1	.....
Colored	18	.....	1	.....	1	1	3	2	3	3	3	.....	.....	.....	1	.....
Males	13	.....	1	.....	.....	1	3	2	2	1	2	.....	.....	.....	1	.....
Females	5	.....	.....	.....	1	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M	8	.....	1	.....	.....	1	2	1	.....	1	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	3	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Los Angeles County	161	1	3	1	19	4	14	20	16	21	26	22	9	4	1	.....
Males	69	.....	3	.....	2	1	4	8	10	7	14	11	7	2	.....	.....
Females	92	1	.....	1	17	3	10	12	6	14	12	11	2	2	1	.....
Diagnosis reasonably certain. {M	32	.....	2	.....	2	1	2	4	5	2	6	4	4	.....	.....	.....
Diagnosis reasonably certain. {F	60	1	.....	1	15	.....	6	11	5	6	7	6	.....	2	.....	.....
Santa Clara County	78	.....	2	1	5	4	8	12	11	13	9	6	5	1	1	.....
Males	39	.....	1	1	3	.....	4	5	6	8	3	5	3	.....	.....	.....
Females	39	.....	1	.....	2	4	4	7	5	5	6	1	2	1	1	.....
Diagnosis reasonably certain. {M	19	.....	1	.....	2	.....	2	1	4	5	.....	2	2	.....	.....	.....
Diagnosis reasonably certain. {F	26	.....	1	.....	2	3	3	6	5	3	.....	.....	1	1	1	.....
Sonoma County	63	2	1	7	7	4	7	5	5	5	10	6	4	.....	.....	.....
Males	29	2	.....	1	2	2	3	2	1	4	6	2	4	.....	.....	.....
Females	34	.....	1	6	5	2	4	3	4	1	4	4	.....	.....	.....	.....
Diagnosis reasonably certain. {M	12	2	.....	1	.....	2	1	.....	.....	1	3	1	1	.....	.....	.....
Diagnosis reasonably certain. {F	24	.....	.....	6	4	2	2	3	2	1	2	2	.....	.....	.....	.....
Other rural districts	645	9	17	27	30	47	58	74	102	84	88	53	33	17	5	1
Males	350	4	11	9	10	17	32	43	54	47	62	34	21	11	4	.....
Females	295	5	6	18	20	30	26	31	48	37	26	19	12	6	1	1
Diagnosis reasonably certain. {M	204	2	10	4	7	14	18	24	35	24	29	15	12	8	2	.....
Diagnosis reasonably certain. {F	210	3	6	17	16	24	21	27	34	24	18	9	7	4	.....	.....
COLORADO.																
Total	237	1	5	10	23	26	30	32	25	24	28	22	9	2	.....	.....
Males	109	.....	2	2	10	7	10	16	18	12	18	7	6	1	.....	.....
Females	128	1	3	8	13	19	20	16	7	12	10	15	3	1	.....	.....
Diagnosis reasonably certain. {M	57	.....	2	2	3	6	6	11	5	7	10	2	2	1	.....	.....
Diagnosis reasonably certain. {F	78	1	1	6	10	15	14	10	4	7	4	4	1	1	.....	.....
White	236	1	5	10	23	26	30	32	25	23	28	22	9	2	.....	.....
Males	109	.....	2	2	10	7	10	16	18	12	18	7	6	1	.....	.....
Females	127	1	3	8	13	19	20	16	7	11	10	15	3	1	.....	.....
Diagnosis reasonably certain. {M	57	.....	2	2	3	6	6	11	5	7	10	2	2	1	.....	.....
Diagnosis reasonably certain. {F	77	1	1	6	10	15	14	10	4	6	4	4	1	1	.....	.....
Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
CONNECTICUT.																
Total	323	1	4	7	13	21	28	47	36	46	51	40	16	5	5	3
Males	123	1	4	3	3	7	8	15	13	19	24	14	7	4	1	.....
Females	200	.....	.....	4	10	14	20	32	23	27	27	26	9	1	4	3
Diagnosis reasonably certain. {M	63	1	4	3	2	5	4	8	5	9	9	8	1	3	1	.....
Diagnosis reasonably certain. {F	122	.....	.....	4	7	10	13	21	14	12	10	20	7	1	2	1
White	323	1	4	7	13	21	28	47	36	46	51	40	16	5	5	3
Males	123	1	4	3	3	7	8	15	13	19	24	14	7	4	1	.....
Females	200	.....	.....	4	10	14	20	32	23	27	27	26	9	1	4	3
Diagnosis reasonably certain. {M	63	1	4	3	2	5	4	8	5	9	9	8	1	3	1	.....
Diagnosis reasonably certain. {F	122	.....	.....	4	7	10	13	21	14	12	10	20	7	1	2	1
Hartford County	76	.....	2	2	5	3	4	13	8	8	14	11	5	1	.....	.....
Males	27	.....	2	.....	.....	2	3	3	4	1	6	3	2	1	.....	.....
Females	49	.....	.....	2	5	1	1	10	4	7	8	8	3	.....	.....	.....
Diagnosis reasonably certain. {M	16	.....	2	.....	.....	1	3	3	1	.....	2	2	1	1	.....	.....
Diagnosis reasonably certain. {F	31	.....	.....	2	3	1	.....	8	2	1	4	7	3	.....	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
CONNECTICUT—continued.																
Other rural districts	247	1	2	5	8	18	24	34	28	38	37	29	11	4	5	3
Males	96	1	2	3	3	5	5	12	9	18	18	11	5	3	1	.....
Females	151	.....	.....	2	5	13	19	22	19	20	19	18	6	1	4	3
Diagnosis reasonably certain. {M	47	1	2	3	2	4	1	5	4	9	7	6	.....	2	1	.....
Diagnosis reasonably certain. {F	91	.....	.....	2	4	9	13	13	12	11	6	13	4	1	2	1
INDIANA.																
Total	1,434	16	36	40	78	106	117	181	172	209	209	142	87	33	7	1
Males	578	7	12	7	23	26	43	64	68	97	105	60	44	18	3	1
Females	856	9	24	33	55	80	74	117	104	112	104	82	43	15	4	.....
Diagnosis reasonably certain. {M	303	4	7	5	13	15	24	35	31	50	43	34	27	11	3	1
Diagnosis reasonably certain. {F	517	9	22	29	47	63	51	83	63	44	37	39	19	7	4	.....
White	1,423	16	35	39	78	103	115	181	171	209	207	142	87	33	6	1
Males	574	7	11	7	23	25	42	64	68	97	104	60	44	18	3	1
Females	849	9	24	32	55	78	73	117	103	112	103	82	43	15	3	.....
Diagnosis reasonably certain. {M	301	4	6	5	13	15	24	35	31	50	42	34	27	11	3	1
Diagnosis reasonably certain. {F	511	9	22	28	47	61	50	83	62	44	37	39	19	7	3	.....
Colored	11	.....	1	1	.....	3	2	.....	1	.....	2	.....	.....	.....	1	.....
Males	4	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Females	7	.....	.....	1	.....	2	1	.....	1	.....	1	.....	.....	.....	1	.....
Diagnosis reasonably certain. {M	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	6	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....	.....	1	.....
KANSAS.																
Total	813	18	12	22	30	49	78	89	121	131	123	74	50	13	3	.....
Males	393	8	5	9	11	19	24	38	56	74	78	40	22	7	2	.....
Females	420	10	7	13	19	30	54	51	65	57	45	34	28	6	1	.....
Diagnosis reasonably certain. {M	195	6	3	5	4	8	17	21	23	32	35	19	15	5	2	.....
Diagnosis reasonably certain. {F	248	6	5	11	16	18	41	34	34	25	17	21	16	3	1	.....
White	801	18	9	21	30	49	78	88	120	130	121	72	49	13	3	.....
Males	388	8	4	8	11	19	24	37	56	73	77	40	22	7	2	.....
Females	413	10	5	13	19	30	54	51	64	57	44	32	27	6	1	.....
Diagnosis reasonably certain. {M	193	6	3	5	4	8	17	20	23	32	34	19	15	5	2	.....
Diagnosis reasonably certain. {F	242	6	3	11	16	18	41	34	33	25	17	19	15	3	1	.....
Colored	12	.....	3	1	.....	.....	.....	1	1	1	2	2	1	.....	.....	.....
Males	5	.....	1	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Females	7	.....	2	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	.....	.....
Diagnosis reasonably certain. {M	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	6	.....	2	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....
KENTUCKY.																
Total	753	24	30	32	47	50	65	78	104	110	83	54	44	13	3	16
Males	279	10	4	4	11	12	20	24	38	51	44	23	22	9	1	6
Females	474	14	26	28	36	38	45	54	66	59	39	31	22	4	2	10
Diagnosis reasonably certain. {M	123	6	3	1	6	5	8	10	10	23	22	8	12	5	1	3
Diagnosis reasonably certain. {F	294	5	17	19	26	28	27	40	35	34	21	14	17	3	2	6
White	668	20	22	28	39	45	54	69	90	104	77	47	42	13	3	15
Males	260	8	4	4	10	12	16	22	36	48	42	21	21	9	1	6
Females	408	12	18	24	29	33	38	47	54	56	35	26	21	4	2	9
Diagnosis reasonably certain. {M	119	5	3	1	6	5	6	10	10	23	21	8	12	5	1	3
Diagnosis reasonably certain. {F	249	5	9	15	19	25	22	36	28	31	20	12	16	3	2	6
Colored	85	4	8	4	8	5	11	9	14	6	6	7	2	.....	.....	1
Males	19	2	.....	.....	1	.....	4	2	2	3	2	2	1	.....	.....	.....
Females	66	2	8	4	7	5	7	7	12	3	4	5	1	.....	.....	1
Diagnosis reasonably certain. {M	4	1	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	45	.....	8	4	7	3	5	4	7	3	1	2	1	.....	.....	.....
MAINE.																
Total	609	6	6	20	23	43	46	57	78	98	86	74	45	20	6	1
Males	228	2	.....	4	3	7	10	18	34	40	38	37	23	11	1	.....
Females	381	4	6	16	20	36	36	39	44	58	48	37	22	9	5	1
Diagnosis reasonably certain. {M	96	.....	.....	1	2	4	6	7	15	16	12	13	10	9	1	.....
Diagnosis reasonably certain. {F	212	2	5	12	18	21	25	22	28	28	21	11	11	5	3	.....
White	607	6	6	20	23	43	46	57	78	97	85	74	45	20	6	1
Males	227	2	.....	4	3	7	10	18	34	39	38	37	23	11	1	.....
Females	380	4	6	16	20	36	36	39	44	58	47	37	22	9	5	1
Diagnosis reasonably certain. {M	96	.....	.....	1	2	4	6	7	15	16	12	13	10	9	1	.....
Diagnosis reasonably certain. {F	212	2	5	12	18	21	25	22	28	28	21	11	11	5	3	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
MAINE—continued.																
Total—Continued.																
Colored	2									1	1					
Males	1									1						
Females	1										1					
Diagnosis reasonably certain {M																
Diagnosis reasonably certain {F																
Cumberland County	60		1		2	3	3	5	12	12	8	10	3	1		
Males	25						2	3	4	9	3	4				
Females	35		1		2	3	1	2	8	3	5	6	3	1		
Diagnosis reasonably certain {M	11						1	1	1	5	1	2				
Diagnosis reasonably certain {F	20		1		2	2	1	1	5		3	2	2	1		
Kennebec County[1]	55		1	1	3	2	1	3	10	6	10	10	4	4		
Males	29					1			5	3	6	6	4	4		
Females	26		1	1	3	1	1	3	5	3	4	4				
Diagnosis reasonably certain {M	17					1			3	1	2	5	1	4		
Diagnosis reasonably certain {F	14		1	1	3		1	2	3	1	1	1				
Penobscot County	54		2	2		2	8	4	6	9	7	7	3	3	1	
Males	17						1	1	3	2	1	7		2		
Females	37		2	2		2	7	3	3	7	6		3	1	1	
Diagnosis reasonably certain {M	6						1		1	2				2		
Diagnosis reasonably certain {F	23		1	1		1	6	1	2	4	4		2	1		
Washington County	54	1		3	2	7	5	4	1	12	6	4	5	4		
Males	19					3	2	2		4	2	2	2	2		
Females	35	1		3	2	4	3	2	1	8	4	2	3	2		
Diagnosis reasonably certain {M	7					1	1			1	1		2	1		
Diagnosis reasonably certain {F	23	1		2	2	2	3	1	1	6	2	1	1	1		
York County	60			2	3	4	6	7	6	10	11	8	3			
Males	21			1		1	1	2	3	3	4	3	3			
Females	39			1	3	3	5	5	3	7	7	5				
Diagnosis reasonably certain {M	10					1		1	1	3	2	1	1			
Diagnosis reasonably certain {F	22			1	3	1	3	4	2	3	4	1				
Other rural districts	326	5	2	12	13	25	23	34	43	49	44	35	27	8	5	1
Males	117	2		3	3	2	4	10	19	19	22	15	14	3	1	
Females	209	3	2	9	10	23	19	24	24	30	22	20	13	5	4	1
Diagnosis reasonably certain {M	45			1	2	1	3	5	9	4	6	5	6	2	1	
Diagnosis reasonably certain {F	110	1	2	7	8	15	11	13	15	14	7	6	6	2	3	
MARYLAND.																
Total	439	9	5	18	23	28	50	54	56	62	60	39	24	5	5	1
Males	160	3	1	4	5	5	11	18	28	26	27	19	6	4	3	
Females	279	6	4	14	18	23	39	36	28	36	33	20	18	1	2	1
Diagnosis reasonably certain {M	77	2	1	3	3	3	6	10	13	9	11	8	2	3	3	
Diagnosis reasonably certain {F	186	4	3	10	16	15	30	29	12	25	21	10	9	1	1	
White	380	8	2	13	19	24	36	51	50	54	53	37	24	4	4	1
Males	146	3		4	5	5	10	16	25	22	25	18	6	4	3	
Females	234	5	2	9	14	19	26	35	25	32	28	19	18		1	1
Diagnosis reasonably certain {M	72	2		3	3	3	6	9	12	7	11	8	2	3	3	
Diagnosis reasonably certain {F	154	4	1	7	12	12	20	28	11	22	18	9	9		1	
Colored	59	1	3	5	4	4	14	3	6	8	7	2		1	1	
Males	14		1				1	2	3	4	2	1				
Females	45	1	2	5	4	4	13	1	3	4	5	1		1	1	
Diagnosis reasonably certain {M	5		1					1	1	2						
Diagnosis reasonably certain {F	32		2	3	4	3	10	1	1	3	3	1		1		
Baltimore County	111	2	1	6	7	8	11	20	16	15	10	9	5		1	
Males	38			1	1	1	3	8	9	4	5	4	1		1	
Females	73	2	1	5	6	7	8	12	7	11	5	5	4			
Diagnosis reasonably certain {M	22			1	1	1	1	6	6	1	1	3			1	
Diagnosis reasonably certain {F	53	2		4	6	2	7	11	4	9	3	3	2			
White	104	2	1	4	6	8	9	19	16	14	10	9	5		1	
Males	37			1	1	1	3	7	9	4	5	4	1		1	
Females	67	2	1	3	5	7	6	12	7	10	5	5	4			
Diagnosis reasonably certain {M	22			1	1	1	1	6	6	1	1	3			1	
Diagnosis reasonably certain {F	47	2		2	5	2	5	11	4	8	3	3	2			
Colored	7			2	1		2	1		1						
Males	1							1								
Females	6			2	1		2			1						
Diagnosis reasonably certain {M																
Diagnosis reasonably certain {F	6			2	1		2			1						

[1] Includes National Military Home.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
MARYLAND—continued.																
Other rural districts	328	7	4	12	16	20	39	34	40	47	50	30	19	5	4	1
Males	122	3	1	3	4	4	8	10	19	22	22	15	5	4	2	.....
Females	206	4	3	9	12	16	31	24	21	25	28	15	14	1	2	1
Diagnosis reasonably certain {M	55	2	1	2	2	2	5	4	7	8	10	5	2	3	2	.....
Diagnosis reasonably certain {F	133	2	3	6	10	13	23	18	8	16	18	7	7	1	1	.....
White	276	6	1	9	13	16	27	32	34	40	43	28	19	4	3	1
Males	109	3	.....	3	4	4	7	9	16	18	20	14	5	4	2	.....
Females	167	3	1	6	9	12	20	23	18	22	23	14	14	.....	.....	1
Diagnosis reasonably certain {M	50	2	.....	2	2	2	5	3	6	6	10	5	2	3	2	.....
Diagnosis reasonably certain {F	107	2	1	5	7	10	15	17	7	14	15	6	7	.....	1	.....
Colored	52	1	3	3	3	4	12	2	6	7	7	2	.....	1	1	.....
Males	13	.....	1	.....	.....	.....	1	1	3	4	2	1	.....	.....	.....	.....
Females	39	1	2	3	3	4	11	1	3	3	5	1	.....	1	1	.....
Diagnosis reasonably certain {M	5	.....	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	26	.....	2	1	3	3	8	1	1	2	3	1	.....	1	.....	.....
MASSACHUSETTS.																
Total	868	7	11	18	51	62	99	103	89	124	108	86	65	28	17	.....
Males	318	4	4	7	9	14	34	32	44	47	47	36	25	8	7	.....
Females	550	3	7	11	42	48	65	71	45	77	61	50	40	20	10	.....
Diagnosis reasonably certain {M	148	4	4	5	2	12	16	12	23	25	18	11	11	5	.....	.....
Diagnosis reasonably certain {F	331	1	6	8	34	37	44	45	25	45	23	24	21	9	9	.....
White	864	7	10	18	50	62	99	101	89	124	108	86	65	28	17	.....
Males	316	4	3	7	8	14	34	32	44	47	47	36	25	8	7	.....
Females	548	3	7	11	42	48	65	69	45	77	61	50	40	20	10	.....
Diagnosis reasonably certain {M	147	4	3	5	2	12	16	12	23	25	18	11	11	5	.....	.....
Diagnosis reasonably certain {F	329	1	6	8	34	37	44	43	25	45	23	24	21	9	9	.....
Colored	4	.....	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Males	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {M	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Bristol County	56	.....	1	1	3	3	6	7	7	11	9	6	.....	1	1	.....
Males	21	.....	.....	.....	.....	.....	1	3	2	4	5	5	1	.....	.....	.....
Females	35	.....	1	1	3	2	3	5	3	6	4	5	.....	1	1	.....
Diagnosis reasonably certain {M	11	.....	.....	.....	.....	1	2	.....	3	3	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	20	.....	1	1	3	2	2	2	2	3	1	1	.....	1	1	.....
Essex County	105	1	.....	3	8	6	10	6	12	17	15	11	9	4	3	.....
Males	41	.....	.....	.....	1	1	4	2	9	5	6	7	3	1	2	.....
Females	64	1	.....	3	7	5	6	4	3	12	9	4	6	3	1	.....
Diagnosis reasonably certain {M	10	.....	.....	.....	.....	.....	.....	1	5	1	1	1	1	.....	.....	.....
Diagnosis reasonably certain {F	35	.....	.....	2	6	3	4	3	2	5	4	1	2	2	1	.....
Middlesex County	173	1	2	3	10	17	21	25	18	24	21	12	14	3	2	.....
Males	68	1	2	1	3	4	10	11	10	10	6	3	6	1	.....	.....
Females	105	.....	.....	2	7	13	11	14	8	14	15	9	8	2	2	.....
Diagnosis reasonably certain {M	32	1	2	.....	2	4	4	3	3	6	3	1	2	1	.....	.....
Diagnosis reasonably certain {F	68	.....	.....	2	5	10	9	9	4	9	8	4	6	1	1	.....
Norfolk County	99	1	2	2	4	15	11	10	9	14	14	7	9	1	.....	.....
Males	35	.....	.....	1	1	3	4	1	6	5	10	2	2	.....	.....	.....
Females	64	1	2	1	3	12	7	9	3	9	4	5	7	1	.....	.....
Diagnosis reasonably certain {M	18	.....	.....	1	.....	3	3	1	5	3	1	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	32	1	1	1	3	8	2	5	1	4	2	1	3	.....	.....	.....
Plymouth County	99	.....	1	3	8	3	9	10	9	12	11	14	11	3	5	.....
Males	44	.....	1	3	.....	2	3	5	4	8	4	6	5	1	2	.....
Females	55	.....	.....	.....	8	1	6	5	5	4	7	8	6	2	3	.....
Diagnosis reasonably certain {M	20	.....	1	2	.....	2	1	1	3	3	2	1	4	.....	.....	.....
Diagnosis reasonably certain {F	37	.....	.....	.....	7	1	6	3	3	4	2	4	3	1	3	.....
Worcester County	138	3	3	2	8	4	15	16	17	22	18	19	3	6	2	.....
Males	53	2	.....	1	3	.....	3	4	7	8	12	9	1	1	2	.....
Females	85	1	3	1	5	4	12	12	10	14	6	10	2	5	.....	.....
Diagnosis reasonably certain {M	25	2	.....	1	.....	.....	1	2	3	6	6	4	.....	.....	.....	.....
Diagnosis reasonably certain {F	55	.....	3	1	5	4	7	7	6	9	2	9	.....	2	.....	.....
Other rural districts	198	1	2	4	10	14	27	29	17	21	20	17	19	10	4	.....
Males	56	1	1	1	1	3	7	7	4	6	4	8	8	4	1	.....
Females	142	.....	1	3	9	11	20	22	13	18	16	9	11	6	3	.....
Diagnosis reasonably certain {M	32	1	1	1	.....	2	5	4	1	3	3	3	4	4	.....	.....
Diagnosis reasonably certain {F	84	.....	1	1	5	9	14	16	7	11	4	4	7	2	3	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
MICHIGAN.																
Total	1,398	19	38	25	68	94	140	172	198	203	199	136	74	20	9	3
Males	602	11	12	5	21	29	57	63	81	104	101	62	38	14	3	1
Females	796	8	26	20	47	65	83	109	117	99	98	74	36	6	6	2
Diagnosis reasonably certain {M	287	4	10	1	13	19	24	35	39	40	45	21	22	11	3	.....
Diagnosis reasonably certain {F	488	6	19	18	39	47	57	76	70	42	40	40	24	5	5	.....
White	1,391	18	38	25	67	93	140	171	197	201	199	136	74	20	9	3
Males	599	10	12	5	21	28	57	63	81	103	101	62	38	14	3	1
Females	792	8	26	20	46	65	83	108	116	98	98	74	36	6	6	2
Diagnosis reasonably certain {M	286	4	10	1	13	18	24	35	39	40	45	21	22	11	3	.....
Diagnosis reasonably certain {F	486	6	19	18	38	47	57	75	70	42	40	40	24	5	5	.....
Colored	7	1	.....	.....	1	1	.....	1	1	2	.....	.....	.....	.....	.....	.....
Males	3	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Females	4	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {M	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Berrien County	58	1	.....	.....	4	5	3	4	13	14	7	6	1	.....	.....	.....
Males	22	1	.....	.....	1	2	1	1	6	3	3	3	1	.....	.....	.....
Females	36	.....	.....	.....	3	3	2	3	7	11	4	3	.....	.....	.....	.....
Diagnosis reasonably certain {M	10	1	.....	.....	.....	2	1	.....	3	1	1	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	20	.....	.....	.....	3	2	2	1	3	3	4	2	.....	.....	.....	.....
Kent County	50	1	1	2	2	2	3	7	4	10	5	7	5	1	.....	.....
Males	26	.....	1	.....	1	.....	.....	2	3	7	3	4	4	1	.....	.....
Females	24	1	.....	2	1	2	3	5	1	3	2	3	1	.....	.....	.....
Diagnosis reasonably certain {M	18	.....	1	.....	.....	.....	.....	2	3	4	3	1	3	1	.....	.....
Diagnosis reasonably certain {F	17	1	.....	2	1	2	2	4	1	1	1	2	.....	.....	.....	.....
Wayne County	63	.....	3	2	6	7	3	10	10	7	8	2	4	1	.....	.....
Males	25	.....	1	1	2	2	2	4	3	3	4	1	1	1	.....	.....
Females	38	.....	2	1	4	5	1	6	7	4	4	1	3	.....	.....	.....
Diagnosis reasonably certain {M	11	.....	1	.....	1	1	.....	3	1	1	.....	1	1	1	.....	.....
Diagnosis reasonably certain {F	25	.....	2	1	3	4	1	2	5	4	1	.....	2	.....	.....	.....
Other rural districts	1,227	17	34	21	56	80	131	151	171	172	179	121	64	18	9	3
Males	529	10	10	4	17	25	54	56	69	91	91	54	32	12	3	1
Females	698	7	24	17	39	55	77	95	102	81	88	67	32	6	6	2
Diagnosis reasonably certain {M	248	3	8	1	12	16	23	30	32	34	41	18	8	9	3	.....
Diagnosis reasonably certain {F	426	5	17	15	32	39	52	69	61	34	34	36	22	5	5	.....
MINNESOTA.																
Total	1,096	21	30	34	60	80	114	114	126	153	141	121	70	24	8	.....
Males	567	10	9	9	25	48	55	60	60	84	81	77	33	11	5	.....
Females	529	11	21	25	35	32	59	54	66	69	60	44	37	13	3	.....
Diagnosis reasonably certain {M	276	5	6	7	15	27	30	26	29	33	34	22	13	5	4	.....
Diagnosis reasonably certain {F	287	7	17	17	27	22	36	38	32	28	23	17	14	7	2	.....
White	1,092	20	30	33	60	80	114	114	125	153	141	120	70	24	8	.....
Males	566	10	9	9	25	48	55	60	59	84	81	77	33	11	5	.....
Females	526	10	21	24	35	32	59	54	66	69	60	43	37	13	3	.....
Diagnosis reasonably certain {M	276	5	6	7	15	27	30	26	29	33	34	22	13	5	4	.....
Diagnosis reasonably certain {F	287	7	17	17	27	22	36	38	32	28	23	17	14	7	2	.....
Colored	4	1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Olmsted County	99	1	6	4	8	4	10	16	12	21	5	7	4	1	.....	.....
Males	62	.....	1	1	8	4	6	12	7	13	3	4	2	1	.....	.....
Females	37	1	5	3	.....	.....	4	4	5	8	2	3	2	.....	.....	.....
Diagnosis reasonably certain {M	52	.....	1	1	7	3	6	12	7	10	1	2	2	.....	.....	.....
Diagnosis reasonably certain {F	28	1	5	3	.....	.....	2	4	4	6	.....	2	1	.....	.....	.....
Other rural districts	997	20	24	30	52	76	104	98	114	132	136	114	66	23	8	.....
Males	505	10	8	8	17	44	49	48	53	71	78	73	31	10	5	.....
Females	492	10	16	22	35	32	55	50	61	61	58	41	35	13	3	.....
Diagnosis reasonably certain {M	204	5	5	6	8	21	24	11	22	23	33	20	11	5	4	.....
Diagnosis reasonably certain {F	259	6	12	14	27	22	34	34	28	22	23	15	13	7	2	.....
MISSOURI.																
Total	1,155	30	35	31	59	62	121	126	144	157	175	116	73	15	10	1
Males	489	9	13	6	12	23	52	50	55	82	88	59	30	6	3	1
Females	666	21	22	25	47	39	69	76	89	75	87	57	43	9	7	.....
Diagnosis reasonably certain {M	239	2	12	3	10	17	28	33	22	31	32	29	16	2	2	.....
Diagnosis reasonably certain {F	379	12	14	19	35	30	52	41	56	34	38	19	20	5	4	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
MISSOURI—continued.																
Total—Continued.																
White	1,112	29	32	30	57	57	116	120	140	153	170	112	70	15	10	1
Males	473	8	11	6	12	22	50	49	53	80	85	57	30	6	3	1
Females	639	21	21	24	45	35	66	71	87	73	85	55	40	9	7	.....
Diagnosis reasonably certain { M	232	1	11	3	10	17	28	32	21	30	31	28	16	2	2	.....
Diagnosis reasonably certain { F	360	12	13	18	33	27	50	38	55	33	37	18	17	5	4	.....
Colored	43	1	3	1	2	5	5	6	4	4	5	4	3	.....	.....	.....
Males	16	1	2	.....	.....	1	2	1	2	2	3	2	.....	.....	.....	.....
Females	27	.....	1	2	4	3	5	2	2	2	2	2	3	.....	.....	.....
Diagnosis reasonably certain { M	7	1	1	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....
Diagnosis reasonably certain { F	19	.....	1	1	2	3	2	3	1	1	1	1	3	.....	.....	.....
MONTANA.																
Total	141	2	7	8	9	15	15	15	27	9	13	12	7	1	1	.....
Males	68	1	3	3	4	7	8	8	14	6	6	5	3	.....	.....	.....
Females	73	1	4	5	5	8	7	7	13	3	7	7	4	1	1	.....
Diagnosis reasonably certain { M	45	1	3	1	2	5	3	5	9	3	5	5	3	.....	.....	.....
Diagnosis reasonably certain { F	48	.....	4	5	4	7	6	4	7	1	4	2	2	1	1	.....
White	137	2	7	8	9	15	15	14	26	8	13	11	7	1	1	.....
Males	67	1	3	3	4	7	8	8	13	6	6	5	3	.....	.....	.....
Females	70	1	4	5	5	8	7	6	13	2	7	6	4	1	1	.....
Diagnosis reasonably certain { M	44	1	3	1	2	5	3	5	8	3	5	5	3	.....	.....	.....
Diagnosis reasonably certain { F	47	.....	4	5	4	7	6	3	7	1	4	2	2	1	1	.....
Colored	4	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Females	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Diagnosis reasonably certain { M	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
NEW HAMPSHIRE.																
Total	269	1	5	11	8	20	30	30	35	24	40	30	22	9	3	1
Males	88	1	.....	4	1	4	6	9	12	8	15	16	8	3	1	.....
Females	181	.....	5	7	7	16	24	21	23	16	25	14	14	6	2	1
Diagnosis reasonably certain { M	37	1	.....	1	1	3	2	2	6	4	4	6	4	2	1	.....
Diagnosis reasonably certain { F	105	.....	3	6	5	12	19	13	14	6	11	5	5	4	1	1
White	268	1	5	11	8	20	30	30	35	24	40	30	21	9	3	1
Males	88	1	.....	4	1	4	6	9	12	8	15	16	8	3	1	.....
Females	180	.....	5	7	7	16	24	21	23	16	25	14	13	6	2	1
Diagnosis reasonably certain { M	37	1	.....	1	1	3	2	2	6	4	4	6	4	2	1	.....
Diagnosis reasonably certain { F	105	.....	3	6	5	12	19	13	14	6	11	5	5	4	1	1
Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain { M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain { F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rockingham County	51	.....	.....	2	2	3	5	5	6	3	8	12	2	1	2	.....
Males	10	.....	.....	.....	.....	.....	.....	.....	1	.....	4	5	.....	.....	.....	.....
Females	41	.....	.....	2	2	3	5	5	5	3	4	7	2	1	2	.....
Diagnosis reasonably certain { M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....
Diagnosis reasonably certain { F	23	.....	.....	2	2	1	4	3	3	1	2	3	1	.....	1	.....
Other rural districts	218	1	5	9	6	17	25	25	29	21	32	18	20	8	1	1
Males	78	1	.....	4	1	4	6	9	11	8	11	11	8	3	1	.....
Females	140	.....	5	5	5	13	19	16	18	13	21	7	12	5	.....	1
Diagnosis reasonably certain { M	33	1	.....	1	1	3	2	2	6	4	2	4	2	1	.....	.....
Diagnosis reasonably certain { F	82	.....	3	4	3	11	15	10	11	5	9	2	4	4	.....	1
NEW JERSEY.																
Total	797	11	12	19	31	61	83	96	120	115	110	68	50	17	4	.....
Males	314	8	3	4	10	16	27	34	58	51	48	29	19	6	1	.....
Females	483	3	9	15	21	45	56	62	62	64	62	39	31	11	3	.....
Diagnosis reasonably certain { M	127	3	2	1	7	6	15	13	28	14	20	8	6	4	.....	.....
Diagnosis reasonably certain { F	279	2	7	13	13	34	39	36	32	34	31	22	10	5	1	.....
White	779	11	12	17	31	60	82	94	116	114	105	67	49	17	4	.....
Males	308	8	3	3	10	16	26	33	57	50	47	29	19	6	1	.....
Females	471	3	9	14	21	44	56	61	59	64	58	38	30	11	3	.....
Diagnosis reasonably certain { M	125	3	2	1	7	6	15	13	28	13	19	8	6	4	.....	.....
Diagnosis reasonably certain { F	272	2	7	12	13	34	39	36	30	34	29	21	9	5	1	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown ages.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
NEW JERSEY—continued.																
Total—Continued.																
Colored	18	.....	.....	2	.....	1	1	2	4	1	5	1	1	.....	.....	.....
Males	6	.....	.....	1	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
Females	12	.....	.....	1	.....	1	.....	1	3	.....	4	1	1	.....	.....	.....
Diagnosis reasonably certain	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Diagnosis reasonably certain	7	.....	.....	1	.....	.....	.....	.....	2	.....	2	1	1	.....	.....	.....
Bergen County	101	2	2	2	1	12	13	14	14	13	16	8	1	2	1	.....
Males	39	.....	.....	.....	1	4	3	3	7	8	6	5	1	1	.....	.....
Females	62	2	2	2	.....	8	10	11	7	5	10	3	.....	1	1	.....
Diagnosis reasonably certain	16	.....	.....	.....	.....	3	2	1	5	2	1	1	.....	1	.....	.....
Diagnosis reasonably certain	36	1	1	2	.....	7	6	6	3	2	5	2	.....	.....	1	.....
Burlington County	60	.....	2	5	4	4	4	2	7	7	11	8	4	2	.....	.....
Males	23	.....	1	1	1	2	3	1	4	1	5	2	2	.....	.....	.....
Females	37	.....	1	4	3	2	1	1	3	6	6	6	2	2	.....	.....
Diagnosis reasonably certain	11	.....	.....	.....	1	1	3	.....	2	.....	3	.....	1	.....	.....	.....
Diagnosis reasonably certain	23	.....	1	4	3	1	.....	.....	1	5	4	1	1	2	.....	.....
Monmouth County	86	.....	2	2	4	6	6	6	14	13	16	10	4	2	1	.....
Males	30	.....	.....	.....	1	1	1	3	3	6	7	6	2	.....	.....	.....
Females	56	.....	2	2	3	5	5	3	11	7	9	4	2	2	1	.....
Diagnosis reasonably certain	11	.....	.....	.....	.....	.....	.....	1	2	3	2	2	1	.....	.....	.....
Diagnosis reasonably certain	31	.....	2	2	1	4	4	1	6	2	6	1	1	1	.....	.....
Morris County	50	1	.....	1	3	2	7	7	8	8	4	4	1	3	1	.....
Males	22	1	.....	1	1	.....	3	4	5	3	.....	1	.....	2	1	.....
Females	28	.....	.....	.....	2	2	4	3	3	5	4	3	1	1	.....	.....
Diagnosis reasonably certain	8	.....	.....	.....	1	.....	2	1	2	.....	.....	.....	.....	2	.....	.....
Diagnosis reasonably certain	12	.....	.....	.....	.....	1	3	2	1	1	2	2	.....	.....	.....	.....
Other rural districts	500	8	6	9	19	37	53	67	77	74	63	38	40	8	1	.....
Males	200	7	2	2	6	9	17	23	39	33	30	15	14	3	.....	.....
Females	300	1	4	7	13	28	36	44	38	41	33	23	26	5	1	.....
Diagnosis reasonably certain	81	3	2	1	5	2	8	10	17	9	14	5	4	1	.....	.....
Diagnosis reasonably certain	177	1	3	5	9	21	26	27	21	24	14	16	8	2	.....	.....
NEW YORK.																
Total	2,286	27	47	53	82	135	206	249	311	318	345	276	149	58	25	5
Males	883	8	16	10	21	39	58	94	122	144	155	114	63	29	9	1
Females	1,403	19	31	43	61	96	148	155	189	174	190	162	86	29	16	4
Diagnosis reasonably certain	438	6	7	8	13	25	40	45	53	67	69	48	31	17	9	.....
Diagnosis reasonably certain	870	11	26	32	50	83	112	103	114	96	95	71	45	17	12	3
White	2,263	27	46	53	81	135	203	244	310	314	342	272	149	58	25	4
Males	873	8	15	10	21	39	56	92	122	143	154	112	63	29	9	.....
Females	1,390	19	31	43	60	96	147	152	188	171	188	160	86	29	16	4
Diagnosis reasonably certain	436	6	7	8	13	25	40	44	53	66	69	48	31	17	9	.....
Diagnosis reasonably certain	863	11	26	32	49	83	112	102	113	94	93	71	45	17	12	3
Colored	23	.....	1	.....	1	.....	3	5	1	4	3	4	.....	.....	.....	1
Males	10	.....	1	.....	.....	.....	2	2	.....	1	1	2	.....	.....	.....	1
Females	13	.....	.....	.....	1	.....	1	3	1	3	2	2	.....	.....	.....	.....
Diagnosis reasonably certain	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain	7	.....	.....	.....	1	.....	.....	1	1	2	2	.....	.....	.....	.....	.....
Cattaraugus County	53	.....	1	1	.....	3	8	3	3	9	9	7	6	3	.....	.....
Males	15	.....	.....	.....	.....	1	2	3	.....	2	3	.....	2	2	.....	.....
Females	38	.....	1	1	.....	2	6	.....	3	7	6	7	4	1	.....	.....
Diagnosis reasonably certain	9	.....	.....	.....	.....	1	2	2	.....	.....	1	.....	1	2	.....	.....
Diagnosis reasonably certain	23	.....	1	.....	.....	2	4	.....	3	2	3	4	3	1	.....	.....
Chautauqua County	58	1	1	2	1	.....	4	6	12	10	9	7	4	.....	1	.....
Males	18	.....	.....	.....	.....	.....	.....	2	3	3	5	2	2	.....	1	.....
Females	40	1	1	2	1	.....	4	4	9	7	4	5	2	.....	.....	.....
Diagnosis reasonably certain	8	.....	.....	.....	.....	.....	.....	2	1	.....	2	1	1	.....	1	.....
Diagnosis reasonably certain	21	.....	1	.....	.....	.....	2	3	6	3	3	.....	.....	.....	.....	.....
Delaware County	60	.....	3	1	1	6	5	7	9	6	12	6	3	1	.....	.....
Males	19	.....	.....	.....	.....	.....	2	4	3	2	4	1	2	1	.....	.....
Females	41	.....	3	1	1	6	3	3	6	4	8	5	1	.....	.....	.....
Diagnosis reasonably certain	8	.....	.....	.....	.....	.....	2	1	1	.....	2	.....	1	1	.....	.....
Diagnosis reasonably certain	23	.....	3	1	1	5	3	.....	3	2	4	.....	1	.....	.....	.....
Dutchess County	63	.....	2	3	3	3	6	5	9	7	7	9	3	6	.....	.....
Males	26	.....	2	.....	.....	.....	1	1	4	3	4	5	1	3	.....	.....
Females	37	.....	.....	3	3	3	5	4	5	2	3	4	2	3	.....	.....
Diagnosis reasonably certain	12	.....	1	.....	.....	.....	.....	.....	2	2	3	3	.....	1	.....	.....
Diagnosis reasonably certain	23	.....	.....	3	2	3	3	3	3	.....	.....	3	.....	3	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK—continued.																
Erie County	71	.....	1	3	.....	3	5	11	15	9	9	4	6	4	1	.....
Males	32	.....	1	1	.....	1	4	3	8	6	2	1	3	2	.....	.....
Females	39	.....	.....	2	.....	2	1	8	7	3	7	3	3	2	1	.....
Diagnosis reasonably certain. (M	15	.....	.....	1	.....	1	2	1	2	3	2	.....	2	1	.....	.....
Diagnosis reasonably certain. (F	22	.....	.....	2	.....	2	.....	6	4	2	3	.....	2	.....	1	.....
Monroe County	50	.....	1	3	4	1	4	5	6	8	6	5	4	2	1	.....
Males	14	.....	.....	1	.....	.....	.....	3	1	3	1	2	1	2	.....	.....
Females	36	.....	1	2	4	1	4	2	5	5	5	3	3	.....	1	.....
Diagnosis reasonably certain. (M	7	.....	.....	1	.....	.....	.....	3	.....	.....	1	1	.....	1	.....	.....
Diagnosis reasonably certain. (F	26	.....	.....	2	4	1	4	1	4	3	3	2	1	.....	1	.....
Nassau County	78	2	.....	3	3	7	4	10	13	13	10	10	1	1	1	.....
Males	39	1	.....	1	.....	5	1	5	6	10	4	3	1	1	1	.....
Females	39	1	.....	2	3	2	3	5	7	3	6	7	.....	.....	.....	.....
Diagnosis reasonably certain. (M	15	.....	.....	1	.....	3	1	2	1	3	1	1	.....	1	1	.....
Diagnosis reasonably certain. (F	20	1	.....	2	2	1	2	3	4	2	3	.....	.....	.....	.....	.....
Oneida County	74	1	1	2	2	5	7	7	7	8	10	14	9	.....	1	.....
Males	25	.....	.....	.....	.....	1	1	2	4	3	1	7	5	.....	1	.....
Females	49	1	1	2	2	4	6	5	3	5	9	7	4	.....	.....	.....
Diagnosis reasonably certain. (M	10	.....	.....	.....	.....	.....	1	.....	1	1	1	2	3	.....	1	.....
Diagnosis reasonably certain. (F	32	1	1	2	2	2	5	3	2	3	6	4	1	.....	.....	.....
Onondaga County	62	1	.....	2	2	.....	4	6	10	9	11	8	8	1	.....	.....
Males	26	1	.....	.....	1	.....	.....	4	4	3	6	2	5	.....	.....	.....
Females	36	.....	.....	2	1	.....	4	2	6	6	5	6	3	1	.....	.....
Diagnosis reasonably certain. (M	13	1	.....	.....	1	.....	.....	4	1	.....	2	1	3	.....	.....	.....
Diagnosis reasonably certain. (F	22	.....	.....	2	1	.....	2	1	4	2	4	3	2	1	.....	.....
Ontario County	56	1	.....	.....	5	3	3	4	9	8	14	1	5	1	2	.....
Males	29	.....	.....	.....	3	1	2	1	3	6	10	1	2	.....	.....	.....
Females	27	1	.....	.....	2	2	1	3	6	2	4	.....	3	1	2	.....
Diagnosis reasonably certain. (M	13	.....	.....	.....	3	.....	1	.....	.....	3	6	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F	16	.....	.....	.....	1	2	1	3	2	1	2	.....	2	.....	2	.....
Orange County	55	5	.....	.....	6	5	5	7	5	2	7	9	2	1	.....	1
Males	22	1	.....	.....	2	3	1	4	1	1	5	2	1	.....	.....	1
Females	33	4	.....	.....	4	2	4	3	4	1	2	7	1	1	.....	.....
Diagnosis reasonably certain. (M	9	1	.....	.....	1	2	.....	1	.....	.....	3	1	.....	.....	.....	.....
Diagnosis reasonably certain. (F	17	3	.....	.....	3	1	3	1	1	.....	2	3	.....	.....	.....	.....
Rockland County	51	1	1	.....	3	5	6	5	5	12	4	4	5	.....	.....	.....
Males	28	.....	.....	.....	2	2	2	1	4	7	3	3	4	.....	.....	.....
Females	23	1	1	.....	1	3	4	4	1	5	1	1	1	.....	.....	.....
Diagnosis reasonably certain. (M	19	.....	.....	.....	2	2	2	1	3	4	1	1	3	.....	.....	.....
Diagnosis reasonably certain. (F	16	.....	1	.....	1	3	3	3	1	2	1	.....	1	.....	.....	.....
St. Lawrence County	50	.....	1	.....	2	2	9	4	4	7	12	4	1	2	2	.....
Males	21	.....	.....	.....	1	1	2	3	2	2	7	1	1	1	.....	.....
Females	29	.....	1	.....	1	1	7	1	2	5	5	3	.....	1	2	.....
Diagnosis reasonably certain. (M	11	.....	.....	.....	1	.....	1	3	1	1	3	.....	1	.....	.....	.....
Diagnosis reasonably certain. (F	17	.....	1	.....	1	1	6	.....	.....	2	2	1	.....	1	2	.....
Steuben County	69	.....	.....	2	1	3	3	11	7	14	12	9	4	1	2	.....
Males	36	.....	.....	.....	.....	.....	1	8	2	9	6	6	2	1	1	.....
Females	33	.....	.....	2	1	3	2	3	5	5	6	3	2	.....	1	.....
Diagnosis reasonably certain. (M	20	.....	.....	.....	.....	.....	.....	5	2	7	1	3	1	.....	1	.....
Diagnosis reasonably certain. (F	20	.....	.....	2	1	2	.....	3	2	3	2	2	2	.....	1	.....
Suffolk County	92	1	4	1	6	6	11	10	16	10	11	9	4	2	.....	1
Males	26	.....	2	.....	2	.....	1	3	4	3	6	4	1	.....	.....	.....
Females	66	1	2	1	4	6	10	7	12	7	5	5	3	2	.....	1
Diagnosis reasonably certain. (M	8	.....	.....	.....	.....	.....	1	1	3	2	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain. (F	42	1	2	1	4	6	8	2	6	5	2	2	1	1	.....	1
Wayne County	59	.....	2	2	3	4	5	6	11	5	9	7	2	2	1	.....
Males	13	.....	.....	.....	.....	.....	.....	2	5	1	3	2	.....	.....	.....	.....
Females	46	.....	2	2	3	4	5	4	6	4	6	5	2	2	1	.....
Diagnosis reasonably certain. (M	8	.....	.....	.....	.....	.....	.....	.....	4	1	3	.....	.....	.....	.....	.....
Diagnosis reasonably certain. (F	27	.....	1	2	2	4	4	3	3	4	1	.....	2	.....	1	.....
Westchester County	106	2	6	5	2	12	9	12	17	14	12	7	5	2	1	.....
Males	49	.....	4	2	.....	4	6	7	7	10	2	5	.....	1	1	.....
Females	57	2	2	3	2	8	3	5	10	4	10	2	5	1	.....	.....
Diagnosis reasonably certain. (M	32	.....	3	2	.....	3	5	4	4	7	1	1	.....	1	1	.....
Diagnosis reasonably certain. (F	43	2	2	2	1	8	3	5	5	2	7	2	3	1	.....	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK—continued.																
Other rural districts	1,179	12	23	23	38	67	108	130	153	167	181	156	77	29	12	3
Males	445	5	7	5	10	20	32	38	61	68	83	67	30	15	4	.....
Females	734	7	16	18	28	47	76	92	92	99	98	89	37	14	8	3
Diagnosis reasonably certain {M	221	4	3	3	5	13	22	15	27	33	36	33	14	9	4	.....
Diagnosis reasonably certain {F	460	3	13	11	24	40	59	63	61	58	47	43	23	9	4	2
NORTH CAROLINA.[1]																
Total	149	5	6	5	13	12	23	21	29	17	7	4	4	2	1	.....
Males	38	2	1	2	2	1	4	8	7	7	2	1	1	.....	.....	.....
Females	111	3	5	3	11	11	19	13	22	10	5	3	3	2	1	.....
Diagnosis reasonably certain {M	19	2	1	1	1	.....	1	6	4	2	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain {F	76	1	5	3	9	7	17	12	9	5	3	2	1	1	1	.....
White	114	4	6	3	7	9	15	17	24	15	5	3	3	2	1	.....
Males	27	2	1	1	1	1	1	6	4	6	2	1	1	.....	.....	.....
Females	87	2	5	2	6	8	14	11	20	9	3	2	2	2	1	.....
Diagnosis reasonably certain {M	15	2	1	1	1	.....	.....	5	2	2	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain {F	54	.....	5	2	4	4	12	10	8	4	1	1	1	1	1	.....
Colored	35	1	.....	2	6	3	8	4	5	2	2	1	1	.....	.....	.....
Males	11	.....	.....	1	1	.....	3	2	3	1	.....	.....	.....	.....	.....	.....
Females	24	1	.....	1	5	3	5	2	2	1	2	1	1	.....	.....	.....
Diagnosis reasonably certain {M	4	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	22	1	.....	1	5	3	5	2	1	1	2	1	.....	.....	.....	.....
OHIO.																
Total	2,072	24	40	65	102	112	179	222	269	306	310	221	136	66	20	.....
Males	871	18	17	14	30	34	59	92	110	151	152	94	62	31	7	.....
Females	1,201	6	23	51	72	78	120	130	159	155	158	127	74	35	13	.....
Diagnosis reasonably certain {M	420	12	9	7	15	22	31	46	49	69	62	43	32	20	3	.....
Diagnosis reasonably certain {F	721	2	17	38	55	63	84	88	92	80	75	59	44	16	8	.....
White	2,039	24	40	62	100	112	173	219	263	302	307	217	135	66	19	.....
Males	860	18	17	13	29	34	51	92	110	148	151	92	61	31	7	.....
Females	1,179	6	23	49	71	78	116	127	153	154	156	125	74	35	12	.....
Diagnosis reasonably certain {M	417	12	9	6	15	22	31	46	49	68	62	42	32	20	3	.....
Diagnosis reasonably certain {F	706	2	17	36	54	63	80	85	89	79	74	59	44	16	8	.....
Colored	33	.....	.....	3	2	.....	6	3	6	4	3	4	1	.....	1	.....
Males	11	.....	.....	1	1	.....	2	.....	.....	3	1	2	1	.....	.....	.....
Females	22	.....	.....	2	1	.....	4	3	6	1	2	2	.....	.....	1	.....
Diagnosis reasonably certain {M	3	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Diagnosis reasonably certain {F	15	.....	.....	2	1	.....	4	3	3	1	1	.....	.....	.....	.....	.....
Hamilton County	54	1	4	.....	4	3	5	8	4	4	10	4	5	2	.....	.....
Males	23	1	3	.....	2	2	.....	4	1	1	6	1	2	.....	.....	.....
Females	31	.....	1	.....	2	1	5	4	3	4	4	3	3	2	.....	.....
Diagnosis reasonably certain {M	13	.....	1	.....	1	1	.....	4	1	.....	3	.....	2	.....	.....	.....
Diagnosis reasonably certain {F	18	.....	.....	.....	2	1	5	3	1	2	.....	1	2	1	.....	.....
Tuscarawas County	56	1	.....	1	6	4	7	5	3	11	9	5	2	1	1	.....
Males	26	1	.....	.....	2	1	4	2	1	5	4	3	2	1	.....	.....
Females	30	.....	.....	1	4	3	3	3	2	6	5	2	.....	.....	1	.....
Diagnosis reasonably certain {M	10	1	.....	.....	1	.....	2	1	.....	3	1	.....	.....	1	.....	.....
Diagnosis reasonably certain {F	16	.....	.....	1	4	3	2	1	1	1	2	.....	.....	.....	1	.....
Other rural districts	1,962	22	36	64	92	105	167	209	262	291	291	212	129	63	19	.....
Males	822	16	14	14	26	31	55	86	108	145	142	90	58	30	7	.....
Females	1,140	6	22	50	66	74	112	123	154	146	149	122	71	33	12	.....
Diagnosis reasonably certain {M	397	11	8	7	13	21	29	41	48	66	58	43	30	19	3	.....
Diagnosis reasonably certain {F	687	2	17	37	49	59	77	84	90	77	73	58	42	15	7	.....
PENNSYLVANIA.																
Total	2,752	47	67	99	147	205	271	321	397	404	346	245	129	53	18	3
Males	1,100	25	20	28	32	76	109	129	172	176	144	107	54	16	10	2
Females	1,652	22	47	71	115	129	162	192	225	228	202	138	75	37	8	1
Diagnosis reasonably certain {M	521	16	14	15	17	42	49	72	76	70	56	37	36	12	8	1
Diagnosis reasonably certain {F	982	17	35	49	90	92	111	124	125	114	88	65	46	22	3	1
White	2,703	47	66	93	143	197	265	316	388	400	343	243	129	53	17	3
Males	1,083	25	20	27	32	72	107	128	167	174	143	107	54	16	9	2
Females	1,620	22	46	66	111	125	158	188	221	226	200	136	75	37	8	1
Diagnosis reasonably certain {M	516	16	14	15	17	41	47	71	75	70	56	37	36	12	8	1
Diagnosis reasonably certain {F	955	17	34	46	86	90	108	120	121	112	86	63	46	22	3	1
Colored	49	.....	1	6	4	8	6	5	9	4	3	2	.....	.....	1	.....
Males	17	.....	.....	1	.....	4	2	1	5	2	1	.....	.....	.....	1	.....
Females	32	.....	1	5	4	4	4	4	4	2	2	2	.....	.....	.....	.....
Diagnosis reasonably certain {M	5	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain {F	27	.....	1	3	4	2	3	4	4	2	2	2	.....	.....	.....	.....

[1] Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Alleges.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
PENNSYLVANIA—continued.																
Allegheny County	223	.....	6	12	17	23	29	30	30	31	22	17	4	2	.....	.....
Males	80	.....	3	3	2	7	12	10	11	15	6	9	1	1	.....	.....
Females	143	.....	3	9	15	16	17	20	19	16	16	8	3	1	.....	.....
Diagnosis reasonably certain (M)	32	.....	3	3	2	2	2	6	4	6	2	.....	1	1	.....	.....
Diagnosis reasonably certain (F)	94	.....	3	7	11	9	13	17	8	9	10	5	2	.....	.....	.....
Berks County	66	1	1	2	2	5	7	9	10	7	9	9	2	2	.....	.....
Males	29	1	.....	1	.....	1	2	3	6	3	5	5	1	1	.....	.....
Females	37	.....	1	1	2	4	5	6	4	4	4	4	1	1	.....	.....
Diagnosis reasonably certain (M)	14	1	.....	.....	.....	1	.....	3	3	.....	4	2	.....	.....	.....	.....
Diagnosis reasonably certain (F)	19	.....	.....	1	2	3	2	2	2	2	1	3	1	.....	.....	.....
Bradford County	68	.....	.....	3	3	5	4	10	8	13	9	5	4	4	.....	.....
Males	29	.....	.....	1	.....	1	.....	4	3	6	4	4	2	4	.....	.....
Females	39	.....	.....	2	3	4	4	6	5	7	5	1	2	.....	.....	.....
Diagnosis reasonably certain (M)	19	.....	.....	.....	.....	1	.....	3	2	4	2	1	2	4	.....	.....
Diagnosis reasonably certain (F)	30	.....	.....	2	3	4	4	4	3	6	3	1	.....	.....	.....	.....
Bucks County	76	1	4	2	4	3	3	7	11	21	10	7	2	.....	1	.....
Males	26	.....	1	.....	1	1	.....	3	5	8	5	1	.....	.....	1	.....
Females	50	1	3	2	3	2	3	4	6	13	5	6	2	.....	.....	.....
Diagnosis reasonably certain (M)	10	.....	.....	.....	.....	1	.....	1	2	4	2	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F)	29	.....	3	2	3	2	1	1	4	6	1	5	1	.....	.....	.....
Chester County	65	.....	1	3	3	5	6	5	10	7	9	10	3	3	.....	.....
Males	19	.....	1	.....	.....	.....	3	2	2	3	3	5	.....	.....	.....	.....
Females	46	.....	.....	3	3	5	3	3	8	4	6	5	3	3	.....	.....
Diagnosis reasonably certain (M)	11	.....	1	.....	.....	.....	3	1	1	3	1	1	.....	.....	.....	.....
Diagnosis reasonably certain (F)	21	.....	.....	2	1	4	2	2	1	3	1	1	3	1	.....	.....
Clearfield County	50	.....	.....	1	4	4	8	6	4	5	13	4	.....	1	.....	.....
Males	20	.....	.....	.....	.....	3	4	2	1	2	6	2	.....	.....	.....	.....
Females	30	.....	.....	1	4	1	4	4	3	7	7	2	.....	1	.....	.....
Diagnosis reasonably certain (M)	10	.....	.....	.....	.....	.....	3	2	.....	2	1	2	.....	.....	.....	.....
Diagnosis reasonably certain (F)	16	.....	.....	1	1	1	3	4	2	1	2	.....	.....	1	.....	.....
Delaware County	74	4	4	1	3	4	6	3	11	15	7	9	6	1	.....	.....
Males	27	2	.....	1	.....	2	3	2	4	8	1	1	3	.....	.....	.....
Females	47	2	4	.....	3	2	3	1	7	7	6	8	3	1	.....	.....
Diagnosis reasonably certain (M)	12	2	.....	.....	.....	1	.....	1	1	3	1	1	2	.....	.....	.....
Diagnosis reasonably certain (F)	31	2	3	.....	3	2	3	1	4	4	3	3	2	1	.....	.....
Erie County	67	1	.....	1	3	2	14	9	6	8	11	10	2	.....	.....	.....
Males	24	.....	.....	.....	.....	.....	3	4	3	3	6	3	2	.....	.....	.....
Females	43	1	.....	1	3	2	11	5	3	5	5	7	.....	.....	.....	.....
Diagnosis reasonably certain (M)	16	.....	.....	.....	.....	.....	2	4	3	.....	3	3	1	.....	.....	.....
Diagnosis reasonably certain (F)	30	1	.....	1	3	2	10	1	1	3	2	6	.....	.....	.....	.....
Fayette County	67	1	1	6	5	3	5	14	9	8	6	4	2	3	.....	.....
Males	31	1	.....	3	2	2	4	5	6	2	4	1	1	.....	.....	.....
Females	36	.....	1	3	3	1	1	9	3	6	2	3	1	3	.....	.....
Diagnosis reasonably certain (M)	10	1	.....	2	1	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain (F)	18	.....	1	1	1	.....	.....	5	3	1	.....	2	1	3	.....	.....
Jefferson County	51	3	2	.....	2	3	8	3	7	7	8	5	.....	3	.....	.....
Males	30	3	.....	.....	1	2	7	2	5	2	3	3	.....	2	.....	.....
Females	21	.....	2	.....	1	1	1	1	2	5	5	2	.....	1	.....	.....
Diagnosis reasonably certain (M)	16	2	.....	.....	1	.....	5	1	1	.....	1	3	.....	2	.....	.....
Diagnosis reasonably certain (F)	9	.....	.....	.....	1	.....	.....	.....	2	3	2	1	.....	.....	.....	.....
Lancaster County	90	.....	.....	6	3	3	12	9	10	10	15	10	7	2	2	1
Males	37	.....	.....	2	1	1	5	3	5	5	5	5	2	.....	2	1
Females	53	.....	.....	4	2	2	7	6	5	5	10	5	5	2	.....	.....
Diagnosis reasonably certain (M)	17	.....	.....	.....	1	1	2	3	.....	1	3	2	1	.....	2	1
Diagnosis reasonably certain (F)	29	.....	.....	1	2	2	3	3	3	3	5	3	3	1	.....	.....
Luzerne County	99	2	6	2	7	8	9	15	12	16	11	4	4	2	.....	1
Males	45	2	.....	.....	4	4	3	7	6	8	5	2	3	.....	.....	1
Females	54	.....	6	2	3	4	6	8	6	8	6	2	1	2	.....	.....
Diagnosis reasonably certain (M)	16	.....	.....	.....	2	3	2	2	4	.....	2	.....	1	.....	.....	.....
Diagnosis reasonably certain (F)	29	.....	2	2	3	4	3	6	.....	4	1	1	1	2	.....	.....
Montgomery County	95	2	.....	1	3	7	10	10	26	10	10	7	5	3	1	.....
Males	48	1	.....	.....	2	2	4	5	15	7	5	5	1	1	.....	.....
Females	47	1	.....	1	1	5	6	5	11	3	5	2	4	2	1	.....
Diagnosis reasonably certain (M)	27	.....	.....	.....	1	2	2	5	7	5	4	1	.....	.....	.....	.....
Diagnosis reasonably certain (F)	28	1	.....	.....	.....	3	4	3	6	3	2	.....	3	2	1	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
PENNSYLVANIA—continued.																
Northampton County	54	1	1	2	6	6	3	4	5	9	6	6	2	3	.....	.....
Males	24	1	.....	2	2	1	2	2	1	4	3	4	1	1	.....	.....
Females	30	.....	1	.....	4	5	1	2	4	5	3	2	1	2	.....	.....
Diagnosis reasonably certain. M	4	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Diagnosis reasonably certain. F	17	.....	1	.....	2	4	.....	2	3	2	1	.....	1	1	.....	.....
Schuylkill County	89	5	8	5	2	8	14	10	10	9	8	5	4	1	.....	.....
Males	35	1	3	1	1	4	8	3	5	4	3	.....	2	.....	.....	.....
Females	54	4	5	4	1	4	6	7	5	5	5	5	2	1	.....	.....
Diagnosis reasonably certain. M	22	.....	3	1	.....	3	4	1	4	2	2	.....	2	.....	.....	.....
Diagnosis reasonably certain. F	33	3	4	4	1	4	4	4	1	2	1	3	1	1	.....	.....
Washington County	75	2	1	5	1	4	6	15	16	8	9	4	1	2	1	.....
Males	34	1	.....	2	.....	2	4	8	4	3	5	3	1	.....	1	.....
Females	41	1	1	3	1	2	2	7	12	5	4	1	.....	2	.....	.....
Diagnosis reasonably certain. M	17	1	.....	1	.....	1	2	5	3	1	1	1	1	.....	.....	.....
Diagnosis reasonably certain. F	21	.....	1	2	1	2	2	5	5	2	.....	.....	.....	1	.....	.....
Westmoreland County	110	1	4	5	9	13	9	12	15	19	12	5	4	1	1	.....
Males	45	.....	1	2	3	7	6	3	6	10	3	1	2	.....	1	.....
Females	65	1	3	3	6	6	3	9	9	9	9	4	2	1	.....	.....
Diagnosis reasonably certain. M	28	.....	1	1	2	4	4	2	5	5	1	1	1	.....	1	.....
Diagnosis reasonably certain. F	37	1	3	2	5	5	2	6	3	2	6	1	1	.....	.....	.....
York County	64	4	1	1	2	8	8	7	7	9	10	6	.....	1	.....	.....
Males	22	2	.....	.....	.....	2	2	4	2	2	5	2	.....	1	.....	.....
Females	42	2	1	1	2	6	6	3	5	7	5	4	.....	.....	.....	.....
Diagnosis reasonably certain. M	12	2	.....	.....	.....	.....	1	2	1	2	3	.....	.....	1	.....	.....
Diagnosis reasonably certain. F	29	2	1	.....	2	5	5	1	4	4	3	2	.....	.....	.....	.....
Other rural districts	1,269	19	27	41	68	91	110	143	190	192	161	118	77	19	12	1
Males	495	10	11	10	13	34	37	57	82	81	67	51	32	5	5	.....
Females	774	9	16	31	55	57	73	86	108	111	94	67	45	14	7	1
Diagnosis reasonably certain. M	228	7	6	7	6	22	16	27	32	32	22	18	24	4	5	.....
Diagnosis reasonably certain. F	462	7	13	21	45	36	50	57	70	54	44	28	26	8	2	1
RHODE ISLAND.																
Total	113	1	2	3	8	5	19	13	15	20	13	5	7	2	.....	.....
Males	41	.....	2	1	2	2	7	5	6	6	7	1	1	1	.....	.....
Females	72	1	.....	2	6	3	12	8	9	14	6	4	6	1	.....	.....
Diagnosis reasonably certain. M	16	.....	.....	1	2	.....	2	1	2	3	2	1	1	1	.....	.....
Diagnosis reasonably certain. F	45	1	.....	2	5	3	7	5	5	6	3	3	4	1	.....	.....
White	111	1	2	3	8	5	19	13	14	19	13	5	7	2	.....	.....
Males	41	.....	2	1	2	2	7	5	6	6	7	1	1	1	.....	.....
Females	70	1	.....	2	6	3	12	8	8	13	6	4	6	1	.....	.....
Diagnosis reasonably certain. M	16	.....	.....	1	2	.....	2	1	2	3	2	1	1	1	.....	.....
Diagnosis reasonably certain. F	45	1	.....	2	5	3	7	5	5	6	3	3	4	1	.....	.....
Colored	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Females	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
UTAH.																
Total	97	4	3	4	3	7	14	16	14	13	8	8	3	.....	.....	.....
Males	49	2	1	2	1	2	8	6	11	3	7	4	2	.....	.....	.....
Females	48	2	2	2	2	5	6	10	3	10	1	4	1	.....	.....	.....
Diagnosis reasonably certain. M	12	.....	1	2	.....	1	4	1	1	.....	.....	.....	2	.....	.....	.....
Diagnosis reasonably certain. F	29	2	2	2	2	3	4	7	2	3	.....	1	1	.....	.....	.....
White	97	4	3	4	3	7	14	16	14	13	8	8	3	.....	.....	.....
Males	49	2	1	2	1	2	8	6	11	3	7	4	2	.....	.....	.....
Females	48	2	2	2	2	5	6	10	3	10	1	4	1	.....	.....	.....
Diagnosis reasonably certain. M	12	.....	1	2	.....	1	4	1	1	.....	.....	.....	2	.....	.....	.....
Diagnosis reasonably certain. F	29	2	2	2	2	3	4	7	2	3	.....	1	1	.....	.....	.....
VERMONT.																
Total	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2
Males	130	2	.....	3	1	2	3	15	14	22	27	15	16	7	2	1
Females	194	4	5	4	5	8	19	26	19	22	30	21	19	9	2	1
Diagnosis reasonably certain. M	69	2	.....	1	.....	1	1	5	5	14	17	6	11	3	2	1
Diagnosis reasonably certain. F	120	4	2	4	5	6	14	18	14	12	12	14	10	3	2	.....

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
RURAL PART OF REGISTRATION STATES—Continued.																
VERMONT—continued.																
Total—Continued.																
White	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2
Males	139	2	.....	3	1	2	3	15	14	22	27	15	16	7	2	1
Females	194	4	5	4	5	8	19	26	19	22	30	21	19	9	2	1
Diagnosis reasonably certain. {M	69	2	.....	1	.....	1	1	5	5	14	17	6	11	3	2	1
Diagnosis reasonably certain. {F	120	4	2	4	5	6	14	18	14	12	12	14	10	3	2	.....
VIRGINIA.																
Total	747	19	24	33	44	50	57	79	93	102	101	78	38	21	7	1
Males	289	9	4	10	9	11	20	31	42	40	51	36	16	7	3	.....
Females	458	10	20	23	35	39	37	48	51	62	50	42	22	14	4	1
Diagnosis reasonably certain. {M	127	4	3	4	7	4	10	6	18	16	17	20	9	7	2	.....
Diagnosis reasonably certain. {F	297	7	16	20	28	27	26	28	36	37	21	20	17	10	4	.....
White	551	11	11	20	26	29	35	58	68	78	84	70	36	18	7	.....
Males	238	7	3	8	4	7	14	26	33	32	45	34	15	7	3	.....
Females	313	4	8	12	22	22	21	32	35	46	39	36	21	11	4	.....
Diagnosis reasonably certain. {M	112	3	2	4	3	2	8	6	16	14	17	20	8	7	2	.....
Diagnosis reasonably certain. {F	196	3	7	11	17	14	15	19	24	28	13	17	16	8	4	.....
Colored	196	8	13	13	18	21	22	21	25	24	17	8	2	3	.....	1
Males	51	2	1	2	5	4	6	5	9	8	6	2	1	.....	.....	.....
Females	145	6	12	11	13	17	16	16	16	16	11	6	1	3	.....	1
Diagnosis reasonably certain. {M	15	1	1	.....	4	2	2	.....	2	2	.....	.....	1	.....	.....	.....
Diagnosis reasonably certain. {F	101	4	9	9	11	13	11	9	12	9	8	3	1	2	.....	.....
WASHINGTON.																
Total	372	9	8	9	22	34	55	48	53	42	35	28	22	4	.....	3
Males	195	6	3	3	8	12	25	28	33	26	12	16	18	3	.....	2
Females	177	3	5	6	14	22	30	20	20	16	23	12	4	1	.....	1
Diagnosis reasonably certain. {M	94	5	2	2	4	5	15	14	17	7	5	7	8	1	.....	2
Diagnosis reasonably certain. {F	117	3	5	5	14	18	21	12	10	7	12	6	3	1	.....	.....
White	368	9	8	9	22	34	53	47	53	42	35	27	22	4	.....	3
Males	193	6	3	3	8	12	24	28	33	26	12	15	18	3	.....	2
Females	175	3	5	6	14	22	29	19	20	16	23	12	4	1	.....	1
Diagnosis reasonably certain. {M	93	5	2	2	4	5	14	14	17	7	5	7	8	1	.....	2
Diagnosis reasonably certain. {F	115	3	5	5	14	18	20	11	10	7	12	6	3	1	.....	.....
Colored	4	.....	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....
Males	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Females	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {M	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
WISCONSIN.																
Total	1,273	21	17	25	54	72	128	147	156	196	191	134	89	33	9	1
Males	633	12	7	6	21	26	62	74	82	104	98	77	53	9	1	1
Females	640	9	10	19	33	46	66	73	74	92	93	57	36	24	8	.....
Diagnosis reasonably certain. {M	243	9	4	2	8	15	26	26	27	42	34	25	20	4	1	.....
Diagnosis reasonably certain. {F	352	6	7	13	22	37	48	44	45	38	36	22	15	14	5	.....
White	1,266	21	17	25	54	72	128	146	154	194	191	133	89	32	9	1
Males	632	12	7	6	21	26	62	74	81	104	98	77	53	9	1	1
Females	634	9	10	19	33	46	66	72	73	90	93	56	36	23	8	.....
Diagnosis reasonably certain. {M	243	9	4	2	8	15	26	26	27	42	34	25	20	4	1	.....
Diagnosis reasonably certain. {F	347	6	7	13	22	37	48	44	44	36	36	21	15	13	5	.....
Colored	7	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	1	.....	.....
Males	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Females	6	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	1	.....	.....
Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diagnosis reasonably certain. {F	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	.....
Milwaukee County[1]	59	1	.....	.....	4	5	7	9	2	11	7	6	5	2	.....	.....
Males	41	1	.....	.....	2	4	3	6	2	9	6	4	4	.....	.....	.....
Females	18	.....	.....	.....	2	1	4	3	.....	2	1	2	1	2	.....	.....
Diagnosis reasonably certain. {M	26	1	.....	.....	2	2	2	1	1	8	5	2	2	.....	.....	.....
Diagnosis reasonably certain. {F	11	.....	.....	.....	2	1	2	3	.....	1	.....	.....	1	1	.....	.....
Other rural districts	1,214	20	17	25	50	67	121	138	154	185	184	128	84	31	9	1
Males	592	11	7	6	19	22	59	68	80	95	92	73	49	9	1	1
Females	622	9	10	19	31	45	62	70	74	90	92	55	35	22	8	.....
Diagnosis reasonably certain. {M	217	8	4	2	6	13	24	25	26	34	29	23	18	4	1	.....
Diagnosis reasonably certain. {F	341	6	7	13	20	36	46	41	45	37	36	22	14	13	5	.....

[1] Includes National Military Home.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision counties in registration states

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	SUMMARY.															
1	The registration area	52,420	2,270	376	614	230	851	199	19,889	58	605	12,768	6,458	6,745	485	4,055
2	Males	21,282	1,878	347	526	184	670	151	10,122	46	475	7,015	2,586	2,903	184	1,645
3	Females	31,138	392	29	88	46	181	48	9,767	12	130	5,753	3,872	3,842	301	2,410
4	Diagnosis reasonably certain	M.. 10,749	1,878	347	526	184	670	151	2,524	19	164	1,795	546	1,787	96	638
		F.. 19,806	391	29	88	46	180	48	1,763	5	35	913	810	2,090	132	851
5	Diagnosis uncertain	M.. 6,966	.....	.....	.....	.....	.....	.....	5,212	15	214	3,598	1,385	709	55	639
		F.. 7,438	.....	.....	.....	.....	.....	.....	5,485	3	71	3,375	2,036	1,109	104	993
6	Diagnosis unknown	M.. 3,567	.....	.....	.....	.....	.....	.....	2,386	12	97	1,622	655	407	33	368
		F.. 3,894	1	.....	.....	.....	1	.....	2,519	4	24	1,465	1,026	643	65	566
7	White	50,515	2,218	373	602	228	822	193	19,288	54	589	12,367	6,278	6,584	478	3,964
8	Males	20,717	1,842	345	518	183	648	148	9,818	42	465	6,812	2,499	2,851	181	1,618
9	Females	29,798	376	28	84	45	174	45	9,470	12	124	5,555	3,779	3,733	297	2,346
10	Diagnosis reasonably certain	M.. 10,511	1,842	345	518	183	648	148	2,462	18	163	1,755	526	1,759	96	630
		F.. 18,831	375	28	84	45	173	45	1,727	5	33	892	797	2,033	130	835
11	Diagnosis uncertain	M.. 6,774	.....	.....	.....	.....	.....	.....	5,068	14	207	3,498	1,349	695	54	626
		F.. 7,235	.....	.....	.....	.....	.....	.....	5,331	3	68	3,271	1,989	1,078	103	965
12	Diagnosis unknown	M.. 3,432	.....	.....	.....	.....	.....	.....	2,288	10	95	1,559	624	397	31	362
		F.. 3,732	1	.....	.....	.....	1	.....	2,412	4	23	1,392	993	622	64	546
13	Colored	1,905	52	3	12	2	29	6	601	4	16	401	180	161	7	91
14	Males	565	36	2	8	1	22	3	304	4	10	203	87	52	3	27
15	Females	1,340	16	1	4	1	7	3	297	.....	6	198	93	109	4	64
16	Diagnosis reasonably certain	M.. 238	36	2	8	1	22	3	62	1	1	40	20	28	.....	8
		F.. 975	16	1	4	1	7	3	36	.....	2	21	13	57	2	16
17	Diagnosis uncertain	M.. 192	.....	.....	.....	.....	.....	.....	144	1	7	100	36	14	1	13
		F.. 203	.....	.....	.....	.....	.....	.....	154	.....	3	104	47	31	1	28
18	Diagnosis unknown	M.. 135	.....	.....	.....	.....	.....	.....	98	2	2	63	31	10	2	6
		F.. 162	.....	.....	.....	.....	.....	.....	107	.....	1	73	33	21	1	20
19	Registration states[1]	48,259	2,090	355	548	216	787	184	18,370	50	536	11,781	6,003	6,261	451	3,782
20	Males	19,546	1,726	329	466	171	618	142	9,273	41	414	6,425	2,393	2,698	169	1,536
21	Females	28,713	364	26	82	45	169	42	9,097	9	122	5,356	3,610	3,563	282	2,246
22	Diagnosis reasonably certain	M.. 9,845	1,726	329	466	171	618	142	2,256	17	142	1,604	493	1,658	84	596
		F.. 18,155	363	26	82	45	168	42	1,620	4	34	838	744	1,920	121	783
23	Diagnosis uncertain	M.. 6,538	.....	.....	.....	.....	.....	.....	4,904	13	194	3,384	1,313	667	54	603
		F.. 7,038	.....	.....	.....	.....	.....	.....	5,192	2	65	3,200	1,925	1,068	100	958
24	Diagnosis unknown	M.. 3,163	.....	.....	.....	.....	.....	.....	2,113	11	78	1,437	587	373	31	337
		F.. 3,520	1	.....	.....	.....	1	.....	2,285	3	23	1,318	941	575	61	505
25	White	46,739	2,048	352	538	215	764	179	17,870	46	521	11,451	5,852	6,133	445	3,707
26	Males	19,100	1,697	327	459	171	601	139	9,028	37	405	6,252	2,324	2,656	166	1,515
27	Females	27,639	351	25	79	44	163	40	8,842	9	116	5,189	3,528	3,477	279	2,192
28	Diagnosis reasonably certain	M.. 9,677	1,697	327	459	171	601	139	2,218	16	141	1,580	481	1,637	84	591
		F.. 17,396	350	25	79	44	162	40	1,590	4	32	822	732	1,879	120	770
29	Diagnosis uncertain	M.. 6,373	.....	.....	.....	.....	.....	.....	4,780	12	188	3,297	1,283	655	53	592
		F.. 6,861	.....	.....	.....	.....	.....	.....	5,056	2	62	3,107	1,885	1,042	99	935
30	Diagnosis unknown	M.. 3,050	.....	.....	.....	.....	.....	.....	2,030	9	76	1,385	560	364	29	332
		F.. 3,382	1	.....	.....	.....	1	.....	2,196	3	22	1,260	911	556	60	487
31	Colored	1,520	42	3	10	1	23	5	500	4	15	330	151	128	6	75
32	Males	446	29	2	7	.....	17	3	245	4	9	163	69	42	3	21
33	Females	1,074	13	1	3	1	6	2	255	.....	6	167	82	86	3	54
34	Diagnosis reasonably certain	M.. 168	29	2	7	.....	17	3	38	1	1	24	12	21	.....	5
		F.. 759	13	1	3	1	6	2	30	.....	2	16	12	41	1	13
35	Diagnosis uncertain	M.. 165	.....	.....	.....	.....	.....	.....	124	1	6	87	30	12	1	11
		F.. 177	.....	.....	.....	.....	.....	.....	136	.....	3	93	40	26	1	23
36	Diagnosis unknown	M.. 113	.....	.....	.....	.....	.....	.....	83	2	2	52	27	9	2	5
		F.. 133	.....	.....	.....	.....	.....	.....	89	.....	1	58	30	19	1	18
37	Cities in registration states[1]	26,795	1,060	118	361	99	391	91	9,739	40	395	6,171	3,133	3,775	280	2,302
38	Males	10,505	894	110	317	82	312	73	4,879	35	316	3,276	1,252	1,579	101	921
39	Females	16,290	166	8	44	17	79	18	4,860	5	79	2,895	1,881	2,196	179	1,381
40	Diagnosis reasonably certain	M.. 5,566	894	110	317	82	312	73	1,410	15	122	976	297	1,024	54	424
		F.. 10,652	165	8	44	17	78	18	1,010	2	24	535	449	1,258	81	555
41	Diagnosis uncertain	M.. 3,158	.....	.....	.....	.....	.....	.....	2,315	10	132	1,531	642	325	27	292
		F.. 3,616	.....	.....	.....	.....	.....	.....	2,584	.....	41	1,620	923	576	61	506
42	Diagnosis unknown	M.. 1,781	.....	.....	.....	.....	.....	.....	1,154	10	62	769	313	230	20	205
		F.. 2,022	1	.....	.....	.....	1	.....	1,266	3	14	740	509	362	37	320
43	White	25,893	1,038	118	352	99	380	89	9,441	36	381	5,974	3,050	3,694	274	2,258
44	Males	10,247	877	110	311	82	302	72	4,738	31	308	3,185	1,214	1,552	98	910
45	Females	15,646	161	8	41	17	78	17	4,703	5	73	2,789	1,836	2,142	176	1,348

[1] Includes District of Columbia.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and are shown in Table I, p. 21.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																					
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.												
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2,171	34	8,152	451	7,470	184	47	5,423	1,957	7,984	341	371	656	538	784	1,014	141	497	121	3,491	1
1,064	10	.....	.....	.....	.....	.....	88	1,242	5,049	279	209	368	281	784	718	76	259	121	1,954	2
1,107	24	8,152	451	7,470	184	47	5,335	715	2,935	62	162	318	257	.....	296	65	238	.....	1,537	3
1,052	1	.....	.....	.....	.....	.....	88	1,242	3,230	279	83	216	145	311	352	34	109	121	1,580	4
1,098	9	7,988	310	7,460	184	34	5,332	715	1,527	61	38	132	118	.....	107	23	94	.....	952	
7	8	.....	.....	.....	.....	.....	1,045	.....	86	.....	97	83	314	197	18	79	.....	171	5	
7	5	72	56	8	.....	8	1	.....	771	1	71	122	88	.....	108	21	77	.....	283	
5	1	.....	.....	.....	.....	.....	.....	.....	774	.....	40	55	53	159	169	24	71	.....	203	6
2	10	92	85	2	.....	5	2	.....	637	.....	53	64	51	.....	81	19	67	.....	302	
2,110	32	7,544	438	6,887	173	46	5,223	1,925	7,733	330	365	660	521	764	993	136	479	121	3,364	7
1,042	10	.....	.....	.....	.....	.....	87	1,229	4,890	272	206	352	270	764	700	71	247	121	1,887	8
1,068	22	7,544	438	6,887	173	46	5,136	696	2,843	58	159	308	251	.....	293	65	232	.....	1,477	9
1,032	1	.....	.....	.....	.....	.....	87	1,229	3,132	272	82	206	138	302	340	33	107	121	1,531	10
1,060	8	7,385	301	6,877	173	34	5,133	696	1,482	57	38	127	116	.....	105	25	93	.....	921	
7	8	.....	.....	.....	.....	.....	.....	.....	1,011	.....	86	95	81	307	193	16	73	.....	160	11
6	4	71	55	8	.....	8	1	.....	754	1	71	121	86	.....	108	21	73	.....	273	
3	1	.....	.....	.....	.....	.....	.....	.....	747	.....	38	51	51	155	167	22	67	.....	196	12
2	10	88	82	2	.....	4	2	.....	607	.....	50	60	49	.....	80	19	66	.....	283	
61	2	608	13	583	11	1	200	32	251	11	6	26	17	20	21	5	18	.....	127	13
22	.....	.....	.....	.....	.....	.....	1	13	159	7	3	16	11	20	18	5	12	.....	67	14
39	2	608	13	583	11	1	199	19	92	4	3	10	6	.....	3	.....	6	.....	60	15
20	.....	.....	.....	.....	.....	.....	1	13	98	7	1	10	7	9	12	1	2	.....	49	16
38	1	603	9	583	11	.....	199	19	45	4	.....	5	2	.....	2	.....	1	.....	31	
.....	.....	.....	.....	.....	.....	.....	.....	.....	34	.....	.....	2	2	7	4	2	6	.....	11	17
1	1	1	1	.....	.....	.....	.....	.....	17	.....	.....	1	2	.....	.....	.....	4	.....	10	
2	.....	.....	.....	.....	.....	.....	.....	.....	27	.....	2	4	2	4	2	2	4	.....	7	18
.....	.....	4	3	.....	.....	1	.....	.....	30	.....	3	4	2	.....	1	.....	1	.....	19	
2,001	27	7,334	409	6,710	172	43	5,075	1,850	7,279	318	334	617	472	717	919	125	451	111	3,215	19
986	7	.....	.....	.....	.....	.....	82	1,183	4,584	261	187	325	242	717	650	68	231	111	1,792	20
1,015	20	7,334	409	6,710	172	43	4,993	667	2,695	57	147	292	230	.....	269	57	220	.....	1,423	21
977	1	.....	.....	.....	.....	.....	82	1,183	2,940	261	75	193	123	276	317	31	96	111	1,457	22
1,008	8	7,184	280	6,701	172	31	4,990	667	1,411	56	33	122	108	.....	99	22	88	.....	883	
5	5	.....	.....	.....	.....	.....	.....	.....	967	.....	79	85	73	298	188	16	71	.....	157	
5	5	68	53	7	.....	8	1	.....	709	1	64	115	78	.....	98	21	72	.....	260	23
4	1	.....	.....	.....	.....	.....	.....	.....	677	.....	33	47	46	143	145	21	64	.....	178	
2	7	82	76	2	.....	4	2	.....	575	.....	50	55	44	.....	72	14	60	.....	280	24
1,956	25	6,869	400	6,263	163	43	4,913	1,827	7,079	308	329	599	457	702	900	122	436	111	3,115	25
968	7	.....	.....	.....	.....	.....	81	1,175	4,463	255	185	314	233	702	634	65	222	111	1,742	26
988	18	6,869	400	6,263	163	43	4,832	652	2,616	53	144	285	224	.....	266	57	214	.....	1,373	27
961	1	.....	.....	.....	.....	.....	81	1,175	2,869	255	75	186	117	271	307	31	94	111	1,422	28
982	7	6,722	274	6,254	163	31	4,829	652	1,374	52	33	119	106	.....	97	22	87	.....	858	
5	5	.....	.....	.....	.....	.....	.....	.....	938	.....	79	85	72	291	184	14	66	.....	147	
4	4	68	53	7	.....	8	1	.....	694	1	64	114	76	.....	98	21	68	.....	252	29
2	1	.....	.....	.....	.....	.....	.....	.....	656	.....	31	43	44	140	143	20	62	.....	173	
2	7	79	73	2	.....	4	2	.....	548	.....	47	52	42	.....	71	14	59	.....	263	30
45	2	465	9	447	9	.....	162	23	200	10	5	18	15	15	19	3	15	.....	100	31
18	.....	.....	.....	.....	.....	.....	1	8	121	6	2	11	9	15	16	3	9	.....	50	32
27	2	465	9	447	9	.....	161	15	79	4	3	7	6	.....	3	.....	6	.....	50	33
16	.....	.....	.....	.....	.....	.....	1	8	71	6	.....	7	6	5	10	.....	2	.....	35	34
26	1	462	6	447	9	.....	161	15	37	4	.....	3	2	.....	2	.....	1	.....	25	
.....	.....	.....	.....	.....	.....	.....	.....	.....	29	.....	.....	.....	1	7	4	2	5	.....	10	
1	1	.....	.....	.....	.....	.....	.....	.....	15	.....	.....	1	2	.....	.....	.....	4	.....	8	35
2	.....	.....	.....	.....	.....	.....	.....	.....	21	.....	2	4	2	3	2	1	2	.....	5	
.....	.....	3	3	.....	.....	.....	.....	.....	27	.....	3	3	2	.....	1	.....	1	.....	17	36
1,175	18	4,428	290	4,026	94	18	2,830	666	4,297	226	231	403	297	415	597	80	269	61	1,718	37
552	5	.....	.....	.....	.....	.....	46	401	2,706	193	125	207	150	415	419	41	133	61	962	38
623	13	4,428	290	4,026	94	18	2,784	265	1,591	33	106	196	147	.....	178	39	136	.....	756	39
545	1	.....	.....	.....	.....	.....	46	401	1,791	193	53	132	88	183	220	18	56	61	787	40
616	6	4,332	201	4,022	94	15	2,782	265	840	32	24	83	76	.....	70	18	54	.....	483	
3	3	.....	.....	.....	.....	.....	.....	.....	518	.....	50	46	33	150	104	9	39	.....	87	
5	4	42	38	3	.....	1	1	.....	413	1	44	69	43	.....	59	13	45	.....	139	41
4	1	.....	.....	.....	.....	.....	.....	.....	397	.....	22	29	29	82	95	14	38	.....	88	
2	3	54	51	1	.....	2	1	.....	338	.....	38	44	28	.....	49	8	37	.....	134	42
1,146	16	4,143	283	3,755	87	18	2,739	654	4,184	221	226	389	289	404	587	80	262	61	1,665	43
539	5	.....	.....	.....	.....	.....	45	397	2,638	190	123	198	146	404	412	41	128	61	935	44
607	11	4,143	283	3,755	87	18	2,694	257	1,546	31	103	191	143	.....	175	39	134	.....	730	45

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
				Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
				Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	SUMMARY—Continued.																
	Cities in registration states[1]—Contd. White—Continued.																
1	Diagnosis reasonably certain	M.	5,461	877	110	311	82	302	72	1,385	14	122	961	288	1,010	54	421
		F.	10,196	160	8	41	17	77	17	989	2	22	524	441	1,230	80	544
2	Diagnosis uncertain	M.	3,074	.....	.....	.....	.....	.....	.....	2,248	9	126	1,487	626	319	26	287
		F.	3,513	.....	.....	.....	.....	.....	.....	2,504	.....	38	1,559	907	561	60	494
3	Diagnosis unknown	M.	1,712	.....	.....	.....	.....	.....	.....	1,105	8	60	737	300	223	18	202
		F.	1,937	1	.....	.....	.....	1	.....	1,210	3	13	706	488	351	36	310
4	Colored		902	22	.....	9	.....	11	2	298	4	14	197	83	81	6	44
5	Males		258	17	.....	6	.....	10	1	141	4	8	91	38	27	3	11
6	Females		644	5	.....	3	.....	1	1	157	.....	6	106	45	54	3	33
7	Diagnosis reasonably certain	M.	105	17	.....	6	.....	10	1	25	1	.....	15	9	14	.....	3
		F.	456	5	.....	3	.....	1	1	21	.....	2	11	8	28	1	11
8	Diagnosis uncertain	M.	84	.....	.....	.....	.....	.....	.....	67	.....	6	44	16	6	1	5
		F.	103	.....	.....	.....	.....	.....	.....	80	.....	3	61	16	15	1	12
9	Diagnosis unknown	M.	69	.....	.....	.....	.....	.....	.....	49	2	2	32	13	7	2	3
		F.	85	.....	.....	.....	.....	.....	.....	56	.....	1	34	21	11	1	10
10	Rural part of registration states		21,464	1,030	237	187	117	396	93	8,631	10	141	5,610	2,870	2,486	171	1,480
11	Males		9,041	832	219	149	89	306	69	4,394	6	98	3,149	1,141	1,119	68	615
12	Females		12,423	198	18	38	28	90	24	4,237	4	43	2,461	1,729	1,367	103	865
13	Diagnosis reasonably certain	M.	4,279	832	219	149	89	306	69	846	2	20	628	196	634	30	172
		F.	7,503	198	18	38	28	90	24	610	2	10	303	295	662	40	223
14	Diagnosis uncertain	M.	3,380	.....	.....	.....	.....	.....	.....	2,589	3	62	1,853	671	342	27	311
		F.	3,422	.....	.....	.....	.....	.....	.....	2,608	2	24	1,580	1,002	492	39	452
15	Diagnosis unknown	M.	1,382	.....	.....	.....	.....	.....	.....	959	1	16	668	274	143	11	132
		F.	1,498	.....	.....	.....	.....	.....	.....	1,019	.....	9	578	432	213	24	185
16	White		20,846	1,010	234	186	116	384	90	8,429	10	140	5,477	2,802	2,439	171	1,449
17	Males		8,853	820	217	148	89	299	67	4,290	6	97	3,077	1,110	1,104	68	605
18	Females		11,993	190	17	38	27	85	23	4,139	4	43	2,400	1,692	1,335	103	844
19	Diagnosis reasonably certain	M.	4,216	820	217	148	89	299	67	833	2	19	619	193	627	30	170
		F.	7,200	190	17	38	27	85	23	601	2	10	298	291	649	40	226
20	Diagnosis uncertain	M.	3,299	.....	.....	.....	.....	.....	.....	2,532	3	62	1,810	657	336	27	305
		F.	3,348	.....	.....	.....	.....	.....	.....	2,552	2	24	1,548	978	481	39	441
21	Diagnosis unknown	M.	1,338	.....	.....	.....	.....	.....	.....	925	1	16	648	260	141	11	130
		F.	1,445	.....	.....	.....	.....	.....	.....	986	.....	9	554	423	205	24	177
22	Colored		618	20	3	1	1	12	3	202	.....	1	133	68	47	.....	31
23	Males		188	12	2	1	.....	7	2	104	.....	1	72	31	15	.....	10
24	Females		430	8	1	.....	1	5	1	98	.....	.....	61	37	32	.....	21
25	Diagnosis reasonably certain	M.	63	12	2	1	.....	7	2	13	.....	1	9	3	7	.....	2
		F.	303	8	1	.....	1	5	1	9	.....	.....	5	4	13	.....	2
26	Diagnosis uncertain	M.	81	.....	.....	.....	.....	.....	.....	57	.....	.....	43	14	6	.....	6
		F.	74	.....	.....	.....	.....	.....	.....	56	.....	.....	32	24	11	.....	11
27	Diagnosis unknown	M.	44	.....	.....	.....	.....	.....	.....	34	.....	.....	20	14	2	.....	2
		F.	53	.....	.....	.....	.....	.....	.....	33	.....	.....	24	9	8	.....	8
28	Registration states,[1] exclusive of North Carolina.		47,986	2,086	354	547	216	785	184	18,285	50	534	11,733	5,968	6,234	447	3,768
29	Males		19,474	1,724	328	465	171	618	142	9,236	41	413	6,405	2,377	2,690	168	1,533
30	Females		28,512	362	26	82	45	167	42	9,049	9	121	5,328	3,591	3,544	279	2,235
31	Diagnosis reasonably certain	M.	9,810	1,724	328	465	171	618	142	2,246	17	142	1,597	490	1,652	83	595
		F.	18,010	361	26	82	45	166	42	1,608	4	34	833	737	1,912	120	781
32	Diagnosis uncertain	M.	6,517	.....	.....	.....	.....	.....	.....	4,887	13	193	3,376	1,305	666	54	602
		F.	7,006	.....	.....	.....	.....	.....	.....	5,169	2	64	3,185	1,918	1,061	99	952
33	Diagnosis unknown	M.	3,147	.....	.....	.....	.....	.....	.....	2,103	11	78	1,432	582	372	31	336
		F.	3,496	1	.....	.....	.....	1	.....	2,272	3	23	1,310	936	571	60	502
34	White		46,549	2,045	352	537	215	762	179	17,806	46	519	11,417	5,824	6,108	441	3,693
35	Males		19,047	1,696	327	458	171	601	139	9,004	37	404	6,249	2,314	2,649	165	1,512
36	Females		27,502	349	25	79	44	161	40	8,802	9	115	5,168	3,510	3,459	276	2,181
37	Diagnosis reasonably certain	M.	9,652	1,696	327	458	171	601	139	2,212	16	141	1,576	479	1,632	83	590
		F.	17,306	348	25	79	44	160	40	1,580	4	32	819	725	1,872	119	768
38	Diagnosis uncertain	M.	6,357	.....	.....	.....	.....	.....	.....	4,768	12	187	3,292	1,277	654	53	591
		F.	6,834	.....	.....	.....	.....	.....	.....	5,037	2	61	3,096	1,878	1,035	98	929
39	Diagnosis unknown	M.	3,038	.....	.....	.....	.....	.....	.....	2,024	9	76	1,381	558	363	29	331
		F.	3,362	1	.....	.....	.....	1	.....	2,185	3	22	1,253	907	552	59	484
40	Colored		1,437	41	2	10	1	23	5	479	4	15	316	144	126	6	75
41	Males		427	28	1	7	.....	17	3	232	4	9	156	63	41	3	21
42	Females		1,010	13	1	3	1	6	2	247	.....	6	160	81	85	3	54
43	Diagnosis reasonably certain	M.	158	28	1	7	.....	17	3	34	1	1	21	11	20	.....	5
		F.	704	13	1	3	1	6	2	28	.....	2	14	12	40	1	13
44	Diagnosis uncertain	M.	160	.....	.....	.....	.....	.....	.....	119	1	6	84	28	12	1	11
		F.	172	.....	.....	.....	.....	.....	.....	132	.....	3	89	40	26	1	23
45	Diagnosis unknown	M.	109	.....	.....	.....	.....	.....	.....	79	2	2	51	24	9	2	5
		F.	134	.....	.....	.....	.....	.....	.....	87	.....	1	57	29	19	1	18

[1] Includes District of Columbia.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
534	1						45	397	1,747	190	53	126	85	178	215	18	55	61	766	1
601	5	4,049	196	3,751	87	15	2,692	257	819	30	24	81	75	.....	68	18	53	.....	470	
3	3								507	.....	50	46	33	147	103	9	36	.....	83	2
4	3	42	38	3	.....	1	1	.....	405	1	44	68	42	.....	59	13	45	.....	133	
2	1								384	.....	20	26	28	79	94	14	37	.....	86	3
2	3	52	49	1	.....	2	1	.....	322	.....	35	42	26	.....	48	8	36	.....	127	
29	2	285	7	271	7	.....	91	12	113	5	5	14	8	11	10	.....	7	.....	53	4
13	.....						1	4	68	3	2	9	4	11	7	.....	5	.....	27	5
16	2	285	7	271	7	.....	90	8	45	2	3	5	4	.....	3	.....	2	.....	26	6
11	.....						1	4	44	3	.....	6	3	5	5	.....	1	.....	21	7
15	1	283	5	271	7	.....	90	8	21	2	.....	2	1	.....	2	.....	1	.....	13	
.....	.....						.....	.....	11	.....	.....	.....	.....	3	1	.....	3	.....	4	8
1	1						.....	.....	8	.....	.....	1	1	.....	.....	.....	.....	.....	6	
2	.....						.....	.....	13	.....	2	3	1	3	1	.....	1	.....	2	9
.....	.....	2	2	.....	.....	.....	.....	.....	16	.....	3	2	2	.....	1	.....	1	.....	7	
826	9	2,906	119	2,684	78	25	2,245	1,184	2,982	92	103	214	175	302	322	45	182	50	1,497	10
434	2						36	782	1,878	68	62	118	92	302	231	27	98	50	830	11
392	7	2,906	119	2,684	78	25	2,209	402	1,104	24	41	96	83	.....	91	18	84	.....	667	12
432	.....						36	782	1,149	68	22	61	35	93	97	13	40	50	670	13
392	2	2,852	79	2,679	78	16	2,208	402	571	24	9	39	32	.....	29	4	34	.....	400	
2	2								449	.....	29	39	40	148	84	7	32	.....	70	14
.....	1	26	15	4	.....	7	.....	.....	296	.....	20	46	35	.....	39	8	27	.....	121	
.....	.....						.....	.....	280	.....	11	18	17	61	50	7	26	.....	90	15
.....	4	28	25	1	.....	2	1	.....	237	.....	12	11	16	.....	23	6	23	.....	146	
810	9	2,726	117	2,508	76	25	2,174	1,173	2,895	87	103	210	168	298	313	42	174	50	1,450	16
429	2						36	778	1,825	65	62	116	87	298	222	24	94	50	807	17
381	7	2,726	117	2,508	76	25	2,138	395	1,070	22	41	94	81	.....	91	18	80	.....	643	18
427	.....						36	778	1,122	65	22	60	32	93	92	13	39	50	656	19
381	2	2,673	78	2,503	76	16	2,137	395	555	22	9	38	31	.....	29	4	34	.....	388	
2	2								431	.....	29	39	39	144	81	5	30	.....	64	20
.....	1	26	15	4	.....	7	.....	.....	289	.....	20	46	34	.....	39	8	23	.....	119	
.....	.....						.....	.....	272	.....	11	17	16	61	49	6	25	.....	87	21
.....	4	27	24	1	.....	2	1	.....	226	.....	12	10	16	.....	23	6	23	.....	136	
16	.....	180	2	176	2	.....	71	11	87	5	.....	4	7	4	9	3	8	.....	47	22
5	.....						.....	4	53	3	.....	2	5	4	9	3	4	.....	23	23
11	.....	180	2	176	2	.....	71	7	34	2	.....	2	2	.....	.....	.....	4	.....	24	24
5	.....						.....	4	27	3	.....	1	3	.....	5	.....	1	.....	14	25
11	.....	179	1	176	2	.....	71	7	16	2	.....	1	1	.....	.....	.....	.....	.....	12	
.....	.....						.....	.....	18	.....	.....	.....	1	4	3	2	2	.....	6	26
.....	.....						.....	.....	7	.....	.....	.....	1	.....	.....	.....	4	.....	2	
.....	.....						.....	.....	8	.....	.....	1	1	.....	1	1	1	.....	3	27
.....	.....	1	1	.....	.....	.....	.....	.....	11	.....	.....	1	.....	.....	.....	.....	.....	.....	10	
1,992	27	7,247	406	6,629	170	42	5,052	1,838	7,244	318	333	617	467	716	915	123	448	111	3,196	28
982	7						81	1,177	4,566	261	187	325	239	716	648	66	229	111	1,784	29
1,010	20	7,247	406	6,629	170	42	4,971	661	2,678	57	146	292	228	.....	267	57	219	.....	1,412	30
973	1						81	1,177	2,930	261	75	193	121	276	316	29	95	111	1,453	31
1,003	8	7,097	277	6,620	170	30	4,968	661	1,403	56	33	122	107	.....	98	22	87	.....	878	
5	5								964	.....	79	85	72	297	188	16	71	.....	156	32
5	5	68	53	7	.....	8	1	.....	707	1	63	115	78	.....	98	21	72	.....	259	
4	1						.....	.....	672	.....	33	47	46	143	144	21	63	.....	175	33
2	7	82	76	2	.....	4	2	.....	568	.....	50	55	43	.....	71	14	60	.....	275	
1,949	25	6,824	399	6,220	163	42	4,897	1,816	7,053	308	328	599	452	701	897	120	433	111	3,104	34
965	7						81	1,169	4,448	255	185	314	230	701	633	63	220	111	1,736	35
984	18	6,824	399	6,220	163	42	4,816	647	2,605	53	143	285	222	.....	264	57	213	.....	1,368	36
958	1						81	1,169	2,862	255	75	186	115	271	307	29	93	111	1,420	37
978	7	6,677	273	6,211	163	30	4,813	647	1,369	52	33	119	105	.....	96	22	86	.....	856	
5	5								935	.....	79	85	71	290	184	14	66	.....	146	38
4	4	68	53	7	.....	8	1	.....	693	1	63	114	76	.....	98	21	68	.....	252	
2	1						.....	.....	651	.....	31	43	44	140	142	20	61	.....	170	39
2	7	79	73	2	.....	4	2	.....	543	.....	47	52	41	.....	70	14	59	.....	260	
43	2	423	7	409	7	.....	155	22	191	10	5	18	15	15	18	3	15	.....	92	40
17	.....						.....	8	118	6	2	11	9	15	15	3	9	.....	48	41
26	2	423	7	409	7	.....	155	14	73	4	3	7	6	.....	3	.....	6	.....	44	42
15	.....						.....	8	68	6	.....	7	6	5	9	.....	2	.....	33	43
25	1	420	4	409	7	.....	155	14	34	4	.....	3	2	.....	2	.....	1	.....	22	
.....	.....						.....	.....	29	.....	.....	.....	1	7	4	2	5	.....	10	
1	1						.....	.....	14	.....	.....	1	2	.....	.....	.....	4	.....	7	44
2	.....						.....	.....	21	.....	2	4	2	3	2	1	2	.....	5	45
.....	.....	3	3	.....	.....	.....	.....	.....	25	.....	3	3	2	.....	1	.....	1	.....	15	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	SUMMARY—Continued.															
1	Registration cities in other states	4,161	180	21	66	14	64	15	1,519	8	69	987	455	484	34	273
2	Males	1,736	152	18	60	13	52	9	849	5	61	590	193	205	15	109
3	Females	2,425	28	3	6	1	12	6	670	3	8	397	262	279	19	164
4	Diagnosis reasonably certain {M	904	152	18	60	13	52	9	268	2	22	191	53	129	12	42
	{F	1,651	28	3	6	1	12	6	143	1	1	75	66	170	11	68
5	Diagnosis uncertain {M	428	.....	.....	.....	.....	.....	.....	308	2	20	214	72	42	1	36
	{F	400	.....	.....	.....	.....	.....	.....	293	1	6	175	111	41	4	35
6	Diagnosis unknown {M	404	.....	.....	.....	.....	.....	.....	273	1	19	185	68	34	2	31
	{F	374	.....	.....	.....	.....	.....	.....	234	1	1	147	85	68	4	61
7	White	3,776	170	21	64	13	58	14	1,418	8	68	916	426	451	33	257
8	Males	1,617	145	18	59	12	47	9	790	5	60	550	175	195	15	103
9	Females	2,159	25	3	5	1	11	5	628	3	8	366	251	256	18	154
10	Diagnosis reasonably certain {M	834	145	18	59	12	47	9	244	2	22	175	45	122	12	39
	{F	1,435	25	3	5	1	11	5	137	1	1	70	65	154	10	65
11	Diagnosis uncertain {M	401	.....	.....	.....	.....	.....	.....	288	2	19	201	66	40	1	34
	{F	374	.....	.....	.....	.....	.....	.....	275	1	6	164	104	36	4	30
12	Diagnosis unknown {M	382	.....	.....	.....	.....	.....	.....	258	1	19	174	64	33	2	30
	{F	350	.....	.....	.....	.....	.....	.....	216	1	1	132	82	66	4	59
13	Colored	385	10	.....	2	1	6	1	101	.....	1	71	29	33	1	16
14	Males	119	7	.....	1	1	5	.....	59	.....	1	40	18	10	.....	6
15	Females	266	3	.....	1	.....	1	1	42	.....	.....	31	11	23	1	10
16	Diagnosis reasonably certain {M	70	7	.....	1	1	5	.....	24	.....	.....	16	8	7	.....	3
	{F	216	3	.....	1	.....	1	1	6	.....	.....	5	1	16	1	3
17	Diagnosis uncertain {M	27	.....	.....	.....	.....	.....	.....	20	.....	1	13	6	2	.....	2
	{F	26	.....	.....	.....	.....	.....	.....	18	.....	.....	11	7	5	.....	5
18	Diagnosis unknown {M	22	.....	.....	.....	.....	.....	.....	15	.....	.....	11	4	1	.....	1
	{F	24	.....	.....	.....	.....	.....	.....	18	.....	.....	15	3	2	.....	2
19	All registration cities [1]	30,956	1,240	139	427	113	455	106	11,258	48	464	7,158	3,588	4,259	314	2,575
20	Males	12,241	1,046	128	377	95	364	82	5,728	40	377	3,866	1,445	1,784	116	1,030
21	Females	18,715	194	11	50	18	91	24	5,530	8	87	3,292	2,143	2,475	198	1,545
22	Diagnosis reasonably certain {M	6,470	1,046	128	377	95	364	82	1,678	17	144	1,167	350	1,153	66	466
	{F	12,303	193	11	50	18	90	24	1,153	3	25	610	515	1,428	92	623
23	Diagnosis uncertain {M	3,586	.....	.....	.....	.....	.....	.....	2,623	12	152	1,745	714	367	28	328
	{F	4,016	.....	.....	.....	.....	.....	.....	2,877	1	47	1,795	1,034	617	65	541
24	Diagnosis unknown {M	2,185	.....	.....	.....	.....	.....	.....	1,427	11	81	954	381	264	22	236
	{F	2,396	1	.....	.....	.....	1	.....	1,500	4	15	887	594	430	41	381
25	White	29,669	1,208	139	416	112	438	103	10,859	44	449	6,890	3,476	4,145	307	2,515
26	Males	11,864	1,022	128	370	94	349	81	5,528	36	368	3,735	1,389	1,747	113	1,013
27	Females	17,805	186	11	46	18	89	22	5,331	8	81	3,155	2,087	2,398	194	1,502
28	Diagnosis reasonably certain {M	6,295	1,022	128	370	94	349	81	1,629	16	144	1,136	333	1,132	66	460
	{F	11,631	185	11	46	18	88	22	1,126	3	23	594	506	1,384	90	609
29	Diagnosis uncertain {M	3,475	.....	.....	.....	.....	.....	.....	2,536	11	145	1,688	692	359	27	321
	{F	3,887	.....	.....	.....	.....	.....	.....	2,779	1	44	1,723	1,011	597	64	524
30	Diagnosis unknown {M	2,094	.....	.....	.....	.....	.....	.....	1,363	9	79	911	364	256	20	232
	{F	2,287	1	.....	.....	.....	1	.....	1,426	4	14	838	570	417	40	369
31	Colored	1,287	32	.....	11	1	17	3	399	4	15	268	112	114	7	60
32	Males	377	24	.....	7	1	15	1	200	4	9	131	56	37	3	17
33	Females	910	8	.....	4	.....	2	2	199	.....	6	137	56	77	4	43
34	Diagnosis reasonably certain {M	175	24	.....	7	1	15	1	49	1	.....	31	17	21	.....	6
	{F	672	8	.....	4	.....	2	2	27	.....	2	16	9	44	2	14
35	Diagnosis uncertain {M	111	.....	.....	.....	.....	.....	.....	87	1	7	57	22	8	1	7
	{F	129	.....	.....	.....	.....	.....	.....	98	.....	3	72	23	20	1	17
36	Diagnosis unknown {M	91	.....	.....	.....	.....	.....	.....	64	2	2	43	17	8	2	4
	{F	109	.....	.....	.....	.....	.....	.....	74	.....	1	49	24	13	1	12
	REGISTRATION STATES.															
37	CALIFORNIA	2,701	133	19	42	1	56	15	1,042	2	35	698	307	343	19	196
38	Males	1,278	115	18	36	1	48	12	627	2	33	445	147	168	8	91
39	Females	1,423	18	1	6	.....	8	3	415	.....	2	253	160	175	11	105
40	Diagnosis reasonably certain {M	731	115	18	36	1	48	12	214	2	10	150	52	114	5	40
	{F	1,004	18	1	6	.....	8	3	99	.....	2	53	44	112	7	47
41	White	2,649	130	19	42	1	55	13	1,013	2	33	682	296	339	17	194
42	Males	1,244	112	18	36	1	47	10	604	2	31	433	138	165	6	90
43	Females	1,405	18	1	6	.....	8	3	409	.....	2	249	158	174	11	104
44	Diagnosis reasonably certain {M	715	112	18	36	1	47	10	205	2	9	147	47	114	5	40
	{F	991	18	1	6	.....	8	3	98	.....	2	53	43	111	7	46

[1] Includes District of Columbia.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
170	7	818	42	760	12	4	348	107	705	23	37	69	66	67	95	16	46	10	276	1
78	3	.....	.....	.....	.....	.....	6	59	465	18	22	43	39	67	68	8	23	10	162	2
92	4	818	42	760	12	4	342	48	240	5	15	26	27	.....	27	8	18	.....	114	3
75	.....	.....	.....	.....	.....	.....	6	59	290	18	8	23	22	35	35	3	13	10	123	
90	1	804	30	759	12	3	342	48	116	5	5	10	10	.....	8	3	6	.....	69	4
2	3	.....	.....	.....	.....	.....	.....	.....	78	.....	7	12	10	16	9	2	8	.....	14	
2	.....	4	3	1	.....	.....	.....	.....	62	.....	7	7	10	.....	10	.....	5	.....	23	5
1	.....	.....	.....	.....	.....	.....	.....	.....	97	.....	7	8	7	16	24	3	7	.....	25	
.....	3	10	9	.....	.....	1	.....	.....	62	.....	3	9	7	.....	9	5	7	.....	22	6
154	7	675	38	624	10	3	310	98	654	22	36	61	64	62	93	14	43	10	249	7
74	3	.....	.....	.....	.....	.....	6	54	427	17	21	38	37	62	66	6	25	10	145	8
80	4	675	38	624	10	3	304	44	227	5	15	23	27	.....	27	8	18	.....	104	9
71	.....	.....	.....	.....	.....	.....	6	54	263	17	7	20	21	31	33	2	13	10	109	
78	1	663	27	623	10	3	304	44	108	5	5	8	10	.....	8	3	6	.....	63	10
2	3	.....	.....	.....	.....	.....	.....	.....	73	.....	7	10	9	16	9	2	7	.....	13	
2	.....	3	2	1	.....	.....	.....	.....	60	.....	7	7	10	.....	10	.....	5	.....	21	11
1	.....	.....	.....	.....	.....	.....	.....	.....	91	.....	7	8	7	15	24	2	5	.....	22	
.....	3	9	9	.....	.....	.....	.....	.....	59	.....	3	8	7	.....	9	5	7	.....	20	12
16	.....	143	4	136	2	1	38	9	51	1	1	8	2	5	2	2	3	.....	27	13
4	.....	.....	.....	.....	.....	.....	.....	5	38	1	1	5	2	5	2	2	3	.....	17	14
12	.....	143	4	136	2	1	38	4	13	.....	.....	3	.....	.....	.....	.....	.....	.....	10	15
4	.....	.....	.....	.....	.....	.....	.....	5	27	1	1	3	1	4	2	1	.....	.....	14	
12	.....	141	3	136	2	.....	38	4	8	.....	.....	2	.....	.....	.....	.....	.....	.....	6	16
.....	.....	1	1	.....	.....	.....	.....	.....	5	.....	.....	2	1	.....	.....	.....	1	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	17
.....	.....	1	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	1	.....	1	2	.....	2	
.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	18
1,345	25	5,246	332	4,786	106	22	3,178	773	5,002	249	268	472	363	482	692	96	315	71	1,994	19
630	8	.....	.....	.....	.....	.....	52	460	3,171	211	147	250	189	482	487	49	161	71	1,124	20
715	17	5,246	332	4,786	106	22	3,126	313	1,831	38	121	222	174	.....	205	47	154	.....	870	21
620	1	.....	.....	.....	.....	.....	52	460	2,081	211	61	155	110	218	255	21	69	71	910	
706	7	5,136	231	4,781	106	18	3,124	313	956	37	29	93	86	.....	78	21	60	.....	552	22
5	6	.....	.....	.....	.....	.....	.....	.....	596	.....	57	58	43	166	113	11	47	.....	101	
7	4	46	41	4	.....	1	1	.....	475	1	51	76	53	.....	69	13	50	.....	162	23
5	1	.....	.....	.....	.....	.....	.....	.....	494	.....	29	37	36	98	119	17	45	.....	113	
2	6	64	60	1	.....	3	1	.....	400	.....	41	53	35	.....	58	13	44	.....	156	24
1,300	23	4,818	321	4,379	97	21	3,049	752	4,838	243	262	450	353	466	680	94	305	71	1,914	25
613	8	.....	.....	.....	.....	.....	51	451	3,065	207	144	236	183	466	478	47	153	71	1,080	26
687	15	4,818	321	4,379	97	21	2,998	301	1,773	36	118	214	170	.....	202	47	152	.....	834	27
605	1	.....	.....	.....	.....	.....	51	451	2,010	207	60	146	106	209	248	20	68	71	875	
679	6	4,712	223	4,374	97	18	2,996	301	927	35	29	89	85	.....	76	21	59	.....	533	28
5	6	.....	.....	.....	.....	.....	.....	.....	580	.....	57	56	42	163	112	11	43	.....	96	
6	3	45	40	4	.....	1	1	.....	465	1	51	75	52	.....	69	13	50	.....	154	29
3	1	.....	.....	.....	.....	.....	.....	.....	475	.....	27	34	35	94	118	16	42	.....	109	
2	6	61	58	1	.....	2	1	.....	381	.....	38	50	33	.....	57	13	43	.....	147	30
45	2	428	11	407	9	1	129	21	164	6	6	22	10	16	12	2	10	.....	80	31
17	.....	.....	.....	.....	.....	.....	1	9	106	4	3	14	6	16	9	2	8	.....	44	32
28	2	428	11	407	9	1	128	12	58	2	3	8	4	.....	3	.....	2	.....	36	33
15	.....	.....	.....	.....	.....	.....	1	9	71	4	1	9	4	9	7	1	1	.....	35	
27	1	424	8	407	9	.....	128	12	29	2	.....	4	1	.....	2	.....	1	.....	19	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	16	.....	.....	2	1	3	1	.....	4	.....	5	
1	1	1	1	.....	.....	.....	.....	.....	10	.....	.....	1	1	.....	.....	.....	.....	.....	8	35
2	.....	.....	.....	.....	.....	.....	.....	.....	19	.....	2	3	1	4	1	1	3	.....	4	
.....	.....	3	2	.....	.....	1	.....	.....	19	.....	3	3	2	.....	1	.....	1	.....	9	36
127	1	366	22	333	7	4	299	100	418	19	23	40	25	45	44	15	17	11	179	37
69	.....	.....	.....	.....	.....	.....	5	74	289	14	13	26	13	45	33	9	9	11	116	38
58	1	366	22	333	7	4	294	26	129	5	10	14	12	.....	11	6	8	.....	63	39
69	.....	.....	.....	.....	.....	.....	5	74	209	14	8	20	8	21	17	3	6	11	101	40
58	.....	358	15	333	7	3	294	26	97	5	3	14	10	.....	5	4	3	.....	53	
127	1	360	22	327	7	4	295	100	412	17	23	39	25	45	44	15	16	11	177	41
69	.....	.....	.....	.....	.....	.....	5	74	284	13	13	25	13	45	33	9	8	11	114	42
58	1	360	22	327	7	4	290	26	128	4	10	14	12	.....	11	6	8	.....	63	43
69	.....	.....	.....	.....	.....	.....	5	74	205	13	8	19	8	21	17	3	5	11	100	44
58	.....	352	15	327	7	3	290	26	96	4	3	11	10	.....	5	4	3	.....	53	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.															
1	CALIFORNIA—Continued. Colored	52	3	.....	.....	.....	1	2	29	.....	2	16	11	4	2	2
2	Males	34	3	.....	.....	.....	1	2	23	.....	2	12	9	3	2	1
3	Females	18	.....	.....	.....	.....	.....	.....	6	.....	.....	4	2	1	.....	1
4	Diagnosis reasonably certain. {M.	16	3	.....	.....	.....	1	2	9	.....	1	3	5	.....	.....	.....
	{F.	13	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	1
5	COLORADO	530	22	3	5	2	12	.....	245	2	4	164	75	58	4	29
6	Males	232	22	3	5	2	12	.....	138	2	4	101	31	24	2	10
7	Females	298	.....	.....	.....	.....	.....	.....	107	.....	.....	63	44	34	2	19
8	Diagnosis reasonably certain. {M.	133	22	3	5	2	12	.....	52	.....	1	41	10	17	.....	5
	{F.	199	.....	.....	.....	.....	.....	.....	31	.....	.....	13	18	23	2	9
9	White	517	22	3	5	2	12	.....	239	1	4	160	74	58	4	29
10	Males	230	22	3	5	2	12	.....	137	1	4	101	31	24	2	10
11	Females	287	.....	.....	.....	.....	.....	.....	102	.....	.....	59	43	34	2	19
12	Diagnosis reasonably certain. {M.	133	22	3	5	2	12	.....	52	.....	1	41	10	17	.....	5
	{F.	194	.....	.....	.....	.....	.....	.....	31	.....	.....	13	18	23	2	9
13	Colored	13	.....	.....	.....	.....	.....	.....	6	1	.....	4	1	.....	.....	.....
14	Males	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
15	Females	11	.....	.....	.....	.....	.....	.....	5	.....	.....	4	1	.....	.....	.....
16	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	CONNECTICUT	1,040	48	5	17	5	18	3	331	.....	8	214	109	158	7	112
18	Males	394	40	3	14	5	15	3	164	.....	5	118	41	64	3	43
19	Females	646	8	2	3	.....	3	.....	167	.....	3	96	68	94	4	69
20	Diagnosis reasonably certain. {M.	199	40	3	14	5	15	3	46	.....	3	35	8	31	1	12
	{F.	412	8	2	3	.....	3	.....	37	.....	.....	19	18	40	1	18
21	White	1,022	48	5	17	5	18	3	326	.....	8	209	109	155	7	111
22	Males	390	40	3	14	5	15	3	160	.....	5	114	41	64	3	43
23	Females	632	8	2	3	.....	3	.....	166	.....	3	95	68	91	4	68
24	Diagnosis reasonably certain. {M.	198	40	3	14	5	15	3	45	.....	3	34	8	31	1	12
	{F.	400	8	2	3	.....	3	.....	37	.....	.....	19	18	38	1	18
25	Colored	18	.....	.....	.....	.....	.....	.....	5	.....	.....	5	.....	3	.....	1
26	Males	4	.....	.....	.....	.....	.....	.....	4	.....	.....	4	.....	.....	.....	.....
27	Females	14	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	1
28	Diagnosis reasonably certain {M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
29	INDIANA	2,199	98	22	16	15	40	5	864	2	11	513	338	226	15	138
30	Males	821	79	20	13	9	33	4	382	2	9	249	122	97	4	50
31	Females	1,378	19	2	3	6	7	1	482	.....	2	264	216	129	11	88
32	Diagnosis reasonably certain. {M.	433	79	20	13	9	33	4	80	1	1	49	29	73	4	26
	{F.	847	19	2	3	6	7	1	82	.....	1	42	39	59	4	25
33	White	2,162	97	22	15	15	40	5	854	2	11	507	334	222	14	138
34	Males	812	78	20	12	9	33	4	382	2	9	249	122	97	4	50
35	Females	1,350	19	2	3	6	7	1	472	.....	2	258	212	125	10	88
36	Diagnosis reasonably certain. {M.	429	78	20	12	9	33	4	80	1	1	49	29	73	4	26
	{F.	830	19	2	3	6	7	1	82	.....	1	42	39	56	4	25
37	Colored	37	1	.....	1	.....	.....	.....	10	.....	.....	6	4	4	1	.....
38	Males	9	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Females	28	.....	.....	.....	.....	.....	.....	10	.....	.....	6	4	4	1	.....
40	Diagnosis reasonably certain. {M.	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....
41	KANSAS	1,095	59	26	7	1	19	6	442	.....	5	275	162	117	10	82
42	Males	504	53	25	6	1	17	4	241	.....	4	167	70	59	6	40
43	Females	591	6	1	1	.....	2	2	201	.....	1	108	92	58	4	42
44	Diagnosis reasonably certain. {M.	257	53	25	6	1	17	4	67	.....	2	48	17	30	5	12
	{F.	364	6	1	1	.....	2	2	45	.....	.....	18	27	29	4	13
45	White	1,064	58	26	7	1	18	6	431	.....	5	268	158	115	10	81
46	Males	496	52	25	6	1	16	4	236	.....	4	163	69	59	6	40
47	Females	568	6	1	1	.....	2	2	195	.....	1	105	89	56	4	41
48	Diagnosis reasonably certain. {M.	254	52	25	6	1	16	4	66	.....	2	47	17	30	5	12
	{F.	349	6	1	1	.....	2	2	44	.....	.....	17	27	28	4	13
49	Colored	31	1	.....	.....	.....	1	.....	11	.....	.....	7	4	2	.....	1
50	Males	8	1	.....	.....	.....	1	.....	5	.....	.....	4	1	.....	.....	.....
51	Females	23	.....	.....	.....	.....	.....	.....	6	.....	.....	3	3	2	.....	1
52	Diagnosis reasonably certain. {M.	3	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	15	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
.....	.....	6	.....	6	.....	.....	4	.....	6	2	.....	1	.....	.....	.....	.....	1	.....	2	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	5	1	.....	1	.....	.....	.....	.....	1	.....	2	2
.....	.....	6	.....	6	.....	.....	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	1	.....	.....	.....	.....	1	.....	1	4
.....	.....	6	.....	6	.....	.....	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
25	.....	81	4	74	3	.....	53	14	57	3	6	5	7	6	3	2	1	1	23	5
12	.....	.....	.....	.....	.....	.....	2	10	36	3	2	5	2	6	1	1	1	1	14	6
13	.....	81	4	74	3	.....	51	4	21	.....	4	.....	5	.....	2	1	.....	.....	9	7
12	.....	.....	.....	.....	.....	.....	2	10	30	3	1	3	1	5	1	1	.....	1	14	8
12	.....	80	3	74	3	.....	51	4	10	.....	1	.....	2	.....	1	1	.....	.....	5	
25	.....	80	4	73	3	.....	50	13	55	3	6	4	6	6	3	2	1	1	23	9
12	.....	.....	.....	.....	.....	.....	2	10	35	3	2	4	2	6	1	1	1	1	14	10
13	.....	80	4	73	3	.....	48	3	20	.....	4	.....	4	.....	2	1	.....	.....	9	11
12	.....	.....	.....	.....	.....	.....	2	10	30	3	1	3	1	5	1	1	.....	1	14	12
12	.....	79	3	73	3	.....	48	3	10	.....	1	.....	2	.....	1	1	.....	.....	5	
.....	.....	1	.....	1	.....	.....	3	1	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	1	.....	1	.....	.....	3	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	1	.....	1	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
39	.....	158	7	145	5	1	121	33	191	11	5	16	7	23	32	2	11	1	83	17
18	.....	.....	.....	.....	.....	.....	1	19	106	8	1	5	4	23	21	.....	3	1	40	18
21	.....	158	7	145	5	1	120	14	85	3	4	11	3	.....	11	2	8	.....	43	19
18	.....	.....	.....	.....	.....	.....	1	19	62	8	1	5	1	5	9	.....	1	1	31	20
21	.....	155	5	145	5	.....	120	14	38	3	2	4	.....	.....	3	1	2	.....	23	
37	.....	152	7	139	5	1	118	32	191	11	5	16	7	23	32	2	11	1	83	21
18	.....	.....	.....	.....	.....	.....	1	19	106	8	1	5	4	23	21	.....	3	1	40	22
19	.....	152	7	139	5	1	117	13	85	3	4	11	3	.....	11	2	8	.....	43	23
18	.....	.....	.....	.....	.....	.....	1	19	62	8	1	5	1	5	9	.....	1	1	31	24
19	.....	149	5	139	5	.....	117	13	38	3	2	4	.....	.....	3	1	2	.....	23	
2	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
2	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
2	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
72	1	355	15	331	6	3	229	138	289	8	7	39	24	20	41	2	14	4	130	29
43	.....	.....	.....	.....	.....	.....	3	94	166	6	3	18	8	20	25	1	8	4	73	30
29	1	355	15	331	6	3	226	44	123	2	4	21	16	.....	16	1	6	.....	57	31
43	.....	.....	.....	.....	.....	.....	3	94	104	6	2	9	4	11	7	.....	3	4	58	32
29	1	350	11	331	6	2	226	44	67	2	2	9	6	.....	4	.....	2	.....	42	
69	1	346	15	322	6	3	226	137	280	8	7	37	23	20	40	2	12	4	127	33
43	.....	.....	.....	.....	.....	.....	3	94	158	6	3	17	7	20	24	1	6	4	70	34
26	1	346	15	322	6	3	223	43	122	2	4	20	16	.....	16	1	6	.....	57	35
43	.....	.....	.....	.....	.....	.....	3	94	101	6	2	9	3	11	7	.....	2	4	57	36
26	1	341	11	322	6	2	223	43	66	2	2	8	6	.....	4	.....	2	.....	42	
3	.....	9	.....	9	.....	.....	3	1	9	.....	.....	2	1	.....	1	.....	2	.....	3	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	1	1	.....	1	.....	2	.....	3	38
3	.....	9	.....	9	.....	.....	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	1	.....	1	40
3	.....	9	.....	9	.....	.....	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
25	.....	142	10	129	3	.....	110	46	179	1	1	14	6	19	15	3	13	3	104	41
13	.....	.....	.....	.....	.....	.....	2	36	113	1	1	7	3	19	11	2	10	3	56	42
12	.....	142	10	129	3	.....	108	10	66	.....	.....	7	3	.....	4	1	3	.....	48	43
13	.....	.....	.....	.....	.....	.....	2	36	69	1	1	6	2	8	7	1	3	3	37	44
12	.....	138	7	128	3	.....	108	10	28	.....	.....	3	2	.....	2	1	2	.....	18	
24	.....	133	10	120	3	.....	107	45	175	1	1	13	6	19	15	3	13	3	101	45
13	.....	.....	.....	.....	.....	.....	2	36	111	1	1	7	3	19	11	2	10	3	54	46
11	.....	133	10	120	3	.....	105	9	64	.....	.....	6	3	.....	4	1	3	.....	47	47
13	.....	.....	.....	.....	.....	.....	2	36	68	1	1	6	2	8	7	1	3	3	36	48
11	.....	129	7	119	3	.....	105	9	28	.....	.....	3	2	.....	2	1	2	.....	18	
1	.....	9	.....	9	.....	.....	3	1	4	.....	.....	1	.....	.....	.....	.....	.....	.....	3	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	50
1	.....	9	.....	9	.....	.....	3	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	52
1	.....	9	.....	9	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.															
1	KENTUCKY	1,081	58	10	11	21	12	4	366	.....	1	209	156	101	3	64
2	Males	388	46	9	8	15	10	4	183	.....	1	105	77	42	.....	24
3	Females	693	12	1	3	6	2	.....	183	.....	.....	104	79	59	3	40
4	Diagnosis reasonably certain. {M.	162	46	9	8	15	10	4	26	.....	.....	12	14	18	.....	1
	{F.	446	12	1	3	6	2	.....	23	.....	.....	10	13	27	1	10
5	White	959	55	10	10	20	11	4	328	.....	1	188	139	93	3	58
6	Males	356	45	9	8	15	9	4	165	.....	1	94	70	40	.....	22
7	Females	603	10	1	2	5	2	.....	163	.....	.....	94	69	53	3	36
8	Diagnosis reasonably certain. {M.	155	45	9	8	15	9	4	25	.....	.....	11	14	18	.....	1
	{F.	382	10	1	2	5	2	.....	21	.....	.....	10	11	25	1	10
9	Colored	122	3	.....	1	1	1	.....	38	.....	.....	21	17	8	.....	6
10	Males	32	1	.....	.....	.....	1	.....	18	.....	.....	11	7	2	.....	2
11	Females	90	2	.....	1	1	.....	.....	20	.....	.....	10	10	6	.....	4
12	Diagnosis reasonably certain. {M.	7	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	64	2	.....	1	1	.....	.....	2	.....	.....	.....	2	2	.....	.....
13	MAINE	821	33	11	7	3	11	1	300	1	5	180	114	129	6	86
14	Males	293	25	11	6	1	6	1	132	1	4	79	48	57	2	37
15	Females	528	8	.....	1	2	5	.....	168	.....	1	101	66	72	4	49
16	Diagnosis reasonably certain. {M.	122	25	11	6	1	6	1	20	.....	1	14	5	24	.....	6
	{F.	308	8	.....	1	2	5	.....	16	.....	1	6	9	30	1	10
17	White	819	33	11	7	3	11	1	299	1	5	179	114	128	6	85
18	Males	292	25	11	6	1	6	1	131	1	4	78	48	57	2	37
19	Females	527	8	.....	1	2	5	.....	168	.....	1	101	66	71	4	48
20	Diagnosis reasonably certain. {M.	122	25	11	6	1	6	1	20	.....	1	14	5	24	.....	6
	{F.	308	8	.....	1	2	5	.....	16	.....	1	6	9	30	1	10
21	Colored	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
22	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
23	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
24	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	MARYLAND	1,092	44	7	15	3	14	5	389	1	10	225	153	129	9	77
26	Males	401	35	7	14	2	9	3	185	1	8	125	51	55	4	29
27	Females	691	9	.....	1	1	5	2	204	.....	2	100	102	74	5	48
28	Diagnosis reasonably certain. {M.	215	35	7	14	2	9	3	51	1	3	35	12	33	2	11
	{F.	457	9	.....	1	1	5	2	39	.....	1	14	24	43	3	19
29	White	947	40	7	13	3	12	5	342	.....	7	200	135	120	9	69
30	Males	365	31	7	12	2	7	3	163	.....	6	111	46	53	4	28
31	Females	582	9	.....	1	1	5	2	179	.....	1	89	89	67	5	41
32	Diagnosis reasonably certain. {M.	199	31	7	12	2	7	3	47	.....	3	33	11	32	2	11
	{F.	378	9	.....	1	1	5	2	34	.....	1	12	21	41	3	17
33	Colored	145	4	.....	2	.....	2	.....	47	1	3	25	18	9	.....	8
34																
	Males	36	4	.....	2	.....	2	.....	22	1	2	14	5	2	.....	1
35	Females	109	.....	.....	.....	.....	.....	.....	25	.....	1	11	13	7	.....	7
36	Diagnosis reasonably certain. {M.	16	4	.....	2	.....	2	.....	4	1	.....	2	1	1	.....	.....
	{F.	79	.....	.....	.....	.....	.....	.....	5	.....	.....	2	3	2	.....	2
37	MASSACHUSETTS	3,649	150	24	52	15	48	11	1,151	4	50	722	375	666	32	460
38	Males	1,324	127	22	46	11	37	11	542	3	33	365	141	240	8	160
39	Females	2,325	23	2	6	4	11	.....	609	1	17	357	234	426	24	300
40	Diagnosis reasonably certain. {M.	683	127	22	46	11	37	11	136	2	17	91	26	139	3	64
	{F.	1,475	23	2	6	4	11	.....	106	1	4	52	49	213	6	107
41	White	3,613	148	24	50	15	48	11	1,138	4	49	714	371	663	32	458
42	Males	1,310	126	22	45	11	37	11	533	3	32	358	140	239	8	159
43	Females	2,303	22	2	5	4	11	.....	605	1	17	356	231	424	24	299
44	Diagnosis reasonably certain. {M.	678	126	22	45	11	37	11	134	2	17	89	26	138	3	63
	{F.	1,457	22	2	5	4	11	.....	105	1	4	52	48	211	6	106
45	Colored	36	2	.....	2	.....	.....	.....	13	.....	1	8	4	3	.....	2
46	Males	14	1	.....	1	.....	.....	.....	9	.....	1	7	1	1	.....	1
47	Females	22	1	.....	1	.....	.....	.....	4	.....	.....	1	3	2	.....	1
48	Diagnosis reasonably certain. {M.	5	1	.....	1	.....	.....	.....	2	.....	.....	2	.....	1	.....	1
	{F.	18	1	.....	1	.....	.....	.....	1	.....	.....	.....	1	2	.....	1
49	MICHIGAN	2,395	118	23	22	10	51	12	974	1	19	638	316	272	27	165
50	Males	1,015	89	22	15	8	35	9	509	.....	15	369	125	128	11	71
51	Females	1,380	29	1	7	2	16	3	465	1	4	269	191	144	16	94
52	Diagnosis reasonably certain. {M.	498	89	22	15	8	35	9	128	.....	3	91	34	79	6	27
	{F.	854	29	1	7	2	16	3	83	1	.....	43	39	69	10	25

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
34	.....	216	10	196	9	1	116	58	166	3	4	11	15	8	13	3	7	4	98	1
18	.....	.....	.....	.....	.....	.....	2	33	82	2	1	4	5	8	8	.....	1	4	49	2
16	.....	216	10	196	9	1	114	25	84	1	3	7	10	.....	5	3	6	.....	49	3
17	.....	.....	.....	.....	.....	.....	2	33	37	2	.....	1	.....	2	2	.....	.....	4	26	
16	.....	213	8	196	9	.....	111	25	32	1	.....	3	5	.....	.....	.....	3	.....	20	4
32	.....	174	9	156	8	1	106	54	149	1	3	11	13	7	13	3	6	4	88	5
18	.....	.....	.....	.....	.....	.....	2	31	73	1	.....	4	4	7	8	.....	1	4	44	6
14	.....	174	9	156	8	1	101	23	76	.....	3	7	9	.....	5	3	5	.....	44	7
17	.....	.....	.....	.....	.....	.....	2	31	34	1	.....	1	.....	2	2	.....	.....	4	24	8
14	.....	171	7	156	8	.....	101	23	28	.....	.....	3	4	.....	.....	.....	3	.....	18	
2	.....	42	1	40	1	.....	10	4	17	2	1	.....	2	1	.....	.....	1	.....	10	9
.....	.....	.....	.....	.....	.....	.....	.....	2	9	1	1	.....	1	1	.....	.....	.....	.....	5	10
2	.....	42	1	40	1	.....	10	2	8	1	.....	.....	1	.....	.....	.....	1	.....	5	11
.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	2	12
2	.....	42	1	40	1	.....	10	2	4	1	.....	.....	1	.....	.....	.....	.....	.....	2	
37	.....	142	1	138	3	.....	93	28	96	2	4	8	2	6	13	2	3	2	54	13
18	.....	.....	.....	.....	.....	.....	.....	21	58	1	1	6	1	6	10	2	2	2	27	14
19	.....	142	1	138	3	.....	93	7	38	1	3	2	1	.....	3	.....	1	.....	27	15
18	.....	.....	.....	.....	.....	.....	.....	21	32	1	.....	3	.....	2	2	.....	.....	2	22	16
19	.....	142	1	138	3	.....	93	7	12	1	1	.....	.....	.....	.....	.....	.....	.....	10	
37	.....	142	1	138	3	.....	93	28	96	2	4	8	2	6	13	2	3	2	54	17
18	.....	.....	.....	.....	.....	.....	.....	21	58	1	1	6	1	6	10	2	2	2	27	18
19	.....	142	1	138	3	.....	93	7	38	1	3	2	1	.....	3	.....	1	.....	27	19
18	.....	.....	.....	.....	.....	.....	.....	21	32	1	.....	3	.....	2	2	.....	.....	2	22	20
19	.....	142	1	138	3	.....	93	7	12	1	1	.....	.....	.....	.....	.....	.....	.....	10	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
43	.....	186	11	171	3	1	132	35	177	11	6	17	10	12	26	5	13	1	76	25
22	.....	.....	.....	.....	.....	.....	1	19	106	8	2	7	5	12	21	3	8	1	39	26
21	.....	186	11	171	3	1	131	16	71	3	4	10	5	.....	5	2	5	.....	37	27
20	.....	.....	.....	.....	.....	.....	1	19	76	8	1	7	4	7	11	.....	4	1	33	28
21	.....	181	6	171	3	1	131	16	38	3	.....	7	3	.....	3	.....	2	.....	20	
42	.....	137	10	124	2	1	113	33	162	9	6	14	9	12	25	5	12	1	69	29
21	.....	.....	.....	.....	.....	.....	1	18	99	7	2	5	5	12	21	3	8	1	35	30
21	.....	137	10	124	2	1	112	15	63	2	4	9	4	.....	4	2	4	.....	34	31
19	.....	.....	.....	.....	.....	.....	1	18	70	7	1	5	4	7	11	.....	4	1	30	32
21	.....	133	6	124	2	1	112	15	34	2	.....	6	3	.....	2	.....	2	.....	19	
1	.....	49	1	47	1	.....	19	2	15	2	.....	3	1	.....	1	.....	1	.....	7	33
1	.....	.....	.....	.....	.....	.....	.....	1	7	1	.....	2	.....	.....	.....	.....	.....	.....	4	34
.....	.....	49	1	47	1	.....	19	1	8	1	.....	1	1	.....	1	.....	1	.....	3	35
1	.....	.....	.....	.....	.....	.....	.....	1	6	1	.....	2	.....	.....	.....	.....	.....	.....	3	36
.....	.....	48	.....	47	1	.....	19	1	4	1	.....	1	.....	.....	1	.....	.....	.....	1	
172	2	576	39	518	16	3	436	94	576	30	33	36	30	68	68	5	44	9	253	37
72	.....	.....	.....	.....	.....	.....	4	55	356	26	13	16	12	68	52	4	19	9	137	38
100	2	576	39	518	16	3	432	39	220	4	20	20	18	.....	16	1	25	.....	116	39
72	.....	.....	.....	.....	.....	.....	4	55	222	26	5	12	8	26	21	2	5	9	108	40
98	2	562	25	518	16	3	432	39	100	4	4	10	5	.....	5	.....	9	.....	63	
171	2	569	39	513	14	3	430	94	571	30	33	36	30	67	68	5	44	9	249	41
72	.....	.....	.....	.....	.....	.....	4	55	353	26	13	16	12	67	52	4	19	9	135	42
99	2	569	39	513	14	3	426	39	218	4	20	20	18	.....	16	1	25	.....	114	43
72	.....	.....	.....	.....	.....	.....	4	55	221	26	5	12	8	26	21	2	5	9	107	44
97	2	555	25	513	14	3	426	39	99	4	4	10	5	.....	5	.....	9	.....	62	
1	.....	7	.....	5	2	.....	6	.....	5	.....	.....	.....	.....	1	.....	.....	.....	.....	4	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	1	.....	.....	.....	.....	2	46
1	.....	7	.....	5	2	.....	6	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48
1	.....	7	.....	5	2	.....	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
80	.....	360	14	341	3	2	214	114	343	9	10	34	13	38	36	5	24	4	170	49
46	.....	.....	.....	.....	.....	.....	4	75	210	5	7	16	9	38	26	3	12	4	90	50
34	.....	360	14	341	3	2	210	39	133	4	3	18	4	.....	10	2	12	.....	80	51
46	.....	.....	.....	.....	.....	.....	4	75	123	5	3	8	2	18	12	1	4	4	66	52
34	.....	356	10	341	3	2	210	39	68	4	.....	8	3	.....	4	.....	6	.....	43	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.															
1	MICHIGAN—Continued. White	2,379	118	23	22	10	51	12	968	1	19	634	314	269	27	162
2	Males	1,010	89	22	15	8	35	9	507	.....	15	368	124	128	11	71
3	Females	1,369	29	1	7	2	16	3	461	1	4	266	190	141	16	91
4	Diagnosis reasonably certain. {M..	495	89	22	15	8	35	9	127	.....	3	90	34	79	6	27
	{F..	850	29	1	7	2	16	3	82	1	.....	42	39	69	10	25
5	Colored	16	.....	.....	.....	.....	.....	.....	6	.....	.....	4	2	3	.....	3
6	Males	5	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....
7	Females	11	.....	.....	.....	.....	.....	.....	4	.....	.....	3	1	3	.....	3
8	Diagnosis reasonably certain. {M..	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F..	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
9	MINNESOTA	1,701	70	16	14	3	31	6	804	.....	20	611	173	213	13	127
10	Males	829	59	14	12	3	26	4	452	.....	17	376	59	107	7	62
11	Females	872	11	2	2	.....	5	2	352	.....	3	235	114	106	6	65
12	Diagnosis reasonably certain. {M..	406	59	14	12	3	26	4	125	.....	6	108	11	70	4	28
	{F..	519	11	2	2	.....	5	2	71	.....	.....	44	27	69	2	32
13	White	1,696	70	16	14	3	31	6	801	.....	20	610	171	213	13	127
14	Males	828	59	14	12	3	26	4	452	.....	17	376	59	107	7	62
15	Females	868	11	2	2	.....	5	2	349	.....	3	234	112	106	6	65
16	Diagnosis reasonably certain. {M..	406	59	14	12	3	26	4	125	.....	6	108	11	70	4	28
	{F..	519	11	2	2	.....	5	2	71	.....	.....	44	27	69	2	32
17	Colored	5	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	.....	.....	.....
18	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Females	4	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	.....	.....	.....
20	Diagnosis reasonably certain. {M..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	MISSOURI	2,326	120	25	32	16	37	10	882	3	27	561	291	228	15	129
22	Males	978	104	25	27	13	32	7	438	3	19	301	115	102	11	48
23	Females	1,348	16	.....	5	3	5	3	444	.....	8	260	176	126	4	81
24	Diagnosis reasonably certain. {M..	534	104	.....	27	13	32	7	101	.....	5	68	27	69	4	22
	{F..	870	16	.....	5	3	5	3	75	.....	.....	42	33	73	4	30
25	White	2,233	116	24	32	16	35	9	855	3	26	542	284	219	14	123
26	Males	945	101	24	27	13	30	7	421	3	19	288	111	99	10	47
27	Females	1,288	15	.....	5	3	5	2	434	.....	7	254	173	120	4	76
28	Diagnosis reasonably certain. {M..	518	101	24	27	13	30	7	98	1	3	66	26	67	4	21
	{F..	827	15	.....	5	3	5	2	74	.....	.....	41	33	72	4	30
29	Colored	93	4	1	.....	.....	2	1	27	.....	1	19	7	9	1	6
30	Males	33	3	1	.....	.....	2	.....	17	.....	.....	13	4	3	1	1
31	Females	60	1	.....	.....	.....	.....	1	10	.....	1	6	3	6	.....	5
32	Diagnosis reasonably certain. {M..	16	3	1	.....	.....	2	.....	3	.....	.....	2	1	2	.....	1
	{F..	43	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....
33	MONTANA	223	14	3	3	.....	7	1	93	.....	3	65	25	28	3	16
34	Males	107	13	3	3	.....	6	1	52	.....	1	41	10	17	2	10
35	Females	116	1	.....	.....	.....	1	.....	41	.....	2	24	15	11	1	6
36	Diagnosis reasonably certain. {M..	67	13	3	3	.....	6	1	19	.....	.....	15	4	16	2	9
	{F..	74	1	.....	.....	.....	1	.....	6	.....	1	3	2	8	1	3
37	White	218	14	3	3	.....	7	1	91	.....	3	64	24	26	3	16
38	Males	106	13	3	3	.....	6	1	52	.....	1	41	10	16	2	10
39	Females	112	1	.....	.....	.....	1	.....	39	.....	2	23	14	10	1	6
40	Diagnosis reasonably certain. {M..	66	13	3	3	.....	6	1	19	.....	.....	15	4	15	2	9
	{F..	72	1	.....	.....	.....	1	.....	6	.....	1	3	2	7	1	3
41	Colored	5	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	.....	.....
42	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
43	Females	4	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	.....
44	Diagnosis reasonably certain. {M..	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F..	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
45	NEW HAMPSHIRE	442	13	2	4	.....	7	.....	132	.....	1	67	64	86	2	63
46	Males	142	12	2	4	.....	6	.....	60	.....	1	32	27	29	1	21
47	Females	300	1	.....	.....	.....	1	.....	72	.....	.....	35	37	57	1	42
48	Diagnosis reasonably certain. {M..	64	12	2	4	.....	6	.....	11	.....	.....	6	5	11	.....	4
	{F..	187	1	.....	.....	.....	1	.....	6	.....	.....	3	3	27	1	12
49	White	440	13	2	4	.....	7	.....	130	.....	1	66	63	86	2	63
50	Males	141	12	2	4	.....	6	.....	59	.....	1	32	26	29	1	21
51	Females	299	1	.....	.....	.....	1	.....	71	.....	.....	34	37	57	1	42
52	Diagnosis reasonably certain. {M..	63	12	2	4	.....	6	.....	10	.....	.....	6	4	11	.....	4
	{F..	187	1	.....	.....	.....	1	.....	6	.....	.....	3	3	27	1	12

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
80	.....	358	14	339	3	2	213	114	339	9	10	34	13	38	36	5	24	4	166	1
46	.....	.....	.....	.....	.....	.....	4	75	207	5	7	16	9	38	26	3	12	4	87	2
34	.....	358	14	339	3	2	209	39	132	4	3	18	4	.....	10	2	12	.....	79	3
46	.....	.....	.....	.....	.....	.....	4	75	121	5	3	8	2	18	12	1	4	4	64	4
34	.....	354	10	339	3	2	209	39	68	4	.....	8	3	.....	4	.....	6	.....	43	
.....	.....	2	.....	2	.....	.....	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6
.....	.....	2	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8
.....	.....	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
73	.....	193	16	174	3	.....	119	57	245	9	15	18	23	25	29	6	22	5	93	9
38	.....	.....	.....	.....	.....	.....	4	43	164	8	8	11	15	25	23	3	16	5	50	10
35	.....	193	16	174	3	.....	115	14	81	1	7	7	8	.....	6	3	6	.....	43	11
38	.....	.....	.....	.....	.....	.....	4	43	105	8	3	8	8	8	16	2	9	5	38	12
35	.....	191	14	174	3	.....	115	14	48	1	1	3	4	.....	3	.....	2	.....	31	
73	.....	193	16	174	3	.....	119	57	243	9	15	18	23	24	29	6	22	5	92	13
38	.....	.....	.....	.....	.....	.....	4	43	163	8	8	11	15	24	23	3	16	5	50	14
35	.....	193	16	174	3	.....	115	14	80	1	7	7	8	.....	6	3	6	.....	42	15
38	.....	.....	.....	.....	.....	.....	4	43	105	8	3	8	8	8	16	2	9	5	38	16
35	.....	191	14	174	3	.....	115	14	48	1	1	3	4	.....	3	.....	2	.....	34	
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
83	1	378	18	348	9	3	221	156	341	10	8	25	31	32	43	12	15	4	161	21
43	.....	.....	.....	.....	.....	.....	11	101	222	8	6	20	15	32	35	6	7	4	89	22
40	1	378	18	348	9	3	210	55	119	2	2	5	16	.....	8	6	8	.....	72	23
43	.....	.....	.....	.....	.....	.....	11	101	148	8	3	11	9	14	18	3	3	4	75	24
39	.....	372	12	348	9	3	210	55	69	2	1	3	8	.....	4	2	4	.....	45	
81	1	350	18	320	9	3	211	154	328	10	8	25	30	31	41	12	14	4	153	25
42	.....	.....	.....	.....	.....	.....	11	100	213	8	6	20	14	31	33	6	7	4	84	26
39	1	350	18	320	9	3	200	54	115	2	2	5	16	.....	8	6	7	.....	69	27
42	.....	.....	.....	.....	.....	.....	11	100	141	8	3	11	8	13	17	3	3	4	71	28
38	.....	344	12	320	9	3	200	54	68	2	1	3	8	.....	4	2	4	.....	44	
2	.....	28	.....	28	.....	.....	10	2	13	.....	.....	.....	1	1	2	.....	1	.....	8	29
1	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	.....	1	1	2	.....	.....	.....	5	30
1	.....	28	.....	28	.....	.....	10	1	4	.....	.....	.....	.....	.....	.....	.....	1	.....	3	31
1	.....	.....	.....	.....	.....	.....	.....	1	7	.....	.....	.....	1	1	1	.....	.....	.....	4	32
1	.....	28	.....	28	.....	.....	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
9	.....	31	2	26	2	1	18	7	32	.....	1	6	1	4	1	1	2	4	12	33
5	.....	.....	.....	.....	.....	.....	1	4	20	.....	.....	3	.....	4	1	.....	1	4	7	34
4	.....	31	2	26	2	1	17	3	12	.....	1	3	1	.....	.....	1	1	.....	5	35
5	.....	.....	.....	.....	.....	.....	1	4	14	.....	.....	3	1	4	.....	.....	1	4	4	36
4	.....	30	2	26	2	.....	17	3	9	.....	.....	2	1	.....	.....	.....	1	.....	5	
7	.....	31	2	26	2	1	18	7	31	.....	1	6	1	4	1	1	2	4	11	37
4	.....	.....	.....	.....	.....	.....	1	4	20	.....	.....	3	.....	4	1	.....	1	4	7	38
3	.....	31	2	26	2	1	17	3	11	.....	1	3	1	.....	.....	1	1	.....	4	39
4	.....	.....	.....	.....	.....	.....	1	4	14	.....	.....	1	.....	4	.....	.....	1	4	4	40
3	.....	30	2	26	2	.....	17	3	8	.....	.....	2	1	.....	.....	.....	1	.....	4	
2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	41
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	43
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
21	.....	83	1	79	1	2	54	17	57	2	2	5	2	6	9	.....	1	1	29	45
7	.....	.....	.....	.....	.....	.....	1	13	27	2	2	3	.....	6	4	.....	1	1	8	46
14	.....	83	1	79	1	2	53	4	30	.....	.....	2	2	.....	5	.....	.....	.....	21	47
7	.....	.....	.....	.....	.....	.....	1	13	16	2	1	3	.....	.....	.....	.....	1	1	8	48
14	.....	82	.....	79	1	2	53	4	14	.....	.....	1	1	.....	.....	.....	.....	.....	12	
21	.....	83	1	79	1	2	54	17	57	2	2	5	2	6	9	.....	1	1	29	49
7	.....	.....	.....	.....	.....	.....	1	13	27	2	2	3	.....	6	4	.....	1	1	8	50
14	.....	83	1	79	1	2	53	4	30	.....	.....	2	2	.....	5	.....	.....	.....	21	51
7	.....	.....	.....	.....	.....	.....	1	13	16	2	1	3	.....	.....	.....	.....	1	1	8	52
14	.....	82	.....	79	1	2	53	4	14	.....	.....	1	1	.....	.....	.....	.....	.....	12	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.															
1	NEW HAMPSHIRE—Continued. Colored	2	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....
2	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
3	Females	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
4	Diagnosis reasonably certain {M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	NEW JERSEY	2,223	80	12	31	12	23	2	849	4	19	549	277	335	26	201
6	Males	859	65	11	27	9	16	2	405	3	16	283	103	134	5	80
7	Females	1,364	15	1	4	3	7	.....	444	1	3	266	174	201	21	121
8	Diagnosis reasonably certain {M	370	65	11	27	9	16	2	73	.....	3	53	17	99	3	17
	{F	808	15	1	4	3	7	.....	67	.....	1	42	24	102	9	34
9	White	2,163	80	12	31	12	23	2	832	3	19	537	273	325	26	196
10	Males	845	65	11	27	9	16	2	398	2	16	278	102	132	5	79
11	Females	1,318	15	1	4	3	7	.....	434	1	3	259	171	193	21	117
12	Diagnosis reasonably certain {M	366	65	11	27	9	16	2	73	.....	3	53	17	68	3	17
	{F	774	15	1	4	3	7	.....	66	.....	1	41	24	97	9	33
13	Colored	60	.....	.....	.....	.....	.....	.....	17	1	.....	12	4	10	.....	5
14	Males	14	.....	.....	.....	.....	.....	.....	7	1	.....	5	1	2	.....	1
15	Females	46	.....	.....	.....	.....	.....	.....	10	.....	.....	7	3	8	.....	4
16	Diagnosis reasonably certain {M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F	34	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	5	.....	1
17	NEW YORK	8,907	339	37	124	34	113	31	3,250	19	159	2,051	1,021	1,319	115	765
18	Males	3,568	283	33	109	31	85	25	1,618	17	117	1,077	407	572	39	321
19	Females	5,339	56	4	15	3	28	6	1,632	2	42	974	614	747	76	444
20	Diagnosis reasonably certain {M	1,863	283	33	109	31	85	25	414	8	51	275	80	386	22	157
	{F	3,359	56	4	15	3	28	6	268	1	11	138	118	421	27	176
21	White	8,791	336	37	123	34	111	31	3,212	18	157	2,026	1,011	1,305	115	755
22	Males	3,536	281	33	109	31	83	25	1,602	16	115	1,067	404	567	39	317
23	Females	5,255	55	4	14	3	28	6	1,610	2	42	959	607	738	76	438
24	Diagnosis reasonably certain {M	1,853	281	33	109	31	83	25	413	8	51	274	80	384	22	156
	{F	3,298	55	4	14	3	28	6	265	1	11	136	117	415	27	172
25	Colored	116	3	.....	1	.....	2	.....	38	1	2	25	10	14	.....	10
26	Males	32	2	.....	.....	.....	2	.....	16	1	2	10	3	5	.....	4
27	Females	84	1	.....	1	.....	.....	.....	22	.....	.....	15	7	9	.....	6
28	Diagnosis reasonably certain {M	10	2	.....	.....	.....	2	.....	1	.....	.....	1	.....	2	.....	1
	{F	61	1	.....	1	.....	.....	.....	3	.....	.....	2	1	6	.....	4
29	NORTH CAROLINA[1]	273	4	1	1	.....	2	.....	85	.....	2	48	35	27	4	14
30	Males	72	2	1	1	.....	.....	.....	37	.....	1	20	16	8	1	3
31	Females	201	2	.....	.....	.....	2	.....	48	.....	1	28	19	19	3	11
32	Diagnosis reasonably certain {M	35	2	1	1	.....	.....	.....	10	.....	.....	7	3	6	1	1
	{F	145	2	.....	.....	.....	2	.....	12	.....	.....	5	7	8	1	2
33	White	190	3	.....	1	.....	2	.....	64	.....	2	34	28	25	4	14
34	Males	53	1	.....	1	.....	.....	.....	24	.....	1	13	10	7	1	3
35	Females	137	2	.....	.....	.....	2	.....	40	.....	1	21	18	18	3	11
36	Diagnosis reasonably certain {M	25	1	.....	1	.....	.....	.....	6	.....	.....	4	2	5	1	1
	{F	90	2	.....	.....	.....	2	.....	10	.....	.....	3	7	7	1	2
37	Colored	83	1	1	.....	.....	.....	.....	21	.....	.....	14	7	2	.....	.....
38	Males	19	1	1	.....	.....	.....	.....	13	.....	.....	7	6	1	.....	.....
39	Females	64	.....	.....	.....	.....	.....	.....	8	.....	.....	7	1	1	.....	.....
40	Diagnosis reasonably certain {M	10	1	1	.....	.....	.....	.....	4	.....	.....	3	1	1	.....	.....
	{F	55	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	.....
41	OHIO	4,176	174	26	38	22	75	13	1,635	3	46	998	588	487	36	268
42	Males	1,660	143	24	30	17	62	10	800	3	39	530	228	207	16	112
43	Females	2,516	31	2	8	5	13	3	835	.....	7	468	360	280	20	156
44	Diagnosis reasonably certain {M	813	143	24	30	17	62	10	185	1	16	124	44	122	6	39
	{F	1,003	31	2	8	5	13	3	173	.....	3	90	80	156	4	50
45	White	4,080	172	26	38	22	74	12	1,601	3	45	974	579	481	36	266
46	Males	1,632	142	24	30	17	61	10	783	3	39	519	222	205	16	111
47	Females	2,448	30	2	8	5	13	2	818	.....	6	455	357	276	20	155
48	Diagnosis reasonably certain {M	806	142	24	30	17	61	10	183	1	16	122	44	121	6	39
	{F	1,555	30	2	8	5	13	2	170	.....	2	89	79	154	4	50
49	Colored	96	2	.....	.....	.....	1	1	34	.....	1	24	9	6	.....	2
50	Males	28	1	.....	.....	.....	1	.....	17	.....	.....	11	6	2	.....	1
51	Females	68	1	.....	.....	.....	.....	1	17	.....	1	13	3	4	.....	1
52	Diagnosis reasonably certain {M	7	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	1	.....	.....
	{F	48	1	.....	.....	.....	.....	1	3	.....	1	1	1	2	.....	.....

[1] Includes only municipalities having a population of 1,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
108	.....	317	20	289	7	1	232	66	344	15	21	22	27	34	42	7	26	4	146	5
49	.....	.....	.....	.....	.....	.....	3	46	206	12	10	13	12	34	27	3	12	4	79	6
59	.....	317	20	289	7	1	229	20	138	3	11	9	15	.....	15	4	14	.....	67	7
48	.....	.....	.....	.....	.....	.....	3	46	111	12	3	4	3	9	14	1	3	4	61	8
59	.....	305	10	287	7	1	229	20	70	3	1	4	6	.....	6	2	6	.....	42	
103	.....	297	20	270	6	1	227	66	336	15	21	22	27	34	40	6	26	4	141	9
48	.....	.....	.....	.....	.....	.....	3	46	201	12	10	13	12	34	26	2	12	4	76	10
55	.....	297	20	270	6	1	224	20	135	3	11	9	15	.....	14	4	14	.....	65	11
48	.....	.....	.....	.....	.....	.....	3	46	111	12	3	4	3	.....	13	1	3	4	59	12
55	.....	285	10	268	6	1	224	20	67	3	1	4	6	.....	5	2	6	.....	40	
5	.....	20	.....	19	1	.....	5	.....	8	.....	.....	.....	.....	.....	2	1	.....	.....	5	13
1	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	.....	1	1	.....	.....	3	14
4	.....	20	.....	19	1	.....	5	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	15
1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	16
4	.....	20	.....	19	1	.....	5	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	
423	16	1,262	92	1,120	42	8	1,035	245	1,457	83	96	106	89	125	223	12	89	24	610	17
207	5	.....	.....	.....	.....	.....	18	157	920	73	61	52	51	125	150	5	39	24	340	18
216	11	1,262	92	1,120	42	8	1,017	88	537	10	35	54	38	.....	73	7	50	.....	270	19
206	1	.....	.....	.....	.....	.....	18	157	605	73	27	22	26	49	83	3	20	24	278	20
214	4	1,225	62	1,115	42	6	1,015	88	286	10	10	20	20	.....	27	4	17	.....	178	
419	16	1,229	89	1,091	41	8	1,019	245	1,445	83	96	105	87	123	221	11	89	24	606	21
206	5	.....	.....	.....	.....	.....	18	157	911	73	61	51	50	123	148	4	39	24	338	22
213	11	1,229	89	1,091	41	8	1,001	88	534	10	35	54	37	.....	73	7	50	.....	268	23
205	1	.....	.....	.....	.....	.....	18	157	600	73	27	22	25	48	82	3	20	24	276	24
212	4	1,192	59	1,086	41	6	999	88	284	10	10	20	19	.....	27	4	17	.....	177	
4	.....	33	3	29	1	.....	16	.....	12	.....	.....	1	2	2	2	1	.....	.....	4	25
1	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	.....	1	1	2	2	1	.....	.....	2	26
3	.....	33	3	29	1	.....	16	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	27
1	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	1	1	1	.....	.....	.....	2	28
2	.....	33	3	29	1	.....	16	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	
9	.....	87	3	81	2	1	23	12	35	.....	1	.....	5	1	4	2	3	.....	19	29
4	.....	.....	.....	.....	.....	.....	1	6	18	.....	.....	.....	3	1	2	2	2	.....	8	30
5	.....	87	3	81	2	1	22	6	17	.....	1	.....	2	.....	2	.....	1	.....	11	31
4	.....	.....	.....	.....	.....	.....	1	6	10	.....	.....	.....	2	.....	1	2	1	.....	4	32
5	.....	87	3	81	2	1	22	6	8	.....	.....	.....	1	.....	1	.....	1	.....	5	
7	.....	45	1	43	.....	1	16	11	26	.....	1	.....	5	1	3	2	3	.....	11	33
3	.....	.....	.....	.....	.....	.....	.....	6	15	.....	.....	.....	3	1	1	2	2	.....	6	34
4	.....	45	1	43	.....	1	16	5	11	.....	1	.....	2	.....	2	.....	1	.....	5	35
3	.....	.....	.....	.....	.....	.....	.....	6	7	.....	.....	.....	2	.....	.....	2	1	.....	2	36
4	.....	45	1	43	.....	1	16	5	5	.....	.....	.....	1	.....	1	.....	1	.....	2	
2	.....	42	2	38	2	.....	7	1	9	.....	.....	.....	.....	.....	1	.....	.....	.....	8	37
1	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	38
1	.....	42	2	38	2	.....	6	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	39
1	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	40
1	.....	42	2	38	2	.....	6	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
180	3	633	35	585	8	5	430	199	618	32	36	55	43	63	71	11	45	9	253	41
78	1	.....	.....	.....	.....	.....	5	105	400	26	25	30	23	63	47	8	22	9	147	42
102	2	633	35	585	8	5	425	94	218	6	11	25	20	.....	24	3	23	.....	106	43
77	.....	.....	.....	.....	.....	.....	5	105	253	26	5	19	15	24	17	3	8	9	127	44
102	.....	619	24	585	8	2	425	94	105	6	2	4	7	.....	5	2	8	.....	71	
177	2	603	34	556	8	5	420	199	604	31	35	54	42	62	71	11	42	9	247	45
77	1	.....	.....	.....	.....	.....	5	105	392	26	24	29	23	62	47	8	20	9	144	46
100	1	603	34	556	8	5	415	94	212	5	11	25	19	.....	24	3	22	.....	103	47
76	.....	.....	.....	.....	.....	.....	5	105	250	26	5	18	15	24	17	3	8	9	125	48
100	.....	590	24	556	8	2	415	94	102	5	2	4	7	.....	5	2	8	.....	69	
3	1	30	1	29	.....	.....	10	.....	14	1	1	1	1	1	.....	.....	3	.....	6	49
1	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	1	1	.....	1	.....	.....	2	.....	3	50
2	1	30	1	29	.....	.....	10	.....	6	1	.....	.....	1	.....	.....	.....	1	.....	3	51
1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	2	52
2	.....	29	.....	29	.....	.....	10	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	2	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.															
1	PENNSYLVANIA	5,997	294	36	57	31	127	43	2,345	6	59	1,470	810	723	75	411
2	Males	2,304	237	34	46	28	99	30	1,087	4	45	735	303	294	26	160
3	Females	3,693	57	2	11	3	28	13	1,258	2	14	735	507	429	49	251
4	Diagnosis reasonably certain. {M.	1,131	237	34	46	28	99	30	221	1	12	104	44	160	8	46
	{F.	2,325	56	2	11	3	27	13	214	.....	5	115	94	249	26	95
5	White	5,807	287	36	55	31	123	42	2,277	6	56	1,422	793	701	74	400
6	Males	2,241	231	34	44	28	96	29	1,054	4	44	712	294	285	26	157
7	Females	3,566	56	2	11	3	27	13	1,223	2	12	710	499	416	49	243
8	Diagnosis reasonably certain. {M.	1,108	231	34	44	28	96	29	219	1	12	162	44	153	8	45
	{F.	2,233	55	2	11	3	26	13	208	.....	4	111	93	240	25	91
9	Colored	190	7	.....	2	.....	4	1	68	.....	3	48	17	22	1	11
10	Males	63	6	.....	2	.....	3	1	33	.....	1	23	9	9	.....	3
11	Females	127	1	.....	.....	.....	1	.....	35	.....	2	25	8	13	1	8
12	Diagnosis reasonably certain. {M.	23	6	.....	2	.....	3	1	2	.....	.....	2	.....	7	.....	1
	{F.	92	1	.....	.....	.....	1	.....	6	.....	1	4	1	9	1	4
13	RHODE ISLAND	539	28	4	5	4	11	4	161	.....	4	106	51	86	4	56
14	Males	196	24	4	5	4	9	2	73	.....	3	54	16	39	3	23
15	Females	343	4	.....	.....	.....	2	2	88	.....	1	52	35	47	1	33
16	Diagnosis reasonably certain. {M.	102	24	4	5	4	9	2	15	.....	2	11	2	23	1	9
	{F.	220	4	.....	.....	.....	2	2	11	.....	.....	5	6	21	.....	8
17	White	530	28	4	5	4	11	4	156	.....	3	102	51	85	4	55
18	Males	194	24	4	5	4	9	2	73	.....	3	54	16	38	3	22
19	Females	336	4	.....	.....	.....	2	2	83	.....	.....	48	35	47	1	33
20	Diagnosis reasonably certain. {M.	101	24	4	5	4	9	2	15	.....	2	11	2	23	1	9
	{F.	218	4	.....	.....	.....	2	2	11	.....	.....	5	6	21	.....	8
21	Colored	9	.....	.....	.....	.....	.....	.....	5	.....	1	4	.....	1	.....	1
22	Males	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
23	Females	7	.....	.....	.....	.....	.....	.....	5	.....	1	4	.....	.....	.....	.....
24	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	UTAH	190	3	.....	1	.....	2	.....	102	1	2	81	18	13	.....	7
26	Males	94	3	.....	1	.....	2	.....	63	.....	2	51	10	4	.....	3
27	Females	96	.....	.....	.....	.....	.....	.....	39	1	.....	30	8	9	.....	4
28	Diagnosis reasonably certain. {M.	41	3	.....	1	.....	2	.....	16	.....	.....	14	2	1	.....	.....
	{F.	61	.....	.....	.....	.....	.....	.....	8	1	.....	6	1	6	.....	1
29	White	185	3	.....	1	.....	2	.....	97	1	1	77	18	13	.....	7
30	Males	91	3	.....	1	.....	2	.....	60	.....	1	49	10	4	.....	3
31	Females	94	.....	.....	.....	.....	.....	.....	37	1	.....	28	8	9	.....	4
32	Diagnosis reasonably certain. {M.	40	3	.....	1	.....	2	.....	15	.....	.....	13	2	1	.....	.....
	{F.	61	.....	.....	.....	.....	.....	.....	8	1	.....	6	1	6	.....	1
33	Colored	5	.....	.....	.....	.....	.....	.....	5	.....	1	4	.....	.....	.....	.....
34	Males	3	.....	.....	.....	.....	.....	.....	3	.....	1	2	.....	.....	.....	.....
35	Females	2	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
36	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	VERMONT	397	17	5	3	5	2	2	131	.....	1	88	42	57	2	29
38	Males	159	14	4	3	3	2	2	58	.....	1	40	17	31	.....	14
39	Females	238	3	1	.....	2	.....	.....	73	.....	.....	48	25	26	2	15
40	Diagnosis reasonably certain. {M.	88	14	4	3	3	2	2	14	.....	.....	11	3	22	.....	5
	{F.	145	3	1	.....	2	.....	.....	8	.....	.....	4	4	11	.....	2
41	White	396	17	5	3	5	2	2	131	.....	1	88	42	57	2	29
42	Males	158	14	4	3	3	2	2	58	.....	1	40	17	31	.....	14
43	Females	238	3	1	.....	2	.....	.....	73	.....	.....	48	25	26	2	15
44	Diagnosis reasonably certain. {M.	87	14	4	3	3	2	2	14	.....	.....	11	3	22	.....	5
	{F.	145	3	1	.....	2	.....	.....	8	.....	.....	4	4	11	.....	2
45	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
46	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Females	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	VIRGINIA	1,051	40	6	9	4	18	3	326	.....	4	214	108	78	2	49
50	Males	390	27	5	7	3	9	3	166	.....	1	112	53	36	1	21
51	Females	661	13	1	2	1	9	.....	160	.....	3	102	55	42	1	28
52	Diagnosis reasonably certain. {M.	189	27	5	7	3	9	3	21	.....	.....	15	6	24	.....	10
	{F.	440	13	1	2	1	9	.....	11	.....	1	3	7	16	.....	3

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
234	3	943	44	881	15	3	649	222	821	38	28	84	52	81	110	18	55	9	346	1
107	1	.....	.....	.....	.....	.....	11	144	531	33	12	37	25	81	85	9	31	9	209	2
127	2	943	44	881	15	3	638	78	290	5	16	47	27	.....	25	9	24	.....	137	3
106	.....	.....	.....	.....	.....	.....	11	144	358	33	6	21	14	21	18	6	14	9	183	4
127	1	925	27	881	15	2	638	78	165	5	4	16	11	.....	13	3	13	.....	100	
225	2	897	44	835	15	3	627	220	798	38	27	83	51	78	105	18	52	9	337	5
101	1	.....	.....	.....	.....	.....	11	144	516	33	12	36	25	78	80	9	29	9	205	6
124	1	897	44	835	15	3	616	76	252	5	15	47	26	.....	25	9	23	.....	122	7
100	.....	.....	.....	.....	.....	.....	11	144	350	33	6	20	14	23	45	6	14	9	180	8
124	.....	879	27	835	15	2	616	76	159	5	4	16	11	.....	13	3	12	.....	95	
9	1	46	.....	46	.....	.....	22	2	23	.....	1	1	1	3	5	.....	3	.....	9	9
6	.....	.....	.....	.....	.....	.....	.....	.....	15	.....	.....	1	.....	3	5	.....	2	.....	4	10
3	1	46	.....	46	.....	.....	22	2	8	.....	1	.....	1	.....	.....	.....	1	.....	5	11
6	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	1	.....	1	3	.....	.....	.....	3	
3	1	46	.....	46	.....	.....	22	2	6	.....	.....	.....	.....	.....	.....	.....	1	.....	5	12
26	.....	95	5	87	3	.....	72	15	82	5	1	9	3	8	12	2	3	.....	39	13
13	.....	.....	.....	.....	.....	.....	.....	9	51	4	.....	7	2	8	8	.....	2	.....	20	14
13	.....	95	5	87	3	.....	72	6	31	1	1	2	1	.....	4	2	1	.....	19	15
13	.....	.....	.....	.....	.....	.....	.....	9	31	4	.....	3	1	3	3	.....	.....	.....	17	16
13	.....	95	5	87	3	.....	72	6	11	.....	.....	1	.....	.....	1	1	.....	.....	8	
26	.....	94	5	86	3	.....	71	15	81	5	1	9	3	8	12	2	3	.....	38	17
13	.....	.....	.....	.....	.....	.....	.....	9	50	4	.....	7	2	8	8	.....	2	.....	19	18
13	.....	94	5	86	3	.....	71	6	31	1	1	2	1	.....	4	2	1	.....	19	19
13	.....	.....	.....	.....	.....	.....	.....	9	30	4	.....	3	1	3	3	.....	.....	.....	16	20
13	.....	94	5	86	3	.....	71	6	11	.....	.....	1	.....	.....	1	1	.....	.....	8	
.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22
.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	24
.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	.....	27	.....	25	1	1	13	5	27	.....	.....	3	1	3	1	1	4	1	13	25
1	.....	.....	.....	.....	.....	.....	.....	3	21	.....	.....	2	1	3	1	1	2	1	10	26
5	.....	27	.....	25	1	1	13	2	6	.....	.....	1	.....	.....	.....	.....	2	.....	3	27
1	.....	.....	.....	.....	.....	.....	.....	3	18	.....	.....	2	1	1	1	.....	2	1	10	28
5	.....	27	.....	25	1	1	13	2	5	.....	.....	1	.....	.....	.....	.....	1	.....	3	
6	.....	27	.....	25	1	1	13	5	27	.....	.....	3	1	3	1	1	4	1	13	29
1	.....	.....	.....	.....	.....	.....	.....	3	21	.....	.....	2	1	3	1	1	2	1	10	30
5	.....	27	.....	25	1	1	13	2	6	.....	.....	1	.....	.....	.....	.....	2	.....	3	31
1	.....	.....	.....	.....	.....	.....	.....	3	18	.....	.....	2	1	1	1	.....	2	1	10	32
5	.....	27	.....	25	1	1	13	2	5	.....	.....	1	.....	.....	.....	.....	1	.....	3	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
26	.....	70	2	63	5	.....	30	16	76	3	4	9	4	10	5	.....	3	1	37	37
17	.....	.....	.....	.....	.....	.....	.....	9	47	1	2	3	1	10	5	.....	2	1	22	38
9	.....	70	2	63	5	.....	30	7	29	2	2	6	3	.....	.....	.....	1	.....	15	39
17	.....	.....	.....	.....	.....	.....	.....	9	29	1	1	1	.....	2	2	.....	1	1	20	40
9	.....	69	1	63	5	.....	30	7	17	2	1	2	3	.....	.....	.....	.....	.....	9	
26	.....	70	2	63	5	.....	30	16	75	3	4	8	4	10	5	.....	3	1	37	41
17	.....	.....	.....	.....	.....	.....	.....	9	46	1	2	2	1	10	5	.....	2	1	22	42
9	.....	70	2	63	5	.....	30	7	29	2	2	6	3	.....	.....	.....	1	.....	15	43
17	.....	.....	.....	.....	.....	.....	.....	9	28	1	1	.....	.....	2	2	.....	1	1	20	44
9	.....	69	1	63	5	.....	30	7	17	2	1	2	3	.....	.....	.....	.....	.....	9	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	48
27	.....	249	5	239	4	1	105	65	188	7	5	16	11	15	20	3	6	2	103	49
14	.....	.....	.....	.....	.....	.....	.....	41	120	5	3	9	7	15	14	3	2	2	60	50
13	.....	249	5	239	4	1	105	24	68	2	2	7	4	.....	6	.....	4	.....	43	51
14	.....	.....	.....	.....	.....	.....	.....	41	76	5	.....	4	4	6	4	1	.....	2	50	52
13	.....	246	3	238	4	1	105	24	25	2	.....	1	1	.....	1	.....	1	.....	19	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.				Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.															
	VIRGINIA—Continued.															
1	White	767	35	5	9	4	14	3	251	.....	4	156	91	62	2	36
2	Males	324	26	5	7	3	8	3	133	.....	1	86	46	31	1	17
3	Females	443	9	.....	2	1	6	.....	118	.....	3	70	45	31	1	19
4	Diagnosis reasonably certain. {M	165	26	5	7	3	8	3	20	.....	.....	15	5	22	.....	9
	{F	286	9	.....	2	1	6	.....	10	.....	1	3	6	14	.....	3
5	Colored	284	5	1	.....	.....	4	.....	75	.....	.....	58	17	16	.....	13
6	Males	66	1	.....	.....	.....	1	.....	33	.....	.....	26	7	5	.....	4
7	Females	218	4	1	.....	.....	3	.....	42	.....	.....	32	10	11	.....	9
8	Diagnosis reasonably certain. {M	24	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	2	.....	1
	{F	154	4	1	.....	.....	3	.....	1	.....	.....	.....	1	2	.....	.....
9	WASHINGTON	871	33	10	8	5	9	1	386	.....	5	293	88	100	6	61
10	Males	446	26	9	7	2	8	.....	251	.....	4	200	47	51	2	31
11	Females	425	7	1	1	3	1	1	135	.....	1	93	41	49	4	30
12	Diagnosis reasonably certain. {M	242	26	9	7	2	8	.....	91	.....	2	73	16	39	2	19
	{F	300	7	1	1	3	1	1	43	.....	1	27	15	34	3	6
13	White	865	32	10	7	5	9	1	384	.....	5	291	88	100	6	61
14	Males	442	25	9	6	2	8	.....	249	.....	4	198	47	51	2	31
15	Females	423	7	1	1	3	1	1	135	.....	1	93	41	49	4	30
16	Diagnosis reasonably certain. {M	240	25	9	6	2	8	.....	90	.....	2	72	16	39	2	19
	{F	298	7	1	1	3	1	1	43	.....	1	27	15	34	3	16
17	Colored	6	1	.....	1	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
18	Males	4	1	.....	1	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
19	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Diagnosis reasonably certain. {M	2	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	WISCONSIN	1,985	80	20	18	3	35	4	973	1	33	678	261	234	11	147
22	Males	948	69	18	17	2	28	4	550	.....	28	420	102	119	6	65
23	Females	1,037	11	2	1	1	7	.....	423	1	5	258	159	115	5	82
24	Diagnosis reasonably certain. {M	394	69	18	17	2	28	4	104	.....	3	86	15	76	4	24
	{F	596	11	2	1	1	7	.....	81	.....	2	37	42	55	1	26
25	White	1,976	79	20	18	3	34	4	971	1	33	678	259	234	11	147
26	Males	947	69	18	17	2	28	4	549	.....	28	420	101	119	6	65
27	Females	1,029	10	2	1	1	6	.....	422	1	5	258	158	115	5	82
28	Diagnosis reasonably certain. {M	394	69	18	17	2	28	4	104	.....	3	86	15	76	4	24
	{F	590	10	2	1	1	6	.....	81	.....	2	37	42	55	1	26
29	Colored	9	1	.....	.....	.....	1	.....	2	.....	.....	.....	2	.....	.....	.....
30	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
31	Females	8	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
32	Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	6	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	REGISTRATION CITIES.															
	ALABAMA.[1]															
33	Registration cities	159	4	2	2	.....	.....	.....	36	.....	1	24	11	16	.....	12
34	Males	53	3	1	2	.....	.....	.....	13	.....	1	8	4	10	.....	6
35	Females	106	1	1	.....	.....	.....	.....	23	.....	.....	16	7	6	.....	6
36	Diagnosis reasonably certain. {M	41	3	1	2	.....	.....	.....	7	.....	1	4	2	9	.....	5
	{F	81	1	1	.....	.....	.....	.....	7	.....	.....	3	4	2	.....	2
37	White	115	4	2	2	.....	.....	.....	28	.....	1	18	9	12	.....	8
38	Males	44	3	3	2	.....	.....	.....	11	.....	1	7	3	8	.....	4
39	Females	71	1	1	.....	.....	.....	.....	17	.....	.....	11	6	4	.....	4
40	Diagnosis reasonably certain. {M	34	3	1	2	.....	.....	.....	6	.....	1	3	2	7	.....	3
	{F	55	1	1	.....	.....	.....	.....	6	.....	.....	2	4	2	.....	2
41	Colored	44	.....	.....	.....	.....	.....	.....	8	.....	.....	6	2	4	.....	4
42	Males	9	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	.....	2
43	Females	35	.....	.....	.....	.....	.....	.....	6	.....	.....	5	1	2	.....	2
44	Diagnosis reasonably certain. {M	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	2
	{F	26	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
45	Birmingham	77	3	2	1	.....	.....	.....	19	.....	1	12	6	8	.....	5
46	Males	26	2	1	1	.....	.....	.....	8	.....	1	5	2	6	.....	3
47	Females	51	1	1	.....	.....	.....	.....	11	.....	.....	7	4	2	.....	2
48	Diagnosis reasonably certain. {M	19	2	1	1	.....	.....	.....	4	.....	1	2	1	5	.....	2
	{F	40	1	1	.....	.....	.....	.....	4	.....	.....	1	3	1	.....	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
24	.....	139	4	131	3	1	76	57	147	5	4	11	7	13	15	2	4	2	84	1
13	.....	.....	.....	.....	.....	.....	.....	37	97	3	3	7	3	13	10	2	1	2	53	2
11	.....	139	4	131	3	1	76	20	50	2	1	4	4	.....	5	.....	3	.....	31	3
13	.....	.....	.....	.....	.....	.....	.....	37	60	3	.....	3	1	5	1	1	.....	2	44	
11	.....	137	3	130	3	1	76	20	20	2	.....	1	1	.....	1	.....	1	.....	14	4
3	.....	110	1	108	1	.....	29	8	41	2	1	5	4	2	5	1	2	.....	19	5
1	.....	.....	.....	.....	.....	.....	.....	4	23	2	.....	2	4	2	4	1	1	.....	7	6
2	.....	110	1	108	1	.....	29	4	18	.....	1	3	.....	.....	1	.....	1	.....	12	7
1	.....	.....	.....	.....	.....	.....	.....	4	16	2	.....	1	3	1	3	.....	.....	.....	6	
2	.....	109	.....	108	1	.....	29	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	8
33	.....	111	11	100	.....	.....	73	27	141	6	5	13	11	18	18	2	9	1	58	9
18	.....	.....	.....	.....	.....	.....	1	20	97	4	5	10	8	18	11	1	4	1	35	10
15	.....	111	11	100	.....	.....	72	7	44	2	.....	3	3	.....	7	1	5	.....	23	11
18	.....	.....	.....	.....	.....	.....	1	20	65	4	2	10	1	9	6	1	2	1	29	
15	.....	110	10	100	.....	.....	72	7	27	2	.....	1	2	.....	5	1	2	.....	14	12
33	.....	109	11	98	.....	.....	73	27	140	6	5	13	11	18	18	2	8	1	58	13
18	.....	.....	.....	.....	.....	.....	1	20	96	4	5	10	8	18	11	1	3	1	35	14
15	.....	109	11	98	.....	.....	72	7	44	2	.....	3	3	.....	7	1	5	.....	23	15
18	.....	.....	.....	.....	.....	.....	1	20	65	4	2	10	1	9	6	1	2	1	29	
15	.....	108	10	98	.....	.....	72	7	27	2	.....	1	2	.....	5	1	2	.....	14	16
.....	.....	2	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	17
.....	.....	2	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
76	.....	219	20	185	12	2	162	72	245	6	10	18	24	35	27	3	15	6	101	21
48	.....	.....	.....	.....	.....	.....	1	40	169	6	7	12	13	35	20	1	12	6	57	22
28	.....	219	20	185	12	2	161	32	76	.....	3	6	11	.....	7	2	3	.....	44	23
48	.....	.....	.....	.....	.....	.....	1	40	104	6	1	7	7	14	10	.....	4	6	49	
28	.....	212	14	185	12	1	160	32	45	.....	.....	3	5	.....	4	.....	2	.....	31	24
76	.....	217	20	183	12	2	159	72	244	6	9	18	24	35	27	3	15	6	101	25
48	.....	.....	.....	.....	.....	.....	1	40	169	6	7	12	13	35	20	1	12	6	57	26
28	.....	217	20	183	12	2	158	32	75	.....	2	6	11	.....	7	2	3	.....	44	27
48	.....	.....	.....	.....	.....	.....	1	40	104	6	1	7	7	14	10	.....	4	6	49	
28	.....	210	14	183	12	1	157	32	45	.....	.....	3	5	.....	4	.....	2	.....	31	28
.....	.....	2	.....	2	.....	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	2	.....	2	.....	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	2	.....	2	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
4	.....	53	3	49	1	.....	9	10	31	.....	.....	5	4	2	2	.....	2	.....	16	33
4	.....	.....	.....	.....	.....	.....	.....	6	21	.....	.....	3	2	2	2	.....	2	.....	10	34
.....	.....	53	3	49	1	.....	9	4	10	.....	.....	2	2	.....	.....	.....	.....	.....	6	35
4	.....	.....	.....	.....	.....	.....	.....	6	16	.....	.....	2	2	2	.....	.....	1	.....	9	
.....	.....	53	3	49	1	.....	9	4	5	.....	.....	1	1	.....	.....	.....	.....	.....	3	36
4	.....	34	3	30	1	.....	5	8	24	.....	.....	2	4	2	2	.....	2	.....	12	37
4	.....	.....	.....	.....	.....	.....	.....	5	17	.....	.....	1	2	2	2	.....	2	.....	8	38
.....	.....	34	3	30	1	.....	5	3	7	.....	.....	1	2	.....	.....	.....	.....	.....	4	39
4	.....	.....	.....	.....	.....	.....	.....	5	13	.....	.....	1	2	2	.....	.....	1	.....	7	
.....	.....	34	3	30	1	.....	5	3	4	.....	.....	.....	1	.....	.....	.....	.....	.....	3	40
.....	.....	19	.....	19	.....	.....	4	2	7	.....	.....	3	.....	.....	.....	.....	.....	.....	4	41
.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	2	.....	.....	.....	.....	.....	.....	2	42
.....	.....	19	.....	19	.....	.....	4	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	43
.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	2	
.....	.....	19	.....	19	.....	.....	4	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	44
3	.....	30	2	27	1	.....	3	2	12	.....	.....	1	3	1	1	.....	.....	.....	6	45
3	.....	.....	.....	.....	.....	.....	.....	2	8	.....	.....	1	2	1	1	.....	.....	.....	3	46
.....	.....	30	2	27	1	.....	3	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	3	47
3	.....	.....	.....	.....	.....	.....	.....	2	6	.....	.....	1	2	1	.....	.....	.....	.....	2	
.....	.....	30	2	27	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	ALABAMA [1]—continued.															
1	Birmingham—Continued. White	56	3	2	1	.....	.....	.....	16	.....	1	10	5	6	.....	3
2	Males	20	2	1	1	.....	.....	.....	7	.....	1	5	1	4	.....	1
3	Females	36	1	1	.....	.....	.....	.....	9	.....	.....	5	4	2	.....	2
4	Diagnosis reasonably certain. {M.	14	2	1	1	.....	.....	.....	4	.....	1	2	1	3	.....	.....
	{F.	28	1	1	.....	.....	.....	.....	4	.....	.....	1	3	1	.....	1
5	Colored	21	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	2	.....	2
6	Males	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	2
7	Females	15	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
8	Diagnosis reasonably certain. {M.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2
	{F.	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Mobile	52	1	.....	1	.....	.....	.....	11	.....	.....	9	2	7	.....	6
10	Males	21	1	.....	1	.....	.....	.....	4	.....	.....	3	1	4	.....	3
11	Females	31	.....	.....	.....	.....	.....	.....	7	.....	.....	6	1	3	.....	3
12	Diagnosis reasonably certain. {M.	18	1	.....	1	.....	.....	.....	3	.....	.....	2	1	4	.....	3
	{F.	23	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	1
13	White	41	1	.....	1	.....	.....	.....	8	.....	.....	6	2	6	.....	5
14	Males	20	1	.....	1	.....	.....	.....	3	.....	.....	2	1	4	.....	3
15	Females	21	.....	.....	.....	.....	.....	.....	5	.....	.....	4	1	2	.....	2
16	Diagnosis reasonably certain. {M.	17	1	.....	1	.....	.....	.....	2	.....	.....	1	1	4	.....	3
	{F.	17	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	1
17	Colored	11	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	1	.....	1
18	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
19	Females	10	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	1
20	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Montgomery [2]	30	.....	.....	.....	.....	.....	.....	6	.....	.....	3	3	1	.....	1
22	Males	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
23	Females	24	.....	.....	.....	.....	.....	.....	5	.....	.....	3	2	1	.....	1
24	Diagnosis reasonably certain. {M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	18	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
25	White	18	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	.....	.....	.....
26	Males	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
27	Females	14	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....
28	Diagnosis reasonably certain. {M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Colored	12	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	1
30	Males	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Females	10	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	1
32	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	CALIFORNIA.															
33	Registration cities	1,754	77	11	31	1	27	7	660	2	26	422	210	226	14	127
34	Males	782	67	10	27	1	23	6	384	2	25	260	97	99	5	53
35	Females	972	10	1	4	.....	4	1	276	.....	1	162	113	127	9	74
36	Diagnosis reasonably certain. {M.	464	67	10	27	1	23	6	148	2	7	103	36	70	2	27
	{F.	684	10	1	4	.....	4	1	63	.....	1	34	28	82	5	33
37	White	1,720	75	11	31	1	26	6	644	2	25	414	203	222	12	125
38	Males	761	65	10	27	1	22	5	371	2	24	254	91	96	3	52
39	Females	959	10	1	4	.....	4	1	273	.....	1	160	113	126	9	73
40	Diagnosis reasonably certain. {M.	456	65	10	27	1	22	5	144	2	7	102	33	70	2	27
	{F.	674	10	1	4	.....	4	1	63	.....	1	34	28	81	5	32
41	Colored	34	2	.....	.....	.....	1	1	16	.....	1	8	7	4	2	2
42	Males	21	2	.....	.....	.....	1	1	13	.....	1	6	6	3	2	1
43	Females	13	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	1	.....	1
44	Diagnosis reasonably certain. {M.	8	2	.....	.....	.....	1	1	4	.....	.....	1	3	.....	.....	.....
	{F.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
45	Los Angeles	443	20	3	6	.....	11	.....	154	.....	5	94	55	58	4	36
46	Males	172	18	3	5	.....	10	.....	77	.....	5	53	19	22	1	14
47	Females	271	2	.....	1	.....	1	.....	77	.....	.....	41	36	36	3	22
48	Diagnosis reasonably certain. {M.	109	18	3	5	.....	10	.....	32	.....	3	25	4	15	.....	8
	{F.	180	2	.....	1	.....	1	.....	16	.....	.....	6	10	20	2	7

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
3	.....	19	2	16	1	.....	2	1	9	.....	.....	.....	3	1	1	.....	.....	.....	4	1
3	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	2	1	1	.....	.....	.....	2	2
.....	.....	19	2	16	1	.....	2	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	3
3	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	2	1	.....	.....	.....	.....	1	4
.....	.....	19	2	16	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	11	.....	11	.....	.....	1	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	5
.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	6
.....	.....	11	.....	11	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7
.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	8
.....	.....	11	.....	11	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	14	.....	14	.....	.....	2	2	15	.....	.....	1	1	1	1	.....	2	.....	9	9
1	.....	.....	.....	.....	.....	.....	.....	1	11	.....	.....	1	.....	1	1	.....	2	.....	6	10
.....	.....	14	.....	14	.....	.....	2	1	4	.....	.....	.....	1	.....	.....	.....	.....	.....	3	11
1	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	1	.....	1	.....	.....	1	.....	6	12
.....	.....	14	.....	14	.....	.....	2	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	
1	.....	9	.....	9	.....	.....	1	2	14	.....	.....	1	1	1	1	.....	2	.....	8	13
1	.....	.....	.....	.....	.....	.....	.....	1	11	.....	.....	1	.....	1	1	.....	2	.....	6	14
.....	.....	9	.....	9	.....	.....	1	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	15
1	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	1	.....	1	.....	.....	1	.....	6	16
.....	.....	9	.....	9	.....	.....	1	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	
.....	.....	5	.....	5	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	5	.....	5	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	5	.....	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	9	1	8	.....	.....	4	6	4	.....	.....	3	.....	.....	.....	.....	.....	.....	1	21
.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	22
.....	.....	9	1	8	.....	.....	4	3	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	24
.....	.....	9	1	8	.....	.....	4	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	6	1	5	.....	.....	2	5	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	6	1	5	.....	.....	2	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
.....	.....	6	1	5	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	3	.....	3	.....	.....	2	1	3	.....	.....	2	.....	.....	.....	.....	.....	.....	1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	30
.....	.....	3	.....	3	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
.....	.....	3	.....	3	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
85	.....	252	18	227	4	3	200	51	288	13	20	29	18	29	31	13	14	9	112	33
41	.....	.....	.....	.....	.....	.....	2	33	197	9	10	20	11	29	24	9	7	9	69	34
44	.....	252	18	227	4	3	198	18	91	4	10	9	7	.....	7	4	7	.....	43	35
41	.....	.....	.....	.....	.....	.....	2	33	144	9	7	15	8	15	14	3	5	9	59	36
44	.....	245	12	227	4	2	198	18	68	4	3	9	6	.....	4	3	3	.....	36	
85	.....	246	18	221	4	3	198	51	284	12	20	29	18	29	31	13	13	9	110	37
41	.....	.....	.....	.....	.....	.....	2	33	194	9	10	20	11	29	24	9	6	9	67	38
44	.....	246	18	221	4	3	196	18	90	3	10	9	7	.....	7	4	7	.....	43	39
41	.....	.....	.....	.....	.....	.....	2	33	142	9	7	15	8	15	14	3	4	9	58	40
44	.....	239	12	221	4	2	196	18	67	3	3	9	6	.....	4	3	3	.....	36	
.....	.....	6	.....	6	.....	.....	2	.....	4	1	.....	.....	.....	.....	.....	.....	1	.....	2	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	42
.....	.....	6	.....	6	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	
.....	.....	6	.....	6	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
18	.....	70	7	62	.....	1	53	8	80	4	8	8	3	6	4	1	9	3	34	45
7	.....	.....	.....	.....	.....	.....	.....	7	48	1	4	5	1	6	2	1	5	3	20	46
11	.....	70	7	62	.....	1	53	1	32	3	4	3	2	.....	2	.....	4	.....	14	47
7	.....	.....	.....	.....	.....	.....	.....	7	37	1	2	3	1	4	1	.....	4	3	18	
11	.....	67	4	62	.....	1	53	1	21	3	.....	3	1	.....	1	.....	2	.....	11	48

[3] The only other registration unit; shown in order to complete the state.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	CALIFORNIA—continued.															
1	Los Angeles—Continued. White	436	19	3	6	.....	10	.....	152	.....	5	93	54	57	3	36
2	Males	167	17	3	5	.....	9	.....	75	.....	5	52	18	21	.....	14
3	Females	269	2	.....	1	.....	1	.....	77	.....	.....	41	36	36	3	22
4	Diagnosis reasonably certain. {M..	106	17	3	5	.....	9	.....	31	.....	3	25	3	15	.....	8
	{F..	178	2	.....	1	.....	1	.....	16	.....	.....	6	10	20	2	7
5	Colored	7	1	.....	.....	.....	1	.....	2	.....	.....	1	1	1	1	.....
6	Males	5	1	.....	.....	.....	1	.....	2	.....	.....	1	1	1	1	.....
7	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diagnosis reasonably certain. {M..	3	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
	{F..	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Oakland	170	5	1	1	.....	3	.....	64	.....	1	42	21	24	2	13
10	Males	61	4	1	1	.....	2	.....	25	.....	1	19	5	12	1	5
11	Females	109	1	.....	.....	.....	1	.....	39	.....	.....	23	16	12	1	8
12	Diagnosis reasonably certain. {M..	39	4	1	1	.....	2	.....	9	.....	1	7	1	9	.....	3
	{F..	75	1	.....	.....	.....	1	.....	10	.....	.....	9	1	7	1	3
13	Pasadena	53	1	.....	.....	.....	1	.....	20	.....	1	17	2	7	.....	4
14	Males	17	1	.....	.....	.....	1	.....	8	.....	1	6	1	2	.....	1
15	Females	36	.....	.....	.....	.....	.....	.....	12	.....	.....	11	1	5	.....	3
16	Diagnosis reasonably certain. {M..	10	1	.....	.....	.....	1	.....	3	.....	.....	2	1	1	.....	.....
	{F..	24	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	5	.....	3
17	Sacramento	65	4	1	1	.....	1	1	28	.....	1	20	7	6	1	2
18	Males	32	4	1	1	.....	1	1	17	.....	1	12	4	3	1	2
19	Females	33	.....	.....	.....	.....	.....	.....	11	.....	.....	8	3	3	.....	.....
20	Diagnosis reasonably certain. {M..	20	4	1	1	.....	1	1	10	.....	1	6	3	1	.....	1
	{F..	23	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	.....
21	San Diego	85	3	.....	3	.....	.....	.....	30	.....	1	20	9	13	3	5
22	Males	39	3	.....	3	.....	.....	.....	20	.....	1	13	6	4	.....	3
23	Females	46	.....	.....	.....	.....	.....	.....	10	.....	.....	7	3	9	3	2
24	Diagnosis reasonably certain. {M..	17	3	.....	3	.....	.....	.....	5	.....	.....	4	1	2	.....	1
	{F..	35	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	6	1	1
25	San Francisco	576	33	5	16	1	6	5	211	2	13	137	59	72	4	37
26	Males	292	28	4	13	1	6	4	139	2	13	90	34	39	2	15
27	Females	284	5	1	3	.....	.....	1	72	.....	.....	47	25	33	2	22
28	Diagnosis reasonably certain. {M..	186	28	4	13	1	6	4	56	2	1	39	14	34	2	10
	{F..	208	5	1	3	.....	.....	1	17	.....	.....	8	9	19	1	9
29	White	563	32	5	16	1	6	4	206	2	12	136	56	72	4	37
30	Males	286	27	4	13	1	6	3	136	2	12	90	32	39	2	15
31	Females	277	5	1	3	.....	.....	1	70	.....	.....	46	24	33	2	22
32	Diagnosis reasonably certain. {M..	183	27	4	13	1	6	3	55	2	1	39	13	34	2	10
	{F..	203	5	1	3	.....	.....	1	17	.....	.....	8	9	19	1	9
33	Colored	13	1	.....	.....	.....	.....	1	5	.....	1	1	3	.....	.....	.....
34	Males	6	1	.....	.....	.....	.....	1	3	.....	1	.....	2	.....	.....	.....
35	Females	7	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....
36	Diagnosis reasonably certain. {M..	3	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
	{F..	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Other cities	362	11	1	4	.....	5	1	153	.....	4	92	57	46	.....	30
38	Males	169	9	1	4	.....	3	1	98	.....	3	67	28	17	.....	13
39	Females	193	2	.....	.....	.....	2	.....	55	.....	1	25	29	29	.....	17
40	Diagnosis reasonably certain. {M..	83	9	1	4	.....	3	1	33	.....	1	20	12	8	.....	4
	{F..	139	2	.....	.....	.....	2	.....	15	.....	1	8	6	22	.....	10
	COLORADO.															
41	Registration cities	293	17	1	4	2	10	.....	118	2	4	82	30	32	2	16
42	Males	123	17	1	4	2	10	.....	66	2	4	50	10	12	.....	5
43	Females	170	.....	.....	.....	.....	.....	.....	52	.....	.....	32	20	20	2	11
44	Diagnosis reasonably certain. {M..	76	17	1	4	2	10	.....	26	.....	1	21	4	9	.....	2
	{F..	121	.....	.....	.....	.....	.....	.....	17	.....	.....	7	10	14	2	6
45	White	281	17	1	4	2	10	.....	112	1	4	78	29	32	2	16
46	Males	121	17	1	4	2	10	.....	65	1	4	50	10	12	.....	5
47	Females	160	.....	.....	.....	.....	.....	.....	47	.....	.....	28	19	20	2	11
48	Diagnosis reasonably certain. {M..	76	17	1	4	2	10	.....	26	.....	1	21	4	9	.....	2
	{F..	117	.....	.....	.....	.....	.....	.....	17	.....	.....	7	10	14	2	6

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
18	.....	69	7	61	.....	1	53	8	78	3	8	8	3	6	4	1	8	3	34	1
7	.....	.....	.....	.....	.....	.....	.....	7	47	1	4	5	1	6	2	1	4	3	20	2
11	.....	69	7	61	.....	1	53	1	31	2	4	3	2	.....	2	.....	4	.....	14	3
7	.....	.....	.....	.....	.....	.....	.....	7	36	1	2	3	1	4	1	.....	3	3	18	4
11	.....	66	4	61	.....	1	53	1	20	2	.....	3	1	.....	1	.....	2	.....	11	
.....	.....	1	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	6
.....	.....	1	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	
.....	.....	1	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
9	.....	22	.....	21	1	.....	24	11	20	.....	1	1	2	2	1	.....	.....	1	12	9
6	.....	.....	.....	.....	.....	.....	1	6	13	.....	.....	1	2	2	1	.....	.....	1	6	10
3	.....	22	.....	21	1	.....	23	5	7	.....	1	.....	.....	.....	.....	.....	.....	.....	6	11
6	.....	.....	.....	.....	.....	.....	1	6	10	.....	.....	1	1	1	1	.....	.....	1	5	
3	.....	22	.....	21	1	.....	23	5	7	.....	1	.....	.....	.....	.....	.....	.....	.....	6	12
3	.....	8	2	5	1	.....	7	3	7	.....	1	.....	1	3	1	.....	.....	.....	1	13
1	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....	3	1	.....	.....	.....	.....	14
2	.....	8	2	5	1	.....	7	1	3	.....	1	.....	1	.....	.....	.....	.....	.....	1	15
1	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	2	1	.....	.....	.....	.....	
2	.....	8	2	5	1	.....	7	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	16
3	.....	12	.....	12	.....	.....	5	1	9	.....	.....	.....	.....	1	1	.....	.....	.....	7	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	.....	.....	1	1	.....	.....	.....	6	18
3	.....	12	.....	12	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	1	.....	.....	.....	.....	4	
3	.....	12	.....	12	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20
5	.....	6	1	5	.....	.....	15	3	15	.....	.....	1	1	2	1	.....	.....	.....	10	21
1	.....	.....	.....	.....	.....	.....	.....	2	10	.....	.....	1	1	2	1	.....	.....	.....	5	22
4	.....	6	1	5	.....	.....	15	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	23
1	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	1	.....	.....	1	.....	.....	.....	3	
4	.....	6	1	5	.....	.....	15	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	24
31	.....	78	6	72	.....	.....	61	13	108	7	7	15	7	7	12	12	5	2	34	25
22	.....	.....	.....	.....	.....	.....	1	7	78	7	4	12	5	7	8	8	2	2	23	26
9	.....	78	6	72	.....	.....	60	6	30	.....	3	3	2	.....	4	4	3	.....	11	27
22	.....	.....	.....	.....	.....	.....	1	7	60	7	3	10	5	3	4	3	1	2	22	
9	.....	76	4	72	.....	.....	60	6	25	.....	2	3	2	.....	3	3	1	.....	11	28
31	.....	73	6	67	.....	.....	61	13	106	7	7	15	7	7	12	12	5	2	32	29
22	.....	.....	.....	.....	.....	.....	1	7	76	7	4	12	5	7	8	8	2	2	21	30
9	.....	73	6	67	.....	.....	60	6	30	.....	3	3	2	.....	4	4	3	.....	11	31
22	.....	.....	.....	.....	.....	.....	1	7	59	7	3	10	5	3	4	3	1	2	21	
9	.....	71	4	67	.....	.....	60	6	25	.....	2	3	2	.....	3	3	1	.....	11	32
.....	.....	5	.....	5	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	34
.....	.....	5	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	5	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
16	.....	56	2	50	2	2	35	12	49	2	3	4	4	8	11	.....	.....	3	14	37
4	.....	.....	.....	.....	.....	.....	.....	9	36	1	2	1	2	8	10	.....	.....	3	9	38
12	.....	56	2	50	2	2	35	3	13	1	1	3	2	.....	1	.....	.....	.....	5	39
4	.....	.....	.....	.....	.....	.....	.....	9	24	1	3	.....	1	4	6	.....	.....	3	7	
12	.....	54	1	50	2	1	35	3	8	1	.....	3	2	.....	.....	.....	.....	.....	2	40
14	.....	51	4	47	.....	.....	34	8	33	2	4	2	6	2	3	2	.....	.....	12	41
7	.....	.....	.....	.....	.....	.....	1	6	21	2	2	2	2	2	1	1	.....	.....	9	42
7	.....	51	4	47	.....	.....	33	2	12	.....	2	.....	4	.....	2	1	.....	.....	3	43
7	.....	.....	.....	.....	.....	.....	1	6	17	2	1	1	1	1	1	1	.....	.....	9	
6	.....	50	3	47	.....	.....	33	2	5	.....	.....	.....	1	.....	1	1	.....	.....	2	44
14	.....	50	4	46	.....	.....	31	8	31	2	4	1	5	2	3	2	.....	.....	12	45
7	.....	.....	.....	.....	.....	.....	1	6	20	2	2	1	2	2	1	1	.....	.....	9	46
7	.....	50	4	46	.....	.....	30	2	11	.....	2	.....	3	.....	2	1	.....	.....	3	47
7	.....	.....	.....	.....	.....	.....	1	6	17	2	1	1	1	1	1	1	.....	.....	9	
6	.....	49	3	46	.....	.....	30	2	5	.....	.....	.....	1	.....	1	1	.....	.....	2	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue.	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	COLORADO—continued.															
	Registration cities—Continued.															
1	Colored	12	.....	.....	.....	.....	.....	.....	6	1	.....	4	1	.....	.....	.....
2	Males	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
3	Females	10	.....	.....	.....	.....	.....	.....	5	.....	.....	4	1	.....	.....	.....
4	Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Denver	222	16	1	4	2	9	.....	90	2	2	67	19	22	1	12
6	Males	94	16	1	4	2	9	.....	51	2	2	41	6	8	.....	4
7	Females	128	.....	.....	.....	.....	.....	.....	39	.....	.....	26	13	14	1	8
8	Diagnosis reasonably certain. {M	55	16	1	4	2	9	.....	18	.....	.....	14	4	6	.....	2
	{F	92	.....	.....	.....	.....	.....	.....	13	.....	.....	6	7	10	1	5
9	Other cities	71	1	.....	.....	.....	1	.....	28	.....	2	15	11	10	1	4
10	Males	29	1	.....	.....	.....	1	.....	15	.....	2	9	4	4	.....	1
11	Females	42	.....	.....	.....	.....	.....	.....	13	.....	.....	6	7	6	1	3
12	Diagnosis reasonably certain. {M	21	1	.....	.....	.....	1	.....	8	.....	1	7	.....	3	.....	.....
	{F	29	.....	.....	.....	.....	.....	.....	4	.....	.....	1	3	4	1	1
	CONNECTICUT.															
13	Registration cities	717	31	4	11	4	9	3	232	.....	6	153	73	107	4	75
14	Males	271	28	3	10	4	8	3	120	.....	5	85	30	42	2	29
15	Females	446	3	1	1	.....	1	.....	112	.....	1	68	43	65	2	46
16	Diagnosis reasonably certain. {M	136	28	3	10	4	8	3	38	.....	3	28	7	21	1	9
	{F	290	3	1	1	.....	1	.....	32	.....	.....	18	14	28	.....	11
17	White	699	31	4	11	4	9	3	227	.....	6	148	73	104	4	74
18	Males	267	28	3	10	4	8	3	116	.....	5	81	30	42	2	29
19	Females	432	3	1	1	.....	1	.....	111	.....	1	67	43	62	2	45
20	Diagnosis reasonably certain. {M	135	28	3	10	4	8	3	37	.....	3	27	7	21	1	9
	{F	278	3	1	1	.....	1	.....	32	.....	.....	18	14	26	.....	11
21	Colored	18	.....	.....	.....	.....	.....	.....	5	.....	.....	5	.....	3	.....	1
22	Males	4	.....	.....	.....	.....	.....	.....	4	.....	.....	4	.....	.....	.....	.....
23	Females	14	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	1
24	Diagnosis reasonably certain. {M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
25	Bridgeport	97	4	.....	2	.....	2	.....	31	.....	3	18	10	19	1	16
26	Males	40	4	.....	2	.....	2	.....	15	.....	2	10	3	8	.....	7
27	Females	57	.....	.....	.....	.....	.....	.....	16	.....	1	8	7	11	1	9
28	Diagnosis reasonably certain. {M	19	4	.....	2	.....	2	.....	3	.....	.....	2	1	2	.....	1
	{F	27	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	2	.....	1
29	Hartford	132	9	1	3	1	3	1	39	.....	1	30	8	19	.....	14
30	Males	56	9	1	3	1	3	1	22	.....	1	18	3	8	.....	6
31	Females	76	.....	.....	.....	.....	.....	.....	17	.....	.....	12	5	11	.....	8
32	Diagnosis reasonably certain. {M	37	9	1	3	1	3	1	12	.....	1	10	1	4	.....	2
	{F	57	.....	.....	.....	.....	.....	.....	12	.....	.....	10	2	6	.....	3
33	New Haven	164	7	2	3	.....	1	1	54	.....	1	35	18	17	3	9
34	Males	57	5	1	2	.....	1	1	29	.....	1	20	8	4	2	1
35	Females	107	2	1	1	.....	.....	.....	25	.....	.....	15	10	13	1	8
36	Diagnosis reasonably certain. {M	30	5	1	2	.....	1	1	12	.....	1	8	3	3	1	1
	{F	73	2	1	1	.....	.....	.....	9	.....	.....	3	6	5	.....	1
37	Waterbury	57	2	.....	.....	1	1	.....	19	.....	.....	11	8	12	.....	10
38	Males	22	1	.....	.....	1	.....	.....	9	.....	.....	6	3	6	.....	4
39	Females	35	1	.....	.....	.....	1	.....	10	.....	.....	5	5	6	.....	6
40	Diagnosis reasonably certain. {M	8	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	4	.....	2
	{F	21	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	1
41	Other cities	267	9	1	3	2	2	1	89	.....	1	59	29	40	.....	26
42	Males	96	9	1	3	2	2	1	45	.....	1	31	13	16	.....	11
43	Females	171	.....	.....	.....	.....	.....	.....	44	.....	.....	28	16	24	.....	15
44	Diagnosis reasonably certain. {M	42	9	1	3	2	2	1	10	.....	1	7	2	8	.....	3
	{F	112	.....	.....	.....	.....	.....	.....	7	.....	.....	3	4	14	.....	5
	DELAWARE.[1]															
45	Wilmington	81	4	1	1	.....	2	.....	29	.....	1	19	9	14	.....	9
46	Males	33	4	1	1	.....	2	.....	16	.....	1	12	3	8	.....	5
47	Females	48	.....	.....	.....	.....	.....	.....	13	.....	.....	7	6	6	.....	4
48	Diagnosis reasonably certain. {M	8	4	1	1	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F	38	.....	.....	.....	.....	.....	.....	7	.....	.....	3	4	4	.....	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
.....	.....	1	.....	1	.....	.....	3	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	2
.....	.....	1	.....	1	.....	.....	3	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	1	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	.....	37	3	34	.....	.....	28	6	23	2	3	2	3	1	3	1	.....	.....	8	5
4	.....	.....	.....	.....	.....	.....	.....	4	15	2	2	2	1	1	1	1	.....	.....	5	6
5	.....	37	3	34	.....	.....	28	2	8	.....	1	.....	2	.....	2	.....	.....	.....	3	7
4	.....	.....	.....	.....	.....	.....	.....	4	11	2	1	1	.....	.....	1	1	.....	.....	5	8
4	.....	36	2	34	.....	.....	28	2	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	
5	.....	14	1	13	.....	.....	6	2	10	.....	1	.....	3	1	.....	1	.....	.....	4	9
3	.....	.....	.....	.....	.....	.....	1	2	6	.....	.....	.....	1	1	.....	.....	.....	.....	4	10
2	.....	14	1	13	.....	.....	5	.....	4	.....	1	.....	2	.....	.....	1	.....	.....	.....	11
3	.....	.....	.....	.....	.....	.....	1	2	6	.....	.....	.....	1	1	.....	.....	.....	.....	4	
2	.....	14	1	13	.....	.....	5	.....	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	12
28	.....	117	5	109	3	.....	73	21	136	8	3	13	5	16	24	2	10	1	54	13
11	.....	.....	.....	.....	.....	.....	1	9	71	6	1	4	3	16	17	.....	2	1	21	14
17	.....	117	5	109	3	.....	72	12	65	2	2	9	2	.....	7	2	8	.....	33	15
11	.....	.....	.....	.....	.....	.....	1	9	39	6	1	4	1	3	7	.....	.....	1	16	
17	.....	115	3	109	3	.....	72	12	28	2	2	3	.....	.....	1	1	2	.....	17	16
26	.....	111	5	103	3	.....	70	20	136	8	3	13	5	16	24	2	10	1	54	17
11	.....	.....	.....	.....	.....	.....	1	9	71	6	1	4	3	16	17	.....	2	1	21	18
15	.....	111	5	103	3	.....	69	11	65	2	2	9	2	.....	7	2	8	.....	33	19
11	.....	.....	.....	.....	.....	.....	1	9	39	6	1	4	1	3	7	.....	.....	1	16	
15	.....	109	3	103	3	.....	69	11	28	2	2	3	.....	.....	1	1	2	.....	17	20
2	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
2	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
2	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
2	.....	9	.....	8	1	.....	8	3	23	2	1	2	1	1	4	.....	3	.....	9	25
1	.....	.....	.....	.....	.....	.....	1	1	11	1	.....	1	1	1	3	.....	.....	.....	4	26
1	.....	9	.....	8	1	.....	7	2	12	1	1	1	.....	.....	1	.....	3	.....	5	27
1	.....	.....	.....	.....	.....	.....	1	1	8	1	.....	1	.....	.....	2	.....	.....	.....	4	
1	.....	9	.....	8	1	.....	7	2	4	1	1	.....	.....	.....	.....	.....	1	.....	1	28
5	.....	22	.....	22	.....	.....	8	4	31	3	1	2	2	3	2	.....	.....	.....	18	29
2	.....	.....	.....	.....	.....	.....	.....	1	16	3	1	1	1	3	1	.....	.....	.....	6	30
3	.....	22	.....	22	.....	.....	8	3	15	.....	.....	1	1	.....	1	.....	.....	.....	12	31
2	.....	.....	.....	.....	.....	.....	.....	1	11	3	1	1	1	.....	1	.....	.....	.....	4	
3	.....	22	.....	22	.....	.....	8	3	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	32
5	.....	29	2	26	1	.....	19	6	32	.....	1	3	1	8	7	2	2	.....	8	33
1	.....	.....	.....	.....	.....	.....	.....	3	16	.....	.....	.....	.....	8	4	.....	1	.....	3	34
4	.....	29	2	26	1	.....	19	3	16	.....	1	3	1	.....	3	2	1	.....	5	35
1	.....	.....	.....	.....	.....	.....	.....	3	7	.....	.....	.....	.....	3	2	.....	.....	.....	2	
4	.....	29	2	26	1	.....	19	3	6	.....	1	1	.....	.....	.....	1	.....	.....	3	36
2	.....	13	.....	13	.....	.....	2	.....	9	.....	.....	1	.....	2	1	.....	1	.....	4	37
2	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	2	1	.....	1	.....	2	38
.....	.....	13	.....	13	.....	.....	2	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	39
2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	13	.....	13	.....	.....	2	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	40
14	.....	44	3	40	1	.....	36	8	41	3	.....	5	1	2	10	.....	4	1	15	41
5	.....	.....	.....	.....	.....	.....	.....	4	22	2	.....	2	1	2	8	.....	.....	1	6	42
9	.....	44	3	40	1	.....	36	4	19	1	.....	3	.....	.....	2	.....	4	.....	9	43
5	.....	.....	.....	.....	.....	.....	.....	4	11	2	.....	2	.....	.....	2	.....	.....	1	4	
9	.....	42	1	40	1	.....	36	4	9	1	.....	1	.....	.....	1	.....	1	.....	5	44
5	.....	17	.....	16	1	.....	7	3	7	.....	.....	.....	.....	.....	3	.....	.....	.....	4	45
3	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	1	.....	.....	.....	3	46
2	.....	17	.....	16	1	.....	7	2	3	.....	.....	.....	.....	.....	2	.....	.....	.....	1	47
1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
1	.....	17	.....	16	1	.....	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	DELAWARE[1]—continued.															
1	Wilmington—Continued. White	75	4	1	1	.....	2	.....	27	.....	1	17	9	13	.....	8
2	Males	31	4	1	1	.....	2	.....	15	.....	1	11	3	8	.....	5
3	Females	44	.....	.....	.....	.....	.....	.....	12	.....	.....	6	6	5	.....	3
4	Diagnosis reasonably certain {M..	7	4	1	1	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....
	Diagnosis reasonably certain {F..	36	.....	.....	.....	.....	.....	.....	7	.....	.....	3	4	4	.....	3
5	Colored	6	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	1
6	Males	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
7	Females	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
8	Diagnosis reasonably certain {M..	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Diagnosis reasonably certain {F..	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.															
9	Washington	355	18	2	6	1	7	2	112	.....	3	63	46	48	5	30
10	Males	144	14	2	4	1	6	1	60	.....	3	30	27	14	1	7
11	Females	211	4	.....	2	.....	1	1	52	.....	.....	33	19	34	4	23
12	Diagnosis reasonably certain {M..	73	14	2	4	1	6	1	16	.....	1	8	7	6	1	2
	Diagnosis reasonably certain {F..	137	4	.....	2	.....	1	1	5	.....	.....	4	1	19	3	10
13	White	271	14	2	6	1	3	2	79	.....	3	43	33	39	4	27
14	Males	112	11	2	4	1	3	1	43	.....	3	20	20	9	1	6
15	Females	159	3	.....	2	.....	.....	1	36	.....	.....	23	13	30	3	21
16	Diagnosis reasonably certain {M..	61	11	2	4	1	3	1	13	.....	1	7	5	4	1	2
	Diagnosis reasonably certain {F..	104	3	.....	2	.....	.....	1	3	.....	.....	3	.....	18	3	10
17	Colored	84	4	.....	.....	.....	4	.....	33	.....	.....	20	13	9	1	3
18	Males	32	3	.....	.....	.....	3	.....	17	.....	.....	10	7	5	.....	1
19	Females	52	1	.....	.....	.....	1	.....	16	.....	.....	10	6	4	1	2
20	Diagnosis reasonably certain {M..	12	3	.....	.....	.....	3	.....	3	.....	.....	1	2	2	.....	.....
	Diagnosis reasonably certain {F..	33	1	.....	.....	.....	1	.....	2	.....	.....	1	1	1	.....	.....
	FLORIDA.[2]															
21	Registration cities	72	4	.....	2	.....	1	1	15	.....	.....	11	4	4	.....	2
22	Males	26	3	.....	2	.....	1	.....	8	.....	.....	6	2	2	.....	1
23	Females	46	1	.....	.....	.....	.....	1	7	.....	.....	5	2	2	.....	1
24	Diagnosis reasonably certain {M..	16	3	.....	2	.....	1	.....	3	.....	.....	3	.....	1	.....	.....
	Diagnosis reasonably certain {F..	38	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1
25	White	58	4	.....	2	.....	1	1	12	.....	.....	8	4	3	.....	1
26	Males	23	3	.....	2	.....	1	.....	7	.....	.....	5	2	1	.....	.....
27	Females	35	1	.....	.....	.....	.....	1	5	.....	.....	3	2	2	.....	1
28	Diagnosis reasonably certain {M..	16	3	.....	2	.....	1	.....	3	.....	.....	3	.....	1	.....	.....
	Diagnosis reasonably certain {F..	29	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1
29	Colored	14	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	1	.....	1
30	Males	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
31	Females	11	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
32	Diagnosis reasonably certain {M..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Diagnosis reasonably certain {F..	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	GEORGIA.[1]															
33	Registration cities	186	9	2	3	1	3	.....	45	.....	1	25	19	18	.....	12
34	Males	66	8	1	3	1	3	.....	21	.....	1	12	8	7	.....	6
35	Females	120	1	1	.....	.....	.....	.....	24	.....	.....	13	11	11	.....	6
36	Diagnosis reasonably certain {M..	41	8	1	3	1	3	.....	6	.....	1	2	3	4	.....	3
	Diagnosis reasonably certain {F..	85	1	1	.....	.....	.....	.....	1	.....	.....	.....	1	8	.....	3
37	White	139	7	2	3	1	1	.....	37	.....	1	19	17	13	.....	11
38	Males	52	6	1	3	1	1	.....	17	.....	1	9	7	6	.....	6
39	Females	87	1	1	.....	.....	.....	.....	20	.....	.....	10	10	7	.....	5
40	Diagnosis reasonably certain {M..	31	6	1	3	1	1	.....	4	.....	1	1	2	3	.....	3
	Diagnosis reasonably certain {F..	58	1	1	.....	.....	.....	.....	1	.....	.....	.....	1	5	.....	3
41	Colored	47	2	.....	.....	.....	2	.....	8	.....	.....	6	2	5	.....	1
42	Males	14	2	.....	.....	.....	2	.....	4	.....	.....	3	1	1	.....	.....
43	Females	33	.....	.....	.....	.....	.....	.....	4	.....	.....	3	1	4	.....	1
44	Diagnosis reasonably certain {M..	10	2	.....	.....	.....	2	.....	2	.....	.....	1	1	1	.....	.....
	Diagnosis reasonably certain {F..	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....
45	Atlanta	106	4	2	2	.....	.....	.....	26	.....	.....	16	10	11	.....	9
46	Males	36	3	1	2	.....	.....	.....	15	.....	.....	11	4	5	.....	4
47	Females	70	1	1	.....	.....	.....	.....	11	.....	.....	5	6	6	.....	5
48	Diagnosis reasonably certain {M..	22	3	1	2	.....	.....	.....	4	.....	.....	2	2	4	.....	3
	Diagnosis reasonably certain {F..	54	1	1	.....	.....	.....	.....	1	.....	.....	.....	1	3	.....	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
5	.....	16	.....	15	1	.....	7	2	6	.....	.....	.....	.....	.....	3	.....	.....	.....	3	1
3	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	2
2	.....	16	.....	15	1	.....	7	1	3	.....	.....	.....	.....	.....	2	.....	.....	.....	1	3
1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4
1	.....	16	.....	15	1	.....	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6
.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
.....	.....	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8
13	.....	54	2	52	.....	.....	36	9	78	5	2	8	6	12	13	1	6	.....	25	9
6	.....	.....	.....	.....	.....	.....	1	6	49	5	2	3	4	12	9	1	3	.....	10	10
7	.....	54	2	52	.....	.....	35	3	29	.....	.....	5	2	.....	4	.....	3	.....	15	11
3	.....	.....	.....	.....	.....	.....	1	6	30	5	1	3	2	4	5	1	1	.....	8	12
6	.....	54	2	52	.....	.....	35	3	17	.....	.....	2	2	.....	2	.....	1	.....	10	
8	.....	34	2	32	.....	.....	29	9	67	4	2	7	5	9	13	1	6	.....	20	13
2	.....	.....	.....	.....	.....	.....	1	6	42	4	2	3	3	9	9	1	3	.....	8	14
6	.....	34	2	32	.....	.....	28	3	25	.....	.....	4	2	.....	4	.....	3	.....	12	15
1	.....	.....	.....	.....	.....	.....	1	6	26	4	1	3	2	3	5	1	1	.....	6	16
5	.....	34	2	32	.....	.....	28	3	15	.....	.....	1	2	.....	2	.....	1	.....	9	
5	.....	20	.....	20	.....	.....	7	.....	11	1	.....	1	1	3	.....	.....	.....	.....	5	17
4	.....	.....	.....	.....	.....	.....	.....	.....	7	1	.....	.....	1	3	.....	.....	.....	.....	2	18
1	.....	20	.....	20	.....	.....	7	.....	4	.....	.....	1	.....	.....	.....	.....	.....	.....	3	19
2	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	1	.....	.....	.....	.....	2	20
1	.....	20	.....	20	.....	.....	7	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	
2	.....	21	.....	20	1	.....	12	2	14	.....	.....	2	.....	.....	3	.....	2	.....	7	21
1	.....	.....	.....	.....	.....	.....	.....	1	12	.....	.....	2	.....	.....	3	.....	2	.....	5	22
1	.....	21	.....	20	1	.....	12	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	23
1	.....	.....	.....	.....	.....	.....	.....	1	8	.....	.....	2	.....	.....	1	.....	.....	.....	5	24
1	.....	21	.....	20	1	.....	12	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
2	.....	15	.....	14	1	.....	9	2	13	.....	.....	2	.....	.....	3	.....	1	.....	7	25
1	.....	.....	.....	.....	.....	.....	.....	1	11	.....	.....	2	.....	.....	3	.....	1	.....	5	26
1	.....	15	.....	14	1	.....	9	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	27
1	.....	.....	.....	.....	.....	.....	.....	1	8	.....	.....	2	.....	.....	1	.....	.....	.....	5	28
1	.....	15	.....	14	1	.....	9	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	6	.....	6	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	30
.....	.....	6	.....	6	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	6	.....	6	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
6	.....	[a] 53	3	49	1	.....	15	8	38	.....	1	3	6	3	3	.....	4	.....	18	33
1	.....	.....	.....	.....	.....	.....	.....	7	23	.....	.....	2	4	3	2	.....	3	.....	9	34
5	.....	53	3	49	1	.....	15	1	15	.....	1	1	2	.....	1	.....	1	.....	9	35
1	.....	.....	.....	.....	.....	.....	.....	7	16	.....	.....	1	2	3	2	.....	.....	.....	8	36
5	.....	51	1	49	1	.....	15	1	8	.....	.....	1	1	.....	.....	.....	.....	.....	6	
2	.....	36	1	35	.....	.....	10	7	29	.....	1	3	5	2	3	.....	3	.....	12	37
.....	.....	.....	.....	.....	.....	.....	.....	6	17	.....	.....	2	3	2	2	.....	2	.....	6	38
2	.....	36	1	35	.....	.....	10	1	12	.....	1	1	2	.....	1	.....	1	.....	6	39
.....	.....	.....	.....	.....	.....	.....	.....	6	12	.....	.....	1	1	2	2	.....	.....	.....	6	40
2	.....	35	.....	35	.....	.....	10	1	5	.....	.....	1	1	.....	.....	.....	.....	.....	3	
4	.....	17	2	11	1	.....	5	1	9	.....	.....	.....	1	1	.....	.....	1	.....	6	41
1	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	1	1	.....	.....	1	.....	3	42
3	.....	17	2	11	1	.....	5	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	43
1	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	1	1	.....	.....	.....	.....	2	44
3	.....	16	1	11	1	.....	5	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
2	.....	33	1	31	1	.....	11	5	16	.....	1	1	2	2	1	.....	1	.....	8	45
1	.....	.....	.....	.....	.....	.....	.....	4	9	.....	.....	.....	2	2	1	.....	1	.....	3	46
1	.....	33	1	31	1	.....	11	1	7	.....	1	1	.....	.....	.....	.....	.....	.....	5	47
1	.....	.....	.....	.....	.....	.....	.....	4	7	.....	.....	.....	1	2	1	.....	.....	.....	3	48
1	.....	32	.....	31	1	.....	11	1	5	.....	.....	1	.....	.....	.....	.....	.....	.....	4	

[a] Nonregistration state; includes Jacksonville, Key West, and Pensacola.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	GEORGIA[1]—continued.															
1	Atlanta—Continued. White	82	4	2	2				20			12	8	8		8
2	Males	29	3	1	2				11			8	3	4		4
3	Females	53	1	1					9			4	5	4		4
4	Diagnosis reasonably certain. {M.	17	3	1	2				2			1	1	3		3
	{F.	40	1	1					1				1	2		2
5	Colored	24							6			4	2	3		1
6	Males	7							4			3	1	1		
7	Females	17							2			1	1	2		1
8	Diagnosis reasonably certain. {M.	5							2			1	1	1		
	{F.	14												1		
9	Other cities[2]	80	5		1	1	3		19		1	9	9	7		3
10	Males	30	5		1	1	3		6		1	1	4	2		2
11	Females	50							13			8	5	5		1
12	Diagnosis reasonably certain. {M.	19	5		1	1	3		2		1		1			
	{F.	31												5		1
13	White	57	3		1	1	1		17		1	7	9	5		3
14	Males	23	3		1	1	1		6		1	1	4	2		2
15	Females	34							11			6	5	3		1
16	Diagnosis reasonably certain. {M.	14	3		1	1	1		2		1		1			
	{F.	18												3		1
17	Colored	23	2				2		2			2		2		
18	Males	7	2				2									
19	Females	16							2			2		2		
20	Diagnosis reasonably certain. {M.	5	2				2									
	{F.	13												2		
	ILLINOIS.[1]															
21	Registration cities	2,338	101	8	43	4	35	11	985	6	58	656	265	271	18	151
22	Males	1,033	89	8	39	3	31	8	549	5	50	388	106	116	7	61
23	Females	1,305	12		4	1	4	3	436	1	8	268	159	155	11	90
24	Diagnosis reasonably certain. {M.	497	89	8	39	3	31	8	167	2	18	119	28	73	5	23
	{F.	826	12		4	1	4	3	93		1	54	38	96	5	40
25	White	2,278	100	8	42	4	35	11	963	6	58	638	261	265	18	148
26	Males	1,003	88	8	38	3	31	8	536	5	50	370	104	114	7	60
27	Females	1,269	12		4	1	4	3	427	1	8	261	157	151	11	88
28	Diagnosis reasonably certain. {M.	479	88	8	38	3	31	8	160	2	18	114	26	71	5	22
	{F.	799	12		4	1	4	3	90		1	52	37	93	5	39
29	Colored	60	1		1				22			18	4	6		3
30	Males	24	1		1				13			11	2	2		1
31	Females	36							9			7	2	4		2
32	Diagnosis reasonably certain. {M.	18	1		1				7			5	2	2		1
	{F.	27							3			2	1	3		1
33	Chicago	2,197	93	8	42	4	29	10	901	6	57	600	238	239	17	130
34	Males	948	82	8	38	3	26	7	506	5	49	356	96	104	7	55
35	Females	1,159	11		4	1	3	3	395	1	8	244	142	135	10	75
36	Diagnosis reasonably certain. {M.	452	82	8	38	3	26	7	154	2	18	108	26	64	5	20
	{F.	724	11		4	1	3	3	79		1	47	31	83	5	31
37	White	2,059	92	8	41	4	29	10	881	6	57	584	234	235	17	128
38	Males	926	81	8	37	3	26	7	494	5	49	346	94	103	7	54
39	Females	1,133	11		4	1	3	3	387	1	8	238	140	132	10	74
40	Diagnosis reasonably certain. {M.	435	81	8	37	3	26	7	147	2	18	103	24	63	5	19
	{F.	704	11		4	1	3	3	76		1	45	30	81	5	31
41	Colored	48	1		1				20			16	4	4		2
42	Males	22	1		1				12			10	2	1		1
43	Females	26							8			6	2	3		1
44	Diagnosis reasonably certain. {M.	17	1		1				7			5	2	1		1
	{F.	20							3			2	1	2		
45	Springfield	62	2				2		24			17	7	8		5
46	Males	20	2				2		11			7	4	3		
47	Females	42							13			10	3	5		5
48	Diagnosis reasonably certain. {M.	10	2				2		2			2		3		
	{F.	26							3			2	1	4		4

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
.....	.....	26	1	25	.....	.....	7	5	12	.....	1	1	1	2	1	.....	1	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	4	7	.....	.....	.....	1	2	1	.....	1	.....	2
.....	.....	26	1	25	.....	.....	7	1	5	.....	1	1	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	4	5	.....	.....	.....	.....	2	1	.....	.....	.....	2
.....	.....	25	.....	25	.....	.....	7	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2
2	.....	7	.....	6	1	.....	4	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	3
1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1
1	.....	7	.....	6	1	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	1
1	.....	7	.....	6	1	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
4	.....	20	2	18	.....	.....	4	3	22	.....	.....	2	4	1	2	.....	3	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	3	14	.....	.....	2	2	1	1	.....	2	.....	6
4	.....	20	2	18	.....	.....	4	.....	8	.....	.....	.....	2	.....	1	.....	1	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	3	9	.....	.....	1	1	1	1	.....	.....	.....	5
4	.....	19	1	18	.....	.....	4	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2
2	.....	10	.....	10	.....	.....	3	2	17	.....	.....	2	4	.....	2	.....	2	.....	7
.....	.....	.....	.....	.....	.....	.....	.....	2	10	.....	.....	2	2	.....	1	.....	1	.....	4
2	.....	10	.....	10	.....	.....	3	.....	7	.....	.....	.....	2	.....	1	.....	1	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	2	7	.....	.....	1	1	.....	1	.....	.....	.....	4
2	.....	10	.....	10	.....	.....	3	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1
2	.....	10	2	8	.....	.....	1	1	5	.....	.....	.....	.....	1	.....	.....	1	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	1	.....	.....	1	.....	2
2	.....	10	2	8	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1
2	.....	9	1	8	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
95	7	362	23	334	2	3	192	45	382	16	25	28	38	39	63	6	26	7	134
45	3	.....	.....	.....	.....	.....	3	22	254	14	13	20	22	39	44	3	15	7	77
50	4	362	23	334	2	3	189	23	128	2	12	8	16	.....	19	3	11	.....	57
45	.....	.....	.....	.....	.....	.....	3	22	143	14	3	10	10	15	22	1	9	7	52
50	1	356	18	333	2	3	189	23	57	2	5	3	5	.....	7	1	4	.....	30
92	7	346	23	318	2	3	187	45	372	15	24	28	38	39	62	6	26	7	127
44	3	.....	.....	.....	.....	.....	3	22	216	13	12	20	22	39	43	3	15	7	72
48	4	346	23	318	2	3	184	23	126	2	12	8	16	.....	19	3	11	.....	55
44	.....	.....	.....	.....	.....	.....	3	22	135	13	2	10	10	15	21	1	9	7	47
48	1	340	18	317	2	3	184	23	57	2	5	3	5	.....	7	1	4	.....	30
3	.....	16	.....	16	.....	.....	5	.....	10	1	1	.....	.....	.....	1	.....	.....	.....	7
1	.....	.....	.....	.....	.....	.....	.....	.....	8	1	1	.....	.....	.....	1	.....	.....	.....	5
2	.....	16	.....	16	.....	.....	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
1	.....	.....	.....	.....	.....	.....	.....	.....	8	1	1	.....	.....	.....	1	.....	.....	.....	5
2	.....	16	.....	16	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
86	6	318	21	292	2	3	172	37	347	16	24	25	36	37	58	6	22	6	117
39	3	.....	.....	.....	.....	.....	3	19	234	14	13	18	21	37	41	3	12	6	69
47	3	318	21	292	2	3	169	18	113	2	11	7	15	.....	17	3	10	.....	48
39	.....	.....	.....	.....	.....	.....	3	19	130	14	3	9	9	15	21	1	6	6	46
47	.....	312	16	291	2	3	169	18	52	2	5	3	5	.....	7	1	3	.....	26
84	6	306	21	280	2	3	169	37	339	15	23	25	36	37	57	6	22	6	112
39	3	.....	.....	.....	.....	.....	3	19	226	13	12	18	21	37	40	3	12	6	64
45	3	306	21	280	2	3	166	18	113	2	11	7	15	.....	17	3	10	.....	48
39	.....	.....	.....	.....	.....	.....	3	19	122	13	2	9	9	15	20	1	6	6	41
45	.....	306	16	279	2	3	166	18	52	2	5	3	5	.....	7	1	3	.....	26
2	.....	12	.....	12	.....	.....	3	.....	8	1	1	.....	.....	.....	1	.....	.....	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	8	1	1	.....	.....	.....	1	.....	.....	.....	5
2	.....	12	.....	12	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	8	1	1	.....	.....	.....	1	.....	.....	.....	5
2	.....	12	.....	12	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	.....	11	.....	11	.....	.....	4	3	10	.....	.....	.....	1	1	1	.....	2	.....	5
3	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	1	.....	.....	2	.....	1
3	.....	11	.....	11	.....	.....	4	3	6	.....	.....	.....	1	.....	1	.....	.....	.....	4
3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1
3	.....	11	.....	11	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1

[2] Includes Augusta and Savannah.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	ILLINOIS[1]—continued.															
1	Other cities [2]	169	6	.....	1	.....	4	1	60	.....	1	39	20	24	1	16
2	Males	65	5	.....	1	.....	3	1	32	.....	1	25	6	9	.....	6
3	Females	104	1	.....	.....	.....	1	.....	28	.....	.....	11	14	15	1	10
4	Diagnosis reasonably certain. {M.	35	5	.....	1	.....	3	1	11	.....	.....	9	2	6	.....	3
	{F.	76	1	.....	.....	.....	1	.....	11	.....	.....	5	6	9	.....	5
	INDIANA.															
5	Registration cities	765	24	3	8	4	9	.....	270	.....	7	162	101	94	8	59
6	Males	243	19	3	6	2	8	.....	112	.....	6	77	29	34	1	21
7	Females	522	5	.....	2	2	1	.....	158	.....	1	85	72	60	7	38
8	Diagnosis reasonably certain. {M.	130	19	3	6	2	8	.....	30	.....	1	21	8	24	1	11
	{F.	330	5	.....	2	2	1	.....	25	.....	.....	12	13	29	2	12
9	White	739	23	3	7	4	9	.....	261	.....	7	157	97	92	7	59
10	Males	238	18	3	5	2	8	.....	112	.....	6	77	29	34	1	21
11	Females	501	5	.....	2	2	1	.....	149	.....	1	80	68	58	6	38
12	Diagnosis reasonably certain. {M.	128	18	3	5	2	8	.....	30	.....	1	21	8	24	1	11
	{F.	319	5	.....	2	2	1	.....	25	.....	.....	12	13	28	2	12
13	Colored	26	1	.....	1	.....	.....	.....	9	.....	.....	5	4	2	1	.....
14	Males	5	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Females	21	.....	.....	.....	.....	.....	.....	9	.....	.....	5	4	2	1	.....
16	Diagnosis reasonably certain. {M.	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
17	Fort Wayne	69	1	.....	1	.....	.....	.....	24	.....	.....	16	8	13	1	6
18	Males	25	1	.....	1	.....	.....	.....	12	.....	.....	7	5	5	1	1
19	Females	44	.....	.....	.....	.....	.....	.....	12	.....	.....	9	3	8	.....	5
20	Diagnosis reasonably certain. {M.	16	1	.....	1	.....	.....	.....	4	.....	.....	3	1	5	1	1
	{F.	21	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	.....
21	Indianapolis	265	8	1	1	1	5	.....	79	.....	2	47	30	32	4	25
22	Males	84	6	1	1	.....	4	.....	31	.....	1	22	8	12	.....	10
23	Females	181	2	.....	.....	1	1	.....	48	.....	1	25	22	20	4	15
24	Diagnosis reasonably certain. {M.	53	6	1	1	.....	4	.....	11	.....	.....	8	3	8	.....	6
	{F.	120	2	.....	.....	1	1	.....	9	.....	.....	5	4	8	2	5
25	White	250	7	1	.....	1	5	.....	73	.....	2	45	26	31	4	25
26	Males	81	5	1	.....	.....	4	.....	31	.....	1	22	8	12	.....	10
27	Females	169	2	.....	.....	1	1	.....	42	.....	1	23	18	19	4	15
28	Diagnosis reasonably certain. {M.	51	5	1	.....	.....	4	.....	11	.....	.....	8	3	8	.....	6
	{F.	114	2	.....	.....	1	1	.....	9	.....	.....	5	4	7	2	5
29	Colored	15	1	.....	1	.....	.....	.....	6	.....	.....	2	4	1	.....	.....
30	Males	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Females	12	.....	.....	.....	.....	.....	.....	6	.....	.....	2	4	1	.....	.....
32	Diagnosis reasonably certain. {M.	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
33	Terre Haute	52	.....	.....	.....	.....	.....	.....	21	.....	1	17	3	6	2	3
34	Males	14	.....	.....	.....	.....	.....	.....	10	.....	1	8	1	3	.....	2
35	Females	38	.....	.....	.....	.....	.....	.....	11	.....	.....	9	2	3	2	1
36	Diagnosis reasonably certain. {M.	5	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	2	.....	1
	{F.	25	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
37	Other cities	379	15	2	6	3	4	.....	146	.....	4	82	60	43	1	25
38	Males	120	12	2	4	2	4	.....	59	.....	4	40	15	14	.....	8
39	Females	259	3	.....	2	1	.....	.....	87	.....	.....	42	45	29	1	17
40	Diagnosis reasonably certain. {M.	56	12	2	4	2	4	.....	12	.....	1	8	3	9	.....	3
	{F.	164	3	.....	2	1	.....	.....	13	.....	.....	4	9	18	.....	7
	KANSAS.															
41	Registration cities	282	9	2	2	.....	3	2	104	.....	1	61	42	39	4	26
42	Males	111	8	2	2	.....	3	1	51	.....	.....	34	17	14	3	8
43	Females	171	1	.....	.....	.....	.....	1	53	.....	1	27	25	25	1	18
44	Diagnosis reasonably certain. {M.	62	8	2	2	.....	3	1	16	.....	.....	10	6	8	3	2
	{F.	116	1	.....	.....	.....	.....	1	21	.....	.....	10	11	15	1	8
45	White	263	8	2	2	.....	2	2	98	.....	1	58	39	37	4	25
46	Males	108	7	2	2	.....	2	1	50	.....	.....	33	17	14	3	8
47	Females	155	1	.....	.....	.....	.....	1	48	.....	1	25	22	23	1	17
48	Diagnosis reasonably certain. {M.	61	7	2	2	.....	2	1	16	.....	.....	10	6	8	3	2
	{F.	107	1	.....	.....	.....	.....	1	20	.....	.....	9	11	14	1	8

[1] Nonregistration state; cities shown below only those with effective ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
6	1	33	2	31	.....	.....	16	5	25	.....	1	3	1	1	4	.....	2	1	12	1
3	.....	.....	.....	.....	.....	.....	.....	3	16	.....	.....	2	1	1	3	.....	1	1	7	2
3	1	33	2	31	.....	.....	16	2	9	.....	1	1	.....	.....	1	.....	1	.....	5	3
3	.....	.....	.....	.....	.....	.....	.....	3	10	.....	.....	1	1	.....	1	.....	1	1	5	4
3	1	33	2	31	.....	.....	16	2	4	.....	.....	.....	.....	.....	.....	.....	1	.....	3	
27	.....	150	5	141	3	1	84	26	117	2	2	22	10	9	15	.....	10	3	44	5
12	.....	.....	.....	.....	.....	.....	1	13	64	2	1	10	.....	9	11	.....	5	3	23	6
15	.....	150	5	141	3	1	83	13	53	.....	1	12	10	.....	4	.....	5	.....	21	7
12	.....	.....	.....	.....	.....	.....	1	13	43	2	.....	7	.....	6	3	.....	2	3	20	8
15	.....	148	3	141	3	1	83	13	27	.....	1	6	4	.....	1	.....	2	.....	13	
26	.....	144	5	135	3	1	81	25	113	2	2	21	10	9	14	.....	9	3	43	9
12	.....	.....	.....	.....	.....	.....	1	13	60	2	1	9	.....	9	10	.....	4	3	22	10
14	.....	144	5	135	3	1	80	12	53	.....	1	12	10	.....	4	.....	5	.....	21	11
12	.....	.....	.....	.....	.....	.....	1	13	42	2	.....	7	.....	6	3	.....	2	3	19	12
14	.....	142	3	135	3	1	80	12	27	.....	1	6	4	.....	1	.....	2	.....	13	
1	.....	6	.....	6	.....	.....	3	1	4	.....	.....	1	.....	.....	1	.....	1	.....	1	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	.....	.....	1	.....	1	.....	1	14
1	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	16
1	.....	6	.....	6	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	.....	9	1	8	.....	.....	3	2	17	.....	1	1	3	3	.....	.....	2	.....	7	17
3	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	1	.....	3	.....	.....	.....	.....	2	18
3	.....	9	1	8	.....	.....	3	1	11	.....	1	.....	3	.....	.....	.....	2	.....	5	19
3	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	1	.....	3	.....	.....	.....	.....	1	20
3	.....	8	.....	8	.....	.....	3	1	5	.....	1	.....	2	.....	.....	.....	1	.....	1	
3	.....	54	1	53	.....	.....	32	10	50	2	.....	9	4	1	7	.....	6	2	19	21
2	.....	.....	.....	.....	.....	.....	.....	5	30	2	.....	3	.....	1	5	.....	5	2	12	22
1	.....	54	1	53	.....	.....	32	5	20	.....	.....	6	4	.....	2	.....	1	.....	7	23
2	.....	.....	.....	.....	.....	.....	.....	5	23	2	.....	2	.....	1	3	.....	2	2	11	24
1	.....	54	1	53	.....	.....	32	5	10	.....	.....	4	1	.....	.....	.....	.....	.....	5	
2	.....	51	1	50	.....	.....	31	9	48	2	.....	9	4	1	7	.....	5	2	18	25
2	.....	.....	.....	.....	.....	.....	.....	5	28	2	.....	3	.....	1	5	.....	4	2	11	26
.....	.....	51	1	50	.....	.....	31	4	20	.....	.....	6	4	.....	2	.....	1	.....	7	27
2	.....	.....	.....	.....	.....	.....	.....	5	22	2	.....	2	.....	1	3	.....	2	2	10	28
.....	.....	51	1	50	.....	.....	31	4	10	.....	.....	4	1	.....	.....	.....	.....	.....	5	
1	.....	3	.....	3	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	30
1	.....	3	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
1	.....	3	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	12	1	11	.....	.....	9	.....	4	.....	.....	1	1	1	.....	.....	.....	.....	1	33
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	34
.....	.....	12	1	11	.....	.....	9	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	1	35
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	11	.....	11	.....	.....	9	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	1	
17	.....	75	2	69	3	1	40	14	46	.....	1	11	2	4	8	.....	2	1	17	37
6	.....	.....	.....	.....	.....	.....	1	7	27	.....	1	6	.....	4	6	.....	.....	1	9	38
11	.....	75	2	69	3	1	39	7	19	.....	.....	5	2	.....	2	.....	2	.....	8	39
6	.....	.....	.....	.....	.....	.....	1	7	15	.....	.....	4	.....	2	.....	.....	.....	1	8	40
11	.....	75	2	69	3	1	39	7	9	.....	.....	1	.....	.....	1	.....	1	.....	6	
9	.....	47	3	43	1	.....	25	10	48	1	.....	9	.....	7	3	2	1	.....	25	41
3	.....	.....	.....	.....	.....	.....	.....	7	31	1	.....	4	.....	7	1	1	1	.....	16	42
6	.....	47	3	43	1	.....	25	3	17	.....	.....	5	.....	.....	2	1	.....	.....	9	43
3	.....	.....	.....	.....	.....	.....	.....	7	23	1	.....	4	.....	5	1	1	.....	.....	11	44
6	.....	45	1	43	1	.....	25	3	6	.....	.....	1	.....	.....	1	1	.....	.....	3	
8	.....	42	3	38	1	.....	24	0	45	1	.....	8	.....	7	3	2	1	.....	23	45
3	.....	.....	.....	.....	.....	.....	.....	7	30	1	.....	4	.....	7	1	1	1	.....	15	46
5	.....	42	3	38	1	.....	24	2	15	.....	.....	4	.....	.....	2	1	.....	.....	8	47
3	.....	.....	.....	.....	.....	.....	.....	7	23	1	.....	4	.....	5	1	1	.....	.....	11	48
5	.....	40	1	38	1	.....	24	2	6	.....	.....	1	.....	.....	1	1	.....	.....	3	

[2] Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at bead of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	KANSAS—continued.															
	Registration cities—Continued.															
1	Colored	19	1	.....	.....	.....	1	.....	6	.....	.....	3	3	2	.....	1
2	Males	3	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
3	Females	16	.....	.....	.....	.....	.....	.....	5	.....	.....	2	3	2	.....	1
4	Diagnosis reasonably certain. {M	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	9	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
5	Kansas City	61	1	.....	1	.....	.....	.....	26	.....	.....	18	8	9	1	4
6	Males	28	1	.....	1	.....	.....	.....	15	.....	.....	9	6	3	.....	1
7	Females	33	.....	.....	.....	.....	.....	.....	11	.....	.....	9	2	6	1	3
8	Diagnosis reasonably certain. {M	17	1	.....	1	.....	.....	.....	8	.....	.....	4	4	2	.....	.....
	{F	21	.....	.....	.....	.....	.....	.....	5	.....	.....	5	.....	4	1	1
9	White	55	1	.....	1	.....	.....	.....	24	.....	.....	16	8	8	1	4
10	Males	26	1	.....	1	.....	.....	.....	14	.....	.....	8	6	3	.....	1
11	Females	29	.....	.....	.....	.....	.....	.....	10	.....	.....	8	2	5	1	3
12	Diagnosis reasonably certain. {M	17	1	.....	1	.....	.....	.....	8	.....	.....	4	4	2	.....	.....
	{F	17	.....	.....	.....	.....	.....	.....	4	.....	.....	4	.....	3	1	1
13	Colored	6	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	.....
14	Males	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
15	Females	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
16	Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
17	Topeka	52	2	.....	1	.....	.....	1	15	.....	.....	11	4	7	1	5
18	Males	21	1	.....	1	.....	.....	.....	9	.....	.....	7	2	2	1	1
19	Females	31	1	.....	.....	.....	.....	1	6	.....	.....	4	2	5	.....	4
20	Diagnosis reasonably certain. {M	12	1	.....	1	.....	.....	.....	2	.....	.....	1	1	2	1	1
	{F	24	1	.....	.....	.....	.....	1	2	.....	.....	2	.....	4	.....	3
21	White	49	2	.....	1	.....	.....	1	14	.....	.....	11	3	7	1	5
22	Males	21	1	.....	1	.....	.....	.....	9	.....	.....	7	2	2	1	1
23	Female	28	1	.....	.....	.....	.....	1	5	.....	.....	4	1	5	.....	4
24	Diagnosis reasonably certain. {M	12	1	.....	1	.....	.....	.....	2	.....	.....	1	1	2	1	1
	{F	23	1	.....	.....	.....	.....	1	2	.....	.....	2	.....	4	.....	3
25	Colored	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
26	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Females	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
28	Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Wichita	50	.....	.....	.....	.....	.....	.....	16	.....	.....	9	7	7	2	4
30	Males	25	.....	.....	.....	.....	.....	.....	9	.....	.....	7	2	5	2	2
31	Females	25	.....	.....	.....	.....	.....	.....	7	.....	.....	2	5	2	.....	2
32	Diagnosis reasonably certain. {M	16	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	4	2	1
	{F	21	.....	.....	.....	.....	.....	.....	5	.....	.....	1	4	2	.....	2
33	Other cities	119	6	2	.....	.....	3	1	47	.....	1	23	23	16	.....	13
34	Males	37	6	2	.....	.....	3	1	18	.....	.....	11	7	4	.....	4
35	Females	82	.....	.....	.....	.....	.....	.....	29	.....	1	12	16	12	.....	9
36	Diagnosis reasonably certain. {M	17	6	2	.....	.....	3	1	4	.....	.....	3	1	.....	.....	.....
	{F	50	.....	.....	.....	.....	.....	.....	9	.....	.....	2	7	5	.....	2
	KENTUCKY.															
37	Registration cities	328	13	.....	6	4	3	.....	119	.....	1	57	61	31	1	21
38	Males	109	9	.....	4	2	3	.....	65	.....	1	32	32	10	.....	7
39	Females	219	4	.....	2	2	.....	.....	54	.....	.....	25	29	21	1	14
40	Diagnosis reasonably certain. {M	39	9	.....	4	2	3	.....	13	.....	.....	6	7	4	.....	1
	{F	152	4	.....	2	2	.....	.....	11	.....	.....	4	7	13	1	6
41	White	291	11	.....	5	4	2	.....	107	.....	1	49	57	31	1	21
42	Males	96	8	.....	4	2	2	.....	58	.....	1	28	29	10	.....	7
43	Females	195	3	.....	1	2	.....	.....	49	.....	.....	21	28	21	1	14
44	Diagnosis reasonably certain. {M	36	8	.....	4	2	2	.....	13	.....	.....	6	7	4	.....	1
	{F	133	3	.....	1	2	.....	.....	11	.....	.....	4	7	13	1	6
45	Colored	37	2	.....	1	.....	1	.....	12	.....	.....	8	4	.....	.....	.....
46	Males	13	1	.....	.....	.....	1	.....	7	.....	.....	4	3	.....	.....	.....
47	Females	24	1	.....	1	.....	.....	.....	5	.....	.....	4	1	.....	.....	.....
48	Diagnosis reasonably certain. {M	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	19	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
1	.....	5	.....	5	.....	.....	1	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2
1	.....	5	.....	5	.....	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
1	.....	5	.....	5	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	.....	7	.....	7	.....	.....	3	1	14	.....	.....	4	.....	2	.....	1	.....	.....	7	5
2	.....	.....	.....	.....	.....	.....	.....	1	8	.....	.....	2	.....	2	.....	.....	.....	.....	4	6
2	.....	7	.....	7	.....	.....	3	.....	6	.....	.....	2	.....	.....	.....	1	.....	.....	3	7
2	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	2	.....	2	.....	.....	.....	.....	1	
2	.....	7	.....	7	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	8
3	.....	5	.....	5	.....	.....	3	1	13	.....	.....	4	.....	2	.....	1	.....	.....	6	9
2	.....	.....	.....	.....	.....	.....	.....	1	7	.....	.....	2	.....	2	.....	.....	.....	.....	3	10
1	.....	5	.....	5	.....	.....	3	.....	6	.....	.....	2	.....	.....	.....	1	.....	.....	3	11
2	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	2	.....	2	.....	.....	.....	.....	1	
1	.....	5	.....	5	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	12
1	.....	2	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14
1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
1	.....	12	1	11	.....	.....	4	2	10	.....	.....	1	.....	1	.....	.....	.....	.....	8	17
.....	.....	.....	.....	.....	.....	.....	.....	1	8	.....	.....	.....	.....	1	.....	.....	.....	.....	7	18
1	.....	12	1	11	.....	.....	4	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	19
.....	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	
1	.....	12	1	11	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
1	.....	12	1	11	.....	.....	4	1	9	.....	.....	1	.....	1	.....	.....	.....	.....	7	21
.....	.....	.....	.....	.....	.....	.....	.....	1	8	.....	.....	.....	.....	1	.....	.....	.....	.....	7	22
1	.....	12	1	11	.....	.....	4	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	
1	.....	12	1	11	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	27
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
1	.....	10	1	9	.....	.....	4	3	10	1	.....	1	.....	3	2	.....	1	.....	2	29
1	.....	.....	.....	.....	.....	.....	.....	3	8	1	.....	1	.....	3	.....	.....	1	.....	2	30
.....	.....	10	1	9	.....	.....	4	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	31
1	.....	.....	.....	.....	.....	.....	.....	3	7	1	.....	1	.....	3	.....	.....	.....	.....	2	
.....	.....	9	.....	9	.....	.....	4	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	32
3	.....	18	1	16	1	.....	14	4	14	.....	.....	3	.....	1	1	1	.....	.....	8	33
.....	.....	.....	.....	.....	.....	.....	.....	2	7	.....	.....	1	.....	1	1	1	.....	.....	3	34
3	.....	18	1	16	1	.....	14	2	7	.....	.....	2	.....	.....	.....	.....	.....	.....	5	35
.....	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	1	.....	1	1	.....	.....	.....	2	
3	.....	17	.....	16	1	.....	14	2	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	36
9	.....	73	5	67	1	.....	34	12	46	1	3	4	3	2	6	.....	2	2	23	37
3	.....	.....	.....	.....	.....	.....	.....	3	22	1	1	.....	.....	2	3	.....	1	2	12	38
6	.....	73	5	67	1	.....	34	9	24	.....	2	4	3	.....	3	.....	1	.....	11	39
3	.....	.....	.....	.....	.....	.....	.....	3	10	1	.....	.....	.....	1	1	.....	.....	2	5	
6	.....	73	5	67	1	.....	34	9	8	.....	.....	2	2	.....	.....	.....	.....	.....	4	40
9	.....	60	5	54	1	.....	30	10	42	.....	2	4	3	2	6	.....	2	2	21	41
3	.....	.....	.....	.....	.....	.....	.....	2	18	.....	.....	.....	.....	2	3	.....	1	2	10	42
6	.....	60	5	54	1	.....	30	8	24	.....	2	4	3	.....	3	.....	1	.....	11	43
3	.....	.....	.....	.....	.....	.....	.....	2	9	.....	.....	.....	.....	1	1	.....	.....	2	5	
6	.....	60	5	54	1	.....	30	8	8	.....	.....	2	2	.....	.....	.....	.....	.....	4	44
.....	.....	13	.....	13	.....	.....	4	2	4	1	1	.....	.....	.....	.....	.....	.....	.....	2	45
.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	.....	.....	.....	.....	.....	.....	.....	2	46
.....	.....	13	.....	13	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	13	.....	13	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	KENTUCKY—continued.															
1	Louisville	187	7	.....	3	1	3	.....	73	.....	.....	38	35	21	1	17
2	Males	64	6	.....	2	1	3	.....	41	.....	.....	24	17	7	.....	7
3	Females	123	1	.....	1	.....	.....	.....	32	.....	.....	14	18	14	1	10
4	Diagnosis reasonably certain { M	19	6	.....	2	1	3	.....	8	.....	.....	6	2	1	.....	1
	Diagnosis reasonably certain { F	83	1	.....	1	.....	.....	.....	6	.....	.....	2	4	9	1	5
5	White	168	5	.....	2	1	2	.....	66	.....	.....	32	34	21	1	17
6	Males	59	5	.....	2	1	2	.....	38	.....	.....	22	16	7	.....	7
7	Females	109	.....	.....	.....	.....	.....	.....	28	.....	.....	10	18	14	1	10
8	Diagnosis reasonably certain { M	18	5	.....	2	1	2	.....	8	.....	.....	6	2	1	.....	1
	Diagnosis reasonably certain { F	73	.....	.....	.....	.....	.....	.....	6	.....	.....	2	4	9	1	5
9	Colored	19	2	.....	1	.....	1	.....	7	.....	.....	6	1	.....	.....	.....
10	Males	5	1	.....	.....	.....	1	.....	3	.....	.....	2	1	.....	.....	.....
11	Females	14	1	.....	1	.....	.....	.....	4	.....	.....	4	.....	.....	.....	.....
12	Diagnosis reasonably certain { M	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Diagnosis reasonably certain { F	10	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Other cities	141	6	.....	3	3	.....	.....	46	.....	1	19	26	10	.....	4
14	Males	45	3	.....	2	1	.....	.....	24	.....	1	8	15	3	.....	.....
15	Females	96	3	.....	1	2	.....	.....	22	.....	.....	11	11	7	.....	4
16	Diagnosis reasonably certain { M	20	3	.....	2	1	.....	.....	5	.....	.....	.....	5	3	.....	.....
	Diagnosis reasonably certain { F	69	3	.....	1	2	.....	.....	5	.....	.....	2	3	4	.....	1
17	White	123	6	.....	3	3	.....	.....	41	.....	1	17	23	10	.....	4
18	Males	37	3	.....	2	1	.....	.....	20	.....	1	6	13	3	.....	.....
19	Females	86	3	.....	1	2	.....	.....	21	.....	.....	11	10	7	.....	4
20	Diagnosis reasonably certain { M	18	3	.....	2	1	.....	.....	5	.....	.....	.....	5	3	.....	.....
	Diagnosis reasonably certain { F	60	3	.....	1	2	.....	.....	5	.....	.....	2	3	4	.....	1
21	Colored	18	.....	.....	.....	.....	.....	.....	5	.....	.....	2	3	.....	.....	.....
22	Males	8	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	.....	.....	.....
23	Females	10	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
24	Diagnosis reasonably certain { M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Diagnosis reasonably certain { F	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	LOUISIANA.[1]															
25	New Orleans	358	24	1	9	5	7	2	112	2	4	65	41	37	4	21
26	Males	154	19	1	8	5	5	.....	68	.....	4	42	22	11	3	5
27	Females	204	5	.....	1	.....	2	2	44	2	.....	23	19	26	1	16
28	Diagnosis reasonably certain { M	88	19	1	8	5	5	.....	23	.....	1	18	4	7	3	1
	Diagnosis reasonably certain { F	145	5	.....	1	.....	2	2	4	1	.....	1	2	15	1	6
29	White	257	20	1	8	4	6	1	80	2	3	47	28	31	4	18
30	Males	114	17	1	8	4	4	.....	45	.....	3	28	14	10	3	5
31	Females	143	3	.....	.....	.....	2	1	35	2	.....	19	14	21	1	13
32	Diagnosis reasonably certain { M	67	17	1	8	4	4	.....	15	.....	1	12	2	6	3	1
	Diagnosis reasonably certain { F	96	3	.....	.....	.....	2	1	4	1	.....	1	2	12	1	5
33	Colored	101	4	.....	1	1	1	1	32	.....	1	18	13	6	.....	3
34	Males	40	2	.....	.....	1	1	.....	23	.....	1	14	8	1	.....	.....
35	Females	61	2	.....	1	.....	.....	1	9	.....	.....	4	5	5	.....	3
36	Diagnosis reasonably certain { M	21	2	.....	.....	1	1	.....	8	.....	.....	6	2	1	.....	.....
	Diagnosis reasonably certain { F	49	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	3	.....	1
	MAINE.															
37	Registration cities	212	4	.....	1	.....	3	.....	75	.....	2	46	27	33	2	20
38	Males	65	1	.....	1	.....	.....	.....	33	.....	1	25	7	14	.....	8
39	Females	147	3	.....	.....	.....	3	.....	42	.....	1	21	20	19	2	12
40	Diagnosis reasonably certain { M	26	1	.....	1	.....	.....	.....	8	.....	.....	5	3	7	.....	1
	Diagnosis reasonably certain { F	96	3	.....	.....	.....	3	.....	8	.....	1	3	4	8	1	2
41	White	212	4	.....	1	.....	3	.....	75	.....	2	46	27	33	2	20
42	Males	65	1	.....	1	.....	.....	.....	33	.....	1	25	7	14	.....	8
43	Females	147	3	.....	.....	.....	3	.....	42	.....	1	21	20	19	2	12
44	Diagnosis reasonably certain { M	26	1	.....	1	.....	.....	.....	8	.....	.....	5	3	7	.....	1
	Diagnosis reasonably certain { F	96	3	.....	.....	.....	3	.....	8	.....	1	3	4	8	1	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
3	.....	42	4	37	1	.....	14	4	26	.....	2	3	3	2	3	.....	1	.....	12	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	.....	.....	2	2	.....	1	.....	5	2
3	.....	42	4	37	1	.....	14	4	16	.....	2	3	3	.....	1	.....	.....	.....	7	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	1	.....	.....	.....	.....	3	
3	.....	42	4	37	1	.....	14	4	7	.....	.....	1	2	.....	.....	.....	.....	.....	4	4
3	.....	35	4	30	1	.....	13	3	25	.....	2	3	3	2	3	.....	1	.....	11	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	.....	.....	.....	2	2	.....	1	.....	4	6
3	.....	35	4	30	1	.....	13	3	16	.....	2	3	3	.....	1	.....	.....	.....	7	7
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	1	.....	.....	.....	.....	3	
3	.....	35	4	30	1	.....	13	3	7	.....	.....	1	2	.....	.....	.....	.....	.....	4	8
.....	.....	7	.....	7	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10
.....	.....	7	.....	7	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	7	.....	7	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
6	.....	31	1	30	.....	.....	20	8	20	1	1	1	.....	.....	3	.....	1	2	11	13
3	.....	.....	.....	.....	.....	.....	.....	3	12	1	1	.....	.....	.....	1	.....	.....	2	7	14
3	.....	31	1	30	.....	.....	20	5	8	.....	.....	1	.....	.....	2	.....	1	.....	4	15
3	.....	.....	.....	.....	.....	.....	.....	3	6	1	.....	.....	.....	.....	1	.....	.....	2	2	
3	.....	31	1	30	.....	.....	20	5	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	16
6	.....	25	1	24	.....	.....	17	7	17	.....	.....	1	.....	.....	3	.....	1	2	10	17
3	.....	.....	.....	.....	.....	.....	.....	2	9	.....	.....	.....	.....	.....	1	.....	.....	2	6	18
3	.....	25	1	24	.....	.....	17	5	8	.....	.....	1	.....	.....	2	.....	1	.....	4	19
3	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	1	.....	.....	2	2	
3	.....	25	1	24	.....	.....	17	5	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	6	.....	6	.....	.....	3	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	21
.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	22
.....	.....	6	.....	6	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	6	.....	6	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
12	.....	79	2	76	.....	1	29	12	65	4	1	9	5	9	6	3	4	1	23	25
3	.....	.....	.....	.....	.....	.....	1	7	48	2	1	6	4	9	5	2	3	1	15	26
9	.....	79	2	76	.....	1	28	5	17	2	.....	3	1	.....	1	1	1	.....	8	27
3	.....	.....	.....	.....	.....	.....	1	7	31	2	.....	3	2	7	2	1	1	1	12	
8	.....	77	1	76	.....	.....	28	5	11	2	.....	1	.....	.....	.....	.....	1	.....	7	28
9	.....	43	1	42	.....	.....	21	11	51	4	1	6	4	6	5	2	3	1	19	29
2	.....	.....	.....	.....	.....	.....	1	6	35	2	1	3	3	6	4	1	2	1	12	30
7	.....	43	1	42	.....	.....	20	5	16	2	.....	3	1	.....	1	1	1	.....	7	31
2	.....	.....	.....	.....	.....	.....	1	6	22	2	.....	1	2	4	1	.....	1	1	10	
6	.....	42	.....	42	.....	.....	20	5	10	2	.....	1	.....	.....	.....	.....	1	.....	6	32
3	.....	36	1	34	.....	1	8	1	14	.....	.....	3	1	3	1	1	1	.....	4	33
1	.....	.....	.....	.....	.....	.....	.....	1	13	.....	.....	3	1	3	1	1	1	.....	3	34
2	.....	36	1	34	.....	1	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	35
1	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	2	.....	3	1	1	.....	.....	2	
2	.....	35	1	34	.....	.....	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	36
11	.....	49	1	47	1	.....	25	4	22	1	2	2	1	1	3	1	.....	1	10	37
6	.....	.....	.....	.....	.....	.....	.....	3	14	1	1	2	.....	1	3	1	.....	1	4	38
5	.....	49	1	47	1	.....	25	1	8	.....	1	.....	1	.....	.....	.....	.....	.....	6	39
6	.....	.....	.....	.....	.....	.....	.....	3	7	1	.....	2	.....	.....	.....	.....	.....	1	3	
5	.....	49	1	47	1	.....	25	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	40
11	.....	49	1	47	1	.....	25	4	22	1	2	2	1	1	3	1	.....	1	10	41
6	.....	.....	.....	.....	.....	.....	.....	3	14	1	1	2	.....	1	3	1	.....	1	4	42
5	.....	49	1	47	1	.....	25	1	8	.....	1	.....	1	.....	.....	.....	.....	.....	6	43
6	.....	.....	.....	.....	.....	.....	.....	3	7	1	.....	2	.....	.....	.....	.....	.....	1	3	
5	.....	49	1	47	1	.....	25	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	44

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.	
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	MAINE—continued.															
1	Portland	65	1	.....	1	.....	.....	.....	18	.....	1	9	8	11	1	5
2	Males	22	1	.....	1	.....	.....	.....	8	.....	.....	6	2	7	.....	3
3	Females	43	.....	.....	.....	.....	.....	.....	10	.....	1	3	6	4	1	2
4	Diagnosis reasonably certain. {M..	9	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....
	{F..	32	.....	.....	.....	.....	.....	.....	3	.....	1	.....	2	1	.....	.....
5	Other cities	147	3	.....	.....	.....	3	.....	57	.....	1	37	19	22	1	15
6	Males	43	.....	.....	.....	.....	.....	.....	25	.....	1	19	5	7	.....	5
7	Females	104	3	.....	.....	.....	3	.....	32	.....	.....	18	14	15	1	10
8	Diagnosis reasonably certain. {M..	17	.....	.....	.....	.....	.....	.....	8	.....	.....	5	3	3	.....	1
	{F..	64	3	.....	.....	.....	3	.....	5	.....	.....	3	2	7	1	2
	MARYLAND.															
9	Registration cities	653	23	5	11	1	4	2	238	1	9	133	95	78	7	44
10	Males	241	22	5	10	1	4	2	109	1	7	75	26	34	3	17
11	Females	412	1	.....	1	.....	.....	.....	129	.....	2	58	69	44	4	27
12	Diagnosis reasonably certain. {M..	138	22	5	10	1	4	2	38	1	2	25	10	20	1	7
	{F..	271	1	.....	1	.....	.....	.....	26	.....	1	8	17	29	2	14
13	White	567	21	5	10	1	3	2	210	.....	6	117	87	71	7	38
14	Males	219	20	5	9	1	3	2	94	.....	5	65	24	33	3	17
15	Females	348	1	1	1	.....	.....	.....	116	.....	1	52	63	38	4	21
16	Diagnosis reasonably certain. {M..	127	20	5	9	1	3	2	34	.....	2	23	9	19	1	7
	{F..	224	1	.....	1	.....	.....	.....	22	.....	1	6	15	28	2	13
17	Colored	86	2	.....	1	.....	1	.....	28	1	3	16	8	7	.....	6
18	Males	22	2	.....	1	.....	1	.....	15	1	2	10	2	1	.....	.....
19	Females	64	.....	.....	.....	.....	.....	.....	13	.....	1	6	6	6	.....	6
20	Diagnosis reasonably certain. {M..	11	2	.....	1	.....	1	.....	4	1	.....	2	1	1	.....	.....
	{F..	47	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	1	.....	1
21	Baltimore	589	17	3	9	1	2	2	213	1	9	121	82	76	7	43
22	Males	220	17	3	9	1	2	2	99	1	7	69	22	32	3	16
23	Females	369	.....	.....	.....	.....	.....	.....	114	.....	2	52	60	44	4	27
24	Diagnosis reasonably certain. {M..	126	17	3	9	1	2	2	35	1	2	22	10	19	1	7
	{F..	245	.....	.....	.....	.....	.....	.....	24	.....	1	8	15	29	2	14
25	White	510	17	3	9	1	2	2	185	.....	6	105	74	70	7	37
26	Males	201	17	3	9	1	2	2	84	.....	5	59	20	32	3	16
27	Females	309	.....	.....	.....	.....	.....	.....	101	.....	1	46	54	38	4	21
28	Diagnosis reasonably certain. {M..	118	17	3	9	1	2	2	31	.....	2	20	9	19	1	7
	{F..	200	.....	.....	.....	.....	.....	.....	20	.....	1	6	13	28	2	13
29	Colored	79	.....	.....	.....	.....	.....	.....	28	1	3	16	8	6	.....	6
30	Males	19	.....	.....	.....	.....	.....	.....	15	1	2	10	2	.....	.....	.....
31	Females	60	.....	.....	.....	.....	.....	.....	13	.....	1	6	6	6	.....	6
32	Diagnosis reasonably certain. {M..	8	.....	.....	.....	.....	.....	.....	4	1	.....	2	1	.....	.....	.....
	{F..	45	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	1	.....	1
33	Other cities	64	6	2	2	.....	2	.....	25	.....	.....	12	13	2	.....	1
34	Males	21	5	2	1	.....	2	.....	10	.....	.....	6	4	2	.....	1
35	Females	43	1	.....	1	.....	.....	.....	15	.....	.....	6	9	.....	.....	.....
36	Diagnosis reasonably certain. {M..	12	5	2	1	.....	2	.....	3	.....	.....	3	.....	1	.....	.....
	{F..	26	1	.....	1	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....
37	White	57	4	2	1	.....	1	.....	25	.....	.....	12	13	1	.....	1
38	Males	18	3	2	.....	.....	1	.....	10	.....	.....	6	4	1	.....	1
39	Females	39	1	.....	1	.....	.....	.....	15	.....	.....	6	9	.....	.....	.....
40	Diagnosis reasonably certain. {M..	9	3	2	.....	.....	1	.....	3	.....	.....	3	.....	.....	.....	.....
	{F..	24	1	.....	1	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....
41	Colored	7	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
42	Males	3	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
43	Females	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
44	Diagnosis reasonably certain. {M..	3	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F..	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MASSACHUSETTS.															
45	Registration cities	2,781	116	19	36	12	41	8	862	4	39	536	283	518	24	364
46	Males	1,006	94	17	31	8	30	8	400	3	26	264	107	198	6	134
47	Females	1,775	22	2	5	4	11	.....	462	1	13	272	176	320	18	230
48	Diagnosis reasonably certain. {M..	535	94	7	31	8	30	8	110	2	14	75	19	117	3	56
	{F..	1,144	22	2	5	4	11	.....	90	1	2	43	44	164	5	89

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
5	.....	14	.....	14	.....	.....	14	1	6	.....	1	1	.....	.....	1	1	.....	.....	2	1
4	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	1	.....	.....	1	1	.....	.....	2	2
1	.....	14	.....	14	.....	.....	14	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	3
4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	
1	.....	14	.....	14	.....	.....	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
6	.....	35	1	33	1	.....	11	3	16	1	1	1	1	1	2	.....	.....	1	8	5
2	.....	.....	.....	.....	.....	.....	.....	2	9	1	1	1	.....	1	2	.....	.....	1	2	6
4	.....	35	1	33	1	.....	11	1	7	.....	.....	.....	1	.....	.....	.....	.....	.....	6	7
2	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	1	.....	.....	.....	.....	.....	1	1	
4	.....	35	1	33	1	.....	11	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8
27	.....	117	10	105	1	1	72	11	114	10	4	15	6	9	21	3	7	.....	39	9
14	.....	.....	.....	.....	.....	.....	.....	6	70	8	1	7	4	9	16	2	5	.....	18	10
13	.....	117	10	105	1	1	72	5	44	2	3	8	2	.....	5	1	2	.....	21	11
12	.....	.....	.....	.....	.....	.....	.....	6	52	8	1	7	4	6	8	.....	4	.....	14	
13	.....	113	6	105	1	1	72	5	25	2	.....	6	2	.....	3	.....	1	.....	11	12
26	.....	88	9	78	.....	1	61	9	107	9	4	12	6	9	20	3	7	.....	37	13
13	.....	.....	.....	.....	.....	.....	.....	5	67	7	1	5	4	9	16	2	5	.....	18	14
13	.....	88	9	78	.....	1	61	4	40	2	3	7	2	.....	4	1	2	.....	19	15
11	.....	.....	.....	.....	.....	.....	.....	5	49	7	1	5	4	6	8	.....	4	.....	14	
13	.....	85	6	78	.....	1	61	4	23	2	.....	5	2	.....	2	.....	1	.....	11	16
1	.....	29	1	27	1	.....	11	2	7	1	.....	3	.....	.....	1	.....	.....	.....	2	17
1	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	29	1	27	1	.....	11	1	4	.....	.....	1	.....	.....	1	.....	.....	.....	2	19
1	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	
.....	.....	28	.....	27	1	.....	11	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	20
26	.....	104	10	92	1	1	65	10	104	10	4	15	6	9	20	3	7	.....	30	21
13	.....	.....	.....	.....	.....	.....	.....	6	66	8	1	7	4	9	15	2	5	.....	15	22
13	.....	104	10	92	1	1	65	4	38	2	3	8	2	.....	5	1	2	.....	15	23
11	.....	.....	.....	.....	.....	.....	.....	6	49	8	1	7	4	6	8	.....	4	.....	11	
13	.....	100	6	92	1	1	65	4	23	2	.....	6	2	.....	3	.....	1	.....	9	24
26	.....	76	9	66	.....	1	55	8	99	9	4	12	6	9	19	3	7	.....	30	25
13	.....	.....	.....	.....	.....	.....	.....	5	63	7	1	5	4	9	15	2	5	.....	15	26
13	.....	76	9	66	.....	1	55	3	36	2	3	7	2	.....	4	1	2	.....	15	27
11	.....	.....	.....	.....	.....	.....	.....	5	46	7	1	5	4	6	8	.....	4	.....	11	
13	.....	73	6	66	.....	1	55	3	21	2	.....	5	2	.....	2	.....	1	.....	9	28
.....	.....	28	1	26	1	.....	10	2	5	1	.....	3	.....	.....	1	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	28	1	26	1	.....	10	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	
.....	.....	27	.....	26	1	.....	10	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	32
1	.....	13	.....	13	.....	.....	7	1	10	.....	.....	.....	.....	.....	1	.....	.....	.....	9	33
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	1	.....	.....	.....	3	34
.....	.....	13	.....	13	.....	.....	7	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	35
1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	13	.....	13	.....	.....	7	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	36
.....	.....	12	.....	12	.....	.....	6	1	8	.....	.....	.....	.....	.....	1	.....	.....	.....	7	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	1	.....	.....	.....	3	38
.....	.....	12	.....	12	.....	.....	6	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	12	.....	12	.....	.....	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	40
1	.....	1	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	41
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	1	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	43
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
129	1	450	33	401	14	2	328	60	447	23	21	35	24	57	50	5	37	7	188	45
58	.....	.....	.....	.....	.....	.....	3	38	273	20	7	15	10	57	36	4	17	7	100	46
71	1	450	33	401	14	2	325	22	174	3	14	20	14	.....	14	1	20	.....	88	47
58	.....	.....	.....	.....	.....	.....	3	38	173	20	3	11	7	22	15	2	3	7	83	
69	1	439	22	401	14	2	325	22	82	3	2	10	4	.....	4	.....	9	.....	50	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	MASSACHUSETTS—continued.															
	Registration cities—Continued.															
1	White	2,749	114	19	34	12	41	8	850	4	38	529	279	515	24	362
2	Males	994	93	17	30	8	30	8	392	3	25	258	106	197	6	133
3	Females	1,755	21	2	4	4	11	.....	458	1	13	271	173	318	18	229
4	Diagnosis reasonably certain. {M	531	93	17	30	8	30	8	108	2	14	73	19	116	3	55
	{F	1,128	21	2	4	4	11	.....	89	1	2	43	43	162	5	88
5	Colored	32	2	.....	2	.....	.....	.....	12	.....	1	7	4	3	.....	2
6	Males	12	1	.....	1	.....	.....	.....	8	.....	1	6	1	1	.....	1
7	Females	20	1	.....	1	.....	.....	.....	4	.....	.....	1	3	2	.....	1
8	Diagnosis reasonably certain. {M	4	1	.....	1	.....	.....	.....	2	.....	.....	2	.....	1	.....	1
	{F	16	1	.....	1	.....	.....	.....	1	.....	.....	.....	1	2	.....	1
9	Boston	871	33	3	10	3	12	5	255	1	15	149	90	169	7	120
10	Males	347	30	2	10	3	10	5	136	1	11	84	40	71	1	53
11	Females	524	3	1	.....	.....	2	.....	119	.....	4	65	50	98	6	67
12	Diagnosis reasonably certain. {M	196	30	2	10	3	10	5	48	1	9	27	11	38	.....	21
	{F	377	3	1	.....	.....	2	.....	32	.....	1	15	16	61	3	35
13	White	854	33	3	10	3	12	5	250	1	14	145	90	167	7	118
14	Males	340	30	2	10	3	10	5	131	1	10	80	40	70	1	52
15	Females	514	3	1	.....	.....	2	.....	119	.....	4	65	50	97	6	66
16	Diagnosis reasonably certain. {M	193	30	2	10	3	10	5	46	1	9	25	11	37	.....	20
	{F	368	3	1	.....	.....	2	.....	32	.....	1	15	16	60	3	34
17	Colored	17	.....	.....	.....	.....	.....	.....	5	.....	1	4	.....	2	.....	2
18	Males	7	.....	.....	.....	.....	.....	.....	5	.....	1	4	.....	1	.....	1
19	Females	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
20	Diagnosis reasonably certain. {M	3	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	1
	{F	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
21	Brockton	55	1	.....	.....	1	.....	.....	19	.....	1	13	5	12	.....	6
22	Males	15	1	.....	.....	1	.....	.....	4	.....	.....	3	1	5	.....	2
23	Females	40	.....	.....	.....	.....	.....	.....	15	.....	1	10	4	7	.....	4
24	Diagnosis reasonably certain. {M	9	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	5	.....	2
	{F	19	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	3	.....	.....
25	Cambridge	111	4	.....	1	.....	3	.....	34	.....	2	25	7	17	1	10
26	Males	39	3	.....	1	.....	2	.....	16	.....	1	13	2	5	.....	4
27	Females	72	1	.....	.....	.....	1	.....	18	.....	1	12	5	12	1	6
28	Diagnosis reasonably certain. {M	27	3	.....	1	.....	2	.....	7	.....	1	5	1	3	.....	2
	{F	46	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	7	.....	2
29	Fall River	70	2	.....	.....	1	.....	1	16	.....	.....	10	6	15	1	10
30	Males	19	1	.....	.....	.....	.....	1	5	.....	.....	2	3	3	.....	1
31	Females	51	1	.....	.....	1	.....	.....	11	.....	.....	8	3	12	1	9
32	Diagnosis reasonably certain. {M	11	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....
	{F	36	1	.....	.....	1	.....	.....	2	.....	.....	2	.....	8	.....	6
33	Lawrence	60	6	1	2	.....	2	1	27	.....	2	17	8	12	1	7
34	Males	17	4	1	2	.....	.....	1	11	.....	.....	10	1	2	.....	1
35	Females	43	2	.....	.....	.....	2	.....	16	.....	2	7	7	10	1	6
36	Diagnosis reasonably certain. {M	7	4	1	2	.....	.....	1	2	.....	.....	2	.....	1	.....	.....
	{F	24	2	.....	.....	.....	2	.....	4	.....	.....	2	2	4	.....	1
37	Lowell	98	2	1	1	.....	.....	.....	43	.....	2	23	18	12	1	6
38	Males	34	2	1	1	.....	.....	.....	19	.....	1	11	7	5	1	2
39	Females	64	.....	.....	.....	.....	.....	.....	24	.....	1	12	11	7	.....	4
40	Diagnosis reasonably certain. {M	11	2	1	1	.....	.....	.....	1	.....	.....	1	.....	3	1	.....
	{F	34	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	4	.....	1
41	Lynn	91	7	2	.....	2	2	1	29	.....	2	20	7	10	.....	9
42	Males	28	5	2	.....	.....	2	1	13	.....	2	10	1	2	.....	2
43	Females	63	2	.....	.....	2	.....	.....	16	.....	.....	10	6	8	.....	7
44	Diagnosis reasonably certain. {M	13	5	2	.....	.....	2	1	4	.....	1	3	.....	1	.....	1
	{F	40	2	.....	.....	2	.....	.....	1	.....	.....	1	.....	2	.....	1
45	New Bedford	93	4	.....	2	.....	2	.....	29	.....	.....	19	10	20	3	15
46	Males	26	3	.....	1	.....	2	.....	9	.....	.....	5	4	8	2	6
47	Females	67	1	.....	1	.....	.....	.....	20	.....	.....	14	6	12	1	9
48	Diagnosis reasonably certain. {M	15	3	.....	1	.....	2	.....	.....	.....	.....	.....	.....	6	1	5
	{F	40	1	.....	1	.....	.....	.....	4	.....	.....	3	1	5	1	2
49	Somerville	71	1	.....	.....	.....	1	.....	21	.....	.....	18	3	17	2	11
50	Males	21	1	.....	.....	.....	1	.....	5	.....	.....	5	.....	5	.....	3
51	Females	50	.....	.....	.....	.....	.....	.....	16	.....	.....	13	3	12	2	8
52	Diagnosis reasonably certain. {M	8	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....
	{F	27	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	5	.....	3

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
128	1	443	33	396	12	2	324	60	443	23	21	35	24	56	50	5	37	7	185	1
58	.....	.....	.....	.....	.....	.....	3	38	271	20	7	15	10	56	36	4	17	7	99	2
70	1	443	33	396	12	2	321	22	172	3	14	20	14	.....	14	1	20	.....	86	3
58	.....	.....	.....	.....	.....	.....	3	38	173	20	3	11	7	22	15	2	3	7	83	
68	1	432	22	396	12	2	321	22	81	3	2	10	4	.....	4	.....	9	.....	49	4
1	.....	7	.....	5	2	.....	4	.....	4	.....	.....	.....	.....	1	.....	.....	.....	.....	3	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	6
1	.....	7	.....	5	2	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	7	.....	5	2	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8
42	.....	144	14	127	3	.....	108	14	148	12	9	12	8	19	15	2	7	.....	64	9
17	.....	.....	.....	.....	.....	.....	.....	10	100	11	4	6	5	19	12	2	3	.....	38	10
25	.....	144	14	127	3	.....	108	4	48	1	5	6	3	.....	3	.....	4	.....	26	11
17	.....	.....	.....	.....	.....	.....	.....	10	70	11	1	6	3	8	6	1	1	.....	33	
23	.....	141	11	127	3	.....	108	4	28	1	1	4	1	.....	1	.....	1	.....	19	12
42	.....	139	14	123	2	.....	106	14	145	12	9	12	8	18	15	2	7	.....	62	13
17	.....	.....	.....	.....	.....	.....	.....	10	99	11	4	6	5	18	12	2	3	.....	38	14
25	.....	139	14	123	2	.....	106	4	46	1	5	6	3	.....	3	.....	4	.....	24	15
17	.....	.....	.....	.....	.....	.....	.....	10	70	11	1	6	3	8	6	1	1	.....	33	
23	.....	136	11	123	2	.....	106	4	27	1	1	4	1	.....	1	.....	1	.....	18	16
.....	.....	5	.....	4	1	.....	2	.....	3	.....	.....	.....	.....	1	.....	.....	.....	.....	2	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	18
.....	.....	5	.....	4	1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	5	.....	4	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20
6	.....	4	.....	3	1	.....	8	.....	11	.....	.....	1	.....	2	2	.....	2	1	3	21
3	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	2	1	.....	.....	1	1	22
3	.....	4	.....	3	1	.....	8	.....	6	.....	.....	1	.....	.....	1	.....	2	.....	2	23
3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	
3	.....	4	.....	3	1	.....	8	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	24
5	1	13	2	10	.....	1	19	4	20	.....	1	1	1	2	1	.....	1	.....	13	25
1	.....	.....	.....	.....	.....	.....	.....	3	12	.....	1	.....	.....	2	.....	.....	.....	.....	9	26
4	1	13	2	10	.....	1	19	1	8	.....	.....	1	1	.....	1	.....	1	.....	4	27
1	.....	.....	.....	.....	.....	.....	.....	3	11	.....	1	.....	.....	2	.....	.....	.....	.....	8	
4	1	13	2	10	.....	1	19	1	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	28
4	.....	12	1	10	1	.....	7	1	17	1	1	2	2	.....	4	.....	.....	.....	7	29
2	.....	.....	.....	.....	.....	.....	.....	1	9	1	1	1	2	.....	2	.....	.....	.....	2	30
2	.....	12	1	10	1	.....	7	.....	8	.....	.....	1	.....	.....	2	.....	.....	.....	5	31
2	.....	.....	.....	.....	.....	.....	.....	1	7	1	1	.....	2	.....	1	.....	.....	.....	2	
2	.....	12	1	10	1	.....	7	.....	6	.....	.....	.....	.....	.....	1	.....	.....	.....	5	32
4	.....	9	.....	9	.....	.....	4	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	33
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
3	.....	9	.....	9	.....	.....	4	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	35
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	9	.....	9	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	36
5	.....	13	2	11	.....	.....	13	4	11	.....	.....	.....	.....	1	1	.....	4	.....	5	37
2	.....	.....	.....	.....	.....	.....	.....	1	7	.....	.....	.....	.....	1	1	.....	4	.....	1	38
3	.....	13	2	11	.....	.....	13	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	39
2	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	1	.....	.....	2	.....	1	
3	.....	12	1	11	.....	.....	13	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	40
1	.....	19	1	18	.....	.....	9	2	15	1	.....	1	.....	1	2	.....	2	.....	8	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	8	1	.....	1	.....	1	2	.....	2	.....	1	42
1	.....	19	1	18	.....	.....	9	2	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	1	.....	.....	.....	.....	1	
1	.....	19	1	18	.....	.....	9	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	44
2	.....	17	2	14	1	.....	11	3	9	1	.....	.....	3	1	1	.....	1	.....	2	45
.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	1	1	.....	.....	.....	1	46
2	.....	17	2	14	1	.....	11	1	5	.....	.....	.....	3	.....	.....	.....	1	.....	1	47
.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	1	1	.....	.....	.....	1	
2	.....	17	2	14	1	.....	11	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	48
4	.....	10	1	8	1	.....	9	.....	13	1	2	.....	1	1	2	.....	2	.....	4	49
2	.....	.....	.....	.....	.....	.....	.....	.....	10	1	.....	.....	1	1	2	.....	2	.....	3	50
2	.....	10	1	8	1	.....	9	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....	1	51
2	.....	.....	.....	.....	.....	.....	.....	.....	5	1	.....	.....	1	1	1	.....	.....	.....	1	
2	.....	10	1	8	1	.....	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	52

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	MASSACHUSETTS—continued.															
1	Springfield	92	3	.....	2	.....	1	.....	33	.....	1	19	13	20	1	17
2	Males	39	3	.....	2	.....	1	.....	15	.....	1	9	5	9	1	7
3	Females	53	.....	.....	.....	.....	.....	.....	18	.....	.....	10	8	11	.....	10
4	Diagnosis reasonably certain. {M..	24	3	.....	2	.....	1	.....	6	.....	.....	5	1	5	1	3
	{F..	24	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	3	2	.....	1
5	Worcester	176	8	.....	3	2	3	.....	57	1	1	41	14	32	2	22
6	Males	59	6	.....	3	1	2	.....	26	1	1	21	3	7	.....	4
7	Females	117	2	.....	.....	1	1	.....	31	.....	.....	20	11	25	2	18
8	Diagnosis reasonably certain. {M..	30	6	.....	3	1	2	.....	5	1	.....	4	.....	5	.....	2
	{F..	76	2	.....	.....	1	1	.....	8	.....	.....	3	5	12	1	6
9	Other cities	993	45	12	15	3	15	.....	299	2	13	182	102	182	5	131
10	Males	362	35	11	11	3	10	.....	141	1	9	91	40	76	1	49
11	Females	631	10	1	4	.....	5	.....	158	1	4	91	62	106	4	82
12	Diagnosis reasonably certain. {M..	184	35	11	11	3	10	.....	36	.....	3	27	6	46	.....	20
	{F..	401	10	1	4	.....	5	.....	30	1	1	13	15	51	.....	31
	MICHIGAN.															
13	Registration cities	997	41	7	11	2	16	5	400	.....	12	253	135	129	14	83
14	Males	413	33	7	9	2	11	4	205	.....	10	145	50	66	4	40
15	Females	584	8	.....	2	.....	5	1	195	.....	2	108	85	63	10	43
16	Diagnosis reasonably certain. {M..	211	33	7	9	2	11	4	58	.....	2	42	14	42	2	18
	{F..	366	8	.....	2	.....	5	1	37	.....	.....	17	20	30	6	14
17	White	988	41	7	11	2	16	5	397	.....	12	250	135	127	14	81
18	Males	411	33	7	9	2	11	4	205	.....	10	145	50	66	4	40
19	Females	577	8	.....	2	.....	5	1	192	.....	2	105	85	61	10	41
20	Diagnosis reasonably certain. {M..	209	33	7	9	2	11	4	58	.....	2	42	14	42	2	18
	{F..	364	8	.....	2	.....	5	1	36	.....	.....	16	20	30	6	14
21	Colored	9	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	2	.....	2
22	Males	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Females	7	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	2	.....	2
24	Diagnosis reasonably certain. {M..	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F..	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
25	Detroit	424	20	5	8	.....	5	2	179	.....	6	116	57	54	5	33
26	Males	178	19	5	8	.....	4	2	96	.....	5	69	22	25	1	14
27	Females	246	1	.....	.....	.....	1	.....	83	.....	1	47	35	29	4	19
28	Diagnosis reasonably certain. {M..	91	19	5	8	.....	4	2	27	.....	1	20	6	18	1	7
	{F..	148	1	.....	.....	.....	1	.....	14	.....	.....	6	8	14	3	5
29	Grand Rapids	120	2	.....	1	.....	1	.....	54	.....	1	35	18	18	3	10
30	Males	43	1	.....	1	.....	.....	.....	22	.....	1	16	5	7	.....	4
31	Females	77	1	.....	.....	.....	1	.....	32	.....	.....	19	13	11	3	6
32	Diagnosis reasonably certain. {M..	19	1	.....	1	.....	.....	.....	7	.....	.....	6	1	4	.....	1
	{F..	46	1	.....	.....	.....	1	.....	7	.....	.....	3	4	5	2	1
33	Saginaw	50	3	.....	.....	.....	3	.....	21	.....	1	11	9	7	2	5
34	Males	27	3	.....	.....	.....	3	.....	14	.....	1	7	6	3	1	2
35	Females	23	.....	.....	.....	.....	.....	.....	7	.....	.....	4	3	4	1	3
36	Diagnosis reasonably certain. {M..	14	3	.....	.....	.....	3	.....	5	.....	1	3	1	.....	.....	.....
	{F..	17	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	1	3
37	Other cities	403	16	2	2	2	7	3	146	.....	4	91	51	50	4	35
38	Males	165	10	2	.....	2	4	2	73	.....	3	53	17	31	2	20
39	Females	238	6	.....	2	.....	3	1	73	.....	1	38	34	19	2	15
40	Diagnosis reasonably certain. {M..	87	10	2	.....	2	4	2	19	.....	.....	13	6	20	1	10
	{F..	155	6	.....	2	.....	3	1	15	.....	.....	7	8	7	.....	5
	MINNESOTA.															
41	Registration cities	605	32	4	9	2	15	2	250	.....	8	179	63	79	8	45
42	Males	262	28	4	8	2	12	2	136	.....	7	109	20	30	3	17
43	Females	343	4	.....	1	.....	3	.....	114	.....	1	70	43	49	5	28
44	Diagnosis reasonably certain. {M..	150	28	4	8	2	12	2	48	.....	5	39	4	25	2	13
	{F..	232	4	.....	1	.....	3	.....	35	.....	.....	22	13	30	2	12
45	White	604	32	4	9	2	15	2	249	.....	8	178	63	79	8	45
46	Males	262	28	4	8	2	12	2	136	.....	7	109	20	30	3	17
47	Females	342	4	.....	1	.....	3	.....	113	.....	1	69	43	49	5	28
48	Diagnosis reasonably certain. {M..	150	28	4	8	2	12	2	48	.....	5	39	4	25	2	13
	{F..	232	4	.....	1	.....	3	.....	35	.....	.....	22	13	30	2	12

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2	.....	11	3	7	1	.....	6	1	18	1	.....	2	1	.....	2	.....	2	.....	10	1
1	.....	.....	.....	.....	.....	.....	.....	1	11	1	.....	2	.....	.....	2	.....	1	.....	5	2
1	.....	11	3	7	1	.....	6	.....	7	.....	.....	.....	1	.....	.....	.....	1	.....	5	3
1	.....	.....	.....	.....	.....	.....	.....	1	9	1	.....	2	.....	.....	1	.....	.....	.....	5	4
1	.....	10	2	7	1	.....	6	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	
8	.....	27	2	23	2	.....	20	4	28	3	1	3	1	7	4	1	.....	2	6	5
3	.....	.....	.....	.....	.....	.....	.....	2	18	1	.....	1	.....	7	3	1	.....	2	3	6
5	.....	27	2	23	2	.....	20	2	10	2	1	2	1	.....	1	.....	.....	.....	3	7
3	.....	.....	.....	.....	.....	.....	.....	2	12	1	.....	1	.....	2	2	1	.....	2	3	8
5	.....	25	.....	23	2	.....	20	2	7	2	1	2	1	.....	1	.....	.....	.....	.....	
46	.....	171	5	161	4	1	114	27	155	3	7	13	6	23	16	2	15	4	66	9
26	.....	.....	.....	.....	.....	.....	3	18	89	3	1	4	2	23	10	1	5	4	36	10
20	.....	171	5	161	4	1	111	9	66	.....	6	9	4	.....	6	1	10	.....	30	11
26	.....	.....	.....	.....	.....	.....	3	18	46	3	.....	2	1	6	3	.....	.....	4	27	12
20	.....	167	1	161	4	1	111	9	23	.....	.....	3	1	.....	1	.....	4	.....	14	
32	.....	166	5	160	1	.....	84	30	147	4	4	18	6	19	12	4	10	2	68	13
22	.....	.....	.....	.....	.....	.....	.....	19	90	3	2	8	4	19	6	3	3	2	40	14
10	.....	166	5	160	1	.....	84	11	57	1	2	10	2	.....	6	1	7	.....	28	15
22	.....	.....	.....	.....	.....	.....	.....	19	59	3	.....	4	1	12	2	1	2	2	32	16
10	.....	166	5	160	1	.....	84	11	30	1	.....	5	2	.....	2	.....	3	.....	17	
32	.....	165	5	159	1	.....	84	30	144	4	4	18	6	19	12	4	10	2	65	17
22	.....	.....	.....	.....	.....	.....	.....	19	88	3	2	8	4	19	6	3	3	2	38	18
10	.....	165	5	159	1	.....	84	11	56	1	2	10	2	.....	6	1	7	.....	27	19
22	.....	.....	.....	.....	.....	.....	.....	19	57	3	.....	4	1	12	2	1	2	2	30	20
10	.....	165	5	159	1	.....	84	11	30	1	.....	5	2	.....	2	.....	3	.....	17	
.....	.....	1	.....	1	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	22
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	24
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
16	.....	78	2	75	1	.....	30	6	57	1	2	4	.....	8	5	1	5	1	30	25
10	.....	.....	.....	.....	.....	.....	.....	4	34	1	1	2	.....	8	1	.....	1	1	19	26
6	.....	78	2	75	1	.....	30	2	23	.....	1	2	.....	.....	4	1	4	.....	11	27
10	.....	.....	.....	.....	.....	.....	.....	4	23	1	.....	2	.....	4	.....	.....	1	1	14	28
6	.....	78	2	75	1	.....	30	2	9	.....	.....	.....	.....	.....	1	.....	2	.....	6	
5	.....	15	.....	15	.....	.....	14	5	12	.....	1	1	2	1	.....	2	.....	.....	5	29
3	.....	.....	.....	.....	.....	.....	.....	3	10	.....	1	1	2	1	.....	2	.....	.....	3	30
2	.....	15	.....	15	.....	.....	14	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	31
3	.....	.....	.....	.....	.....	.....	.....	3	4	.....	.....	1	.....	1	.....	.....	.....	.....	2	32
2	.....	15	.....	15	.....	.....	14	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	8	.....	8	.....	.....	2	2	7	1	.....	1	.....	2	1	.....	.....	.....	2	33
.....	.....	.....	.....	.....	.....	.....	.....	2	5	1	.....	.....	.....	2	1	.....	.....	.....	1	34
.....	.....	8	.....	8	.....	.....	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	35
.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	2	.....	.....	.....	.....	1	36
.....	.....	8	.....	8	.....	.....	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	
11	.....	65	3	62	.....	.....	38	17	71	2	1	12	4	8	6	1	5	1	31	37
9	.....	.....	.....	.....	.....	.....	.....	10	41	1	.....	5	2	8	4	1	2	1	17	38
2	.....	65	3	62	.....	.....	38	7	30	1	1	7	2	.....	2	.....	3	.....	14	39
9	.....	.....	.....	.....	.....	.....	.....	10	28	1	.....	1	1	5	2	1	1	1	15	40
2	.....	65	3	62	.....	.....	38	7	17	1	.....	4	2	.....	1	.....	1	.....	8	
26	.....	89	6	82	1	.....	53	15	87	3	3	10	8	9	12	2	7	1	32	41
10	.....	.....	.....	.....	.....	.....	1	10	57	2	3	6	5	9	9	1	4	1	17	42
16	.....	89	6	82	1	.....	52	5	30	1	.....	4	3	.....	3	1	3	.....	15	43
10	.....	.....	.....	.....	.....	.....	1	10	38	2	2	4	3	3	7	.....	2	1	14	44
16	.....	88	5	82	1	.....	52	5	18	1	.....	1	1	.....	2	.....	1	.....	12	
26	.....	89	6	82	1	.....	53	15	87	3	3	10	8	9	12	2	7	1	32	45
10	.....	.....	.....	.....	.....	.....	1	10	57	2	3	6	5	9	9[a]	1	4	1	17	46
16	.....	89	6	82	1	.....	52	5	30	1	.....	4	3	.....	3[a]	1	3	.....	15	47
10	.....	.....	.....	.....	.....	.....	1	10	38	2	2	4	3	3	7	.....	2	1	14	48
16	.....	88	5	82	1	.....	52	5	18	1	.....	1	1	.....	2	.....	1	.....	12	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	MINNESOTA—continued.															
	Registration cities—Continued.															
1	Colored	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
2	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Females	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
4	Diagnosis reasonably certain. {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Duluth	68	2	.....	.....	.....	2	.....	38	.....	.....	27	11	9	2	4
6	Males	31	1	.....	.....	.....	1	.....	22	.....	.....	16	6	3	1	1
7	Females	37	1	.....	.....	.....	1	.....	16	.....	.....	11	5	6	1	3
8	Diagnosis reasonably certain. {M	18	1	.....	.....	.....	1	.....	10	.....	.....	7	3	3	1	1
	{F	24	1	.....	.....	.....	1	.....	5	.....	.....	3	2	5	1	2
9	Minneapolis	313	15	.....	4	2	7	2	116	.....	3	88	25	48	6	30
10	Males	138	13	.....	3	2	6	2	68	.....	2	58	8	18	2	12
11	Females	173	2	.....	1	.....	1	.....	48	.....	1	30	17	30	4	18
12	Diagnosis reasonably certain. {M	76	13	.....	3	2	6	2	22	.....	2	19	1	13	1	8
	{F	121	2	.....	1	.....	1	.....	15	.....	.....	8	7	18	1	9
13	St. Paul	166	10	2	5	.....	3	.....	75	.....	5	51	19	17	.....	7
14	Males	69	9	2	5	.....	2	.....	33	.....	5	25	3	7	.....	3
15	Females	97	1	.....	.....	.....	1	.....	42	.....	.....	26	16	10	.....	4
16	Diagnosis reasonably certain. {M	46	9	2	5	.....	2	.....	15	.....	3	12	.....	7	.....	3
	{F	63	1	.....	.....	.....	1	.....	14	.....	.....	10	4	6	.....	.....
17	Other cities	58	5	2	.....	.....	3	.....	21	.....	.....	13	8	5	.....	4
18	Males	24	5	2	.....	.....	3	.....	13	.....	.....	10	3	2	.....	1
19	Females	34	.....	.....	.....	.....	.....	.....	8	.....	.....	3	5	3	.....	3
20	Diagnosis reasonably certain. {M	10	5	2	.....	.....	3	.....	1	.....	.....	1	.....	2	.....	1
	{F	24	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
	MISSOURI.															
21	Registration cities	1,171	62	8	25	6	18	5	402	3	21	264	114	132	10	67
22	Males	489	56	8	22	6	16	4	217	3	17	151	46	60	7	27
23	Females	682	6	.....	3	.....	2	1	185	.....	4	113	68	72	3	40
24	Diagnosis reasonably certain. {M	295	56	8	22	6	16	4	74	1	5	53	15	44	2	16
	{F	491	6	.....	3	.....	2	1	39	.....	.....	23	16	51	3	21
25	White	1,121	60	8	25	6	17	4	387	3	20	251	113	127	9	63
26	Males	472	55	8	22	6	15	4	208	3	17	142	46	58	6	26
27	Females	649	5	.....	3	.....	2	.....	179	.....	3	109	67	69	3	37
28	Diagnosis reasonably certain. {M	286	55	8	22	6	15	4	72	1	5	51	15	43	2	15
	{F	467	5	.....	3	.....	2	.....	39	.....	.....	23	16	51	3	21
29	Colored	50	2	.....	.....	.....	1	1	15	.....	1	13	1	5	1	4
30	Males	17	1	.....	.....	.....	1	.....	9	.....	.....	9	.....	2	1	1
31	Females	33	1	.....	.....	.....	.....	1	6	.....	1	4	1	3	.....	3
32	Diagnosis reasonably certain. {M	9	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	1	.....	1
	{F	24	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
33	Kansas City	254	20	5	9	3	3	.....	72	.....	2	51	19	31	1	16
34	Males	110	19	5	9	3	2	.....	42	.....	2	31	9	14	1	4
35	Females	141	1	.....	.....	.....	1	.....	30	.....	.....	20	10	17	.....	12
36	Diagnosis reasonably certain. {M	73	19	5	9	3	2	.....	15	.....	.....	13	2	14	1	4
	{F	115	1	.....	.....	.....	1	.....	10	.....	.....	6	4	10	.....	5
37	White	240	20	5	9	3	3	.....	65	.....	2	45	18	30	1	15
38	Males	105	19	5	9	3	2	.....	38	.....	2	27	9	13	1	3
39	Females	135	1	.....	.....	.....	1	.....	27	.....	.....	18	9	17	.....	12
40	Diagnosis reasonably certain. {M	73	19	5	9	3	2	.....	15	.....	.....	13	2	13	1	3
	{F	109	1	.....	.....	.....	1	.....	10	.....	.....	6	4	10	.....	5
41	Colored	14	.....	.....	.....	.....	.....	.....	7	.....	.....	6	1	1	.....	1
42	Males	5	.....	.....	.....	.....	.....	.....	4	.....	.....	4	.....	1	.....	1
43	Females	9	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....
44	Diagnosis reasonably certain. {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
	{F	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45	St. Joseph	97	3	.....	1	1	1	.....	32	.....	.....	23	9	13	1	7
46	Males	37	3	.....	1	1	1	.....	19	.....	.....	15	4	6	.....	3
47	Females	60	.....	.....	.....	.....	.....	.....	13	.....	.....	8	5	7	1	4
48	Diagnosis reasonably certain. {M	21	3	.....	1	1	1	.....	4	.....	.....	4	.....	5	.....	2
	{F	45	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	5	1	2

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
																			1
																			2
																			3
																			4
3		7	1	6			4	3	5				1		2			2	5
1								2	3									1	6
2		7	1	6			4	1	2				1					1	7
1								2	2						2				8
2		7	1	6			4	1	1									1	
12		47	2	45			31	6	50		2	5	5	5	9	2	4	17	9
4							1	4	34		2	3	3	5	7	1	2	10	10
8		47	2	45			30	2	16			2	2		2	1	2	7	11
4							1	4	23		1	2	3	1	5		1	9	12
8		47	2	45			30	2	7			1	1		1			4	
10		25	1	24			10	5	24	2	1	4	1	3	1		2	10	13
4								4	16	1	1	3	1	3			2	5	14
6		25	1	24			10	1	8	1		1			1			5	15
4								4	11	1	1	2		2			1	4	16
6		24		24			10	1	7	1					1			5	
1		10	2	7	1		8	1	8	1		1	1	1			1	3	17
1									4	1			1	1				1	18
		10	2	7	1		8	1	4			1					1	2	19
1									2	1								1	20
		10	2	7	1		8	1	3								1	2	
54	1	238	14	219	5		109	45	183	7	4	17	19	15	31	11	4	71	21
26							6	30	120	7	3	13	10	15	25	5	2	36	22
28	1	238	14	219	5		103	15	63		1	4	9		6	6	2	35	23
26							6	30	85	7	3	8	6	9	13	3		32	24
27		233	9	219	5		103	15	44		1	3	7		4	2	2	25	
54	1	219	14	200	5		106	45	177	7	4	17	18	14	31	11	4	67	25
26							6	30	115	7	3	13	9	14	25	5	2	33	26
28	1	219	14	200	5		100	15	62		1	4	9		6	6	2	34	27
26							6	30	80	7	3	8	5	8	13	3		29	28
27		214	9	200	5		100	15	43		1	3	7		4	2	2	24	
		19		19			3		6				1	1				4	29
									5				1	1				3	30
		19		19			3		1									1	31
									5				1	1				3	32
		19		19			3		1									1	
14		51	2	48	1		29	17	34	3		2	4		6	2		2	15	33
9							1	12	22	3		1	1		6	1		2	8	34
5		51	2	48	1		28	5	12			1	3			1			7	35
9							1	12	17	3					4			2	8	36
5		51	2	48	1		28	5	10			1	3						6	
14		46	2	43	1		28	17	34	3		2	4		6	2		2	15	37
9							1	12	22	3		1	1		6	1		2	8	38
5		46	2	43	1		27	5	12			1	3			1			7	39
9							1	12	17	3					4			2	8	40
5		46	2	43	1		27	5	10			1	3						6	
		5		5			1													41
																				42
		5		5			1													43
																				44
		5		5			1													
5		20	1	19			16	2	11		2	1		1	2	1		4	45
3							1	2	6		2	1		1	1	1			46
2		20	1	19			15		5					1				4	47
3							1	2	6		2	1		1	1	1			48
2		19		19			15		4					1				3	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	MISSOURI—continued.															
1	St. Louis	701	33	1	14	2	12	4	262	3	18	168	73	80	6	40
2	Males	302	28	1	11	2	11	3	141	3	14	95	29	37	5	19
3	Females	399	5	.....	3	.....	1	1	121	.....	4	73	44	43	1	21
4	Diagnosis reasonably certain. {M.	179	28	1	11	2	11	3	53	1	5	35	12	24	1	10
	{F.	274	5	.....	3	.....	1	1	25	.....	.....	13	12	32	1	12
5	White	671	31	1	14	2	11	3	255	3	17	162	73	76	5	37
6	Males	291	27	1	11	2	10	3	137	3	14	91	29	36	4	19
7	Females	380	4	.....	3	.....	1	.....	118	.....	3	71	44	40	1	18
8	Diagnosis reasonably certain. {M.	171	27	1	11	2	10	3	51	1	5	33	12	24	1	10
	{F.	261	4	.....	3	.....	1	.....	25	.....	.....	13	12	32	1	12
9	Colored	30	2	.....	.....	.....	1	1	7	.....	1	6	.....	4	1	3
10	Males	11	1	.....	.....	.....	1	.....	4	.....	.....	4	.....	1	1	.....
11	Females	19	1	.....	.....	.....	.....	1	3	.....	1	2	.....	3	.....	3
12	Diagnosis reasonably certain. {M.	8	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	.....	.....	.....
	{F.	13	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
13	Other cities	119	6	2	1	.....	2	1	36	.....	1	22	13	8	2	4
14	Males	40	6	2	1	.....	2	1	15	.....	1	10	4	3	1	1
15	Females	79	.....	.....	.....	.....	.....	.....	21	.....	.....	12	9	5	1	3
16	Diagnosis reasonably certain. {M.	17	6	2	1	.....	2	1	2	.....	.....	1	1	1	.....	.....
	{F.	57	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	4	1	2
	MONTANA.															
17	Registration cities	82	5	.....	3	.....	2	.....	32	.....	1	25	6	11	3	5
18	Males	39	5	.....	3	.....	2	.....	17	.....	.....	15	2	7	2	3
19	Females	43	.....	.....	.....	.....	.....	.....	15	.....	1	10	4	4	1	2
20	Diagnosis reasonably certain. {M.	22	5	.....	3	.....	2	.....	5	.....	.....	5	.....	6	2	2
	{F.	26	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	1	2
21	White	81	5	.....	3	.....	2	.....	32	.....	1	25	6	11	3	5
22	Males	39	5	.....	3	.....	2	.....	17	.....	.....	15	2	7	2	3
23	Females	42	.....	.....	.....	.....	.....	.....	15	.....	1	10	4	4	1	2
24	Diagnosis reasonably certain. {M.	22	5	.....	3	.....	2	.....	5	.....	.....	5	.....	6	2	2
	{F.	25	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	1	2
25	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEBRASKA.[1]															
29	Registration cities	187	3	1	1	.....	1	.....	66	.....	.....	44	22	23	3	16
30	Males	81	3	1	1	.....	1	.....	38	.....	.....	29	9	13	3	7
31	Females	106	.....	.....	.....	.....	.....	.....	28	.....	.....	15	13	10	.....	9
32	Diagnosis reasonably certain. {M.	51	3	1	1	.....	1	.....	18	.....	.....	15	3	8	3	2
	{F.	75	.....	.....	.....	.....	.....	.....	8	.....	.....	3	5	5	.....	4
33	White	185	3	1	1	.....	1	.....	66	.....	.....	44	22	22	3	15
34	Males	80	3	1	1	.....	1	.....	38	.....	.....	29	9	12	3	6
35	Females	105	.....	.....	.....	.....	.....	.....	28	.....	.....	15	13	10	.....	9
36	Diagnosis reasonably certain. {M.	51	3	1	1	.....	1	.....	18	.....	.....	15	3	8	3	2
	{F.	74	.....	.....	.....	.....	.....	.....	8	.....	.....	3	5	5	.....	4
37	Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
38	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
39	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Omaha	140	1	1	.....	.....	.....	.....	46	.....	.....	32	14	14	3	7
42	Males	62	1	1	.....	.....	.....	.....	30	.....	.....	23	7	8	3	2
43	Females	78	.....	.....	.....	.....	.....	.....	16	.....	.....	9	7	6	.....	5
44	Diagnosis reasonably certain. {M.	38	1	1	.....	.....	.....	.....	12	.....	.....	10	2	7	3	1
	{F.	60	.....	.....	.....	.....	.....	.....	4	.....	.....	1	3	5	.....	4
45	Lincoln [2]	47	2	.....	1	.....	1	.....	20	.....	.....	12	8	9	.....	9
46	Males	19	2	.....	1	.....	1	.....	8	.....	.....	6	2	5	.....	5
47	Females	28	.....	.....	.....	.....	.....	.....	12	.....	.....	6	6	4	.....	4
48	Diagnosis reasonably certain. {M.	13	2	.....	1	.....	1	.....	6	.....	.....	5	1	1	.....	1
	{F.	15	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
33	1	130	7	120	3	.....	54	23	119	4	2	14	13	12	20	8	3	2	41	1
13	.....	.....	.....	.....	.....	.....	4	15	77	4	1	11	7	12	15	3	1	2	21	2
20	1	130	7	120	3	.....	50	8	42	.....	1	3	6	.....	5	5	2	.....	20	3
13	.....	.....	.....	.....	.....	.....	4	15	55	4	1	7	5	8	7	2	.....	2	19	
19	.....	128	5	120	3	.....	50	8	26	.....	1	2	4	.....	3	2	2	.....	12	4
33	1	120	7	110	3	.....	53	23	113	4	2	14	12	11	20	8	3	2	37	5
13	.....	.....	.....	.....	.....	.....	4	15	72	4	1	11	6	11	15	3	1	2	18	6
20	1	120	7	110	3	.....	49	8	41	.....	1	3	6	.....	5	5	2	.....	19	7
13	.....	.....	.....	.....	.....	.....	4	15	50	4	1	7	4	7	7	2	.....	2	16	
19	.....	118	5	110	3	.....	49	8	25	.....	1	2	4	.....	3	2	2	.....	11	8
.....	.....	10	.....	10	.....	.....	1	.....	6	.....	.....	.....	1	1	.....	.....	.....	.....	4	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	1	1	.....	.....	.....	.....	3	10
.....	.....	10	.....	10	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	1	1	.....	.....	.....	.....	3	
.....	.....	10	.....	10	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12
2	.....	37	4	32	1	.....	10	3	19	.....	.....	.....	2	2	3	.....	1	.....	11	13
1	.....	.....	.....	.....	.....	.....	.....	1	15	.....	.....	.....	2	2	3	.....	1	.....	7	14
1	.....	37	4	32	1	.....	10	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	15
1	.....	.....	.....	.....	.....	.....	.....	1	7	.....	.....	.....	1	.....	1	.....	.....	.....	5	
1	.....	35	2	32	1	.....	10	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	16
3	.....	13	.....	12	.....	1	5	1	15	.....	1	3	.....	1	1	.....	2	1	6	17
2	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	1	.....	1	1	.....	1	1	4	18
1	.....	13	.....	12	.....	1	5	.....	6	.....	1	2	.....	.....	.....	.....	1	.....	2	19
2	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	1	.....	.....	1	1	2	
1	.....	12	.....	12	.....	.....	5	.....	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	20
3	.....	13	.....	12	.....	1	5	1	14	.....	1	3	.....	1	1	.....	2	1	5	21
2	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	1	.....	1	1	.....	1	1	4	22
1	.....	13	.....	12	.....	1	5	.....	5	.....	1	2	.....	.....	.....	.....	1	.....	1	23
2	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	1	.....	.....	1	1	2	
1	.....	12	.....	12	.....	.....	5	.....	3	.....	.....	1	.....	.....	.....	.....	1	.....	1	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	28
4	.....	38	3	34	1	.....	18	5	34	.....	4	2	1	1	5	2	.....	1	18	29
3	.....	.....	.....	.....	.....	.....	.....	5	22	.....	3	1	1	1	4	.....	.....	1	11	30
1	.....	38	3	34	1	.....	18	.....	12	.....	1	1	.....	.....	1	2	.....	.....	7	31
3	.....	.....	.....	.....	.....	.....	.....	5	17	.....	1	1	1	1	2	.....	.....	1	10	
1	.....	37	2	34	1	.....	18	.....	7	.....	.....	1	.....	.....	.....	1	.....	.....	5	32
4	.....	38	3	34	1	.....	18	5	33	.....	4	2	1	1	5	2	.....	1	17	33
3	.....	.....	.....	.....	.....	.....	.....	5	22	.....	3	1	1	1	4	.....	.....	1	11	34
1	.....	38	3	34	1	.....	18	.....	11	.....	1	1	.....	.....	1	2	.....	.....	6	35
3	.....	.....	.....	.....	.....	.....	.....	5	17	.....	1	1	1	1	2	.....	.....	1	10	
1	.....	37	2	34	1	.....	18	.....	6	.....	.....	1	.....	.....	.....	1	.....	.....	4	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	40
4	.....	33	3	29	1	.....	13	5	28	.....	4	2	1	1	4	1	.....	.....	15	41
3	.....	.....	.....	.....	.....	.....	.....	5	18	.....	3	1	1	1	3	.....	.....	.....	9	42
1	.....	33	3	29	1	.....	13	.....	10	.....	1	1	.....	.....	1	1	.....	.....	6	43
3	.....	.....	.....	.....	.....	.....	.....	5	13	.....	1	1	1	1	1	.....	.....	.....	8	
1	.....	32	2	29	1	.....	13	.....	6	.....	.....	1	.....	.....	.....	1	.....	.....	4	44
.....	.....	5	.....	5	.....	.....	5	.....	6	.....	.....	.....	.....	.....	1	1	.....	1	3	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	1	.....	.....	1	2	46
.....	.....	5	.....	5	.....	.....	5	.....	2	.....	.....	.....	.....	1	.....	1	.....	.....	1	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	1	.....	.....	1	2	
.....	.....	5	.....	5	.....	.....	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48

[2] The only other registration unit; shown in order to complete the state.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	NEW HAMPSHIRE.															
1	Registration cities	173	2	.....	.....	.....	2	.....	48	.....	1	29	18	38	.....	27
2	Males	54	2	.....	.....	.....	2	.....	27	.....	1	17	9	13	.....	8
3	Females	119	.....	.....	.....	.....	.....	.....	21	.....	.....	12	9	25	.....	19
4	Diagnosis reasonably certain. {M	27	2	.....	.....	.....	2	.....	8	.....	.....	5	3	8	.....	3
	{F	82	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	14	.....	8
5	White	172	2	.....	.....	.....	2	.....	47	.....	1	29	17	38	.....	27
6	Males	53	2	.....	.....	.....	2	.....	26	.....	1	17	8	13	.....	8
7	Females	119	.....	.....	.....	.....	.....	.....	21	.....	.....	12	9	25	.....	19
8	Diagnosis reasonably certain. {M	26	2	.....	.....	.....	2	.....	7	.....	.....	5	2	8	.....	3
	{F	82	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	14	.....	8
9	Colored	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
10	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
11	Females	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Diagnosis reasonably certain. {M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Manchester	56	2	.....	.....	.....	2	.....	12	.....	.....	10	2	13	.....	10
14	Males	13	2	.....	.....	.....	2	.....	4	.....	.....	3	1	4	.....	3
15	Females	43	.....	.....	.....	.....	.....	.....	8	.....	.....	7	1	9	.....	7
16	Diagnosis reasonably certain. {M	7	2	.....	.....	.....	2	.....	1	.....	.....	.....	1	1	.....	.....
	{F	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	5
17	Other cities	117	.....	.....	.....	.....	.....	.....	36	.....	1	19	16	25	.....	17
18	Males	41	.....	.....	.....	.....	.....	.....	23	.....	1	14	8	9	.....	5
19	Females	76	.....	.....	.....	.....	.....	.....	13	.....	.....	5	8	16	.....	12
20	Diagnosis reasonably certain. {M	20	.....	.....	.....	.....	.....	.....	7	.....	.....	5	2	7	.....	3
	{F	52	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	7	.....	3
	NEW JERSEY.															
21	Registration cities	1,426	52	8	21	8	14	1	547	4	14	353	176	218	20	128
22	Males	545	42	7	19	5	10	1	255	3	13	177	62	85	4	50
23	Females	881	10	1	2	3	4	.....	292	1	1	176	114	133	16	78
24	Diagnosis reasonably certain. {M	243	42	7	19	5	10	1	53	.....	3	39	11	45	2	12
	{F	529	10	1	2	3	4	.....	51	.....	1	31	19	74	8	27
25	White	1,384	52	8	21	8	14	1	534	3	14	342	175	212	20	126
26	Males	537	42	7	19	5	10	1	249	2	13	172	62	84	4	50
27	Females	847	10	1	2	3	4	.....	285	1	1	170	113	128	16	76
28	Diagnosis reasonably certain. {M	241	42	7	19	5	10	1	53	.....	3	39	11	44	2	12
	{F	502	10	1	2	3	4	.....	50	.....	1	30	19	70	8	26
29	Colored	42	.....	.....	.....	.....	.....	.....	13	1	.....	11	1	6	.....	2
30	Males	8	.....	.....	.....	.....	.....	.....	6	1	.....	5	.....	1	.....	.....
31	Females	34	.....	.....	.....	.....	.....	.....	7	.....	.....	6	1	5	.....	2
32	Diagnosis reasonably certain. {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F	27	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	.....	1
33	Camden	74	1	.....	.....	1	.....	.....	26	.....	1	20	5	12	1	3
34	Males	27	.....	.....	.....	.....	.....	.....	11	.....	1	9	1	4	1	.....
35	Females	47	1	.....	.....	1	.....	.....	15	.....	.....	11	4	8	.....	3
36	Diagnosis reasonably certain. {M	17	.....	.....	.....	.....	.....	.....	4	.....	.....	3	1	4	1	.....
	{F	30	1	.....	.....	1	.....	.....	2	.....	.....	1	1	6	.....	1
37	Elizabeth	76	4	.....	2	1	1	.....	33	.....	1	21	11	8	2	4
38	Males	36	3	.....	1	1	1	.....	15	.....	1	10	4	5	1	2
39	Females	40	1	.....	1	.....	.....	.....	18	.....	.....	11	7	3	1	2
40	Diagnosis reasonably certain. {M	12	3	.....	1	1	1	.....	1	.....	.....	1	.....	2	.....	.....
	{F	19	1	.....	1	.....	.....	.....	2	.....	.....	1	1	1	.....	1
41	Jersey City	217	7	2	2	1	2	.....	97	.....	1	63	33	28	3	19
42	Males	82	5	1	2	1	1	.....	43	.....	1	33	9	12	.....	10
43	Females	135	2	1	.....	.....	1	.....	54	.....	.....	30	24	16	3	9
44	Diagnosis reasonably certain. {M	37	5	1	2	1	1	.....	8	.....	.....	7	1	6	.....	4
	{F	72	2	1	.....	.....	1	.....	5	.....	.....	2	3	9	2	3
45	Newark	340	12	2	6	.....	4	.....	135	2	8	85	40	54	5	29
46	Males	132	10	2	6	.....	2	.....	68	1	8	45	14	25	1	13
47	Females	208	2	.....	.....	.....	2	.....	67	1	.....	40	26	29	4	16
48	Diagnosis reasonably certain. {M	54	10	2	6	.....	2	.....	15	.....	3	10	2	13	.....	2
	{F	129	2	.....	.....	.....	2	.....	16	.....	.....	10	6	18	4	5

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
11	.....	33	.....	32	.....	1	26	5	21	1	.....	1	2	3	2	.....	.....	1	11	1
5	.....	.....	.....	.....	.....	.....	1	3	8	1	.....	1	.....	3	.....	.....	.....	1	2	2
6	.....	33	.....	32	.....	1	25	2	13	.....	.....	.....	2	.....	2	.....	.....	.....	9	3
5	.....	.....	.....	.....	.....	.....	1	3	5	1	.....	1	.....	.....	.....	.....	.....	1	2	4
6	.....	33	.....	32	.....	1	25	2	6	.....	.....	.....	1	.....	.....	.....	.....	.....	5	
11	.....	33	.....	32	.....	1	26	5	21	1	.....	1	2	3	2	.....	.....	1	11	5
5	.....	.....	.....	.....	.....	.....	1	3	8	1	.....	1	.....	3	.....	.....	.....	1	2	6
6	.....	33	.....	32	.....	1	25	2	13	.....	.....	.....	2	.....	2	.....	.....	.....	9	7
5	.....	.....	.....	.....	.....	.....	1	3	5	1	.....	1	.....	.....	.....	.....	.....	1	2	8
6	.....	33	.....	32	.....	1	25	2	6	.....	.....	.....	1	.....	.....	.....	.....	.....	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
3	.....	13	.....	13	.....	.....	8	3	5	1	.....	.....	.....	.....	.....	.....	.....	.....	4	13
1	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
2	.....	13	.....	13	.....	.....	8	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	15
1	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
2	.....	13	.....	13	.....	.....	8	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
8	.....	20	.....	19	.....	1	18	2	16	.....	.....	1	2	3	2	.....	.....	1	7	17
4	.....	.....	.....	.....	.....	.....	1	1	7	.....	.....	1	.....	3	.....	.....	.....	1	2	18
4	.....	20	.....	19	.....	1	17	1	9	.....	.....	.....	2	.....	2	.....	.....	.....	5	19
4	.....	.....	.....	.....	.....	.....	1	1	4	.....	.....	1	.....	.....	.....	.....	.....	1	2	20
4	.....	20	.....	19	.....	1	17	1	5	.....	.....	.....	1	.....	.....	.....	.....	.....	4	
70	.....	214	12	197	5	.....	136	31	228	14	17	18	17	17	27	3	17	2	96	21
31	.....	.....	.....	.....	.....	.....	2	21	140	12	9	11	6	17	17	1	8	2	57	22
39	.....	214	12	197	5	.....	134	10	88	2	8	7	11	.....	10	2	9	.....	39	23
31	.....	.....	.....	.....	.....	.....	2	21	80	12	2	4	1	6	7	.....	2	2	44	24
39	.....	207	6	196	5	.....	134	10	43	2	1	3	4	.....	5	.....	3	.....	25	
66	.....	199	12	183	4	.....	131	31	225	14	17	18	17	17	26	3	17	2	94	25
30	.....	.....	.....	.....	.....	.....	2	21	139	12	9	11	6	17	17	1	8	2	56	26
36	.....	199	12	183	4	.....	129	10	86	2	8	7	11	.....	9	2	9	.....	38	27
30	.....	.....	.....	.....	.....	.....	2	21	79	12	2	4	1	6	7	.....	2	2	43	28
36	.....	192	6	182	4	.....	129	10	41	2	1	3	4	.....	4	.....	3	.....	24	
4	.....	15	.....	14	1	.....	5	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	29
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	30
3	.....	15	.....	14	1	.....	5	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	31
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
3	.....	15	.....	14	1	.....	5	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	
8	.....	12	.....	12	.....	.....	5	5	13	1	.....	1	1	2	4	.....	.....	.....	4	33
3	.....	.....	.....	.....	.....	.....	.....	4	8	.....	.....	.....	.....	2	3	.....	.....	.....	3	34
5	.....	12	.....	12	.....	.....	5	1	5	1	.....	1	1	.....	1	.....	.....	.....	1	35
3	.....	.....	.....	.....	.....	.....	.....	4	5	.....	.....	.....	.....	1	1	.....	.....	.....	3	36
5	.....	12	.....	12	.....	.....	5	1	3	1	.....	1	.....	.....	1	.....	.....	.....	.....	
2	.....	7	.....	7	.....	.....	5	1	18	2	1	1	2	.....	2	.....	2	.....	8	37
2	.....	.....	.....	.....	.....	.....	.....	.....	13	2	1	.....	.....	.....	2	.....	1	.....	7	38
.....	.....	7	.....	7	.....	.....	5	1	5	.....	.....	1	2	.....	.....	.....	1	.....	1	39
2	.....	.....	.....	.....	.....	.....	.....	.....	6	2	.....	.....	.....	.....	.....	.....	.....	.....	4	40
.....	.....	7	.....	7	.....	.....	5	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	
6	.....	28	2	25	1	.....	18	5	34	1	2	2	1	2	2	.....	1	.....	23	41
2	.....	.....	.....	.....	.....	.....	.....	2	20	1	.....	1	.....	2	2	.....	.....	.....	14	42
4	.....	28	2	25	1	.....	18	3	14	.....	2	1	1	.....	.....	.....	1	.....	9	43
2	.....	.....	.....	.....	.....	.....	.....	2	16	1	.....	.....	.....	.....	1	.....	.....	.....	14	44
4	.....	28	2	25	1	.....	18	3	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	
20	.....	54	7	46	1	.....	31	9	45	3	6	4	5	.....	7	3	3	.....	14	45
11	.....	.....	.....	.....	.....	.....	.....	7	22	3	4	3	2	.....	3	1	1	.....	5	46
9	.....	54	7	46	1	.....	31	2	23	.....	2	1	3	.....	4	2	2	.....	9	47
11	.....	.....	.....	.....	.....	.....	.....	7	9	3	.....	2	.....	.....	1	.....	.....	.....	3	48
9	.....	49	3	45	1	.....	31	2	11	.....	1	1	2	.....	2	.....	.....	.....	5	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	NEW JERSEY—continued.															
1	Paterson	124	2	1	.....	.....	1	.....	51	1	1	38	11	19	1	16
2	Males	50	2	1	.....	.....	1	.....	30	1	.....	25	4	5	1	4
3	Females	74	.....	.....	.....	.....	.....	.....	21	.....	1	13	7	14	.....	12
4	Diagnosis reasonably certain. {M	18	2	1	.....	.....	1	.....	5	.....	.....	5	.....	2	1	1
	{F	45	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	8	.....	6
5	Trenton	98	9	2	3	1	3	.....	35	.....	1	20	14	15	2	8
6	Males	42	7	2	2	1	2	.....	17	.....	1	10	6	5	.....	3
7	Females	56	2	.....	1	.....	1	.....	18	.....	.....	10	8	10	2	5
8	Diagnosis reasonably certain. {M	26	7	2	2	1	2	.....	4	.....	.....	4	.....	4	.....	2
	{F	34	2	.....	1	.....	1	.....	5	.....	.....	3	2	5	.....	2
9	Other cities	497	17	1	8	4	3	1	170	1	1	106	62	82	6	49
10	Males	176	15	1	8	2	3	1	71	1	1	45	24	29	.....	18
11	Females	321	2	.....	.....	2	.....	.....	99	.....	.....	61	38	53	6	31
12	Diagnosis reasonably certain. {M	79	15	1	8	2	3	1	16	.....	.....	9	7	14	.....	3
	{F	200	2	.....	.....	2	.....	.....	19	.....	.....	13	6	27	2	9
	NEW YORK.															
13	Registration cities	6,621	243	18	97	24	80	24	2,418	17	139	1,532	730	1,032	87	614
14	Males	2,685	204	17	86	22	60	19	1,223	15	111	801	296	448	34	256
15	Females	3,936	39	1	11	2	20	5	1,195	2	28	731	434	584	53	358
16	Diagnosis reasonably certain. {M	1,425	204	17	86	22	60	19	348	7	50	224	67	316	21	142
	{F	2,489	39	1	11	2	20	5	219	1	7	119	92	335	20	148
17	White	6,528	242	18	96	24	80	24	2,390	16	137	1,517	720	1,022	87	608
18	Males	2,663	204	17	86	22	60	19	1,211	14	109	795	293	445	34	254
19	Females	3,865	38	1	10	2	20	5	1,179	2	28	722	427	577	53	354
20	Diagnosis reasonably certain. {M	1,417	204	17	86	22	60	19	347	7	50	223	67	314	21	141
	{F	2,435	38	1	10	2	20	5	217	1	7	118	91	330	20	145
21	Colored	93	1	.....	1	.....	.....	.....	28	1	2	15	10	10	.....	6
22	Males	22	.....	.....	.....	.....	.....	.....	12	1	2	6	3	3	.....	2
23	Females	71	1	.....	1	.....	.....	.....	16	.....	.....	9	7	7	.....	4
24	Diagnosis reasonably certain. {M	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	1
	{F	54	1	.....	1	.....	.....	.....	2	.....	.....	1	1	5	.....	3
25	Albany	151	3	1	2	.....	.....	.....	46	2	1	32	11	19	2	12
26	Males	48	3	1	2	.....	.....	.....	16	1	1	11	3	5	1	2
27	Females	103	.....	.....	.....	.....	.....	.....	30	1	.....	21	8	14	1	10
28	Diagnosis reasonably certain. {M	23	3	1	2	.....	.....	.....	3	.....	.....	2	1	3	1	.....
	{F	64	.....	.....	.....	.....	.....	.....	6	.....	.....	3	3	4	.....	2
29	Buffalo	435	16	2	5	.....	8	1	162	.....	9	106	47	56	6	32
30	Males	192	16	2	5	.....	8	1	81	.....	8	56	17	28	2	16
31	Females	243	.....	.....	.....	.....	.....	.....	81	.....	1	50	30	28	4	16
32	Diagnosis reasonably certain. {M	94	16	2	5	.....	8	1	19	.....	4	11	4	15	1	4
	{F	153	.....	.....	.....	.....	.....	.....	13	.....	.....	8	5	19	2	9
33	New York	4,452	166	7	70	18	51	20	1,735	12	117	1,100	506	705	62	415
34	Males	1,908	142	7	63	18	38	16	908	11	95	594	208	318	24	181
35	Females	2,544	24	.....	7	.....	13	4	827	1	22	506	298	387	38	234
36	Diagnosis reasonably cer- {M	1,004	142	7	63	18	38	16	261	6	44	170	41	231	14	166
	tain {F	1,558	24	.....	7	.....	13	4	153	1	7	86	59	221	15	94
37	White	4,369	165	7	69	18	51	20	1,713	12	116	1,089	496	696	62	410
38	Males	1,889	142	7	63	18	38	16	899	11	94	589	205	315	24	179
39	Females	2,480	23	.....	6	.....	13	4	814	1	22	500	291	381	38	231
40	Diagnosis reasonably cer- {M	996	142	7	63	18	38	16	260	6	44	169	41	229	14	165
	tain {F	1,508	23	.....	6	.....	13	4	151	1	7	85	58	217	15	92
41	Colored	83	1	.....	1	.....	.....	.....	22	.....	1	11	10	9	.....	5
42	Males	19	.....	.....	.....	.....	.....	.....	9	.....	1	5	3	3	.....	2
43	Females	64	1	.....	1	.....	.....	.....	13	.....	.....	6	7	6	.....	3
44	Diagnosis reasonably cer- {M	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	1
	tain {F	50	1	.....	1	.....	.....	.....	2	.....	.....	1	1	4	.....	2
45	Bronx Borough	516	19	1	9	3	2	4	187	1	10	124	52	104	8	63
46	Males	209	17	1	8	3	2	3	92	1	9	62	20	42	5	24
47	Females	307	2	.....	1	.....	.....	1	95	.....	1	62	32	62	3	39
48	Diagnosis reasonably certain. {M	110	17	1	8	3	2	3	22	.....	3	18	1	33	5	15
	{F	193	2	.....	1	.....	.....	1	24	.....	1	16	7	37	1	17

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2	.....	21	1	20	.....	.....	12	.....	19	1	1	2	3	2	3	.....	1	.....	6	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	13	1	.....	2	1	2	2	.....	1	.....	4	2
2	.....	21	1	20	.....	.....	12	.....	6	.....	1	.....	2	.....	1	.....	.....	.....	2	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	9	1	.....	1	1	2	1	.....	.....	.....	3	
2	.....	20	.....	20	.....	.....	12	.....	3	.....	.....	.....	1	.....	1	.....	.....	.....	1	4
5	.....	9	.....	9	.....	.....	11	2	17	2	2	2	.....	2	.....	.....	3	.....	6	5
2	.....	.....	.....	.....	.....	.....	1	2	10	2	1	1	.....	2	.....	.....	1	.....	3	6
3	.....	9	.....	9	.....	.....	10	.....	7	.....	1	1	.....	.....	.....	.....	2	.....	3	7
2	.....	.....	.....	.....	.....	.....	1	2	8	2	1	1	.....	1	.....	.....	1	.....	2	
3	.....	9	.....	9	.....	.....	10	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	8
27	.....	83	2	78	3	.....	54	9	82	4	5	6	5	9	9	.....	7	2	35	9
11	.....	.....	.....	.....	.....	.....	1	6	54	3	3	4	3	9	5	.....	4	2	21	10
16	.....	83	2	78	3	.....	53	3	28	1	2	2	2	.....	4	.....	3	.....	14	11
11	.....	.....	.....	.....	.....	.....	1	6	27	3	1	.....	.....	2	3	.....	1	2	15	
16	.....	82	1	78	3	.....	53	3	14	1	.....	.....	1	.....	1	.....	2	.....	9	12
318	13	961	82	851	25	3	725	121	1,121	65	84	86	75	93	184	9	70	16	439	13
153	5	.....	.....	.....	.....	.....	15	75	720	58	53	40	45	93	123	3	34	16	255	14
165	8	961	82	851	25	3	710	46	401	7	31	46	30	.....	61	6	36	.....	184	15
152	1	.....	.....	.....	.....	.....	15	75	467	58	23	15	24	39	68	2	16	16	206	
163	4	932	56	848	25	3	708	46	210	7	9	17	18	.....	22	4	10	.....	123	16
314	13	930	79	824	24	3	711	121	1,112	65	84	85	73	91	183	9	70	16	436	17
152	5	.....	.....	.....	.....	.....	15	75	713	58	53	39	44	91	122	3	34	16	253	18
162	8	930	79	824	24	3	696	46	399	7	31	46	29	.....	61	6	36	.....	183	19
151	1	.....	.....	.....	.....	.....	15	75	462	58	23	15	23	38	67	2	16	16	204	
161	4	901	53	821	24	3	694	46	209	7	9	17	17	.....	22	4	10	.....	123	20
4	.....	31	3	27	1	.....	14	.....	9	.....	.....	1	2	2	1	.....	.....	.....	3	21
1	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	1	1	2	1	.....	.....	.....	2	22
3	.....	31	3	27	1	.....	14	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	23
1	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	1	1	1	.....	.....	.....	2	
2	.....	31	3	27	1	.....	14	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	24
4	1	31	3	27	.....	1	20	2	30	.....	2	.....	1	7	6	.....	2	.....	12	25
2	.....	.....	.....	.....	.....	.....	.....	2	22	.....	.....	.....	1	7	5	.....	1	.....	8	26
2	1	31	3	27	.....	1	20	.....	8	.....	2	.....	.....	.....	1	.....	1	.....	4	27
2	.....	.....	.....	.....	.....	.....	.....	2	12	.....	.....	.....	.....	2	3	.....	.....	.....	7	
2	.....	30	3	26	.....	1	20	.....	4	.....	.....	.....	.....	.....	1	.....	1	.....	2	28
18	.....	64	6	56	2	.....	46	8	83	4	6	5	2	16	12	.....	3	2	33	29
10	.....	.....	.....	.....	.....	.....	1	4	62	4	3	3	2	16	6	.....	2	2	24	30
8	.....	64	6	56	2	.....	45	4	21	.....	3	2	.....	.....	6	.....	1	.....	9	31
10	.....	.....	.....	.....	.....	.....	1	4	39	4	1	2	1	8	3	.....	.....	2	18	
8	.....	61	3	56	2	.....	44	4	12	.....	1	1	.....	.....	3	.....	.....	.....	7	32
221	7	587	49	517	20	1	449	68	742	47	71	55	53	41	125	8	50	10	282	33
111	2	.....	.....	.....	.....	.....	10	41	489	43	47	26	34	41	86	3	26	10	173	34
110	5	587	49	517	20	1	439	27	253	4	24	29	19	.....	39	5	24	.....	109	35
110	1	.....	.....	.....	.....	.....	10	41	319	43	20	9	19	14	47	2	13	10	142	
109	3	572	36	515	20	1	439	27	122	4	8	9	11	.....	10	4	6	.....	70	36
217	7	558	46	491	20	1	436	68	733	47	71	54	51	39	124	8	50	10	279	37
110	2	.....	.....	.....	.....	.....	10	41	482	43	47	25	33	39	85	3	26	10	171	38
107	5	558	46	491	20	1	426	27	251	4	24	29	18	.....	39	5	24	.....	108	39
109	1	.....	.....	.....	.....	.....	10	41	314	43	20	9	18	13	46	2	13	10	140	
107	3	543	33	489	20	1	426	27	121	4	8	9	10	.....	10	4	6	.....	70	40
4	.....	29	3	26	.....	.....	13	.....	9	.....	.....	1	2	2	1	.....	.....	.....	3	41
1	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	1	1	2	1	.....	.....	.....	2	42
3	.....	29	3	26	.....	.....	13	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	43
1	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	1	1	1	.....	.....	.....	2	
2	.....	29	3	26	.....	.....	13	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	44
32	1	64	4	57	3	.....	55	8	79	1	7	4	3	8	14	.....	8	1	33	45
13	.....	.....	.....	.....	.....	.....	2	3	53	1	4	1	2	8	9	.....	6	1	21	46
19	1	64	4	57	3	.....	53	5	26	.....	3	3	1	.....	5	.....	2	.....	12	47
13	.....	.....	.....	.....	.....	.....	2	3	33	1	.....	.....	.....	3	7	.....	3	1	18	
19	.....	61	2	56	3	.....	53	5	11	.....	1	.....	.....	.....	1	.....	.....	.....	9	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	NEW YORK—continued.															
1	Bronx Borough—Continued. White	511	19	1	9	3	2	4	186	1	10	123	52	104	8	63
2	Males	207	17	1	8	3	2	3	91	1	9	61	20	42	5	24
3	Females	304	2	.....	1	.....	.....	1	95	.....	1	62	32	62	3	39
4	Diagnosis reasonably certain { M	110	17	1	8	3	2	3	22	.....	3	18	1	33	5	15
		F	190	2	.....	1	.....	.....	1	24	.....	1	16	7	37	1	17
5	Colored	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
6	Males	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
7	Females	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diagnosis reasonably certain { M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Brooklyn Borough	1,439	53	2	24	6	19	2	570	4	29	364	173	223	16	136
10	Males	583	42	2	22	6	10	2	290	4	24	186	76	100	6	55
11	Females	856	11	.....	2	.....	9	.....	280	.....	5	178	97	123	10	81
12	Diagnosis reasonably certain { M	304	42	2	22	6	10	2	85	2	14	53	16	72	3	31
		F	530	11	.....	2	.....	9	.....	49	.....	1	27	21	69	3	34
13	White	1,410	53	2	24	6	19	2	561	4	29	360	168	218	16	131
14	Males	578	42	2	22	6	10	2	288	4	24	185	75	98	6	53
15	Females	832	11	.....	2	.....	9	.....	273	.....	5	175	93	120	10	78
16	Diagnosis reasonably certain { M	302	42	2	22	6	10	2	85	2	14	53	16	71	3	30
		F	514	11	.....	2	.....	9	.....	48	.....	1	27	20	67	3	32
17	Colored	29	.....	.....	.....	.....	.....	.....	9	.....	.....	4	5	5	.....	5
18	Males	5	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	.....	2
19	Females	24	.....	.....	.....	.....	.....	.....	7	.....	.....	3	4	3	.....	3
20	Diagnosis reasonably certain { M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
		F	16	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	2
21	Manhattan Borough	2,124	77	4	34	7	23	9	826	6	67	519	234	328	34	191
22	Males	955	68	4	30	7	20	7	455	5	53	297	100	148	12	88
23	Females	1,169	9	.....	4	.....	3	2	371	1	14	222	134	180	22	103
24	Diagnosis reasonably certain { M	506	68	4	30	7	20	7	139	4	24	88	23	104	6	50
		F	722	9	.....	4	.....	3	2	73	1	5	41	26	101	9	38
25	White	2,079	76	4	33	7	23	9	815	6	66	513	230	324	34	191
26	Males	944	68	4	30	7	20	7	449	5	52	294	98	147	12	88
27	Females	1,135	8	.....	3	.....	3	2	366	1	14	219	132	177	22	103
28	Diagnosis reasonably certain { M	500	68	4	30	7	20	7	138	4	24	87	23	103	6	50
		F	693	8	.....	3	.....	3	2	72	1	5	40	26	99	9	38
29	Colored	45	1	.....	1	.....	.....	.....	11	.....	1	6	4	4	.....	.....
30	Males	11	.....	.....	.....	.....	.....	.....	6	.....	1	3	2	1	.....	.....
31	Females	34	1	.....	1	.....	.....	.....	5	.....	.....	3	2	3	.....	.....
32	Diagnosis reasonably certain { M	6	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
		F	29	1	.....	1	.....	.....	.....	1	.....	.....	1	2	.....	.....
33	Queens Borough	277	12	.....	3	2	4	3	111	1	9	69	32	41	3	19
34	Males	115	11	.....	3	2	4	2	51	1	7	35	8	23	.....	11
35	Females	162	1	.....	.....	.....	.....	1	60	.....	2	34	24	18	3	8
36	Diagnosis reasonably certain { M	60	11	.....	3	2	4	2	10	.....	2	8	.....	18	.....	7
		F	89	1	.....	.....	.....	.....	1	6	.....	.....	2	4	12	2	4
37	White	276	12	.....	3	2	4	3	111	1	9	69	32	41	3	19
38	Males	115	11	.....	3	2	4	2	51	1	7	35	8	23	.....	11
39	Females	161	1	.....	.....	.....	.....	1	60	.....	2	34	24	18	3	8
40	Diagnosis reasonably certain { M	60	11	.....	3	2	4	2	10	.....	2	8	.....	18	.....	7
		F	88	1	.....	.....	.....	.....	1	6	.....	.....	2	4	12	2	4
41	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
43	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
44	Diagnosis reasonably certain { M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45	Richmond Borough	96	5	.....	.....	.....	3	2	41	.....	2	24	15	9	1	6
46	Males	46	4	.....	.....	.....	2	2	20	.....	2	14	4	5	1	3
47	Females	50	1	.....	.....	.....	1	.....	21	.....	.....	10	11	4	.....	3
48	Diagnosis reasonably certain { M	24	4	.....	.....	.....	2	2	5	.....	1	3	1	4	.....	3
		F	24	1	.....	.....	.....	1	.....	1	.....	.....	1	2	.....	1
49	White	93	5	.....	.....	.....	3	2	40	.....	2	24	14	9	1	6
50	Males	45	4	.....	.....	.....	2	2	20	.....	2	14	4	5	1	3
51	Females	48	1	.....	.....	.....	1	.....	20	.....	.....	10	10	4	.....	3
52	Diagnosis reasonably certain { M	24	4	.....	.....	.....	2	2	5	.....	1	3	1	4	.....	3
		F	23	1	.....	.....	.....	1	1	.....	.....	.....	1	2	.....	1

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
32	1	61	4	54	3	.....	55	8	78	1	7	3	3	8	14	.....	8	1	33	1
13	.....	.....	.....	.....	.....	.....	2	3	52	1	4	.....	2	8	9	.....	6	1	21	2
19	1	61	4	54	3	.....	53	5	26	.....	3	3	1	.....	5	.....	2	.....	12	3
13	.....	.....	.....	.....	.....	.....	2	3	33	1	.....	.....	.....	3	7	.....	3	1	18	
19	.....	58	2	53	3	.....	53	5	11	.....	1	.....	.....	.....	1	.....	.....	.....	9	4
.....	.....	3	.....	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
.....	.....	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
68	3	197	11	177	9	.....	154	30	212	13	16	14	11	8	37	2	12	2	97	9
38	1	.....	.....	.....	.....	.....	.....	20	131	13	11	6	8	8	22	2	5	2	54	10
30	2	197	11	177	9	.....	154	10	81	.....	5	8	3	.....	15	.....	7	.....	43	11
38	.....	.....	.....	.....	.....	.....	.....	20	85	13	5	1	3	3	8	1	2	2	47	
30	2	195	9	177	9	.....	154	10	42	.....	2	3	2	.....	4	.....	2	.....	29	12
68	3	190	9	172	9	.....	148	30	210	13	16	14	11	7	37	2	12	2	96	13
38	1	.....	.....	.....	.....	.....	.....	20	130	13	11	6	8	7	22	2	5	2	54	14
30	2	190	9	172	9	.....	148	10	80	.....	5	8	3	.....	15	.....	7	.....	42	15
38	.....	.....	.....	.....	.....	.....	.....	20	84	13	5	1	3	2	8	1	2	2	47	
30	2	188	7	172	9	.....	148	10	42	.....	2	3	2	.....	4	.....	2	.....	29	16
.....	.....	7	2	5	.....	.....	6	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	18
.....	.....	7	2	5	.....	.....	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19
.....	.....	7	2	5	.....	.....	6	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	20
101	2	281	33	241	6	1	203	26	383	27	41	33	37	23	59	6	26	6	125	21
47	1	.....	.....	.....	.....	.....	8	15	261	24	27	17	22	23	45	1	13	6	83	22
54	1	281	33	241	6	1	195	11	122	3	14	16	15	.....	14	5	13	.....	42	23
47	1	.....	.....	.....	.....	.....	8	15	172	24	11	8	14	7	28	1	7	6	66	
53	1	272	25	240	6	1	195	11	61	3	5	6	9	.....	4	4	4	.....	26	24
97	2	263	32	224	6	1	197	26	378	27	41	33	35	23	58	6	26	6	123	25
46	1	.....	.....	.....	.....	.....	8	15	257	24	27	17	21	23	44	1	13	6	81	26
51	1	263	32	224	6	1	189	11	121	3	14	16	14	.....	14	5	13	.....	42	27
46	1	.....	.....	.....	.....	.....	8	15	168	24	11	8	13	7	27	1	7	6	64	
51	1	254	24	223	6	1	189	11	60	3	5	6	8	.....	4	4	4	.....	26	28
4	.....	18	1	17	.....	.....	6	.....	5	.....	.....	.....	2	.....	1	.....	.....	.....	2	29
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	1	.....	1	.....	.....	.....	2	30
3	.....	18	1	17	.....	.....	6	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	31
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	1	.....	1	.....	.....	.....	2	
2	.....	18	1	17	.....	.....	6	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	32
18	1	32	1	29	2	.....	32	4	45	4	7	2	2	1	12	.....	1	.....	16	33
12	.....	.....	.....	.....	.....	.....	.....	3	27	3	5	1	2	1	8	.....	.....	.....	7	34
6	1	32	1	29	2	.....	32	1	18	1	2	1	.....	.....	4	.....	1	.....	9	35
11	.....	.....	.....	.....	.....	.....	.....	3	18	3	4	.....	2	1	3	.....	.....	.....	5	
6	.....	31	.....	29	2	.....	32	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....	3	36
18	1	32	1	29	2	.....	31	4	45	4	7	2	2	1	12	.....	1	.....	16	37
12	.....	.....	.....	.....	.....	.....	.....	3	27	3	5	1	2	1	8	.....	.....	.....	7	38
6	1	32	1	29	2	.....	31	1	18	1	2	1	.....	.....	4	.....	1	.....	9	39
11	.....	.....	.....	.....	.....	.....	.....	3	18	3	4	.....	2	1	3	.....	.....	.....	5	
6	.....	31	.....	29	2	.....	31	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....	3	40
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
2	.....	13	.....	13	.....	.....	5	.....	23	2	.....	2	.....	1	3	.....	3	1	11	45
1	.....	.....	.....	.....	.....	.....	.....	.....	17	2	.....	1	.....	1	2	.....	2	1	8	46
1	.....	13	.....	13	.....	.....	5	.....	6	.....	.....	1	.....	.....	1	.....	1	.....	3	47
1	.....	.....	.....	.....	.....	.....	.....	.....	11	2	.....	.....	.....	.....	1	.....	1	1	6	
1	.....	13	.....	13	.....	.....	5	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	48
2	.....	12	.....	12	.....	.....	5	.....	22	2	.....	2	.....	.....	3	.....	3	1	11	49
1	.....	.....	.....	.....	.....	.....	.....	.....	16	2	.....	1	.....	.....	2	.....	2	1	8	50
1	.....	12	.....	12	.....	.....	5	.....	6	.....	.....	1	.....	.....	1	.....	1	.....	3	51
1	.....	.....	.....	.....	.....	.....	.....	.....	11	2	.....	.....	.....	.....	1	.....	1	1	6	
1	.....	12	.....	12	.....	.....	5	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	52

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	NEW YORK—continued.															
	Richmond Borough—Continued.															
1	Colored	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
2	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Females	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
4	Diagnosis reasonably certain {M.. F..	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Rochester	261	10	.....	5	2	2	1	79	.....	3	44	32	51	8	28
6	Males	95	8	.....	5	2	.....	1	30	.....	1	19	10	23	5	10
7	Females	166	2	.....	.....	.....	2	.....	49	.....	2	25	22	28	3	18
8	Diagnosis reasonably certain {M.. F..	70	8	.....	5	2	.....	1	15	.....	.....	11	4	18	4	6
		118	2	.....	.....	.....	2	.....	16	.....	.....	6	10	20	1	12
9	Syracuse	126	3	1	.....	.....	2	.....	33	1	1	17	14	11	.....	6
10	Males	38	1	1	.....	.....	.....	.....	17	1	1	7	8	3	.....	2
11	Females	88	2	.....	.....	.....	2	.....	16	.....	.....	10	6	8	.....	4
12	Diagnosis reasonably certain {M.. F..	20	1	1	.....	.....	.....	.....	7	1	.....	3	3	1	.....	.....
		64	2	.....	.....	.....	2	.....	2	.....	.....	2	.....	5	.....	1
13	Troy	136	9	2	3	1	3	.....	41	1	1	27	12	16	.....	9
14	Males	52	8	2	3	.....	3	.....	24	1	1	13	9	6	.....	4
15	Females	84	1	.....	.....	1	.....	.....	17	.....	.....	14	3	10	.....	5
16	Diagnosis reasonably certain {M.. F..	25	8	2	3	.....	3	.....	5	.....	.....	3	2	3	.....	2
		59	1	.....	.....	1	.....	.....	3	.....	.....	3	.....	5	.....	1
17	Utica	82	2	2	.....	.....	.....	.....	30	.....	.....	20	10	17	.....	8
18	Males	25	1	1	.....	.....	.....	.....	14	.....	.....	9	5	6	.....	2
19	Females	57	1	1	.....	.....	.....	.....	16	.....	.....	11	5	11	.....	6
20	Diagnosis reasonably certain {M.. F..	11	1	1	.....	.....	.....	.....	3	.....	.....	1	2	4	.....	.....
		37	1	1	.....	.....	.....	.....	2	.....	.....	2	.....	8	.....	3
21	Yonkers	65	2	.....	2	.....	.....	.....	26	1	.....	17	8	11	1	8
22	Males	29	2	.....	2	.....	.....	.....	15	1	.....	10	4	7	.....	6
23	Females	36	.....	.....	.....	.....	.....	.....	11	.....	.....	7	4	4	1	2
24	Diagnosis reasonably certain {M.. F..	9	2	.....	2	.....	.....	.....	1	.....	.....	1	.....	3	.....	2
		20	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....
25	Other cities	913	32	3	10	3	14	2	266	.....	7	169	90	146	8	96
26	Males	298	23	3	6	2	11	1	118	.....	4	82	32	52	2	33
27	Females	615	9	.....	4	1	3	1	148	.....	3	87	58	94	6	63
28	Diagnosis reasonably certain {M.. F..	169	23	3	6	2	11	1	34	.....	2	22	10	38	1	22
		416	9	.....	4	1	3	1	23	.....	.....	9	14	52	2	26
	NORTH CAROLINA.															
29	Registration cities	124	1	.....	1	.....	.....	.....	37	.....	1	19	17	9	2	4
30	Males	34	1	.....	1	.....	.....	.....	16	.....	.....	9	7	2	.....	1
31	Females	90	.....	.....	.....	.....	.....	.....	21	.....	1	10	10	7	2	3
32	Diagnosis reasonably certain {M.. F..	16	1	.....	1	.....	.....	.....	4	.....	.....	3	1	1	.....	.....
		69	.....	.....	.....	.....	.....	.....	6	.....	.....	1	5	4	1	1
33	White	76	1	.....	1	.....	.....	.....	27	.....	1	12	14	8	2	4
34	Males	26	1	.....	1	.....	.....	.....	11	.....	.....	6	5	2	.....	1
35	Females	50	.....	.....	.....	.....	.....	.....	16	.....	1	6	9	6	2	3
36	Diagnosis reasonably certain {M.. F..	10	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
		36	.....	.....	.....	.....	.....	.....	6	.....	.....	1	5	3	1	1
37	Colored	48	.....	.....	.....	.....	.....	.....	10	.....	.....	7	3	1	.....	.....
38	Males	8	.....	.....	.....	.....	.....	.....	5	.....	.....	3	2	.....	.....	.....
39	Females	40	.....	.....	.....	.....	.....	.....	5	.....	.....	4	1	1	.....	.....
40	Diagnosis reasonably certain {M.. F..	6	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....
		33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	OHIO.															
41	Registration cities	2,104	76	3	20	10	35	8	802	3	34	478	287	260	20	141
42	Males	789	65	3	18	7	30	7	386	3	29	240	114	106	8	60
43	Females	1,315	11	.....	2	3	5	1	416	.....	5	238	173	154	12	81
44	Diagnosis reasonably certain {M.. F..	393	65	3	18	7	30	7	107	1	14	69	23	62	3	22
		882	11	.....	2	3	5	1	104	.....	3	56	45	97	3	35
45	White	2,041	76	3	20	10	35	8	780	3	33	464	280	256	20	140
46	Males	772	65	3	18	7	30	7	376	3	29	235	109	104	8	59
47	Females	1,269	11	.....	2	3	5	1	404	.....	4	229	171	152	12	81
48	Diagnosis reasonably certain {M.. F..	389	65	3	18	7	30	7	106	1	14	68	23	61	3	22
		849	11	.....	2	3	5	1	101	.....	2	55	44	96	3	35

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
15	.....	38	1	36	.....	1	30	6	47	3	.....	3	10	6	7	.....	2	1	15	5
8	.....	.....	.....	.....	.....	.....	2	4	28	3	.....	1	4	6	4	.....	1	1	8	6
7	.....	38	1	36	.....	1	28	2	13	.....	.....	2	6	.....	3	.....	1	.....	7	7
8	.....	.....	.....	.....	.....	.....	2	4	23	3	.....	.....	2	6	3	.....	1	1	7	8
7	.....	37	.....	36	.....	1	28	2	13	.....	.....	1	4	.....	2	.....	1	.....	5	
5	.....	27	4	23	.....	.....	20	4	28	1	.....	4	2	4	4	.....	2	.....	11	9
1	.....	.....	.....	.....	.....	.....	.....	2	15	1	.....	.....	2	4	2	.....	.....	.....	6	10
4	.....	27	4	23	.....	.....	20	2	13	.....	.....	4	6	.....	2	.....	2	.....	5	11
1	.....	.....	.....	.....	.....	.....	.....	2	9	1	.....	.....	1	3	1	.....	.....	.....	3	12
4	.....	25	2	23	.....	.....	20	2	8	.....	.....	2	.....	.....	1	.....	.....	.....	5	
6	1	22	.....	21	1	.....	22	3	23	.....	.....	2	2	2	6	.....	.....	.....	11	13
1	1	.....	.....	.....	.....	.....	.....	2	12	.....	.....	.....	.....	2	5	.....	.....	.....	5	14
5	.....	22	.....	21	1	.....	22	1	11	.....	.....	2	2	.....	1	.....	.....	.....	6	15
1	.....	.....	.....	.....	.....	.....	.....	2	7	.....	.....	.....	.....	1	3	.....	.....	.....	3	16
4	.....	22	.....	21	1	.....	22	1	5	.....	.....	1	1	.....	.....	.....	.....	.....	3	
9	.....	14	1	13	.....	.....	11	.....	8	.....	.....	1	.....	.....	1	.....	1	.....	5	17
4	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	1	.....	.....	.....	3	18
5	.....	14	1	13	.....	.....	11	.....	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	19
4	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	20
5	.....	14	1	13	.....	.....	11	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
2	.....	6	.....	6	.....	.....	12	.....	8	.....	2	1	.....	.....	1	.....	.....	.....	4	21
1	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	1	.....	.....	1	.....	.....	.....	2	22
1	.....	6	.....	6	.....	.....	11	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....	2	23
1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	24
1	.....	6	.....	6	.....	.....	11	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
38	4	172	18	152	2	.....	115	30	152	10	3	15	5	17	22	1	10	3	66	25
15	2	.....	.....	.....	.....	.....	1	20	84	7	3	9	2	17	13	.....	4	3	26	26
23	2	172	18	152	2	.....	114	10	68	3	.....	6	3	.....	9	1	6	.....	40	27
15	.....	.....	.....	.....	.....	.....	1	20	53	7	2	4	1	5	8	.....	2	3	21	28
23	1	165	11	152	2	.....	113	10	44	3	.....	3	2	.....	5	.....	2	.....	29	
3	.....	43	3	37	2	1	10	7	17	.....	.....	.....	4	1	1	.....	2	.....	9	29
1	.....	.....	.....	.....	.....	.....	1	5	9	.....	.....	.....	3	1	.....	.....	1	.....	4	30
2	.....	43	3	37	2	1	9	2	8	.....	.....	.....	1	.....	1	.....	1	.....	5	31
1	.....	.....	.....	.....	.....	.....	1	5	4	.....	.....	.....	2	.....	.....	.....	.....	.....	2	32
2	.....	43	3	37	2	1	9	2	5	.....	.....	.....	.....	.....	1	.....	1	.....	3	
2	.....	15	1	13	.....	1	7	7	11	.....	.....	.....	4	1	1	.....	2	.....	3	33
1	.....	.....	.....	.....	.....	.....	.....	5	7	.....	.....	.....	3	1	.....	.....	1	.....	2	34
1	.....	15	1	13	.....	1	7	2	4	.....	.....	.....	1	.....	1	.....	1	.....	1	35
1	.....	.....	.....	.....	.....	.....	.....	5	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	36
1	.....	15	1	13	.....	1	7	2	3	.....	.....	.....	.....	.....	1	.....	1	.....	1	
1	.....	28	2	24	2	.....	3	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	37
.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	38
1	.....	28	2	24	2	.....	2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	39
.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	40
1	.....	28	2	24	2	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
97	2	375	23	347	2	3	206	66	319	21	28	26	26	29	37	5	18	2	127	41
38	.....	.....	.....	.....	.....	.....	2	30	200	16	17	16	13	29	26	2	7	2	72	42
59	2	375	23	347	2	3	204	36	119	5	11	10	13	.....	11	3	11	.....	55	43
37	.....	.....	.....	.....	.....	.....	2	30	127	16	4	12	10	11	9	.....	2	2	61	44
59	.....	367	16	347	2	2	204	36	63	5	2	2	5	.....	2	2	5	.....	40	
95	1	354	22	327	2	3	200	66	309	20	27	25	25	28	37	5	17	2	123	45
37	.....	.....	.....	.....	.....	.....	2	30	195	16	16	15	13	28	26	2	6	2	71	46
58	1	354	22	327	2	3	198	36	114	4	11	10	12	.....	11	3	11	.....	52	47
36	.....	.....	.....	.....	.....	.....	2	30	125	16	4	11	10	11	9	.....	2	2	60	48
58	.....	347	16	327	2	2	198	36	60	4	2	2	5	.....	2	2	5	.....	38	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	OHIO—continued.															
1	Registration cities—Continued. Colored	63	.....	.....	.....	.....	.....	.....	22	.....	1	14	7	4	.....	1
2	Males	17	.....	.....	.....	.....	.....	.....	10	.....	.....	5	5	2	.....	1
3	Females	46	.....	.....	.....	.....	.....	.....	12	.....	1	9	2	2	.....	.....
4	Diagnosis reasonably certain. {M.	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
	{F.	33	.....	.....	.....	.....	.....	.....	3	.....	1	1	1	1	.....	.....
5	Akron	62	.....	.....	.....	.....	.....	.....	25	1	.....	15	9	7	.....	5
6	Males	20	.....	.....	.....	.....	.....	.....	10	1	.....	4	5	3	.....	3
7	Females	42	.....	.....	.....	.....	.....	.....	15	.....	.....	11	4	4	.....	2
8	Diagnosis reasonably certain. {M.	7	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	3	.....	.....	.....
	{F.	28	.....	.....	.....	.....	.....	.....	5	.....	.....	3	2	2	.....	.....
9	Cincinnati	419	16	2	5	2	6	1	166	1	7	91	67	36	2	14
10	Males	153	15	2	4	2	6	1	73	1	5	40	27	10	.....	5
11	Females	266	1	.....	1	.....	.....	.....	93	.....	2	51	40	26	2	9
12	Diagnosis reasonably certain. {M.	76	15	2	4	2	6	1	18	1	2	12	3	7	.....	2
	{F.	169	1	.....	1	.....	.....	.....	21	.....	2	10	9	16	.....	1
13	White	400	16	2	5	2	6	1	159	1	6	87	65	36	2	14
14	Males	150	15	2	4	2	6	1	72	1	5	40	26	10	.....	5
15	Females	250	1	.....	1	.....	.....	.....	87	.....	1	47	39	26	2	9
16	Diagnosis reasonably certain. {M.	76	15	2	4	2	6	1	18	1	2	12	3	7	.....	2
	{F.	159	1	.....	1	.....	.....	.....	19	.....	1	10	8	16	.....	1
17	Colored	19	.....	.....	.....	.....	.....	.....	7	.....	1	4	2	.....	.....	.....
18	Males	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
19	Females	16	.....	.....	.....	.....	.....	.....	6	.....	1	4	1	.....	.....	.....
20	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	10	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....
21	Cleveland	483	16	1	4	1	8	2	207	.....	12	139	56	66	5	37
22	Males	214	15	1	4	1	8	1	120	.....	11	87	22	31	3	17
23	Females	269	1	.....	.....	.....	.....	1	87	.....	1	52	34	35	2	20
24	Diagnosis reasonably certain. {M.	105	15	1	4	1	8	1	39	.....	6	27	6	18	1	6
	{F.	183	1	.....	.....	.....	.....	1	26	.....	.....	14	12	26	1	12
25	Columbus	220	6	.....	2	.....	4	.....	73	1	2	38	32	20	2	13
26	Males	78	6	.....	2	.....	4	.....	37	1	2	22	12	11	2	7
27	Females	142	.....	.....	.....	.....	.....	.....	36	.....	.....	16	20	9	.....	6
28	Diagnosis reasonably certain. {M.	44	6	.....	2	.....	4	.....	15	.....	1	12	2	5	1	2
	{F.	110	.....	.....	.....	.....	.....	.....	13	.....	.....	5	8	6	.....	3
29	White	208	6	.....	2	.....	4	.....	69	1	2	34	32	18	2	12
30	Males	74	6	.....	2	.....	4	.....	34	1	2	19	12	10	2	6
31	Females	134	.....	.....	.....	.....	.....	.....	35	.....	.....	15	20	8	.....	6
32	Diagnosis reasonably certain. {M.	43	6	.....	2	.....	4	.....	14	.....	1	11	2	5	1	2
	{F.	103	.....	.....	.....	.....	.....	.....	13	.....	.....	5	8	5	.....	3
33	Colored	12	.....	.....	.....	.....	.....	.....	4	.....	.....	4	.....	2	.....	1
34	Males	4	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	1	.....	1
35	Females	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
36	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
37	Dayton	133	5	.....	2	.....	1	2	43	.....	3	23	17	18	1	8
38	Males	43	4	.....	2	.....	.....	2	23	.....	3	15	5	6	.....	1
39	Females	90	1	.....	.....	.....	1	.....	20	.....	.....	8	12	12	1	7
40	Diagnosis reasonably certain. {M.	17	4	.....	2	.....	.....	2	4	.....	1	3	.....	3	.....	.....
	{F.	62	1	.....	.....	.....	1	.....	3	.....	.....	2	1	7	.....	3
41	Toledo	184	6	.....	1	.....	5	.....	76	.....	5	52	19	20	1	10
42	Males	77	5	.....	1	.....	4	.....	33	.....	4	25	4	12	.....	8
43	Females	107	1	.....	.....	.....	1	.....	43	.....	1	27	15	8	1	2
44	Diagnosis reasonably certain. {M.	40	5	.....	1	.....	4	.....	9	.....	2	5	2	6	.....	2
	{F.	67	1	.....	.....	.....	1	.....	9	.....	.....	6	3	7	1	1
45	Youngstown	66	2	.....	.....	1	1	.....	23	.....	1	12	10	12	2	5
46	Males	24	1	.....	.....	.....	1	.....	12	.....	1	5	6	1	.....	1
47	Females	42	1	.....	.....	1	.....	.....	11	.....	.....	7	4	11	2	4
48	Diagnosis reasonably certain. {M.	10	1	.....	.....	.....	1	.....	2	.....	1	1	.....	.....	.....	.....
	{F.	27	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	6	.....	2
49	Other cities	537	25	.....	6	6	10	3	189	.....	4	108	77	81	7	49
50	Males	180	19	.....	5	4	7	3	78	.....	3	42	33	32	3	18
51	Females	357	6	.....	1	2	3	.....	111	.....	1	66	44	49	4	31
52	Diagnosis reasonably certain. {M.	94	19	.....	5	4	7	3	17	.....	1	9	7	21	1	10
	{F.	236	6	.....	1	2	3	.....	26	.....	1	15	10	27	1	13

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2	1	21	1	20			6		10	1	1	1	1	1			1		4	1
1									5		1	1		1			1		1	2
1	1	21	1	20			6		5	1			1						3	3
1									2			1							1	4
1		20		20			6		3	1									2	
2		10		10			10	1	9				2	1	2				4	5
								1	6				1	1	1				3	6
2		10		10			10		3				1		1				1	7
								1	3				1						2	
2		10		10			10		1						1					8
20		80	7	72	1		36	15	70	4	4	4	7	9	10		7	1	24	9
5								6	49	4		3	3	9	9		4	1	16	10
15		80	7	72	1		36	9	21		4	1	4		1		3		8	11
5								6	30	4		3	1	3	3		1	1	14	
15		77	4	72	1		36	9	9				1				1		7	12
20		73	6	66	1		35	15	66	4	4	4	7	8	10		6	1	22	13
5								6	47	4		3	3	8	9		3	1	16	14
15		73	6	66	1		35	9	19		4	1	4		1		3		6	15
5								6	30	4		3	1	3	3		1	1	14	
15		71	4	66	1		35	9	8				1				1		6	16
		7	1	6			1		4					1			1		2	17
									2					1			1			18
		7	1	6			1		2										2	19
		6		6			1		1										1	20
24		67	6	60		1	42	10	75	6	10	3	7	5	4	1	4		35	21
11							1	5	42	6	7	2	3	5	3				16	22
13		67	6	60		1	41	5	33		3	1	4		1	1	4		19	23
11							1	5	27	6	1	2	2	3	1				12	
13		65	4	60		1	41	5	19		1		2				3		13	24
5		56	1	54		1	24	8	33	3	4	3	3	3	2	1		1	13	25
2								5	19	1	2	2	2	3	2			1	6	26
3		56	1	54		1	24	3	14	2	2	1	1			1			7	27
2								5	13	1	2	2	2					1	5	
3		55	1	54			24	3	9	2	1		1			1			4	28
4		54	1	52		1	21	8	32	3	4	3	3	3	2	1		1	12	29
2								5	19	1	2	2	2	3	2			1	6	30
2		54	1	52		1	21	3	13	2	2	1	1			1			6	31
2								5	13	1	2	2	2					1	5	
2		53	1	52			21	3	8	2	1		1			1			3	32
1		2		2			3		1										1	33
																				34
1		2		2			3		1										1	35
1		2		2			3		1										1	36
9		31	1	30			14	7	15			4	3	3	3				2	37
5								1	9			3	1	3	2					38
4		31	1	30			14	6	6			1	2		1				2	39
5								1	3			1	1	1						
4		30		30			14	6	1				1							40
9		27	1	25		1	15	8	32	1	2	3	1	4	4	1	2		14	41
4								6	21		2	2	1	4	3	1			8	42
5		27	1	25		1	15	2	11	1		1			1		2		6	43
4								6	14			2	1	3	2				6	
5		27	1	25		1	15	2	6	1									5	44
4	1	11	2	9			4	3	11		2	1	1		1				6	45
									10		2	1	1		1				5	46
4	1	11	2	9			4	3	1										1	47
									7		1		1						5	
4		11	2	9			4	3	1										1	48
24	1	93	5	87	1		61	14	74	7	6	8	2	4	11	2	5		29	49
11							1	6	44	5	4	3	1	4	5	1	3		18	50
13	1	93	5	87	1		60	8	30	2	2	5	1		6	1	2		11	51
10							1	6	30	5		2	1	1	3		1		17	
13		92	1	87	1		60	8	17	2		2			1	1	1		10	52

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	OREGON.[1]															
1	Portland	229	12	3	3	.....	5	1	84	.....	2	56	26	39	2	20
2	Males	107	9	3	2	.....	3	1	56	.....	2	43	11	14	.....	5
3	Females	122	3	.....	1	.....	2	.....	28	.....	.....	13	15	25	2	15
4	Diagnosis reasonably certain. {M..	63	9	3	2	.....	3	1	23	.....	.....	17	6	10	.....	2
	{F..	87	3	.....	1	.....	2	.....	9	.....	.....	4	5	15	1	6
5	White	222	11	3	3	.....	4	1	79	.....	2	53	24	39	2	20
6	Males	101	8	3	2	.....	2	1	51	.....	2	40	9	14	.....	5
7	Females	121	3	.....	1	.....	2	.....	28	.....	.....	13	15	25	2	15
8	Diagnosis reasonably certain. {M..	58	8	3	2	.....	2	1	19	.....	.....	15	4	10	.....	2
	{F..	86	3	.....	1	.....	2	.....	9	.....	.....	4	5	15	1	6
9	Colored.[2]	7	1	.....	.....	.....	1	.....	5	.....	.....	3	2	.....	.....	.....
10	Males	6	1	.....	.....	.....	1	.....	5	.....	.....	3	2	.....	.....	.....
11	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Diagnosis reasonably certain. {M..	5	1	.....	.....	.....	1	.....	4	.....	.....	2	2	.....	.....	.....
	{F..	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	PENNSYLVANIA.															
13	Registration cities	3,245	139	8	38	13	65	15	1,204	4	43	767	390	392	35	231
14	Males	1,204	113	8	34	12	49	10	558	3	34	362	159	165	13	94
15	Females	2,041	26	.....	4	1	16	5	646	1	9	405	231	227	22	137
16	Diagnosis reasonably certain. {M..	610	113	8	34	12	49	10	125	1	9	87	28	97	5	34
	{F..	1,343	25	.....	4	1	15	5	134	.....	5	75	54	137	12	57
17	White	3,104	135	8	36	13	63	15	1,152	4	40	729	379	375	34	222
18	Males	1,158	109	8	32	12	47	10	536	3	33	347	153	158	13	92
19	Females	1,946	26	.....	4	1	16	5	616	1	7	382	226	217	21	130
20	Diagnosis reasonably certain. {M..	502	109	8	32	12	47	10	124	1	9	86	28	92	5	34
	{F..	1,278	25	.....	4	1	15	5	129	.....	4	72	53	130	11	53
21	Colored	141	4	.....	2	.....	2	.....	52	.....	3	38	11	17	1	9
22	Males	46	4	.....	2	.....	2	.....	22	.....	1	15	6	7	.....	2
23	Females	95	.....	.....	.....	.....	.....	.....	30	.....	2	23	5	10	1	7
24	Diagnosis reasonably certain. {M..	18	4	.....	2	.....	2	.....	1	.....	.....	.....	1	5	.....	.....
	{F..	65	.....	.....	.....	.....	.....	.....	5	.....	1	3	1	7	1	4
25	Allentown	59	.....	.....	.....	.....	.....	.....	14	.....	1	11	2	9	1	7
26	Males	13	.....	.....	.....	.....	.....	.....	6	.....	.....	5	1	2	.....	2
27	Females	46	.....	.....	.....	.....	.....	.....	8	.....	1	6	1	7	1	5
28	Diagnosis reasonably certain. {M..	8	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....
	{F..	32	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
29	Erie	55	3	.....	1	.....	1	1	20	.....	.....	14	6	8	2	4
30	Males	22	3	.....	1	.....	1	1	11	.....	.....	9	2	2	.....	1
31	Females	33	.....	.....	.....	.....	.....	.....	9	.....	.....	5	4	6	2	3
32	Diagnosis reasonably certain. {M..	11	3	.....	1	.....	1	1	1	.....	.....	1	.....	2	.....	1
	{F..	21	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	3	1	1
33	Harrisburg	57	2	.....	.....	.....	2	.....	12	.....	.....	5	7	11	1	8
34	Males	16	2	.....	.....	.....	2	.....	4	.....	.....	2	2	4	1	3
35	Females	41	.....	.....	.....	.....	.....	.....	8	.....	.....	3	5	7	.....	5
36	Diagnosis reasonably certain. {M..	7	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	2	.....	2
	{F..	32	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	5	.....	3
37	Lancaster	55	2	.....	.....	.....	2	.....	20	.....	1	12	7	7	.....	2
38	Males	23	2	.....	.....	.....	2	.....	12	.....	1	9	2	3	.....	1
39	Females	32	.....	.....	.....	.....	.....	.....	8	.....	.....	3	5	4	.....	1
40	Diagnosis reasonably certain. {M..	10	2	.....	.....	.....	2	.....	2	.....	.....	1	1	3	.....	1
	{F..	20	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	3	.....	.....
41	Philadelphia	1,541	76	2	25	11	30	8	547	3	25	349	170	170	15	105
42	Males	591	62	2	22	11	23	4	256	2	22	163	69	71	5	42
43	Females	950	14	.....	3	.....	7	4	291	1	3	186	101	99	10	63
44	Diagnosis reasonably certain. {M..	323	62	2	22	11	23	4	64	1	6	47	10	48	5	19
	{F..	631	14	.....	3	.....	7	4	62	.....	1	33	28	56	6	24
45	White	1,455	74	2	24	11	29	8	514	3	22	325	164	159	14	100
46	Males	564	60	2	21	11	22	4	243	2	21	154	66	68	5	42
47	Females	891	14	.....	3	.....	7	4	271	1	1	171	98	91	9	58
48	Diagnosis reasonably certain. {M..	311	60	2	21	11	22	4	63	1	6	46	10	45	5	19
	{F..	591	14	.....	3	.....	7	4	59	.....	.....	32	27	50	5	21

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
17	.....	35	3	31	1	.....	17	4	38	.....	3	5	3	3	6	4	3	.....	11	1
9	.....	.....	.....	.....	.....	.....	.....	3	25	.....	3	3	2	3	4	2	1	.....	7	2
8	.....	35	3	31	1	.....	17	1	13	.....	.....	2	1	.....	2	2	2	.....	4	3
8	.....	.....	.....	.....	.....	.....	.....	3	18	.....	3	1	2	1	3	1	1	.....	6	4
8	.....	34	2	31	1	.....	17	1	8	.....	.....	1	1	.....	1	1	1	.....	3	
17	.....	34	3	30	1	.....	17	4	38	.....	3	5	3	3	6	4	3	.....	11	5
9	.....	.....	.....	.....	.....	.....	.....	3	25	.....	3	3	2	3	4	2	1	.....	7	6
8	.....	34	3	30	1	.....	17	1	13	.....	.....	2	1	.....	2	2	2	.....	4	7
8	.....	.....	.....	.....	.....	.....	.....	3	18	.....	3	1	2	1	3	1	1	.....	6	8
8	.....	33	2	30	1	.....	17	1	8	.....	.....	1	1	.....	1	1	1	.....	3	
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
125	1	572	32	527	12	1	369	80	489	26	20	57	34	47	73	14	33	4	181	13
58	.....	.....	.....	.....	.....	.....	8	47	313	24	7	24	14	47	58	7	21	4	107	14
67	1	572	32	527	12	1	361	33	176	2	13	33	20	.....	15	7	12	.....	74	15
58	.....	.....	.....	.....	.....	.....	8	47	220	24	3	14	11	20	41	4	9	4	90	16
67	1	561	21	527	12	1	361	33	92	2	3	10	10	.....	8	2	7	.....	50	
119	.....	539	32	494	12	1	356	78	469	26	19	56	33	45	69	14	30	4	173	17
53	.....	.....	.....	.....	.....	.....	8	47	300	24	7	23	14	45	54	7	19	4	103	18
66	.....	539	32	494	12	1	348	31	169	2	12	33	19	.....	15	7	11	.....	70	19
53	.....	.....	.....	.....	.....	.....	8	47	212	24	3	13	11	19	38	4	9	4	87	20
66	.....	528	21	494	12	1	348	31	87	2	3	10	10	.....	8	2	6	.....	46	
6	1	33	.....	33	.....	.....	13	2	20	.....	1	1	1	2	4	.....	3	.....	8	21
5	.....	.....	.....	.....	.....	.....	.....	.....	13	.....	.....	1	.....	2	4	.....	2	.....	4	22
1	1	33	.....	33	.....	.....	13	2	7	.....	1	.....	1	.....	.....	.....	1	.....	4	23
5	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	1	.....	1	3	.....	.....	.....	3	24
1	1	33	.....	33	.....	.....	13	2	5	.....	.....	.....	.....	.....	.....	.....	1	.....	4	
1	.....	13	.....	13	.....	.....	11	3	9	.....	1	.....	2	2	.....	.....	.....	.....	4	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	2	.....	.....	.....	.....	3	26
1	.....	13	.....	13	.....	.....	11	3	4	.....	1	.....	2	.....	.....	.....	.....	.....	1	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....	.....	2	.....	.....	.....	.....	3	28
1	.....	13	.....	13	.....	.....	11	3	3	.....	1	.....	1	.....	.....	.....	.....	.....	1	
2	.....	6	.....	6	.....	.....	7	2	9	.....	.....	.....	2	1	2	.....	.....	.....	4	29
1	.....	.....	.....	.....	.....	.....	1	1	4	.....	.....	.....	1	1	.....	.....	.....	.....	2	30
1	.....	6	.....	6	.....	.....	6	1	5	.....	.....	.....	1	.....	2	.....	.....	.....	2	31
1	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	32
1	.....	6	.....	6	.....	.....	6	1	3	.....	.....	.....	.....	.....	2	.....	.....	.....	1	
2	.....	14	1	13	.....	.....	8	4	6	.....	.....	.....	.....	1	1	.....	2	.....	2	33
.....	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....	1	1	.....	.....	.....	2	34
2	.....	14	1	13	.....	.....	8	2	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	36
2	.....	14	1	13	.....	.....	8	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	
5	.....	6	1	5	.....	.....	8	1	11	.....	.....	3	.....	1	2	.....	.....	.....	5	37
2	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	1	1	.....	.....	.....	3	38
3	.....	6	1	5	.....	.....	8	.....	6	.....	.....	3	.....	.....	1	.....	.....	.....	2	39
2	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	40
3	.....	5	.....	5	.....	.....	8	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	
49	1	268	13	247	7	1	186	33	261	13	12	37	17	20	40	9	17	2	94	41
24	.....	.....	.....	.....	.....	.....	5	20	177	12	5	20	9	20	31	6	12	2	60	42
25	1	268	13	247	7	1	181	13	84	1	7	17	8	.....	9	3	5	.....	34	43
24	.....	.....	.....	.....	.....	.....	5	20	124	12	3	11	8	8	22	3	5	2	50	44
25	1	264	9	247	7	1	181	13	41	1	1	8	3	.....	3	.....	2	.....	23	
45	.....	248	13	227	7	1	178	33	249	13	12	36	17	20	37	9	15	2	88	45
21	.....	.....	.....	.....	.....	.....	5	20	168	12	5	19	9	20	28	6	10	2	57	46
24	.....	248	13	227	7	1	173	13	81	1	7	17	8	.....	9	3	5	.....	31	47
21	.....	.....	.....	.....	.....	.....	5	20	118	12	3	10	8	8	19	3	5	2	48	48
24	.....	244	9	227	7	1	173	12	88	1	1	8	3	.....	3	.....	2	.....	20	

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.	
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	PENNSYLVANIA—continued.															
	Philadelphia—Continued.															
1	Colored	86	2		1		1		33		3	24	6	11	1	5
2	Males	27	2		1		1		13		1	9	3	3		
3	Females	59							20		2	15	3	8	1	5
4	Diagnosis reasonably certain {M	12	2		1		1		1			1		3		
	{F	40							3		1	1	1	6	1	3
5	Pittsburgh	481	20	2	6		9	3	198	1	6	129	62	51	6	25
6	Males	177	18	2	5		8	3	81	1	4	53	23	26	2	15
7	Females	304	2		1		1		117		2	76	39	25	4	10
8	Diagnosis reasonably certain {M	95	18	2	5		8	3	21		1	16	4	13		4
	{F	194	2		1		1		26		2	17	7	18	3	4
9	White	460	19	2	6		8	3	190	1	6	122	61	51	6	25
10	Males	173	17	2	5		7	3	79	1	4	51	23	26	2	15
11	Females	287	2		1		1		111		2	71	38	25	4	10
12	Diagnosis reasonably certain {M	93	17	2	5		7	3	21		1	16	4	13		4
	{F	183	2		1		1		25		2	16	7	18	3	4
13	Colored	21	1				1		8			7	1			
14	Males	4	1				1		2			2				
15	Females	17							6			5	1			
16	Diagnosis reasonably certain {M	2	1				1									
	{F	11							1			1				
17	Reading	86	4		2	1	1		30		3	16	11	14	3	7
18	Males	36	3		2		1		20		3	8	9	7	1	3
19	Females	50	1			1			10			8	2	7	2	4
20	Diagnosis reasonably certain {M	11	3		2		1		1				1	4		1
	{F	3 3	1			1			1				1	4	2	1
21	Scranton	85	5	1			2	2	28			23	5	16	1	14
22	Males	35	4	1			1	2	15			11	4	9		8
23	Females	50	1				1		13			12	1	7	1	6
24	Diagnosis reasonably certain {M	15	4	1			1	2	2			2		3		2
	{F	34	1				1		2			2		4		4
25	Williamsport	50							24			18	6	9		3
26	Males	19							12			9	3	3		
27	Females	31							12			9	3	6		3
28	Diagnosis reasonably certain {M	7												3		
	{F	19							4			3	1	5		2
29	Other cities	776	27	3	4	1	18	1	311		7	190	114	97	6	56
30	Males	272	19	3	4	1	11		141		4	93	44	38	4	19
31	Females	504	8				7	1	170		3	97	70	59	2	37
32	Diagnosis reasonably certain {M	123	19	3	4	1	11		31		2	18	11	19		4
	{F	327	7				6	1	32		2	17	13	38		18
	RHODE ISLAND.															
33	Registration cities	426	23	4	5	3	8	3	125		3	80	42	65	3	44
34	Males	155	20	4	5	3	7	1	55		2	40	13	30	2	20
35	Females	271	3				1	2	70		1	40	29	35	1	24
36	Diagnosis reasonably certain {M	86	20	4	5	3	7	1	13		2	10	1	18	1	9
	{F	175	3				1	2	7			2	5	17		7
37	White	419	23	4	5	3	8	3	122		2	78	42	64	3	43
38	Males	153	20	4	5	3	7	1	55		2	40	13	29	2	19
39	Females	266	3				1	2	67			38	29	35	1	24
40	Diagnosis reasonably certain {M	85	20	4	5	3	7	1	13		2	10	1	18	1	9
	{F	173	3				1	2	7			2	5	17		7
41	Colored	7							3		1	2		1		1
42	Males	2												1		1
43	Females	5							3		1	2				
44	Diagnosis reasonably certain {M	1														
	{F	2														
45	Providence	227	8	4	1	1	2		67		3	40	24	39	2	28
46	Males	82	8	4	1	1	2		28		2	16	10	18	1	15
47	Females	145							39		1	24	14	21	1	13
48	Diagnosis reasonably certain {M	46	8	4	1	1	2		9		2	6	1	8		6
	{F	94							5			2	3	13		6

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
4	1	20	.....	20	.....	.....	8	.....	12	.....	.....	1	.....	.....	3	.....	2	.....	6	1
3	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	.....	1	.....	.....	3	.....	2	.....	3	2
1	1	20	.....	20	.....	.....	8	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3
3	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	1	.....	.....	3	.....	.....	.....	2	4
1	1	20	.....	20	.....	.....	8	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
20	.....	92	9	82	1	.....	41	9	70	10	.....	8	4	6	10	2	6	.....	24	5
9	.....	.....	.....	.....	.....	.....	.....	5	47	9	.....	1	1	6	10	1	4	.....	15	6
11	.....	92	9	82	1	.....	41	4	23	1	.....	7	3	.....	.....	1	2	.....	9	7
9	.....	.....	.....	.....	.....	.....	.....	5	38	9	.....	1	1	4	7	1	2	.....	13	8
11	.....	89	6	82	1	.....	41	4	14	1	.....	2	2	.....	.....	1	2	.....	6	
20	.....	86	9	76	1	.....	39	8	67	10	.....	8	3	5	10	2	5	.....	24	9
9	.....	.....	.....	.....	.....	.....	.....	5	46	9	.....	1	1	5	10	1	4	.....	15	10
11	.....	86	9	76	1	.....	39	3	21	1	.....	7	2	.....	.....	1	1	.....	9	11
9	.....	.....	.....	.....	.....	.....	.....	5	37	9	.....	1	1	3	7	1	2	.....	13	12
11	.....	83	6	76	1	.....	39	3	13	1	.....	2	2	.....	.....	1	1	.....	6	
.....	.....	6	.....	6	.....	.....	2	1	3	.....	.....	.....	1	1	.....	.....	1	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	14
.....	.....	6	.....	6	.....	.....	2	1	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	16
.....	.....	6	.....	6	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	
4	.....	14	.....	13	1	.....	10	1	13	.....	1	1	2	1	.....	1	2	.....	5	17
3	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	1	1	.....	.....	2	.....	1	18
1	.....	14	.....	13	1	.....	10	.....	8	.....	1	1	1	.....	.....	1	.....	.....	4	19
3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	20
1	.....	14	.....	13	1	.....	10	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	
1	.....	13	1	12	.....	.....	13	1	9	1	.....	.....	.....	2	2	1	.....	.....	3	21
1	.....	.....	.....	.....	.....	.....	1	.....	6	1	.....	.....	.....	2	2	.....	.....	.....	1	22
.....	.....	13	1	12	.....	.....	12	1	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	23
1	.....	.....	.....	.....	.....	.....	1	.....	5	1	.....	.....	.....	1	2	.....	.....	.....	1	24
.....	.....	12	.....	12	.....	.....	12	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
6	.....	7	2	5	.....	.....	4	1	5	.....	.....	.....	1	1	1	.....	.....	.....	2	25
3	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	1	1	.....	.....	.....	1	26
3	.....	7	2	5	.....	.....	4	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	27
3	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	1	1	.....	.....	.....	1	28
3	.....	6	1	5	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
35	.....	139	5	131	3	.....	81	25	96	2	6	8	6	12	15	1	6	2	38	29
15	.....	.....	.....	.....	.....	.....	1	16	57	2	2	3	2	12	12	.....	3	2	19	30
20	.....	139	5	131	3	.....	80	9	39	.....	4	5	4	.....	3	1	3	.....	19	31
15	.....	.....	.....	.....	.....	.....	1	16	37	2	.....	2	1	4	8	.....	1	2	17	32
20	.....	138	4	131	3	.....	80	9	23	.....	1	.....	3	.....	2	1	2	.....	14	
18	.....	80	4	73	3	.....	54	12	67	5	1	5	1	8	10	2	3	.....	32	33
8	.....	.....	.....	.....	.....	.....	.....	8	42	4	.....	4	1	8	7	.....	2	.....	16	34
10	.....	80	4	73	3	.....	54	4	25	1	1	1	.....	.....	3	2	1	.....	16	35
8	.....	.....	.....	.....	.....	.....	.....	8	27	4	.....	3	1	3	3	.....	.....	.....	13	36
10	.....	80	4	73	3	.....	54	4	10	.....	.....	1	.....	.....	1	1	.....	.....	7	
18	.....	79	4	72	3	.....	53	12	66	5	1	5	1	8	10	2	3	.....	31	37
8	.....	.....	.....	.....	.....	.....	.....	8	41	4	.....	4	1	8	7	.....	2	.....	15	38
10	.....	79	4	72	3	.....	53	4	25	1	1	1	.....	.....	3	2	1	.....	16	39
8	.....	.....	.....	.....	.....	.....	.....	8	26	4	.....	3	1	3	3	.....	.....	.....	12	40
10	.....	79	4	72	3	.....	53	4	10	.....	.....	1	.....	.....	1	1	.....	.....	7	
.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	42
.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	44
.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	.....	39	4	35	.....	.....	26	5	43	3	.....	2	.....	7	8	1	1	.....	21	45
2	.....	.....	.....	.....	.....	.....	.....	2	26	3	.....	1	.....	7	6	.....	.....	.....	9	46
7	.....	39	4	35	.....	.....	26	3	17	.....	.....	1	.....	.....	2	1	1	.....	12	47
2	.....	.....	.....	.....	.....	.....	.....	2	19	3	.....	1	.....	3	3	.....	.....	.....	9	48
7	.....	39	4	35	.....	.....	26	3	8	.....	.....	1	.....	.....	1	1	.....	.....	5	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	RHODE ISLAND—continued.															
1	Other cities	199	15	.....	4	2	6	3	58	.....	.....	40	18	26	1	16
2	Males	73	12	.....	4	2	5	1	27	.....	.....	24	3	12	1	5
3	Females	126	3	.....	.....	.....	1	2	31	.....	.....	16	15	14	.....	11
4	Diagnosis reasonably certain. {M.	40	12	.....	4	2	5	1	4	.....	.....	4	.....	10	1	3
	{F.	81	3	.....	.....	.....	1	2	2	.....	.....	.....	2	4	.....	1
	SOUTH CAROLINA.[1]															
5	Charleston[2]	35	.....	.....	.....	.....	.....	.....	6	.....	.....	3	3	2	.....	.....
6	Males	10	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	.....	.....
7	Females	25	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	.....	.....	.....
8	Diagnosis reasonably certain. {M.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	{F.	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	White	23	.....	.....	.....	.....	.....	.....	5	.....	.....	3	2	2	.....	.....
10	Males	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....
11	Females	16	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	.....	.....	.....
12	Diagnosis reasonably certain. {M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	{F.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Colored	12	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
14	Males	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
15	Females	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	TENNESSEE.[1]															
17	Registration cities	289	11	3	1	2	5	.....	76	.....	.....	48	28	30	2	15
18	Males	85	7	2	1	2	2	.....	44	.....	.....	29	15	10	.....	8
19	Females	204	4	1	.....	.....	3	.....	32	.....	.....	19	13	20	2	7
20	Diagnosis reasonably certain. {M.	37	7	2	1	2	2	.....	10	.....	.....	8	2	4	.....	2
	{F.	160	4	1	.....	.....	3	.....	8	.....	.....	5	3	14	1	2
21	White	209	9	3	1	2	3	.....	59	.....	.....	35	24	21	1	13
22	Males	72	6	2	1	2	1	.....	36	.....	.....	23	13	8	.....	7
23	Females	137	3	1	.....	.....	2	.....	23	.....	.....	12	11	13	1	6
24	Diagnosis reasonably certain. {M.	32	6	2	1	2	1	.....	8	.....	.....	7	1	3	.....	2
	{F.	102	3	1	.....	.....	2	.....	7	.....	.....	4	3	7	.....	1
25	Colored	80	2	.....	.....	.....	2	.....	17	.....	.....	13	4	9	1	2
26	Males	13	1	.....	.....	.....	1	.....	8	.....	.....	6	2	2	.....	1
27	Females	67	1	.....	.....	.....	1	.....	9	.....	.....	7	2	7	1	1
28	Diagnosis reasonably certain. {M.	5	1	.....	.....	.....	1	.....	2	.....	.....	1	1	1	.....	.....
	{F.	58	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	7	1	1
29	Memphis	114	6	1	.....	1	4	.....	36	.....	.....	23	13	12	1	6
30	Males	37	3	1	.....	1	1	.....	24	.....	.....	14	10	3	.....	3
31	Females	77	3	.....	.....	.....	3	.....	12	.....	.....	9	3	9	1	3
32	Diagnosis reasonably certain. {M.	10	3	1	.....	1	1	.....	3	.....	.....	3	.....	1	.....	1
	{F.	60	3	.....	.....	.....	3	.....	4	.....	.....	4	.....	6	.....	1
33	White	86	4	1	.....	1	2	.....	32	.....	.....	19	13	10	1	6
34	Males	34	2	1	.....	1	.....	.....	22	.....	.....	12	10	3	.....	3
35	Females	52	2	.....	.....	.....	2	.....	10	.....	.....	7	3	7	1	3
36	Diagnosis reasonably certain. {M.	9	2	1	.....	1	.....	.....	3	.....	.....	3	.....	1	.....	1
	{F.	37	2	.....	.....	.....	2	.....	3	.....	.....	3	.....	4	.....	1
37	Colored	28	2	.....	.....	.....	2	.....	4	.....	.....	4	.....	2	.....	.....
38	Males	3	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	.....	.....	.....
39	Females	25	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	2	.....	.....
40	Diagnosis reasonably certain. {M.	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	23	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	2	.....	.....
41	Nashville	98	2	1	1	.....	.....	.....	21	.....	.....	12	9	11	.....	7
42	Males	30	2	1	1	.....	.....	.....	12	.....	.....	9	3	4	.....	3
43	Females	68	.....	.....	.....	.....	.....	.....	9	.....	.....	3	6	7	.....	4
44	Diagnosis reasonably certain. {M.	18	2	1	1	.....	.....	.....	4	.....	.....	2	2	2	.....	1
	{F.	55	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	4	.....	1
45	White	68	2	1	1	.....	.....	.....	15	.....	.....	7	8	7	.....	6
46	Males	22	2	1	1	.....	.....	.....	7	.....	.....	5	2	3	.....	3
47	Females	46	.....	.....	.....	.....	.....	.....	8	.....	.....	2	6	4	.....	3
48	Diagnosis reasonably certain. {M.	14	2	1	1	.....	.....	.....	2	.....	.....	1	1	1	.....	1
	{F.	34	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	1	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
9	.....	41	.....	38	3	.....	28	7	24	2	1	3	1	1	2	1	2	.....	11	1
6	.....							6	16	1	.....									
3	.....	41	.....	38	3	.....	28	1	8	1	1	3	1	1	1	.....	2	.....	7	2
6	.....							6	8	1	.....				1	1			4	3
3	.....	41	.....	38	3	.....	28	1	2	.....	.....	2	1	.....	.....	.....	.....	.....	4	
																			2	4
2	.....	12	.....	12	.....	.....	8	1	6	.....	.....	.....	2	2	.....	.....	.....	.....	2	5
2	.....						1	1	4	.....	.....	.....		1	2	.....	.....	.....	1	6
.....	.....	12	.....	12	.....	.....	7	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	1	7
2	.....						1	1	3	.....	.....	.....	1	2	.....	.....	.....	.....		
.....	.....	12	.....	12	.....	.....	7	.....												8
2	.....	7	.....	7	.....	.....	4	.....	5	.....	.....	.....	2	2	.....	.....	.....	.....	1	9
2	.....						1	.....	3	.....	.....	.....	1	2	.....	.....	.....	.....		
.....	.....	7	.....	7	.....	.....	3	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....		10
2	.....						1	.....	3	.....	.....	.....	1	2	.....	.....	.....	.....	1	11
.....	.....	7	.....	7	.....	.....	3	.....												
.....	.....	5	.....	5	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	13
.....	.....						4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....		
.....	.....	5	.....	5	.....	.....	4	.....											1	14
.....	.....							1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	5	.....	5	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
																				16
13	.....	98	2	94	2	.....	21	10	43	1	2	10	1	2	.....	1	5	.....	21	17
2	.....							4	20	.....	1	4	.....	2	.....	.....	2	.....		
11	.....	98	2	94	2	.....	21	6	23	.....	1	6	1	.....	.....	1	2	.....	9	18
2	.....							4	12	1	.....	2	.....	1	.....	.....	3	.....	12	19
11	.....	98	2	94	2	.....	21	6	9	.....	.....		1	.....	.....	.....	1	.....	7	
																			8	20
7	.....	61	1	59	1	.....	12	8	39	1	2	9	1	2	.....	.....	5	.....	19	21
1	.....							4	18	1	1	4	.....	2	.....	.....	2	.....	8	22
6	.....	61	1	59	1	.....	12	4	21	.....	1	5	1	.....	.....	.....	3	.....	11	23
1	.....							4	11	1	.....	2	.....	1	.....	.....	1	.....	6	
6	.....	61	1	59	1	.....	12	4	8	.....	.....		1	.....	.....	.....	.....	.....	7	24
6	.....	37	1	35	1	.....	9	2	4	.....	.....	1	.....	.....	.....	1	.....	.....	2	25
1	.....								2	.....	.....		.....	.....	.....	.....	.....	.....		
5	.....	37	1	35	1	.....	9	2	2	.....	.....	1	.....	.....	.....	1	.....	.....	1	26
1	.....								1	.....	.....		.....	.....	.....	.....	.....	.....	1	27
5	.....	37	1	35	1	.....	9	2	1	.....	.....		.....	.....	.....	.....	.....	.....	1	
																			1	28
5	.....	36	.....	36	.....	.....	8	2	14	1	1	3	.....	.....	.....	.....	2	.....	7	29
5	.....	36	.....	36	.....	.....	8	2	7	1	1	1	.....	.....	.....	.....	1	.....	3	30
5	.....	36	.....	36	.....	.....	8	2	7	.....	.....	2	.....	.....	.....	.....	1	.....	4	31
3	.....	21	.....	21	.....	.....	5	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	2	
									1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
3	.....	21	.....	21	.....	.....	5	1	13	1	1	2	.....	.....	.....	.....	2	.....	7	33
3	.....	21	.....	21	.....	.....	5	1	7	1	1	1	.....	.....	.....	.....	1	.....	3	34
3	.....	21	.....	21	.....	.....	5	1	6	.....	.....	1	.....	.....	.....	.....	1	.....	4	35
2	.....	15	.....	15	.....	.....	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	2	
									1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	36
2	.....	15	.....	15	.....	.....	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	37
2	.....	15	.....	15	.....	.....	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	38
4	.....	30	2	26	2	.....	8	6	20	.....	1	3	1	1	.....	1	2	.....	11	41
1	.....							3	9	.....	.....	2	.....	1	.....	1	1	.....	4	42
3	.....	30	2	26	2	.....	8	3	11	.....	1	1	1	.....	.....	.....	1	.....	7	43
1	.....							3	7	.....	.....	1	.....	1	.....	.....	1	.....	4	
3	.....	30	2	26	2	.....	8	3	7	.....	.....		1	.....	.....	.....	.....	.....	6	44
1	.....	19	1	17	1	.....	3	5	17	.....	1	3	1	1	.....	.....	2	.....	9	45
1	.....							3	7	.....	.....	2	.....	1	.....	.....	1	.....	3	46
1	.....	19	1	17	1	.....	3	2	10	.....	1	1	1	.....	.....	.....	1	.....	6	47
								3	6	.....	.....	1	.....	1	.....	.....	1	.....	3	
								2	6	.....	.....		1	.....	.....	.....	.....	.....	5	48

[1] The only registration unit in the state.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	TENNESSEE [1]—continued.															
1	Nashville—Continued. Colored	30	.....	.....	.....	.....	.....	.....	6	.....	.....	5	1	4	.....	1
2	Males	8	.....	.....	.....	.....	.....	.....	5	.....	.....	4	1	1	.....	.....
3	Females	22	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	1
4	Diagnosis reasonably certain. {M	4	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	.....
	{F	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1
5	Other cities [2]	77	3	1	.....	1	1	.....	19	.....	.....	13	6	7	1	2
6	Males	18	2	.....	.....	1	1	.....	8	.....	.....	6	2	3	.....	2
7	Females	59	1	1	.....	.....	.....	.....	11	.....	.....	7	4	4	1	.....
8	Diagnosis reasonably certain. {M	4	2	.....	.....	1	1	.....	3	.....	.....	3	.....	1	.....	.....
	{F	45	1	1	.....	.....	.....	.....	1	.....	.....	.....	1	4	1	.....
9	White	55	3	1	.....	1	1	.....	12	.....	.....	9	3	4	.....	1
10	Males	16	2	.....	.....	1	1	.....	7	.....	.....	6	1	2	.....	1
11	Females	39	1	1	.....	.....	.....	.....	5	.....	.....	3	2	2	.....	.....
12	Diagnosis reasonably certain. {M	9	2	.....	.....	1	1	.....	3	.....	.....	3	.....	1	.....	.....
	{F	31	1	1	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....
13	Colored	22	.....	.....	.....	.....	.....	.....	7	.....	.....	4	3	3	1	1
14	Males	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	1
15	Females	20	.....	.....	.....	.....	.....	.....	6	.....	.....	4	2	2	1	.....
16	Diagnosis reasonably certain. {M	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....
	{F															
	TEXAS. [1]															
17	Registration cities	181	7	.....	1	2	4	.....	52	.....	1	29	22	22	4	9
18	Males	74	6	.....	1	2	3	.....	29	.....	1	16	12	9	2	3
19	Females	107	1	.....	.....	.....	1	.....	23	.....	.....	13	10	13	2	6
20	Diagnosis reasonably certain. {M	46	6	.....	1	2	3	.....	9	.....	.....	4	5	7	1	2
	{F	74	1	.....	.....	.....	1	.....	3	.....	.....	1	2	7	2	.....
21	White	170	7	.....	1	2	4	.....	49	.....	1	27	21	22	4	9
22	Males	70	6	.....	1	2	3	.....	28	.....	1	16	11	9	2	3
23	Females	100	1	.....	.....	.....	1	.....	21	.....	.....	11	10	13	2	6
24	Diagnosis reasonably certain. {M	44	6	.....	1	2	3	.....	9	.....	.....	4	5	7	1	2
	{F	68	1	.....	.....	.....	1	.....	2	.....	.....	.....	2	7	2	.....
25	Colored	11	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....
26	Males	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
27	Females	7	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
28	Diagnosis reasonably certain. {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	6	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
29	Galveston	52	3	.....	.....	2	1	.....	15	.....	1	5	9	4	1	.....
30	Males	28	3	.....	.....	2	1	.....	8	.....	1	3	4	2	1	.....
31	Females	24	.....	.....	.....	.....	.....	.....	7	.....	.....	2	5	2	.....	.....
32	Diagnosis reasonably certain. {M	17	3	.....	.....	2	1	.....	2	.....	.....	.....	2	1	.....	.....
	{F	17	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	2	.....	.....
33	White	45	3	.....	.....	2	1	.....	14	.....	1	5	8	4	1	.....
34	Males	24	3	.....	.....	2	1	.....	7	.....	1	3	3	2	1	.....
35	Females	21	.....	.....	.....	.....	.....	.....	7	.....	.....	2	5	2	.....	.....
36	Diagnosis reasonably certain. {M	15	3	.....	.....	2	1	.....	2	.....	.....	.....	2	1	.....	.....
	{F	14	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	2	.....	.....
37	Colored	7	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
38	Males	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
39	Females	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Diagnosis reasonably certain. {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	San Antonio	81	3	.....	.....	.....	3	.....	23	.....	.....	16	7	11	3	4
42	Males	29	2	.....	.....	.....	2	.....	12	.....	.....	8	4	4	1	1
43	Females	52	1	.....	.....	.....	1	.....	11	.....	.....	8	3	7	2	3
44	Diagnosis reasonably certain. {M	19	2	.....	.....	.....	2	.....	3	.....	.....	1	2	4	1	1
	{F	36	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	4	2	.....
45	White	77	3	.....	.....	.....	3	.....	21	.....	.....	14	7	11	3	4
46	Males	29	2	.....	.....	.....	2	.....	12	.....	.....	8	4	4	1	1
47	Females	48	1	.....	.....	.....	1	.....	9	.....	.....	6	3	7	2	3
48	Diagnosis reasonably certain. {M	19	2	.....	.....	.....	2	.....	3	.....	.....	1	2	4	1	1
	{F	33	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	4	2	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
3	.....	11	1	9	1	.....	5	1	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1
1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2
2	.....	11	1	9	1	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4
2	.....	11	1	9	1	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
4	.....	32	.....	32	.....	.....	5	2	9	.....	.....	4	.....	1	.....	.....	1	.....	3	5
1	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	1	.....	1	.....	.....	.....	.....	2	6
3	.....	32	.....	32	.....	.....	5	1	5	.....	.....	3	.....	.....	.....	.....	1	.....	1	7
1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	8
3	.....	32	.....	32	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
3	.....	21	.....	21	.....	.....	4	2	9	.....	.....	4	.....	1	.....	.....	1	.....	3	9
1	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	1	.....	1	.....	.....	.....	.....	2	10
2	.....	21	.....	21	.....	.....	4	1	5	.....	.....	3	.....	.....	.....	.....	1	.....	1	11
1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	12
2	.....	21	.....	21	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
1	.....	11	.....	11	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
1	.....	11	.....	11	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
1	.....	11	.....	11	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
9	.....	41	2	37	2	.....	13	6	40	2	1	4	6	4	4	.....	.....	1	18	17
4	.....	.....	.....	.....	.....	.....	.....	2	28	1	1	1	3	4	3	.....	.....	1	14	18
5	.....	41	2	37	2	.....	13	4	12	1	.....	3	3	.....	1	.....	.....	.....	4	19
4	.....	.....	.....	.....	.....	.....	.....	2	22	1	1	1	2	2	3	.....	.....	1	11	20
5	.....	39	.....	37	2	.....	13	4	7	1	.....	2	1	.....	.....	.....	.....	.....	3	
9	.....	37	2	33	2	.....	13	5	37	2	1	3	6	3	4	.....	.....	1	17	21
4	.....	.....	.....	.....	.....	.....	.....	1	26	1	1	1	3	3	3	.....	.....	1	13	22
5	.....	37	2	33	2	.....	13	4	11	1	.....	2	3	.....	1	.....	.....	.....	4	23
4	.....	.....	.....	.....	.....	.....	.....	1	21	1	1	1	2	2	3	.....	.....	1	10	24
5	.....	35	.....	33	2	.....	13	4	6	1	.....	1	1	.....	.....	.....	.....	.....	3	
.....	.....	4	.....	4	.....	.....	.....	1	3	.....	.....	1	.....	1	.....	.....	.....	.....	1	25
.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	26
.....	.....	4	.....	4	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	28
.....	.....	4	.....	4	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
3	.....	8	1	6	1	.....	5	3	14	1	.....	1	2	2	1	.....	.....	1	6	29
1	.....	.....	.....	.....	.....	.....	.....	2	13	1	.....	1	1	2	1	.....	.....	1	6	30
2	.....	8	1	6	1	.....	5	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	31
1	.....	.....	.....	.....	.....	.....	.....	2	9	1	.....	1	1	.....	1	.....	.....	1	4	32
2	.....	7	.....	6	1	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	5	1	3	1	.....	5	2	12	1	.....	1	2	1	1	.....	.....	1	5	33
1	.....	.....	.....	.....	.....	.....	.....	1	11	1	.....	1	1	1	1	.....	.....	1	5	34
2	.....	5	1	3	1	.....	5	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	35
1	.....	.....	.....	.....	.....	.....	.....	1	8	1	.....	1	1	.....	1	.....	.....	1	3	36
2	.....	4	.....	3	1	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	3	.....	3	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	37
.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	38
.....	.....	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	40
.....	.....	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	.....	19	1	17	1	.....	5	2	18	.....	.....	3	3	1	2	.....	.....	.....	9	41
2	.....	.....	.....	.....	.....	.....	.....	.....	11	.....	.....	.....	1	1	2	.....	.....	.....	7	42
2	.....	19	1	17	1	.....	5	2	7	.....	.....	3	2	.....	.....	.....	.....	.....	2	43
2	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	.....	1	1	2	.....	.....	.....	6	44
2	.....	18	.....	17	1	.....	5	2	5	.....	.....	2	1	.....	.....	.....	.....	.....	2	
4	.....	18	1	16	1	.....	5	2	17	.....	.....	2	3	1	2	.....	.....	.....	9	45
2	.....	.....	.....	.....	.....	.....	.....	.....	11	.....	.....	.....	1	1	2	.....	.....	.....	7	46
2	.....	18	1	16	1	.....	5	2	6	.....	.....	2	2	.....	.....	.....	.....	.....	2	47
2	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	.....	1	1	2	.....	.....	.....	6	48
2	.....	17	.....	16	1	.....	5	2	4	.....	.....	1	1	.....	.....	.....	.....	.....	2	

[1] Includes Chattanooga, Jackson, and Knoxville.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	TEXAS[1]—continued.															
1	San Antonio—Continued. Colored	4							2			2				
2	Males															
3	Females	4							2			2				
4	Diagnosis reasonably certain. {M															
	{F	3							1			1				
5	El Paso[2]	48	1		1				14			8	6	7		5
6	Males	17	1		1				9			5	4	3		2
7	Females	31							5			3	2	4		3
8	Diagnosis reasonably certain. {M	10	1		1				4			3	1	2		1
	{F	21												1		
	UTAH.															
9	Registration cities	93	2				2		45		1	39	5	8		4
10	Males	45	2				2		26		1	21	4	3		2
11	Females	48							19			18	1	5		2
12	Diagnosis reasonably certain. {M	29	2				2		12			10	2	1		
	{F	32							5			5		4		1
13	White	88	2				2		40			35	5	8		4
14	Males	42	2				2		23			19	4	3		2
15	Females	46							17			16	1	5		2
16	Diagnosis reasonably certain. {M	28	2				2		11			9	2	1		
	{F	32							5			5		4		1
17	Colored	5							5		1	4				
18	Males	3							3		1	2				
19	Females	2							2			2				
20	Diagnosis reasonably certain. {M	1							1			1				
	{F															
21	Salt Lake City	71	2				2		31			26	5	7		4
22	Males	32	2				2		17			13	4	2		2
23	Females	39							14			13	1	5		2
24	Diagnosis reasonably certain. {M	21	2				2		8			6	2			
	{F	27							4			4		4		1
25	Ogden[1]	22							14		1	13		1		
26	Males	13							9		1	8		1		
27	Females	9							5			5				
28	Diagnosis reasonably certain. {M	8							4			4		1		
	{F	5							1			1				
	VERMONT.															
29	Registration cities	73	3	2		1			28			23	5	12		6
30	Males	29	2	1		1			11			9	2	8		5
31	Females	44	1	1					17			14	3	4		1
32	Diagnosis reasonably certain. {M	19	2	1		1			4			4		6		3
	{F	25	1	1					1			1		3		
33	White	72	3	2		1			28			23	5	12		6
34	Males	28	2	1		1			11			9	2	8		5
35	Females	44	1	1					17			14	3	4		1
36	Diagnosis reasonably certain. {M	18	2	1		1			4			4		6		3
	{F	25	1	1					1			1		3		
37	Colored	1														
38	Males	1														
39	Females															
40	Diagnosis reasonably certain. {M	1														
	{F															
	VIRGINIA.															
41	Registration cities	304	7	2	2		2	1	78		2	47	29	29		21
42	Males	101	4	2			1	1	42		1	24	17	11		8
43	Females	203	3		2		1		36		1	23	12	18		13
44	Diagnosis reasonably certain. {M	62	4	2			1	1	12			7	5	10		7
	{F	143	3		2		1		4			3	1	8		3

[1] Nonregistration state; cities shown below only those with effective local ordinances. [2] The only other registration unit; shown in order to complete the state.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
2	.....	14	.....	14	.....	.....	3	1	8	1	1	.....	1	1	1	.....	.....	.....	3	5
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	.....	1	1	.....	.....	.....	.....	1	6
1	.....	14	.....	14	.....	.....	3	1	4	1	.....	.....	.....	.....	1	.....	.....	.....	2	7
1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	1	.....	.....	.....	.....	1	8
1	.....	14	.....	14	.....	.....	3	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	
4	.....	15	.....	14	1	.....	5	5	13	.....	.....	1	1	.....	1	.....	3	1	6	9
1	.....	.....	.....	.....	.....	.....	.....	3	11	.....	.....	1	1	.....	1	.....	2	1	5	10
3	.....	15	.....	14	1	.....	5	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	11
1	.....	.....	.....	.....	.....	.....	.....	3	11	.....	.....	1	1	.....	1	.....	2	1	5	12
3	.....	15	.....	14	1	.....	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
4	.....	15	.....	14	1	.....	5	5	13	.....	.....	1	1	.....	1	.....	3	1	6	13
1	.....	.....	.....	.....	.....	.....	.....	3	11	.....	.....	1	1	.....	1	.....	2	1	5	14
3	.....	15	.....	14	1	.....	5	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	15
1	.....	.....	.....	.....	.....	.....	.....	3	11	.....	.....	1	1	.....	1	.....	2	1	5	16
3	.....	15	.....	14	1	.....	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	13	.....	12	1	.....	4	4	10	.....	.....	.....	1	.....	1	.....	2	1	5	21
.....	.....	.....	.....	.....	.....	.....	.....	2	9	.....	.....	.....	1	.....	1	.....	1	1	5	22
3	.....	13	.....	12	1	.....	4	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	2	9	.....	.....	.....	1	.....	1	.....	1	1	5	24
3	.....	13	.....	12	1	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	2	.....	2	.....	.....	1	1	3	.....	.....	1	.....	.....	.....	.....	1	.....	1	25
1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	26
.....	.....	2	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	27
1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	28
.....	.....	2	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
6	.....	10	.....	8	2	.....	7	1	12	1	1	2	.....	1	1	.....	.....	.....	6	29
3	.....	.....	.....	.....	.....	.....	.....	.....	8	1	1	1	.....	1	1	.....	.....	.....	3	30
3	.....	10	.....	8	2	.....	7	1	4	.....	.....	1	.....	.....	.....	.....	.....	.....	3	31
3	.....	.....	.....	.....	.....	.....	.....	.....	7	1	1	1	.....	.....	1	.....	.....	.....	3	32
3	.....	10	.....	8	2	.....	7	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
6	.....	10	.....	8	2	.....	7	1	11	1	1	1	.....	1	1	.....	.....	.....	6	33
3	.....	.....	.....	.....	.....	.....	.....	.....	7	1	1	.....	.....	1	1	.....	.....	.....	3	34
3	.....	10	.....	8	2	.....	7	1	4	.....	.....	1	.....	.....	.....	.....	.....	.....	3	35
3	.....	.....	.....	.....	.....	.....	.....	.....	6	1	1	.....	.....	.....	1	.....	.....	.....	3	36
3	.....	10	.....	8	2	.....	7	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	.....	91	3	86	1	1	28	9	62	4	1	8	4	7	6	.....	1	1	30	41
3	.....	.....	.....	.....	.....	.....	.....	7	37	2	.....	5	1	7	3	.....	.....	1	18	42
5	.....	91	3	86	1	1	28	2	25	2	1	3	3	.....	3	.....	1	.....	12	43
3	.....	.....	.....	.....	.....	.....	.....	7	29	2	.....	3	1	4	1	.....	.....	1	17	44
5	.....	90	2	86	1	1	28	2	8	2	.....	.....	1	.....	.....	.....	.....	.....	5	

[3] The only other city of 10,000 inhabitants or over in 1910.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	VIRGINIA—continued.															
1	Registration cities—Continued. White	216	7	2	2	.....	2	1	61	.....	2	35	24	24	.....	17
2	Males	86	4	2	.....	.....	1	1	36	.....	1	20	15	10	.....	7
3	Females	130	3	.....	2	.....	1	.....	25	.....	1	15	9	14	.....	10
4	Diagnosis reasonably certain. {M.	53	4	2	.....	.....	1	1	11	.....	.....	7	4	10	.....	7
	{F.	90	3	.....	2	.....	1	.....	3	.....	.....	3	.....	7	.....	3
5	Colored	88	.....	.....	.....	.....	.....	.....	17	.....	.....	12	5	5	.....	4
6	Males	15	.....	.....	.....	.....	.....	.....	6	.....	.....	4	2	1	.....	1
7	Females	73	.....	.....	.....	.....	.....	.....	11	.....	.....	8	3	4	.....	3
8	Diagnosis reasonably certain. {M.	9	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
	{F.	53	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....
9	Richmond	127	3	.....	1	.....	1	1	35	.....	.....	22	13	13	.....	9
10	Males	48	1	.....	.....	.....	.....	1	19	.....	.....	13	6	6	.....	5
11	Females	79	2	.....	1	.....	1	.....	16	.....	.....	9	7	7	.....	4
12	Diagnosis reasonably certain. {M.	31	1	.....	.....	.....	.....	1	4	.....	.....	3	1	5	.....	4
	{F.	55	2	.....	1	.....	1	.....	3	.....	.....	2	1	4	.....	1
13	White	89	3	.....	1	.....	1	1	26	.....	.....	16	10	10	.....	6
14	Males	40	1	.....	.....	.....	.....	1	16	.....	.....	11	5	5	.....	4
15	Females	49	2	.....	1	.....	1	.....	10	.....	.....	5	5	5	.....	2
16	Diagnosis reasonably certain. {M.	27	1	.....	.....	.....	.....	1	4	.....	.....	3	1	5	.....	4
	{F.	37	2	.....	1	.....	1	.....	2	.....	.....	2	.....	4	.....	1
17	Colored	38	.....	.....	.....	.....	.....	.....	9	.....	.....	6	3	3	.....	3
18	Males	8	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	1	.....	1
19	Females	30	.....	.....	.....	.....	.....	.....	6	.....	.....	4	2	2	.....	2
20	Diagnosis reasonably certain. {M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	18	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
21	Other cities	177	4	2	1	.....	1	.....	43	.....	2	25	16	16	.....	12
22	Males	53	3	2	.....	.....	1	.....	23	.....	1	11	11	5	.....	3
23	Females	124	1	.....	1	.....	.....	.....	20	.....	1	14	5	11	.....	9
24	Diagnosis reasonably certain. {M.	31	3	2	.....	.....	1	.....	8	.....	.....	4	4	5	.....	3
	{F.	88	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	4	.....	2
25	White	127	4	2	1	.....	1	.....	35	.....	2	19	14	14	.....	11
26	Males	46	3	2	.....	.....	1	.....	20	.....	1	9	10	5	.....	3
27	Females	81	1	.....	1	.....	.....	.....	15	.....	1	10	4	9	.....	8
28	Diagnosis reasonably certain. {M.	26	3	2	.....	.....	1	.....	7	.....	.....	4	3	5	.....	3
	{F.	53	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	3	.....	2
29	Colored	50	.....	.....	.....	.....	.....	.....	8	.....	.....	6	2	2	.....	1
30	Males	7	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....
31	Females	43	.....	.....	.....	.....	.....	.....	5	.....	.....	4	1	2	.....	1
32	Diagnosis reasonably certain. {M.	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
	{F.	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	WASHINGTON.															
33	Registration cities	499	13	4	4	.....	5	.....	212	.....	5	162	45	65	6	39
34	Males	251	13	4	4	.....	5	.....	140	.....	4	108	28	31	2	18
35	Females	248	.....	.....	.....	.....	.....	.....	72	.....	1	54	17	34	4	21
36	Diagnosis reasonably certain. {M.	148	13	4	4	.....	5	.....	59	.....	2	47	10	26	2	13
	{F.	183	.....	.....	.....	.....	.....	.....	28	.....	1	20	7	25	3	13
37	White	497	12	4	3	.....	5	.....	211	.....	5	161	45	65	6	39
38	Males	249	12	4	3	.....	5	.....	139	.....	4	107	28	31	2	18
39	Females	248	.....	.....	.....	.....	.....	.....	72	.....	1	54	17	34	4	21
40	Diagnosis reasonably certain. {M.	147	12	4	3	.....	5	.....	59	.....	2	47	10	26	2	13
	{F.	183	.....	.....	.....	.....	.....	.....	28	.....	1	20	7	25	3	13
41	Colored	2	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
42	Males	2	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
43	Females	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
44	Diagnosis reasonably certain. {M.	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45	Seattle	221	10	2	4	.....	4	.....	90	.....	2	67	21	28	3	15
46	Males	115	10	2	4	.....	4	.....	63	.....	2	48	13	16	2	7
47	Females	106	.....	.....	.....	.....	.....	.....	27	.....	.....	19	8	12	1	8
48	Diagnosis reasonably certain. {M.	74	10	2	4	.....	4	.....	31	.....	1	25	5	15	2	6
	{F.	78	.....	.....	.....	.....	.....	.....	8	.....	.....	5	3	9	1	5

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
7	.....	49	3	44	1	1	20	6	49	4	.....	5	3	6	4	.....	.....	1	26	1
3	.....	.....	.....	.....	.....	.....	.....	5	31	2	.....	4	.....	6	2	.....	.....	1	16	2
4	.....	49	3	44	1	1	20	1	18	2	.....	1	3	.....	2	.....	.....	.....	10	3
3	.....	.....	.....	.....	.....	.....	.....	5	23	2	.....	2	.....	3	.....	.....	.....	1	15	
4	.....	48	2	44	1	1	20	1	8	2	.....	.....	1	.....	.....	.....	.....	.....	5	4
1	.....	42	.....	42	.....	.....	8	3	13	.....	1	3	1	1	2	.....	1	.....	4	5
.....	.....	.....	.....	.....	.....	.....	.....	2	6	.....	.....	1	1	1	1	.....	.....	.....	2	6
1	.....	42	.....	42	.....	.....	8	1	7	.....	1	2	.....	.....	1	.....	1	.....	2	7
1	.....	42	.....	42	.....	.....	8	1	6	.....	.....	1	1	1	1	.....	.....	.....	2	8
4	.....	28	3	25	.....	.....	14	5	29	3	1	3	.....	5	2	.....	.....	1	14	9
1	.....	.....	.....	.....	.....	.....	.....	5	17	2	.....	1	.....	5	1	.....	.....	1	7	10
3	.....	28	3	25	.....	.....	14	.....	12	1	1	2	.....	.....	1	.....	.....	.....	7	11
1	.....	.....	.....	.....	.....	.....	.....	5	16	2	.....	1	.....	4	1	.....	.....	1	7	
3	.....	27	2	25	.....	.....	14	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....	4	12
4	.....	13	3	10	.....	.....	12	3	22	3	.....	1	.....	4	1	.....	.....	1	12	13
1	.....	.....	.....	.....	.....	.....	.....	3	15	2	.....	1	.....	4	.....	.....	.....	1	7	14
3	.....	13	3	10	.....	.....	12	.....	7	1	.....	.....	.....	.....	1	.....	.....	.....	5	15
1	.....	.....	.....	.....	.....	.....	.....	3	14	2	.....	1	.....	3	.....	.....	.....	1	7	
3	.....	12	2	10	.....	.....	12	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....	4	16
.....	.....	15	.....	15	.....	.....	2	2	7	.....	1	2	.....	1	1	.....	.....	.....	2	17
.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	18
.....	.....	15	.....	15	.....	.....	2	.....	5	.....	1	2	.....	.....	.....	.....	.....	.....	2	19
.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	
.....	.....	15	.....	15	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
4	.....	63	.....	61	1	1	14	4	33	1	.....	5	4	2	4	.....	1	.....	16	21
2	.....	.....	.....	.....	.....	.....	.....	2	20	.....	.....	4	1	2	2	.....	.....	.....	11	22
2	.....	63	.....	61	1	1	14	2	13	1	.....	1	3	.....	2	.....	1	.....	5	23
2	.....	.....	.....	.....	.....	.....	.....	2	13	.....	.....	2	1	.....	.....	.....	.....	.....	10	
2	.....	63	.....	61	1	1	14	2	3	1	.....	.....	1	.....	.....	.....	.....	.....	1	24
3	.....	36	.....	34	1	1	8	3	27	1	.....	4	3	2	3	.....	.....	.....	14	25
2	.....	.....	.....	.....	.....	.....	.....	2	16	.....	.....	3	.....	2	2	.....	.....	.....	9	26
1	.....	36	.....	34	1	1	8	1	11	1	.....	1	3	.....	1	.....	.....	.....	5	27
2	.....	.....	.....	.....	.....	.....	.....	2	9	.....	.....	1	.....	.....	.....	.....	.....	.....	8	
1	.....	36	.....	34	1	1	8	1	3	1	.....	.....	1	.....	.....	.....	.....	.....	1	28
1	.....	27	.....	27	.....	.....	6	1	6	.....	.....	1	1	.....	1	.....	1	.....	2	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	1	.....	.....	.....	.....	.....	2	30
1	.....	27	.....	27	.....	.....	6	1	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	1	.....	.....	.....	.....	.....	2	
1	.....	27	.....	27	.....	.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
20	.....	68	9	59	.....	.....	42	11	88	5	1	6	9	10	14	1	6	.....	36	33
11	.....	.....	.....	.....	.....	.....	.....	8	59	4	1	5	6	10	8	.....	3	.....	22	34
9	.....	68	9	59	.....	.....	42	3	29	1	.....	1	3	.....	6	1	3	.....	14	35
11	.....	.....	.....	.....	.....	.....	.....	8	42	4	.....	5	1	6	5	.....	2	.....	19	
9	.....	67	8	59	.....	.....	42	3	18	1	.....	.....	2	.....	5	1	1	.....	8	36
20	.....	68	9	59	.....	.....	42	11	88	5	1	6	9	10	14	1	6	.....	36	37
11	.....	.....	.....	.....	.....	.....	.....	8	59	4	1	5	6	10	8	.....	3	.....	22	38
9	.....	68	9	59	.....	.....	42	3	29	1	.....	1	3	.....	6	1	3	.....	14	39
11	.....	.....	.....	.....	.....	.....	.....	8	42	4	.....	5	1	6	5	.....	2	.....	19	
9	.....	67	8	59	.....	.....	42	3	18	1	.....	.....	2	.....	5	1	1	.....	8	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
10	.....	30	4	26	.....	.....	21	4	38	3	.....	4	4	2	8	.....	2	.....	15	45
7	.....	.....	.....	.....	.....	.....	.....	2	24	2	.....	3	3	2	5	.....	1	.....	8	46
3	.....	30	4	26	.....	.....	21	2	14	1	.....	1	1	.....	3	.....	1	.....	7	47
7	.....	.....	.....	.....	.....	.....	.....	2	16	2	.....	3	.....	1	2	.....	1	.....	7	
3	.....	29	3	26	.....	.....	21	2	9	1	.....	.....	1	.....	2	.....	.....	.....	5	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION CITIES—Con.															
	WASHINGTON—continued.															
1	Spokane	102	1	.....	.....	.....	1	.....	44	.....	2	33	9	9	.....	7
2	Males	43	1	.....	.....	.....	1	.....	24	.....	1	18	5	4	.....	3
3	Females	59	.....	.....	.....	.....	.....	.....	20	.....	1	15	4	5	.....	4
4	Diagnosis reasonably certain. {M.	24	1	.....	.....	.....	1	.....	10	.....	1	6	3	3	.....	2
	{F.	49	.....	.....	.....	.....	.....	.....	14	.....	1	10	3	3	.....	2
5	Tacoma	84	1	1	.....	.....	.....	.....	37	.....	.....	31	6	17	3	10
6	Males	45	1	1	.....	.....	.....	.....	22	.....	.....	20	2	8	.....	5
7	Females	39	.....	.....	.....	.....	.....	.....	15	.....	.....	11	4	9	3	5
8	Diagnosis reasonably certain. {M.	23	1	1	.....	.....	.....	.....	5	.....	.....	4	1	6	.....	3
	{F.	23	.....	.....	.....	.....	.....	.....	4	.....	.....	3	1	6	2	3
9	Other cities	92	1	1	.....	.....	.....	.....	41	.....	1	31	9	11	.....	7
10	Males	48	1	1	.....	.....	.....	.....	31	.....	1	22	8	3	.....	3
11	Females	44	.....	.....	.....	.....	.....	.....	10	.....	.....	9	1	8	.....	4
12	Diagnosis reasonably certain. {M.	27	1	1	.....	.....	.....	.....	13	.....	.....	12	1	2	.....	2
	{F.	33	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	7	.....	3
	WEST VIRGINIA.[1]															
13	Wheeling[2]	46	1	.....	.....	.....	1	.....	13	.....	1	7	5	8	1	6
14	Males	14	1	.....	.....	.....	1	.....	5	.....	1	4	.....	3	.....	2
15	Females	32	.....	.....	.....	.....	.....	.....	8	.....	.....	3	5	5	1	4
16	Diagnosis reasonably certain. {M.	9	1	.....	.....	.....	1	.....	2	.....	1	1	.....	3	.....	2
	{F.	23	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	2	1	1
17	White	45	1	.....	.....	.....	1	.....	13	.....	1	7	5	8	1	6
18	Males	14	1	.....	.....	.....	1	.....	5	.....	1	4	.....	3	.....	2
19	Females	31	.....	.....	.....	.....	.....	.....	8	.....	.....	3	5	5	1	4
20	Diagnosis reasonably certain. {M.	9	1	.....	.....	.....	1	.....	2	.....	1	1	.....	3	.....	2
	{F.	22	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	2	1	1
21	Colored[3]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	WISCONSIN.															
25	Registration cities	712	27	3	9	1	11	3	321	.....	12	206	103	90	1	61
26	Males	315	25	2	9	1	10	3	165	.....	8	116	41	43	1	23
27	Females	397	2	1	.....	.....	1	.....	156	.....	4	90	62	47	.....	38
28	Diagnosis reasonably certain. {M.	151	25	2	9	1	10	3	37	.....	1	30	6	31	.....	12
	{F.	244	2	1	.....	.....	1	.....	39	.....	2	16	21	24	.....	15
29	White	710	27	3	9	1	11	3	321	.....	12	206	103	90	1	61
30	Males	315	25	2	9	1	10	3	165	.....	8	116	41	43	1	23
31	Females	395	2	1	.....	.....	1	.....	156	.....	4	90	62	47	.....	38
32	Diagnosis reasonably certain. {M.	151	25	2	9	1	10	3	37	.....	1	30	6	31	.....	12
	{F.	243	2	1	.....	.....	1	.....	39	.....	2	16	21	24	.....	15
33	Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Milwaukee	291	10	1	5	.....	3	1	136	.....	5	80	51	35	.....	21
38	Males	133	8	.....	5	.....	2	1	75	.....	4	49	22	22	.....	12
39	Females	158	2	1	.....	.....	1	.....	61	.....	1	31	29	13	.....	9
40	Diagnosis reasonably certain. {M.	55	8	.....	5	.....	2	1	14	.....	1	10	3	15	.....	5
	{F.	96	2	1	.....	.....	1	.....	9	.....	1	3	5	9	.....	5
41	Other cities	421	17	2	4	1	8	2	185	.....	7	126	52	55	1	40
42	Males	182	17	2	4	1	8	2	90	.....	4	67	19	21	1	11
43	Females	239	.....	.....	.....	.....	.....	.....	95	.....	3	59	33	34	.....	29
44	Diagnosis reasonably certain. {M.	96	17	2	4	1	8	2	23	.....	.....	20	3	16	.....	7
	{F.	148	.....	.....	.....	.....	.....	.....	30	.....	1	13	16	15	.....	10

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] The only registration unit in the state.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2	.....	18	2	16	.....	.....	9	2	19	.....	.....	1	1	5	4	.....	3	.....	5	1
1	.....	.....	.....	.....	.....	.....	.....	1	13	.....	.....	1	1	5	1	.....	1	.....	4	2
1	.....	18	2	16	.....	.....	9	1	6	.....	.....	.....	.....	.....	3	.....	2	.....	1	3
1	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	1	.....	4	1	.....	.....	.....	3	4
1	.....	18	2	16	.....	.....	9	1	4	.....	.....	.....	.....	.....	3	.....	1	.....	.....	
4	.....	3	.....	3	.....	.....	8	1	17	1	1	1	3	2	.....	.....	.....	.....	9	5
3	.....	.....	.....	.....	.....	.....	.....	1	13	1	1	1	2	2	.....	.....	.....	.....	6	6
1	.....	3	.....	3	.....	.....	8	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	3	7
3	.....	.....	.....	.....	.....	.....	.....	1	10	1	.....	1	1	1	.....	.....	.....	.....	6	8
1	.....	3	.....	3	.....	.....	8	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
4	.....	17	3	14	.....	.....	4	4	14	1	.....	.....	1	1	2	1	1	.....	7	9
.....	.....	.....	.....	.....	.....	.....	.....	4	9	1	.....	.....	.....	1	2	.....	1	.....	4	10
4	.....	17	3	14	.....	.....	4	.....	5	.....	.....	.....	1	.....	.....	1	.....	.....	3	11
.....	.....	.....	.....	.....	.....	.....	.....	4	7	1	.....	.....	.....	.....	2	.....	1	.....	3	12
4	.....	17	3	14	.....	.....	4	.....	3	.....	.....	.....	1	.....	.....	1	.....	.....	1	
1	.....	9	1	8	.....	.....	7	1	7	.....	.....	1	.....	2	.....	.....	.....	.....	4	13
1	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	1	.....	2	.....	.....	.....	.....	1	14
.....	.....	9	1	8	.....	.....	6	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	15
1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	16
.....	.....	9	1	8	.....	.....	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
1	.....	8	1	7	.....	.....	7	1	7	.....	.....	1	.....	2	.....	.....	.....	.....	4	17
1	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	1	.....	2	.....	.....	.....	.....	1	18
.....	.....	8	1	7	.....	.....	6	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	19
1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	20
.....	.....	8	1	7	.....	.....	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
28	.....	100	11	83	6	.....	60	15	99	4	5	6	12	11	16	.....	6	3	36	25
19	.....	.....	.....	.....	.....	.....	1	10	71	4	3	4	7	11	13	.....	4	3	22	26
9	.....	100	11	83	6	.....	59	5	28	.....	2	2	5	.....	3	.....	2	.....	14	27
19	.....	.....	.....	.....	.....	.....	1	10	47	4	1	3	3	6	7	.....	3	3	17	28
9	.....	97	8	83	6	.....	59	5	18	.....	.....	1	4	.....	1	.....	2	.....	10	
28	.....	99	11	82	6	.....	60	15	98	4	4	6	12	11	16	.....	6	3	36	29
19	.....	.....	.....	.....	.....	.....	1	10	71	4	3	4	7	11	13	.....	4	3	22	30
9	.....	99	11	82	6	.....	59	5	27	.....	1	2	5	.....	3	.....	2	.....	14	31
19	.....	.....	.....	.....	.....	.....	1	10	47	4	1	3	3	6	7	.....	3	3	17	32
9	.....	96	8	82	6	.....	59	5	18	.....	.....	1	4	.....	1	.....	2	.....	10	
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
14	.....	38	8	29	1	.....	30	4	38	1	3	2	3	3	8	.....	2	2	14	37
10	.....	.....	.....	.....	.....	.....	.....	3	25	1	2	1	2	3	5	.....	2	2	7	38
4	.....	38	8	29	1	.....	30	1	13	.....	1	1	1	.....	3	.....	.....	.....	7	39
10	.....	.....	.....	.....	.....	.....	.....	3	15	1	1	.....	1	1	2	.....	1	2	6	40
4	.....	36	6	29	1	.....	30	1	9	.....	.....	1	1	.....	1	.....	.....	.....	6	
14	.....	62	3	54	5	.....	30	11	61	3	2	4	9	8	8	.....	4	1	22	41
9	.....	.....	.....	.....	.....	.....	1	7	46	3	1	3	5	8	8	.....	2	1	15	42
5	.....	62	3	54	5	.....	29	4	15	.....	1	1	4	.....	.....	.....	2	.....	7	43
9	.....	.....	.....	.....	.....	.....	1	7	32	3	.....	3	2	5	5	.....	2	1	11	44
5	.....	61	2	54	5	.....	29	4	9	.....	.....	.....	3	.....	.....	.....	2	.....	4	

[a] Colored population less than 10 per cent of the total in 1910.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.	
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES.[1]															
	CALIFORNIA.															
1	Total	947	56	8	11	.....	29	8	382	.....	9	276	97	117	5	69
2	Males	496	48	8	9	.....	25	6	243	.....	8	185	50	69	3	38
3	Females	451	8	.....	2	.....	4	2	139	.....	1	91	47	48	2	31
4	Diagnosis reasonably certain {M	267	48	8	9	.....	25	6	66	.....	3	47	16	44	3	13
	{F	320	8	.....	2	.....	4	2	36	.....	1	19	16	30	2	14
5	White	929	55	8	11	.....	29	7	369	.....	8	268	93	117	5	69
6	Males	483	47	8	9	.....	25	5	233	.....	7	179	47	69	3	38
7	Females	446	8	.....	2	.....	4	2	136	.....	1	89	46	48	2	31
8	Diagnosis reasonably certain {M	259	47	8	9	.....	25	5	61	.....	2	45	14	44	3	13
	{F	317	8	.....	2	.....	4	2	35	.....	1	19	15	30	2	14
9	Colored	18	1	.....	.....	.....	.....	1	13	.....	1	8	4	.....	.....	.....
10	Males	13	1	.....	.....	.....	.....	1	10	.....	1	6	3	.....	.....	.....
11	Females	5	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....
12	Diagnosis reasonably certain {M	8	1	.....	.....	.....	.....	1	5	.....	1	2	2	.....	.....	.....
	{F	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
13	Los Angeles County	161	11	.....	2	.....	7	2	68	.....	3	41	24	20	1	12
14	Males	69	8	.....	1	.....	5	2	37	.....	2	21	14	9	1	6
15	Females	92	3	.....	1	.....	2	.....	31	.....	1	20	10	11	.....	6
16	Diagnosis reasonably certain {M	32	8	.....	1	.....	5	2	7	.....	1	4	2	7	1	4
	{F	60	3	.....	1	.....	2	.....	7	.....	1	3	3	6	.....	2
17	Santa Clara County	78	7	1	2	.....	3	1	29	.....	3	17	9	11	2	7
18	Males	39	6	1	2	.....	3	.....	18	.....	3	12	3	6	.....	4
19	Females	39	1	.....	.....	.....	.....	1	11	.....	.....	5	6	5	2	3
20	Diagnosis reasonably certain {M	19	6	1	2	.....	3	.....	5	.....	1	4	.....	3	.....	1
	{F	26	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	4	2	2
21	Sonoma County	63	1	.....	.....	.....	1	.....	28	.....	.....	21	7	6	.....	5
22	Males	29	1	.....	.....	.....	1	.....	18	.....	.....	14	4	6	.....	5
23	Females	34	.....	.....	.....	.....	.....	.....	10	.....	.....	7	3	.....	.....	.....
24	Diagnosis reasonably certain {M	12	1	.....	.....	.....	1	.....	3	.....	.....	1	2	4	.....	3
	{F	24	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
25	Other rural districts	645	37	7	7	.....	18	5	257	.....	3	197	57	80	2	45
26	Males	359	33	7	6	.....	16	4	170	.....	3	138	29	48	2	23
27	Females	286	4	.....	1	.....	2	1	87	.....	.....	59	28	32	.....	22
28	Diagnosis reasonably certain {M	204	33	7	6	.....	16	4	51	.....	1	38	12	30	2	5
	{F	210	4	.....	1	.....	2	1	27	.....	.....	15	12	20	.....	10
	COLORADO.															
29	Total	237	5	2	1	.....	2	.....	127	.....	.....	82	45	26	2	13
30	Males	109	5	2	1	.....	2	.....	72	.....	.....	51	21	12	2	5
31	Females	128	.....	.....	.....	.....	.....	.....	55	.....	.....	31	24	14	.....	8
32	Diagnosis reasonably certain {M	57	5	2	1	.....	2	.....	26	.....	.....	20	6	8	.....	3
	{F	78	.....	.....	.....	.....	.....	.....	14	.....	.....	6	8	9	.....	3
33	White	236	5	2	1	.....	2	.....	127	.....	.....	82	45	26	2	13
34	Males	109	5	2	1	.....	2	.....	72	.....	.....	51	21	12	2	5
35	Females	127	.....	.....	.....	.....	.....	.....	55	.....	.....	31	24	14	.....	8
36	Diagnosis reasonably certain {M	57	5	2	1	.....	2	.....	26	.....	.....	20	6	8	.....	3
	{F	77	.....	.....	.....	.....	.....	.....	14	.....	.....	6	8	9	.....	3
37	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
38	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Diagnosis reasonably certain {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	CONNECTICUT.															
41	Total	323	17	1	6	1	9	.....	99	.....	2	61	36	51	3	37
42	Males	123	12	.....	4	1	7	.....	44	.....	.....	33	11	22	1	14
43	Females	200	5	1	2	.....	2	.....	55	.....	2	28	25	29	2	23
44	Diagnosis reasonably certain {M	63	12	.....	4	1	7	.....	8	.....	.....	7	1	10	.....	3
	{F	122	5	1	2	.....	2	.....	5	.....	.....	1	4	12	1	7
45	White	323	17	1	6	1	9	.....	99	.....	2	61	36	51	3	37
46	Males	123	12	.....	4	1	7	.....	44	.....	.....	33	11	22	1	14
47	Females	200	5	1	2	.....	2	.....	55	.....	2	28	25	29	2	23
48	Diagnosis reasonably certain {M	63	12	.....	4	1	7	.....	8	.....	.....	7	1	10	.....	3
	{F	122	5	1	2	.....	2	.....	5	.....	.....	1	4	12	1	7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
42	1	114	4	106	3	1	99	49	130	6	3	11	7	16	13	2	3	2	67
28	.....	.....	.....	.....	.....	.....	3	41	92	5	3	6	2	16	9	.....	2	2	47
14	1	114	4	106	3	1	96	8	38	1	.....	5	5	.....	4	2	1	.....	20
28	.....	.....	.....	.....	.....	.....	3	41	65	5	1	5	.....	6	3	.....	1	2	42
14	.....	113	3	106	3	1	96	8	29	1	.....	5	4	.....	1	1	.....	.....	17
42	1	114	4	106	3	1	97	49	128	5	3	10	7	16	13	2	3	2	67
28	.....	.....	.....	.....	.....	.....	3	41	90	4	3	5	2	16	9	.....	2	2	47
14	1	114	4	106	3	1	94	8	38	1	.....	5	5	.....	4	2	1	.....	20
28	.....	.....	.....	.....	.....	.....	3	41	63	4	1	4	.....	6	3	.....	1	2	42
14	.....	113	3	106	3	1	91	8	29	1	.....	5	4	.....	1	1	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
6	1	20	.....	19	1	.....	18	4	20	.....	.....	.....	3	5	3	1	.....	.....	8
2	.....	.....	.....	.....	.....	.....	1	3	11	.....	.....	.....	1	5	2	.....	.....	.....	3
4	1	20	.....	19	1	.....	17	1	9	.....	.....	.....	2	.....	1	1	.....	.....	5
2	.....	.....	.....	.....	.....	.....	1	3	6	.....	.....	.....	.....	2	1	.....	.....	.....	3
4	.....	20	.....	19	1	.....	17	1	6	.....	.....	.....	2	.....	1	.....	.....	.....	3
2	.....	10	.....	9	.....	1	7	1	13	2	1	2	1	2	1	.....	.....	.....	4
2	.....	.....	.....	.....	.....	.....	1	.....	8	1	1	1	.....	2	.....	.....	.....	.....	3
.....	.....	10	.....	9	.....	1	6	1	5	1	.....	1	1	.....	1	.....	.....	.....	1
2	.....	.....	.....	.....	.....	.....	1	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	10	.....	9	.....	1	6	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	1
1	.....	9	.....	9	.....	.....	12	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	9	.....	9	.....	.....	12	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	9	.....	9	.....	.....	12	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
33	.....	75	4	69	2	.....	62	43	91	4	2	9	3	9	9	1	3	2	49
23	.....	.....	.....	.....	.....	.....	1	38	69	4	2	5	1	9	7	.....	2	2	37
10	.....	75	4	69	2	.....	61	5	22	.....	.....	4	2	.....	2	1	1	.....	12
23	.....	.....	.....	.....	.....	.....	1	38	51	4	1	5	.....	4	2	.....	1	2	32
10	.....	74	3	69	2	.....	61	5	19	.....	.....	4	2	.....	.....	1	.....	.....	12
11	.....	30	.....	27	3	.....	19	6	24	1	2	3	1	4	.....	.....	1	1	11
5	.....	.....	.....	.....	.....	.....	1	4	15	1	.....	3	.....	4	.....	.....	1	1	5
6	.....	30	.....	27	3	.....	18	2	9	.....	2	.....	1	.....	1	.....	.....	.....	6
5	.....	.....	.....	.....	.....	.....	1	4	13	1	.....	2	.....	4	.....	.....	.....	1	5
6	.....	30	.....	27	3	.....	18	2	5	.....	1	.....	1	.....	.....	.....	.....	.....	3
11	.....	30	.....	27	3	.....	19	5	24	1	2	3	1	4	.....	.....	1	1	11
5	.....	.....	.....	.....	.....	.....	1	4	15	1	.....	3	.....	4	.....	.....	1	1	5
6	.....	30	.....	27	3	.....	18	1	9	.....	2	.....	1	.....	.....	.....	.....	.....	6
5	.....	.....	.....	.....	.....	.....	1	4	13	1	.....	2	.....	4	.....	.....	.....	1	5
6	.....	30	.....	27	3	.....	18	1	5	.....	1	.....	1	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	.....	41	2	36	2	1	48	12	55	3	2	3	2	7	8	.....	1	.....	29
7	.....	.....	.....	.....	.....	.....	.....	10	35	2	.....	1	1	7	4	.....	1	.....	19
4	.....	41	2	36	2	1	48	2	20	1	2	2	1	.....	4	.....	.....	.....	10
7	.....	.....	.....	.....	.....	.....	.....	10	23	2	.....	1	.....	2	2	.....	1	.....	15
4	.....	40	2	36	2	.....	48	2	10	1	.....	1	.....	.....	2	.....	.....	.....	6
11	.....	41	2	36	2	1	48	12	55	3	2	3	2	7	8	.....	1	.....	29
7	.....	.....	.....	.....	.....	.....	.....	10	35	2	.....	1	1	7	4	.....	1	.....	19
4	.....	41	2	36	2	1	48	2	20	1	2	2	1	.....	4	.....	.....	.....	10
7	.....	.....	.....	.....	.....	.....	.....	10	23	2	.....	1	.....	2	2	.....	1	.....	15
4	.....	40	2	36	2	.....	48	2	10	1	.....	1	.....	.....	2	.....	.....	.....	6

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	CONNECTICUT—continued.															
1	Hartford County	76	5	.....	1	.....	4	.....	26	.....	1	14	11	11	.....	9
2	Males	27	4	.....	1	.....	3	.....	11	.....	.....	6	5	3	.....	2
3	Females	49	1	.....	.....	.....	1	.....	15	.....	1	8	6	8	.....	7
4	Diagnosis reasonably certain {M	16	4	.....	1	.....	3	.....	3	.....	.....	2	1	2	.....	1
	{F	31	1	.....	.....	.....	1	.....	3	.....	.....	.....	3	5	.....	4
5	Other rural districts	247	12	1	5	1	5	.....	73	.....	1	47	25	40	3	28
6	Males	96	8	.....	3	1	4	.....	33	.....	.....	27	6	19	1	12
7	Females	151	4	1	2	.....	1	.....	40	.....	1	20	19	21	2	16
8	Diagnosis reasonably certain {M	47	8	.....	3	1	4	.....	5	.....	.....	5	.....	8	.....	2
	{F	91	4	1	2	.....	1	.....	2	.....	.....	1	1	7	1	3
	INDIANA.															
9	Total	1,434	74	19	8	11	31	5	594	2	4	351	237	132	7	79
10	Males	578	60	17	7	7	25	4	270	2	3	172	93	63	3	29
11	Females	856	14	2	1	4	6	1	324	.....	1	179	144	69	4	50
12	Diagnosis reasonably certain {M	303	60	17	7	7	25	4	50	1	.....	28	21	49	3	15
	{F	517	14	2	1	4	6	1	57	.....	1	30	26	30	2	13
13	White	1,423	74	19	8	11	31	5	593	2	4	350	237	130	7	79
14	Males	574	60	17	7	7	25	4	270	2	3	172	93	63	3	29
15	Females	849	14	2	1	4	6	1	323	.....	1	178	144	67	4	50
16	Diagnosis reasonably certain {M	301	60	17	7	7	25	4	50	1	.....	28	21	49	3	15
	{F	511	14	2	1	4	6	1	57	.....	1	30	26	28	2	13
17	Colored	11	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....
18	Males	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Females	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....
20	Diagnosis reasonably certain {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	KANSAS.															
21	Total	813	50	24	5	1	16	4	338	.....	4	214	120	78	6	56
22	Males	393	45	23	4	1	14	3	190	.....	4	133	53	45	3	32
23	Females	420	5	1	1	.....	2	1	148	.....	.....	81	67	33	3	24
24	Diagnosis reasonably certain {M	195	45	23	4	1	14	3	51	.....	2	38	11	22	2	10
	{F	248	5	1	1	.....	2	1	24	.....	.....	8	16	14	3	5
25	White	801	50	24	5	1	16	4	333	.....	4	210	119	78	6	56
26	Males	388	45	23	4	1	14	3	186	.....	4	130	52	45	3	32
27	Females	413	5	1	1	.....	2	1	147	.....	.....	80	67	33	3	24
28	Diagnosis reasonably certain {M	193	45	23	4	1	14	3	59	.....	2	37	11	22	2	10
	{F	242	5	1	1	.....	2	1	24	.....	.....	8	16	14	3	5
29	Colored	12	.....	.....	.....	.....	.....	.....	5	.....	.....	4	1	.....	.....	.....
30	Males	5	.....	.....	.....	.....	.....	.....	4	.....	.....	3	1	.....	.....	.....
31	Females	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
32	Diagnosis reasonably certain {M	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	KENTUCKY.															
33	Total	753	45	10	5	17	9	4	217	.....	.....	152	95	70	2	43
34	Males	279	37	9	4	13	7	4	118	.....	.....	73	45	32	.....	17
35	Females	474	8	1	1	4	2	.....	129	.....	.....	79	50	38	2	26
36	Diagnosis reasonably certain {M	123	37	9	4	13	7	4	13	.....	.....	6	7	14	.....	.....
	{F	294	8	1	1	4	2	.....	12	.....	.....	6	6	14	.....	4
37	White	668	44	10	5	16	9	4	221	.....	.....	139	82	62	2	37
38	Males	260	37	9	4	13	7	4	107	.....	.....	66	41	30	.....	15
39	Females	408	7	1	1	3	2	.....	114	.....	.....	73	41	32	2	22
40	Diagnosis reasonably certain {M	119	37	9	4	13	7	4	12	.....	.....	5	7	14	.....	.....
	{F	249	7	1	1	3	2	.....	10	.....	.....	6	4	12	.....	4
41	Colored	85	1	.....	.....	1	.....	.....	26	.....	.....	13	13	8	.....	6
42	Males	19	.....	.....	.....	.....	.....	.....	11	.....	.....	7	4	2	.....	2
43	Females	66	1	.....	.....	1	.....	.....	15	.....	.....	6	9	6	.....	4
44	Diagnosis reasonably certain {M	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F	45	1	.....	.....	1	.....	.....	2	.....	.....	.....	2	2	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2	.....	6	.....	5	1	.....	13	4	11	.....	2	1	.....	1	1	.....	.....	.....	6	1
1	.....	.....	.....	.....	.....	.....	.....	3	6	.....	.....	.....	.....	1	.....	.....	.....	.....	5	2
1	.....	6	.....	5	1	.....	13	1	5	.....	2	1	.....	.....	1	.....	.....	.....	1	3
1	.....	.....	.....	.....	.....	.....	.....	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4
1	.....	6	.....	5	1	.....	13	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	
9	.....	35	2	31	1	1	35	8	44	3	.....	2	2	6	7	.....	1	.....	23	5
6	.....	.....	.....	.....	.....	.....	.....	7	29	2	.....	1	1	6	4	.....	1	.....	14	6
3	.....	35	2	31	1	1	35	1	15	1	.....	1	1	.....	3	.....	.....	.....	9	7
6	.....	.....	.....	.....	.....	.....	.....	7	19	2	.....	1	.....	2	2	.....	1	.....	11	8
3	.....	34	2	31	1	.....	35	1	8	1	.....	.....	.....	.....	1	.....	.....	.....	6	
45	1	205	10	190	3	2	145	112	172	6	5	17	14	11	26	2	4	1	86	9
31	.....	.....	.....	.....	.....	.....	2	81	102	4	2	8	8	11	14	1	3	1	50	10
14	1	205	10	190	3	2	143	31	70	2	3	9	6	.....	12	1	1	.....	36	11
31	.....	.....	.....	.....	.....	.....	2	81	61	4	2	2	4	5	4	.....	1	1	38	12
14	1	202	8	190	3	1	143	31	40	2	1	3	2	.....	3	.....	.....	.....	29	
43	1	202	10	187	3	2	145	112	167	6	5	16	13	11	26	2	3	1	84	13
31	.....	.....	.....	.....	.....	.....	2	81	98	4	2	8	7	11	14	1	2	1	48	14
12	1	202	10	187	3	2	143	31	69	2	3	8	6	.....	12	1	1	.....	36	15
31	.....	.....	.....	.....	.....	.....	2	81	59	4	2	2	3	5	4	.....	.....	1	38	16
12	1	199	8	187	3	1	143	31	39	2	1	2	2	.....	3	.....	.....	.....	29	
2	.....	3	.....	3	.....	.....	.....	.....	5	.....	.....	1	1	.....	.....	.....	1	.....	2	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	1	.....	.....	.....	1	.....	2	18
2	.....	3	.....	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	20
2	.....	3	.....	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
16	.....	95	7	86	2	.....	85	36	131	.....	1	5	6	12	12	1	12	3	79	21
10	.....	.....	.....	.....	.....	.....	2	29	82	.....	1	3	3	12	10	1	9	3	40	22
6	.....	95	7	86	2	.....	83	7	49	.....	.....	2	3	.....	2	.....	3	.....	39	23
10	.....	.....	.....	.....	.....	.....	2	29	46	.....	1	2	2	3	6	.....	3	3	26	24
6	.....	93	6	85	2	.....	83	7	22	.....	.....	2	2	.....	1	.....	2	.....	15	
16	.....	91	7	82	2	.....	83	36	130	.....	1	5	6	12	12	1	12	3	78	25
10	.....	.....	.....	.....	.....	.....	2	29	81	.....	1	3	3	12	10	1	9	3	39	26
6	.....	91	7	82	2	.....	81	7	49	.....	.....	2	3	.....	2	.....	3	.....	39	27
10	.....	.....	.....	.....	.....	.....	2	29	45	.....	1	2	2	3	6	.....	3	3	25	28
6	.....	89	6	81	2	.....	81	7	22	.....	.....	2	2	.....	1	.....	2	.....	15	
.....	.....	4	.....	4	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	30
.....	.....	4	.....	4	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
.....	.....	4	.....	4	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
25	.....	143	5	129	8	1	82	46	120	2	1	7	12	6	7	3	5	2	75	33
15	.....	.....	.....	.....	.....	.....	2	30	60	1	.....	4	5	6	5	.....	.....	2	37	34
10	.....	143	5	129	8	1	80	16	60	1	1	3	7	.....	2	3	5	.....	38	35
14	.....	.....	.....	.....	.....	.....	2	30	27	1	.....	1	.....	1	1	.....	.....	2	21	36
10	.....	140	3	129	8	.....	80	16	24	1	.....	1	3	.....	.....	.....	3	.....	16	
23	.....	114	4	102	7	1	76	44	107	1	1	7	10	5	7	3	4	2	67	37
15	.....	.....	.....	.....	.....	.....	2	29	55	1	.....	4	4	5	5	.....	.....	2	34	38
8	.....	114	4	102	7	1	74	15	52	.....	1	3	6	.....	2	3	4	.....	33	39
14	.....	.....	.....	.....	.....	.....	2	29	25	1	.....	1	.....	1	1	.....	.....	2	19	40
8	.....	111	2	102	7	.....	74	15	20	.....	.....	1	2	.....	.....	.....	3	.....	14	
2	.....	29	1	27	1	.....	6	2	13	1	.....	.....	2	1	.....	.....	1	.....	8	41
.....	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	1	1	.....	.....	.....	.....	3	42
2	.....	29	1	27	1	.....	6	1	8	1	.....	.....	1	.....	.....	.....	1	.....	5	43
.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	44
2	.....	29	1	27	1	.....	6	1	4	1	.....	.....	1	.....	.....	.....	.....	.....	2	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	MAINE.															
1	Total	609	29	11	6	3	8	1	225	1	3	134	87	96	4	66
2	Males	228	24	11	5	1	6	1	99	1	3	54	41	43	2	29
3	Females	381	5	.....	1	2	2	.....	126	.....	.....	80	46	53	2	37
4	Diagnosis reasonably certain. {M	96	24	11	5	1	6	1	12	.....	1	9	2	17	.....	5
	{F	212	5	.....	1	2	2	.....	8	.....	.....	3	5	22	.....	8
5	White	607	29	11	6	3	8	1	224	1	3	133	87	95	4	65
6	Males	227	24	11	5	1	6	1	98	1	3	53	41	43	2	29
7	Females	380	5	.....	1	2	2	.....	126	.....	.....	80	46	52	2	36
8	Diagnosis reasonably certain. {M	96	24	11	5	1	6	1	12	.....	1	9	2	17	.....	6
	{F	212	5	.....	1	2	2	.....	8	.....	.....	3	5	22	.....	8
9	Colored	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
10	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
11	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
12	Cumberland County	60	4	.....	.....	1	3	.....	22	.....	1	14	7	7	1	4
13	Males	25	3	.....	.....	1	2	.....	10	.....	1	5	4	3	.....	2
14	Females	35	1	.....	.....	.....	1	.....	12	.....	.....	9	3	4	1	2
15	Diagnosis reasonably certain. {M	11	3	.....	.....	1	2	.....	2	.....	.....	.....	1	2	.....	1
	{F	20	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....
16	Kennebec County	55	5	3	.....	.....	1	1	14	1	1	5	7	11	1	7
17	Males	29	5	3	.....	.....	1	1	10	1	1	3	5	3	.....	1
	Females	26	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	8	1	6
18	Diagnosis reasonably certain. {M	17	5	3	.....	.....	1	1	.....	.....	.....	.....	.....	2	.....	.....
19	{F	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2
20	Penobscot County	54	3	1	.....	2	.....	.....	23	.....	.....	11	12	8	.....	5
21	Males	17	1	1	.....	.....	.....	.....	10	.....	.....	5	5	4	.....	3
22	Females	37	2	.....	.....	2	.....	.....	13	.....	.....	6	7	4	.....	2
23	Diagnosis reasonably certain. {M	6	1	1	.....	.....	.....	.....	3	.....	.....	2	1	1	.....	.....
	{F	23	2	.....	.....	2	.....	.....	1	.....	.....	.....	1	2	.....	.....
24	Washington County	54	4	2	2	.....	.....	.....	23	.....	.....	14	9	5	.....	3
25	Males	19	3	2	1	.....	.....	.....	12	.....	.....	6	6	1	.....	1
26	Females	35	1	.....	1	.....	.....	.....	11	.....	.....	8	3	4	.....	2
27	Diagnosis reasonably certain. {M	7	3	2	1	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
	{F	23	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	2
28	York County	60	3	2	1	.....	.....	.....	20	.....	.....	14	6	11	.....	7
29	Males	21	3	2	1	.....	.....	.....	7	.....	.....	5	2	6	.....	4
30	Females	39	.....	.....	.....	.....	.....	.....	13	.....	.....	9	4	5	.....	3
31	Diagnosis reasonably certain. {M	10	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1
	{F	22	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....
32	Other rural districts	326	10	3	3	.....	4	.....	123	.....	1	76	46	54	2	40
33	Males	117	9	3	3	.....	3	.....	50	.....	1	30	19	26	2	18
34	Females	209	1	.....	.....	.....	1	.....	73	.....	.....	46	27	28	.....	22
35	Diagnosis reasonably certain. {M	45	9	3	3	.....	3	.....	5	.....	.....	5	.....	9	.....	3
	{F	110	1	.....	.....	.....	1	.....	5	.....	.....	1	4	10	.....	4
	MARYLAND.															
36	Total	439	21	2	4	2	10	3	151	.....	1	92	58	51	2	33
37	Males	160	13	2	4	1	5	1	76	.....	1	50	25	21	1	12
38	Females	279	8	.....	.....	1	5	2	75	.....	.....	42	33	30	1	21
39	Diagnosis reasonably certain. {M	77	13	2	4	1	5	1	13	.....	1	10	2	13	1	4
	{F	186	8	.....	.....	1	5	2	13	.....	.....	6	7	14	1	5
40	White	380	19	2	3	2	9	3	132	.....	1	83	48	49	2	31
41	Males	146	11	2	3	1	4	1	69	.....	1	46	22	20	1	11
42	Females	234	8	.....	.....	1	5	2	63	.....	.....	37	26	29	1	20
43	Diagnosis reasonably certain. {M	72	11	2	3	1	4	1	13	.....	1	10	2	13	1	4
	{F	154	8	.....	.....	1	5	2	12	.....	.....	6	6	13	1	4
44	Colored	59	2	.....	1	.....	1	.....	19	.....	.....	9	10	2	.....	2
45	Males	14	2	.....	1	.....	1	.....	7	.....	.....	4	3	1	.....	1
46	Females	45	.....	.....	.....	.....	.....	.....	12	.....	.....	5	7	1	.....	1
47	Diagnosis reasonably certain. {M	5	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	32	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....
48	Baltimore County	111	5	.....	1	1	3	.....	35	.....	1	18	16	14	.....	10
49	Males	38	4	.....	1	1	2	.....	22	.....	1	12	9	3	.....	1
50	Females	73	1	.....	.....	.....	1	.....	13	.....	.....	6	7	11	.....	9
51	Diagnosis reasonably certain. {M	22	4	.....	1	1	2	.....	7	.....	1	4	2	3	.....	1
	{F	53	1	.....	.....	.....	1	.....	3	.....	.....	.....	3	6	.....	4

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
26	.....	93	.....	91	2	.....	68	24	74	1	2	6	1	5	10	1	3	1	44	1
12	.....	.....	.....	.....	.....	.....	.....	18	44	.....	.....	4	1	5	7	1	2	1	23	2
14	.....	93	.....	91	2	.....	68	6	30	1	2	2	.....	.....	3	.....	1	.....	21	3
12	.....	.....	.....	.....	.....	.....	.....	18	25	.....	.....	1	.....	2	2	.....	.....	1	19	
14	.....	93	.....	91	2	.....	68	6	10	1	1	.....	.....	.....	.....	.....	.....	.....	8	4
26	.....	93	.....	91	2	.....	68	24	74	1	2	6	1	5	10	1	3	1	44	5
12	.....	.....	.....	.....	.....	.....	.....	18	44	.....	.....	4	1	5	7	1	2	1	23	6
14	.....	93	.....	91	2	.....	68	6	30	1	2	2	.....	.....	3	.....	1	.....	21	7
12	.....	.....	.....	.....	.....	.....	.....	18	25	.....	.....	1	.....	2	2	.....	.....	1	19	
14	.....	93	.....	91	2	.....	68	6	10	1	1	.....	.....	.....	.....	.....	.....	.....	8	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
2	.....	8	.....	8	.....	.....	8	3	8	.....	.....	1	.....	1	3	.....	.....	.....	3	12
1	.....	.....	.....	.....	.....	.....	.....	2	7	.....	.....	1	.....	1	2	.....	.....	.....	3	13
1	.....	8	.....	8	.....	.....	8	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	14
1	.....	8	.....	8	.....	.....	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
3	.....	6	.....	6	.....	.....	3	6	10	.....	.....	.....	.....	2	.....	.....	.....	.....	8	16
2	.....	.....	.....	.....	.....	.....	.....	5	6	.....	.....	.....	.....	2	.....	.....	.....	.....	4	17
1	.....	6	.....	6	.....	.....	3	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	18
2	.....	.....	.....	.....	.....	.....	.....	5	5	.....	.....	.....	.....	2	.....	.....	.....	.....	3	
1	.....	6	.....	6	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19
3	.....	9	.....	8	1	.....	8	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	20
1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	21
2	.....	9	.....	8	1	.....	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22
1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	9	.....	8	1	.....	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	23
2	.....	13	.....	13	.....	.....	3	2	4	1	.....	.....	1	.....	1	.....	.....	.....	1	24
.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	25
2	.....	13	.....	13	.....	.....	3	.....	3	1	.....	.....	.....	.....	1	.....	.....	.....	1	26
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	13	.....	13	.....	.....	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	27
4	.....	4	.....	4	.....	.....	15	1	6	.....	.....	2	.....	.....	.....	.....	.....	.....	4	28
2	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	2	.....	.....	.....	.....	.....	.....	2	29
2	.....	4	.....	4	.....	.....	15	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	30
2	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	
2	.....	4	.....	4	.....	.....	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
12	.....	53	.....	52	1	.....	31	11	44	.....	2	3	.....	2	5	1	3	1	27	32
6	.....	.....	.....	.....	.....	.....	.....	7	25	.....	.....	1	.....	2	4	1	2	1	14	33
6	.....	53	.....	52	1	.....	31	4	19	.....	2	2	.....	.....	1	.....	1	.....	13	34
6	.....	.....	.....	.....	.....	.....	.....	7	15	.....	.....	.....	.....	.....	1	.....	.....	1	13	
6	.....	53	.....	52	1	.....	31	4	6	.....	1	.....	.....	.....	.....	.....	.....	.....	5	35
16	.....	69	1	66	2	.....	60	24	63	1	2	2	4	3	5	2	6	1	37	36
8	.....	.....	.....	.....	.....	.....	1	13	36	.....	1	.....	1	3	5	1	3	1	21	37
8	.....	69	1	66	2	.....	59	11	27	1	1	2	3	.....	.....	1	3	.....	16	38
8	.....	.....	.....	.....	.....	.....	1	13	24	.....	.....	.....	.....	1	3	.....	.....	1	19	
8	.....	68	.....	66	2	.....	59	11	13	1	.....	1	1	.....	.....	.....	1	.....	9	39
16	.....	49	1	46	2	.....	52	24	55	.....	2	2	3	3	5	2	5	1	32	40
8	.....	.....	.....	.....	.....	.....	1	13	32	.....	1	.....	1	3	5	1	3	1	17	41
8	.....	49	1	46	2	.....	51	11	23	.....	1	2	2	.....	.....	1	2	.....	15	42
8	.....	.....	.....	.....	.....	.....	1	13	21	.....	.....	.....	.....	1	3	.....	.....	1	16	
8	.....	48	.....	46	2	.....	51	11	11	.....	.....	1	1	.....	.....	.....	1	.....	8	43
.....	.....	20	.....	20	.....	.....	8	.....	8	1	.....	.....	1	.....	.....	.....	1	.....	5	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	45
.....	.....	20	.....	20	.....	.....	8	.....	4	1	.....	.....	1	.....	.....	.....	1	.....	1	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	20	.....	20	.....	.....	8	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	47
4	.....	16	1	15	.....	.....	21	4	16	.....	1	2	.....	.....	1	.....	1	.....	11	48
2	.....	.....	.....	.....	.....	.....	1	1	7	.....	1	.....	.....	.....	1	.....	.....	.....	5	49
2	.....	16	1	15	.....	.....	20	3	9	.....	.....	2	.....	.....	.....	.....	1	.....	6	50
2	.....	.....	.....	.....	.....	.....	1	1	6	.....	.....	.....	.....	.....	1	.....	.....	.....	5	
2	.....	15	.....	15	.....	.....	20	3	5	.....	.....	1	.....	.....	.....	.....	.....	.....	4	51

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES [1]—Continued.															
	MARYLAND—continued.															
1	Baltimore County—Continued. White	104	5	.....	1	1	3	.....	34	.....	1	17	16	13	.....	9
2	Males	37	4	.....	1	1	2	.....	21	.....	1	11	9	3	.....	1
3	Females	67	1	.....	.....	.....	1	.....	13	.....	.....	6	7	10	.....	8
4	Diagnosis reasonably certain. {M.	22	4	.....	1	1	2	.....	7	.....	1	4	2	3	.....	1
	{F.	47	1	.....	.....	.....	1	.....	3	.....	.....	.....	3	5	.....	3
5	Colored	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
6	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
7	Females	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
8	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
9	Other rural districts	328	16	2	3	1	7	3	116	.....	.....	74	42	37	2	23
10	Males	122	9	2	3	.....	3	1	54	.....	.....	38	16	18	1	11
11	Females	206	7	.....	.....	1	4	2	62	.....	.....	36	26	19	1	12
12	Diagnosis reasonably certain. {M.	55	9	2	3	.....	3	1	6	.....	.....	6	.....	10	1	3
	{F.	133	7	.....	.....	1	4	2	10	.....	.....	6	4	8	1	1
13	White	276	14	2	2	1	6	3	98	.....	.....	66	32	36	2	22
14	Males	109	7	2	2	.....	2	1	48	.....	.....	35	13	17	1	10
15	Females	167	7	.....	.....	1	4	2	50	.....	.....	31	19	19	1	12
16	Diagnosis reasonably certain. {M.	50	7	2	2	.....	2	1	6	.....	.....	6	.....	10	1	3
	{F.	107	7	.....	.....	1	4	2	9	.....	.....	6	3	8	1	1
17	Colored	52	2	.....	1	.....	1	.....	18	.....	.....	8	10	1	.....	1
18	Males	13	2	.....	1	.....	1	.....	6	.....	.....	3	3	1	.....	1
19	Females	39	.....	.....	.....	.....	.....	.....	12	.....	.....	5	7	.....	.....	.....
20	Diagnosis reasonably certain. {M.	5	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	26	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
	MASSACHUSETTS.															
21	Total	868	34	5	16	3	7	3	289	.....	11	186	92	148	8	96
22	Males	318	33	5	15	3	7	3	142	.....	7	101	34	42	2	26
23	Females	550	1	.....	1	.....	.....	.....	147	.....	4	85	58	106	6	70
24	Diagnosis reasonably certain. {M.	148	33	5	15	3	7	3	26	.....	3	16	7	22	.....	8
	{F.	331	1	.....	1	.....	.....	.....	16	.....	2	9	5	49	1	18
25	White	864	34	5	16	3	7	3	288	.....	11	185	92	148	8	96
26	Males	316	33	5	15	3	7	3	141	.....	7	100	34	42	2	26
27	Females	548	1	.....	1	.....	.....	.....	147	.....	4	85	58	106	6	70
28	Diagnosis reasonably certain. {M.	147	33	5	15	3	7	3	26	.....	3	16	7	22	.....	8
	{F.	329	1	.....	1	.....	.....	.....	16	.....	2	9	5	49	1	18
29	Colored	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
30	Males	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
31	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Bristol County	56	.....	.....	.....	.....	.....	.....	20	.....	.....	13	7	11	.....	5
34	Males	21	.....	.....	.....	.....	.....	.....	10	.....	.....	9	1	4	.....	2
35	Females	35	.....	.....	.....	.....	.....	.....	10	.....	.....	4	6	7	.....	3
36	Diagnosis reasonably certain. {M.	11	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	2	.....	.....
	{F.	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....
37	Essex County	105	2	.....	1	1	.....	.....	40	.....	2	27	11	21	.....	14
38	Males	41	2	.....	1	1	.....	.....	21	.....	1	16	4	6	.....	4
39	Females	64	.....	.....	.....	.....	.....	.....	19	.....	1	11	7	15	.....	10
40	Diagnosis reasonably certain. {M.	10	2	.....	1	1	.....	.....	2	.....	.....	1	1	3	.....	1
	{F.	35	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	10	.....	5
41	Middlesex County	173	15	4	8	.....	3	.....	61	.....	4	41	16	20	3	12
42	Males	68	15	4	8	.....	3	.....	30	.....	3	23	4	6	.....	4
43	Females	105	.....	.....	.....	.....	.....	.....	31	.....	1	18	12	14	3	8
44	Diagnosis reasonably certain. {M.	32	15	4	8	.....	3	.....	3	.....	1	1	1	2	.....	.....
	{F.	68	.....	.....	.....	.....	.....	.....	8	.....	.....	5	3	6	1	3
45	Norfolk County	99	4	.....	2	.....	1	1	35	.....	2	22	11	21	1	19
46	Males	35	3	.....	1	.....	1	1	17	.....	2	11	4	7	.....	5
47	Females	64	1	.....	1	.....	.....	.....	18	.....	.....	11	7	17	1	14
48	Diagnosis reasonably certain. {M.	18	3	.....	1	.....	1	1	5	.....	2	2	1	4	.....	2
	{F.	32	1	.....	1	.....	.....	.....	2	.....	.....	2	.....	4	.....	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
4	.....	13	1	12	.....	.....	19	4	16	.....	1	2	.....	.....	1	.....	1	.....	11	1
2	.....	.....	.....	.....	.....	.....	1	1	7	.....	1	.....	.....	.....	1	.....	.....	.....	5	2
2	.....	13	1	12	.....	.....	18	3	9	.....	.....	2	.....	.....	.....	.....	1	.....	6	3
2	.....	.....	.....	.....	.....	.....	1	1	6	.....	.....	.....	.....	.....	1	.....	.....	.....	5	
2	.....	12	.....	12	.....	.....	18	3	5	.....	.....	1	.....	.....	.....	.....	.....	.....	4	4
.....	.....	3	.....	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	3	.....	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	3	.....	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
12	.....	53	.....	51	2	.....	39	20	47	1	1	.....	4	3	4	2	5	1	26	9
6	.....	.....	.....	.....	.....	.....	.....	12	29	.....	.....	.....	1	3	4	1	3	1	16	10
6	.....	53	.....	51	2	.....	39	8	18	1	1	.....	3	.....	.....	1	2	.....	10	11
6	.....	.....	.....	.....	.....	.....	.....	12	18	.....	.....	.....	.....	1	2	.....	.....	1	14	
6	.....	53	.....	51	2	.....	39	8	8	1	.....	.....	1	.....	.....	.....	1	.....	5	12
12	.....	36	.....	34	2	.....	33	20	39	.....	1	.....	3	3	4	2	4	1	21	13
6	.....	.....	.....	.....	.....	.....	.....	12	25	.....	.....	.....	1	3	4	1	3	1	12	14
6	.....	36	.....	34	2	.....	33	8	14	.....	1	.....	2	.....	.....	1	1	.....	9	15
6	.....	.....	.....	.....	.....	.....	.....	12	15	.....	.....	.....	.....	1	2	.....	.....	1	11	
6	.....	36	.....	34	2	.....	33	8	6	.....	.....	.....	1	.....	.....	.....	1	.....	4	16
.....	.....	17	.....	17	.....	.....	6	.....	8	1	.....	.....	1	.....	.....	.....	1	.....	5	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	18
.....	.....	17	.....	17	.....	.....	6	.....	4	1	.....	.....	1	.....	.....	.....	1	.....	1	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	17	.....	17	.....	.....	6	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	20
43	1	126	6	117	2	1	108	34	129	7	12	1	6	11	18	.....	7	2	65	21
14	.....	.....	.....	.....	.....	.....	1	17	83	6	6	1	2	11	16	.....	2	2	37	22
29	1	126	6	117	2	1	107	17	46	1	6	.....	4	.....	2	.....	5	.....	28	23
14	.....	.....	.....	.....	.....	.....	1	17	49	6	2	1	1	4	6	.....	2	2	25	
29	1	123	3	117	2	1	107	17	18	1	2	.....	1	.....	1	.....	.....	.....	13	24
43	1	126	6	117	2	1	106	34	128	7	12	1	6	11	18	.....	7	2	64	25
14	.....	.....	.....	.....	.....	.....	1	17	82	6	6	1	2	11	16	.....	2	2	36	26
29	1	126	6	117	2	1	105	17	46	1	6	.....	4	.....	2	.....	5	.....	28	27
14	.....	.....	.....	.....	.....	.....	1	17	48	6	2	1	1	4	6	.....	2	2	24	
29	1	123	3	117	2	1	105	17	18	1	2	.....	1	.....	1	.....	.....	.....	13	28
.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	29
.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	30
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
5	1	8	.....	8	.....	.....	6	1	10	2	1	.....	1	.....	.....	.....	1	.....	5	33
2	.....	.....	.....	.....	.....	.....	.....	.....	7	2	.....	.....	.....	.....	.....	.....	1	.....	4	34
3	1	8	.....	8	.....	.....	6	1	3	.....	1	.....	1	.....	.....	.....	.....	.....	1	35
2	.....	.....	.....	.....	.....	.....	.....	.....	6	2	.....	.....	.....	.....	.....	.....	1	.....	3	
3	1	8	.....	8	.....	.....	6	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	36
7	.....	13	1	12	.....	.....	8	2	19	.....	1	1	1	2	5	.....	2	.....	7	37
2	.....	.....	.....	.....	.....	.....	.....	1	11	.....	.....	1	.....	2	4	.....	.....	.....	4	38
3	.....	13	1	12	.....	.....	8	1	8	.....	1	.....	1	.....	1	.....	2	.....	3	39
2	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	
5	.....	13	1	12	.....	.....	8	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	40
5	.....	31	1	29	1	.....	19	6	21	1	4	.....	2	4	.....	.....	.....	.....	10	41
2	.....	.....	.....	.....	.....	.....	1	4	12	.....	.....	2	.....	1	4	.....	.....	.....	5	42
3	.....	31	1	29	1	.....	18	2	9	1	2	.....	1	.....	.....	.....	.....	.....	5	43
2	.....	.....	.....	.....	.....	.....	1	4	7	.....	1	.....	1	.....	.....	.....	.....	.....	5	
3	.....	30	.....	29	1	.....	18	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	3	44
4	.....	12	.....	11	1	.....	10	2	12	.....	1	.....	1	2	2	.....	1	.....	5	45
2	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	1	.....	1	2	2	.....	.....	.....	2	46
2	.....	12	.....	11	1	.....	10	2	4	.....	.....	.....	.....	.....	.....	.....	1	.....	3	47
2	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	1	.....	.....	1	2	.....	.....	.....	2	
2	.....	12	.....	11	1	.....	10	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	MASSACHUSETTS—continued.															
1	Plymouth County	99	2	.....	1	.....	1	.....	34	.....	2	20	12	14	2	7
2	Males	44	2	.....	1	.....	1	.....	21	.....	.....	13	8	3	1	1
3	Females	55	.....	.....	.....	.....	.....	.....	13	.....	2	7	4	11	1	6
4	Diagnosis reasonably certain. {M.	20	2	.....	1	.....	1	.....	4	.....	.....	4	.....	2	.....	1
	{F.	37	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	6	.....	2
5	Worcester County	138	4	.....	1	1	1	1	40	.....	1	26	13	25	2	19
6	Males	53	4	.....	1	1	1	1	24	.....	1	16	7	9	1	7
7	Females	85	.....	.....	.....	.....	.....	.....	16	.....	.....	10	6	16	1	12
8	Diagnosis reasonably certain. {M.	25	4	.....	1	1	1	1	5	.....	.....	3	2	4	.....	3
	{F.	55	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	6	.....	3
9	Other rural districts	198	7	1	3	1	1	1	59	.....	.....	37	22	33	.....	20
10	Males	56	7	1	3	1	1	1	19	.....	.....	13	6	7	.....	3
11	Females	142	.....	.....	.....	.....	.....	.....	40	.....	.....	24	16	26	.....	17
12	Diagnosis reasonably certain. {M.	32	7	1	3	1	1	1	4	.....	.....	2	2	5	.....	1
	{F.	84	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	13	.....	4
	MICHIGAN.															
13	Total	1,398	77	16	11	8	35	7	574	1	7	385	181	143	13	82
14	Males	602	56	15	6	6	24	5	304	.....	5	224	75	62	7	31
15	Females	796	21	1	5	2	11	2	270	1	2	161	106	81	6	51
16	Diagnosis reasonably certain. {M.	287	56	15	6	6	24	5	70	.....	1	49	20	37	4	9
	{F.	488	21	1	5	2	11	2	46	1	.....	26	19	39	4	11
17	White	1,391	77	16	11	8	35	7	571	1	7	384	179	142	13	81
18	Males	599	56	15	6	6	24	5	302	.....	5	223	74	62	7	31
19	Females	792	21	1	5	2	11	2	269	1	2	161	105	80	6	50
20	Diagnosis reasonably certain. {M.	236	56	15	6	6	24	5	69	.....	1	48	20	37	4	9
	{F.	486	21	1	5	2	11	2	46	1	.....	26	19	39	4	11
21	Colored	7	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	1	.....	1
22	Males	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....
23	Females	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	1
24	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Berrien County	58	1	.....	1	.....	.....	.....	27	.....	.....	16	11	6	.....	3
26	Males	22	1	.....	1	.....	.....	.....	12	.....	.....	7	5	2	.....	.....
27	Females	36	.....	.....	.....	.....	.....	.....	15	.....	.....	9	6	4	.....	3
28	Diagnosis reasonably certain. {M.	10	1	.....	1	.....	.....	.....	2	.....	.....	1	1	2	.....	.....
	{F.	20	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	1	.....	.....
29	Kent County	50	2	.....	.....	.....	2	.....	16	.....	.....	10	6	4	.....	3
30	Males	26	2	.....	.....	.....	2	.....	10	.....	.....	6	4	3	.....	2
31	Females	24	.....	.....	.....	.....	.....	.....	6	.....	.....	4	2	1	.....	1
32	Diagnosis reasonably certain. {M.	18	2	.....	.....	.....	2	.....	5	.....	.....	2	3	1	.....	.....
	{F.	17	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
33	Wayne County	63	2	.....	.....	.....	2	.....	25	.....	1	16	8	7	.....	5
34	Males	25	.....	.....	.....	.....	.....	.....	13	.....	1	10	2	2	.....	1
35	Females	38	2	.....	.....	.....	2	.....	12	.....	.....	6	6	5	.....	4
36	Diagnosis reasonably certain. {M.	11	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....
	{F.	25	2	.....	.....	.....	2	.....	4	.....	.....	1	3	2	.....	1
37	Other rural districts	1,227	72	16	10	8	31	7	506	1	6	343	156	126	13	71
38	Males	529	53	15	5	6	22	5	269	.....	4	201	64	55	7	28
39	Females	698	19	1	5	2	9	2	237	1	2	142	92	71	6	43
40	Diagnosis reasonably certain. {M.	248	53	15	5	6	22	5	62	.....	1	46	15	33	4	9
	{F.	426	19	1	5	2	9	2	38	1	.....	22	15	36	4	10
	MINNESOTA.															
41	Total	1,096	38	12	5	1	16	4	554	.....	12	432	110	134	5	82
42	Males	567	31	10	4	1	14	2	316	.....	10	267	39	77	4	45
43	Females	529	7	2	1	.....	2	2	238	.....	2	165	71	57	1	37
44	Diagnosis reasonably certain. {M.	256	31	10	4	1	14	2	77	.....	1	69	7	45	2	15
	{F.	287	7	2	1	.....	2	2	36	.....	.....	22	14	39	.....	20
45	White	1,092	38	12	5	1	16	4	552	.....	12	432	108	134	5	82
46	Males	566	31	10	4	1	14	2	316	.....	10	267	39	77	4	45
47	Females	526	7	2	1	.....	2	2	236	.....	2	165	69	57	1	37
48	Diagnosis reasonably certain. {M.	256	31	10	4	1	14	2	77	.....	1	69	7	45	2	15
	{F.	287	7	2	1	.....	2	2	36	.....	.....	22	14	39	.....	20

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
5	.....	8	.....	8	.....	.....	17	5	19	2	3	.....	.....	1	2	.....	.....	.....	11	1
1	.....	.....	.....	.....	.....	.....	.....	3	15	2	3	.....	.....	1	2	.....	.....	.....	7	2
4	.....	8	.....	8	.....	.....	17	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3
1	.....	.....	.....	.....	.....	.....	.....	3	9	2	.....	.....	.....	1	.....	.....	.....	.....	6	
4	.....	8	.....	8	.....	.....	17	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4
4	.....	20	3	17	.....	.....	21	6	22	2	1	.....	1	1	4	.....	.....	.....	13	5
1	.....	.....	.....	.....	.....	.....	.....	2	14	2	.....	.....	.....	1	3	.....	.....	.....	8	6
3	.....	20	3	17	.....	.....	21	4	8	.....	1	.....	1	.....	1	.....	.....	.....	5	7
1	.....	.....	.....	.....	.....	.....	.....	2	10	2	.....	.....	.....	1	1	.....	.....	.....	6	
3	.....	19	2	17	.....	.....	21	4	4	.....	1	.....	.....	.....	.....	.....	.....	.....	3	8
13	.....	34	1	32	.....	1	27	12	26	.....	1	.....	.....	1	5	.....	3	2	14	9
4	.....	.....	.....	.....	.....	.....	.....	7	16	.....	.....	.....	.....	1	5	.....	1	2	7	10
9	.....	34	1	32	.....	1	27	5	10	.....	1	.....	.....	.....	.....	.....	2	.....	7	11
4	.....	.....	.....	.....	.....	.....	.....	7	9	.....	.....	.....	.....	.....	3	.....	1	2	3	
9	.....	33	.....	32	.....	1	27	5	4	.....	1	.....	.....	.....	.....	.....	.....	.....	3	12
48	.....	194	9	181	2	2	130	84	196	5	6	16	7	19	24	1	14	2	102	13
24	.....	.....	.....	.....	.....	.....	4	56	120	2	5	8	5	19	20	.....	9	2	50	14
24	.....	194	9	181	2	2	126	28	76	3	1	8	2	.....	4	1	5	.....	52	15
24	.....	.....	.....	.....	.....	.....	4	56	64	2	3	4	1	6	10	.....	2	2	34	
24	.....	190	5	181	2	2	126	28	38	3	.....	3	1	.....	2	.....	3	.....	26	16
48	.....	193	9	180	2	2	129	84	195	5	6	16	7	19	24	1	14	2	101	17
24	.....	.....	.....	.....	.....	.....	4	56	119	2	5	8	5	19	20	.....	9	2	49	18
24	.....	193	9	180	2	2	125	28	76	3	1	8	2	.....	4	1	5	.....	52	19
24	.....	.....	.....	.....	.....	.....	4	56	64	2	3	4	1	6	10	.....	2	2	34	
24	.....	189	5	180	2	2	125	28	38	3	.....	3	1	.....	2	.....	3	.....	26	20
.....	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22
.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
3	.....	10	.....	10	.....	.....	5	5	4	.....	.....	.....	.....	1	2	.....	.....	.....	1	25
2	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	1	1	.....	.....	.....	1	26
1	.....	10	.....	10	.....	.....	5	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	27
2	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
1	.....	10	.....	10	.....	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
1	.....	10	.....	10	.....	.....	3	7	8	1	.....	1	.....	.....	.....	.....	1	.....	5	29
1	.....	.....	.....	.....	.....	.....	.....	7	4	.....	.....	1	.....	.....	.....	.....	.....	.....	3	30
.....	.....	10	.....	10	.....	.....	3	.....	4	1	.....	.....	.....	.....	.....	.....	1	.....	2	31
1	.....	.....	.....	.....	.....	.....	.....	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	10	.....	10	.....	.....	3	.....	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	32
2	.....	10	1	9	.....	.....	6	6	7	.....	.....	1	.....	.....	2	.....	1	.....	3	33
1	.....	.....	.....	.....	.....	.....	.....	5	5	.....	.....	1	.....	.....	2	.....	1	.....	1	34
1	.....	10	1	9	.....	.....	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	35
1	.....	.....	.....	.....	.....	.....	.....	5	4	.....	.....	.....	.....	.....	2	.....	1	.....	1	
1	.....	10	1	9	.....	.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
42	.....	164	8	152	2	2	116	66	177	4	6	14	7	18	20	1	12	2	93	37
20	.....	.....	.....	.....	.....	.....	4	40	108	2	5	6	5	18	17	.....	8	2	45	38
22	.....	164	8	152	2	2	112	26	69	2	1	8	2	.....	3	1	4	.....	48	39
20	.....	.....	.....	.....	.....	.....	4	40	56	2	3	4	1	6	8	.....	1	2	29	
22	.....	160	4	152	2	2	112	26	35	2	.....	3	1	.....	2	.....	2	.....	25	40
47	.....	104	10	92	2	.....	66	42	158	6	12	8	15	16	17	4	15	4	61	41
28	.....	.....	.....	.....	.....	.....	3	33	107	6	5	5	10	16	14	2	12	4	33	42
19	.....	104	10	92	2	.....	63	9	51	.....	7	3	5	.....	3	2	3	.....	28	43
28	.....	.....	.....	.....	.....	.....	3	33	67	6	1	4	5	5	9	2	7	4	24	
19	.....	103	9	92	2	.....	63	9	30	.....	1	2	3	.....	1	.....	1	.....	22	44
47	.....	104	10	92	2	.....	66	42	156	6	12	8	15	15	17	4	15	4	60	45
28	.....	.....	.....	.....	.....	.....	3	33	106	6	5	5	10	15	14	2	12	4	33	46
19	.....	104	10	92	2	.....	63	9	50	.....	7	3	5	.....	3	2	3	.....	27	47
28	.....	.....	.....	.....	.....	.....	3	33	67	6	1	4	5	5	9	2	7	4	24	
19	.....	103	9	92	2	.....	63	9	30	.....	1	2	3	.....	1	.....	1	.....	22	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	MINNESOTA—continued.															
	Total—Continued.															
1	Colored	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....
2	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Females	3	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....
4	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Olmsted County	99	1	1	.....	.....	.....	.....	40	.....	1	34	5	24	.....	16
6	Males	62	1	1	.....	.....	.....	.....	27	.....	1	23	3	15	.....	8
7	Females	37	.....	.....	.....	.....	.....	.....	13	.....	.....	11	2	9	.....	8
8	Diagnosis reasonably certain. {M.	52	1	1	.....	.....	.....	.....	20	.....	1	17	2	13	.....	6
	{F.	28	.....	.....	.....	.....	.....	.....	6	.....	.....	5	1	8	.....	7
9	Other rural districts	997	37	11	5	1	16	4	514	.....	11	398	105	110	5	66
10	Males	505	30	9	4	1	14	2	289	.....	9	244	36	62	4	37
11	Females	492	7	2	1	.....	2	2	225	.....	2	154	69	48	1	29
12	Diagnosis reasonably certain. {M.	204	30	9	4	1	14	2	57	.....	.....	52	5	32	2	9
	{F.	259	7	2	1	.....	2	2	30	.....	.....	17	13	31	.....	13
	MISSOURI.															
13	Total	1,155	58	17	7	10	19	5	480	.....	6	297	177	96	5	62
14	Males	489	48	17	5	7	16	3	221	.....	2	150	69	42	4	21
15	Females	666	10	.....	2	3	3	2	259	.....	4	147	108	54	1	41
16	Diagnosis reasonably certain. {M.	239	48	17	5	7	16	3	27	.....	.....	15	12	25	2	6
	{F.	379	10	.....	2	3	3	2	36	.....	.....	19	17	22	1	9
17	White	1,112	56	16	7	10	18	5	468	.....	6	291	171	92	5	60
18	Males	473	46	16	5	7	15	3	213	.....	2	146	65	41	4	21
19	Females	639	10	.....	2	3	3	2	255	.....	4	145	106	51	1	39
20	Diagnosis reasonably certain. {M.	232	46	16	5	7	15	3	26	.....	.....	15	11	24	2	6
	{F.	360	10	.....	2	3	3	2	35	.....	.....	18	17	21	1	9
21	Colored	43	2	1	.....	.....	1	.....	12	.....	.....	6	6	4	.....	2
22	Males	16	2	1	.....	.....	1	.....	8	.....	.....	4	4	1	.....	.....
23	Females	27	.....	.....	.....	.....	.....	.....	4	.....	.....	2	2	3	.....	2
24	Diagnosis reasonably certain. {M.	7	2	1	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	.....
	{F.	19	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
	MONTANA.															
25	Total	141	9	3	.....	.....	5	1	61	.....	2	40	19	17	.....	11
26	Males	68	8	3	.....	.....	4	1	35	.....	1	26	8	10	.....	7
27	Females	73	1	.....	.....	.....	1	.....	26	.....	1	14	11	7	.....	4
28	Diagnosis reasonably certain. {M.	45	8	3	.....	.....	4	1	14	.....	.....	10	4	10	.....	7
	{F.	48	1	.....	.....	.....	1	.....	5	.....	1	2	2	4	.....	1
29	White	137	9	3	.....	.....	5	1	59	.....	2	39	18	15	.....	11
30	Males	67	8	3	.....	.....	4	1	35	.....	1	26	8	9	.....	7
31	Females	70	1	.....	.....	.....	1	.....	24	.....	1	13	10	6	.....	4
32	Diagnosis reasonably certain. {M.	44	8	3	.....	.....	4	1	14	.....	.....	10	4	9	.....	7
	{F.	47	1	.....	.....	.....	1	.....	5	.....	1	2	2	3	.....	1
33	Colored	4	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	.....	.....
34	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
35	Females	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	.....
36	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	NEW HAMPSHIRE.															
37	Total	269	11	2	4	.....	5	.....	84	.....	.....	38	46	48	2	36
38	Males	88	10	2	4	.....	4	.....	33	.....	.....	15	18	16	1	13
39	Females	181	1	.....	.....	.....	1	.....	51	.....	.....	23	28	32	1	23
40	Diagnosis reasonably certain. {M.	37	10	2	4	.....	4	.....	3	.....	.....	1	2	3	.....	1
	{F.	105	1	.....	.....	.....	1	.....	4	.....	.....	3	1	13	1	4
41	White	268	11	2	4	.....	5	.....	83	.....	.....	37	46	48	2	36
42	Males	88	10	2	4	.....	4	.....	33	.....	.....	15	18	16	1	13
43	Females	180	1	.....	.....	.....	1	.....	50	.....	.....	22	28	32	1	23
44	Diagnosis reasonably certain. {M.	37	10	2	4	.....	4	.....	3	.....	.....	1	2	3	.....	1
	{F.	105	1	.....	.....	.....	1	.....	4	.....	.....	3	1	13	1	4
45	Colored	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
46	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Females	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
48	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	.....	8	4	4	.....	.....	1	4	21	2	1	4	1	2	6	.....	2	.....	3	5
7	.....	.....	.....	.....	.....	.....	.....	3	16	2	.....	3	1	2	6	.....	1	.....	1	6
1	.....	8	4	4	.....	.....	1	1	5	.....	1	1	.....	.....	.....	.....	1	.....	2	7
7	.....	.....	.....	.....	.....	.....	.....	3	15	2	.....	3	1	2	6	.....	.....	.....	1	8
1	.....	8	4	4	.....	.....	1	1	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	
39	.....	96	6	88	2	.....	65	38	137	4	11	4	14	14	11	4	13	4	58	9
21	.....	.....	.....	.....	.....	.....	3	30	91	4	5	2	9	14	8	2	11	4	32	10
18	.....	96	6	88	2	.....	62	8	46	.....	6	2	5	.....	3	2	2	.....	26	11
21	.....	.....	.....	.....	.....	.....	3	30	52	4	1	1	4	3	3	2	7	4	23	12
18	.....	95	5	88	2	.....	62	8	26	.....	1	1	3	.....	1	.....	.....	.....	20	
29	.....	140	4	129	4	3	112	111	158	3	4	8	12	17	12	1	11	.....	90	13
17	.....	.....	.....	.....	.....	.....	5	71	102	1	3	7	5	17	10	1	5	.....	53	14
12	.....	140	4	129	4	3	107	40	56	2	1	1	7	.....	2	.....	6	.....	37	15
17	.....	.....	.....	.....	.....	.....	5	71	63	1	.....	3	3	5	5	.....	3	.....	43	16
12	.....	139	3	129	4	3	107	40	25	2	.....	.....	1	.....	.....	.....	2	.....	20	
27	.....	131	4	120	4	3	105	109	151	3	4	8	12	17	10	1	10	.....	86	17
16	.....	.....	.....	.....	.....	.....	5	70	98	1	3	7	5	17	8	1	5	.....	51	18
11	.....	131	4	120	4	3	100	39	53	2	1	1	7	.....	2	.....	5	.....	35	19
16	.....	.....	.....	.....	.....	.....	5	70	61	1	.....	3	3	5	4	.....	3	.....	42	20
11	.....	130	3	120	4	3	100	39	25	2	.....	.....	1	.....	.....	.....	2	.....	20	
2	.....	9	.....	9	.....	.....	7	2	7	.....	.....	.....	.....	.....	2	.....	1	.....	4	21
1	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	2	.....	.....	.....	2	22
1	.....	9	.....	9	.....	.....	7	1	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	23
1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	24
1	.....	9	.....	9	.....	.....	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	.....	18	2	14	2	.....	13	6	17	.....	.....	3	1	3	.....	1	.....	3	6	25
3	.....	.....	.....	.....	.....	.....	1	3	11	.....	.....	2	.....	3	.....	.....	.....	3	3	26
3	.....	18	2	14	2	.....	12	3	6	.....	.....	1	1	.....	.....	1	.....	.....	3	27
3	.....	.....	.....	.....	.....	.....	1	3	9	.....	.....	1	.....	3	.....	.....	.....	3	2	28
3	.....	18	2	14	2	.....	12	3	5	.....	.....	1	1	.....	.....	.....	.....	.....	3	
4	.....	18	2	14	2	.....	13	6	17	.....	.....	3	1	3	.....	1	.....	3	6	29
2	.....	.....	.....	.....	.....	.....	1	3	11	.....	.....	2	.....	3	.....	.....	.....	3	3	30
2	.....	18	2	14	2	.....	12	3	6	.....	.....	1	1	.....	.....	1	.....	.....	3	31
2	.....	.....	.....	.....	.....	.....	1	3	9	.....	.....	1	.....	3	.....	.....	.....	3	2	32
2	.....	18	2	14	2	.....	12	3	5	.....	.....	1	1	.....	.....	.....	.....	.....	3	
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
10	.....	50	1	47	1	1	28	12	36	1	2	4	.....	3	7	.....	1	.....	18	37
2	.....	.....	.....	.....	.....	.....	.....	10	19	1	2	2	.....	3	4	.....	1	.....	6	38
8	.....	50	1	47	1	1	28	2	17	.....	.....	2	.....	.....	3	.....	.....	.....	12	39
2	.....	.....	.....	.....	.....	.....	.....	10	11	1	1	2	.....	.....	.....	.....	1	.....	6	40
8	.....	49	.....	47	1	1	28	2	8	.....	.....	1	.....	.....	.....	.....	.....	.....	7	
10	.....	50	1	47	1	1	28	12	36	1	2	4	.....	3	7	.....	1	.....	18	41
2	.....	.....	.....	.....	.....	.....	.....	10	19	1	2	2	.....	3	4	.....	1	.....	6	42
8	.....	50	1	47	1	1	28	2	17	.....	.....	2	.....	.....	3	.....	.....	.....	12	43
2	.....	.....	.....	.....	.....	.....	.....	10	11	1	1	2	.....	.....	.....	.....	1	.....	6	44
8	.....	49	.....	47	1	1	28	2	8	.....	.....	1	.....	.....	.....	.....	.....	.....	7	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	NEW HAMPSHIRE—continued.															
1	Rockingham County	51	2	.....	1	.....	1	.....	18	.....	.....	12	6	8	.....	6
2	Males	10	2	.....	1	.....	1	.....	5	.....	.....	4	1	1	.....	1
3	Females	41	.....	.....	.....	.....	.....	.....	13	.....	.....	8	5	7	.....	5
4	Diagnosis reasonably certain. {M.	4	2	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	23	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	3	.....	1
5	Other rural districts	218	9	2	3	.....	4	.....	66	.....	.....	26	40	40	2	30
6	Males	78	8	2	3	.....	3	.....	28	.....	.....	11	17	15	1	12
7	Females	140	1	.....	.....	.....	1	.....	38	.....	.....	15	23	25	1	18
8	Diagnosis reasonably certain. {M.	23	8	2	3	.....	3	.....	2	.....	.....	.....	2	3	.....	1
	{F.	82	1	.....	.....	.....	1	.....	2	.....	.....	1	1	10	1	3
	NEW JERSEY.															
9	Total	797	28	4	10	4	9	1	302	.....	5	196	101	117	6	73
10	Males	314	23	4	8	4	6	1	150	.....	3	106	41	49	1	30
11	Females	483	5	.....	2	.....	3	.....	152	.....	2	90	60	68	5	43
12	Diagnosis reasonably certain. {M.	127	23	4	8	4	6	1	20	.....	.....	14	6	24	1	5
	{F.	279	5	.....	2	.....	3	.....	16	.....	.....	11	5	28	1	7
13	White	779	28	4	10	4	9	1	298	.....	5	195	98	113	6	70
14	Males	308	23	4	8	4	6	1	149	.....	3	106	40	48	1	29
15	Females	471	5	.....	2	.....	3	.....	149	.....	2	89	58	65	5	41
16	Diagnosis reasonably certain. {M.	125	23	4	8	4	6	1	20	.....	.....	14	6	24	1	5
	{F.	272	5	.....	2	.....	3	.....	16	.....	.....	11	5	27	1	7
17	Colored	18	.....	.....	.....	.....	.....	.....	4	.....	.....	1	3	4	.....	3
18	Males	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	1
19	Females	12	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	3	.....	2
20	Diagnosis reasonably certain. {M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
21	Bergen County	101	3	.....	.....	.....	3	.....	39	.....	.....	24	15	17	2	8
22	Males	39	2	.....	.....	.....	2	.....	22	.....	.....	14	8	8	.....	3
23	Females	62	1	.....	.....	.....	1	.....	17	.....	.....	10	7	9	2	5
24	Diagnosis reasonably certain. {M.	16	2	.....	.....	.....	2	.....	6	.....	.....	3	3	5	.....	.....
	{F.	36	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	4	1	1
25	Burlington County	60	2	1	.....	.....	1	.....	18	.....	.....	14	4	7	.....	4
26	Males	23	2	1	.....	.....	1	.....	9	.....	.....	7	2	2	.....	1
27	Females	37	.....	.....	.....	.....	.....	.....	9	.....	.....	7	2	5	.....	3
28	Diagnosis reasonably certain. {M.	11	2	1	.....	.....	1	.....	2	.....	.....	1	1	1	.....	.....
	{F.	23	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	2	.....	.....
29	Monmouth County	86	.....	.....	.....	.....	.....	.....	34	.....	.....	25	9	12	1	7
30	Males	30	.....	.....	.....	.....	.....	.....	16	.....	.....	14	2	6	.....	3
31	Females	56	.....	.....	.....	.....	.....	.....	18	.....	.....	11	7	6	1	4
32	Diagnosis reasonably certain. {M.	11	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	4	.....	1
	{F.	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
33	Morris County	50	3	.....	2	.....	1	.....	22	.....	1	13	8	5	.....	4
34	Males	22	2	.....	2	.....	.....	.....	12	.....	.....	8	4	1	.....	1
35	Females	28	1	.....	.....	.....	1	.....	10	.....	1	5	4	4	.....	3
36	Diagnosis reasonably certain. {M.	8	2	.....	2	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
	{F.	12	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
37	Other rural districts	500	20	3	8	4	4	1	189	.....	4	120	65	76	3	50
38	Males	200	17	3	6	4	3	1	91	.....	3	63	25	32	1	22
39	Females	300	3	.....	2	.....	1	.....	98	.....	1	57	40	44	2	28
40	Diagnosis reasonably certain. {M.	81	17	3	6	4	3	1	9	.....	.....	7	2	13	1	3
	{F.	177	3	.....	2	.....	1	.....	14	.....	.....	9	5	19	.....	5
	NEW YORK.															
41	Total	2,286	96	19	27	10	33	7	832	2	20	519	291	287	28	151
42	Males	883	79	16	23	9	25	6	395	2	6	276	111	124	5	65
43	Females	1,403	17	3	4	1	8	1	437	.....	14	243	180	163	23	86
44	Diagnosis reasonably certain. {M.	438	79	16	23	9	25	6	66	1	1	51	13	70	1	15
	{F.	870	17	3	4	1	8	1	49	.....	4	19	26	86	7	28
45	White	2,263	94	19	27	10	31	7	822	2	20	509	291	283	28	147
46	Males	873	77	16	23	9	23	6	391	2	6	272	111	122	5	63
47	Females	1,390	17	3	4	1	8	1	431	.....	14	237	180	161	23	84
48	Diagnosis reasonably certain. {M.	436	77	16	23	9	23	6	66	1	1	51	13	70	1	15
	{F.	863	17	3	4	1	8	1	48	.....	4	18	26	85	7	27

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2	.....	12	.....	11	1	.....	5	1	5	.....	.....	2	.....	1	1	.....	.....	.....	1	1
.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
2	.....	12	.....	11	1	.....	5	.....	4	.....	.....	2	.....	.....	1	.....	.....	.....	1	3
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	12	.....	11	1	.....	5	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	4
8	.....	38	1	36	.....	1	23	11	31	1	2	2	.....	2	6	.....	1	.....	17	5
2	.....	.....	.....	.....	.....	.....	.....	9	18	1	2	2	.....	2	4	.....	1	.....	6	6
6	.....	38	1	36	.....	1	23	2	13	.....	.....	.....	.....	.....	2	.....	.....	.....	11	7
2	.....	.....	.....	.....	.....	.....	.....	9	11	1	1	2	.....	.....	.....	.....	1	.....	6	
6	.....	37	.....	36	.....	1	23	2	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	8
38	.....	103	8	92	2	1	96	35	116	1	4	4	10	17	15	4	9	2	50	9
18	.....	.....	.....	.....	.....	.....	1	25	66	.....	1	2	6	17	10	2	4	2	22	10
20	.....	103	8	92	2	1	95	10	50	1	3	2	4	.....	5	2	5	.....	28	11
18	.....	.....	.....	.....	.....	.....	1	25	34	.....	1	.....	2	3	7	1	1	2	17	
20	.....	98	4	91	2	1	95	10	27	1	.....	1	2	.....	1	2	3	.....	17	12
37	.....	98	8	87	2	1	96	35	111	1	4	4	10	17	14	3	9	2	47	13
18	.....	.....	.....	.....	.....	.....	1	25	62	.....	1	2	6	17	9	1	4	2	20	14
19	.....	98	8	87	2	1	95	10	49	1	3	2	4	.....	5	2	5	.....	27	15
18	.....	.....	.....	.....	.....	.....	1	25	32	.....	1	.....	2	3	6	1	1	2	16	
19	.....	93	4	86	2	1	95	10	26	1	.....	1	2	.....	1	2	3	.....	16	16
1	.....	5	.....	5	.....	.....	.....	.....	5	.....	.....	.....	.....	.....	1	1	.....	.....	3	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	1	1	.....	.....	2	18
1	.....	5	.....	5	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	
1	.....	5	.....	5	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20
7	.....	12	.....	11	.....	1	14	2	14	.....	.....	.....	2	2	2	1	1	.....	6	21
5	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	2	2	1	.....	.....	.....	1	22
2	.....	12	.....	11	.....	1	14	1	8	.....	.....	.....	.....	.....	1	1	1	.....	5	23
5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	
2	.....	12	.....	11	.....	1	14	1	4	.....	.....	.....	.....	.....	1	1	.....	.....	2	24
3	.....	9	1	8	.....	.....	9	3	12	.....	1	1	.....	3	3	.....	.....	.....	4	25
1	.....	.....	.....	.....	.....	.....	.....	3	7	.....	.....	.....	.....	3	2	.....	.....	.....	2	26
2	.....	9	1	8	.....	.....	9	.....	5	.....	1	1	.....	.....	1	.....	.....	.....	2	27
1	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	1	2	.....	.....	.....	.....	
2	.....	9	1	8	.....	.....	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	28
4	.....	13	1	11	1	.....	10	5	12	.....	.....	1	1	1	2	1	.....	.....	6	29
3	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	1	.....	1	1	.....	.....	.....	2	30
1	.....	13	1	11	1	.....	10	2	7	.....	.....	.....	1	.....	1	1	.....	.....	4	31
3	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
1	.....	13	1	11	1	.....	10	2	4	.....	.....	.....	.....	.....	.....	1	.....	.....	3	32
1	.....	5	1	4	.....	.....	2	5	8	.....	.....	1	1	1	1	.....	1	.....	3	33
.....	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	1	1	.....	.....	1	.....	.....	34
1	.....	5	1	4	.....	.....	2	1	5	.....	.....	1	.....	.....	1	.....	.....	.....	3	35
.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	4	.....	4	.....	.....	2	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	36
23	.....	64	5	58	1	.....	61	20	70	1	3	1	6	10	7	2	7	2	31	37
9	.....	.....	.....	.....	.....	.....	1	14	45	.....	1	1	3	10	6	2	3	2	17	38
14	.....	64	5	58	1	.....	60	6	25	1	2	.....	3	.....	1	.....	4	.....	14	39
9	.....	.....	.....	.....	.....	.....	1	14	27	.....	1	.....	2	2	4	1	1	2	14	
14	.....	60	2	57	1	.....	60	6	15	1	.....	.....	2	.....	.....	.....	3	.....	9	40
105	3	301	10	269	17	5	310	124	336	18	12	20	14	32	39	3	19	8	171	41
54	.....	.....	.....	.....	.....	.....	3	82	200	15	8	12	6	32	27	2	5	8	85	42
51	3	301	10	269	17	5	307	42	136	3	4	8	8	.....	12	1	14	.....	86	43
54	.....	.....	.....	.....	.....	.....	3	82	138	15	4	7	2	10	15	1	4	8	72	
51	.....	293	6	267	17	3	307	42	76	3	1	3	2	.....	5	.....	7	.....	55	44
105	3	299	10	267	17	5	308	124	333	18	12	20	14	32	38	2	19	8	170	45
54	.....	.....	.....	.....	.....	.....	3	82	198	15	8	12	6	32	26	1	5	8	85	46
51	3	299	10	267	17	5	305	42	135	3	4	8	8	.....	12	1	14	.....	85	47
54	.....	.....	.....	.....	.....	.....	3	82	138	15	4	7	2	10	15	1	4	8	72	
51	.....	291	6	265	17	3	305	42	75	3	1	3	2	.....	5	.....	7	.....	54	48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	NEW YORK—continued.															
1	Total—Continued. Colored	23	2	.....	.....	.....	2	.....	10	.....	.....	10	.....	4	.....	4
2	Males	10	2	.....	.....	.....	2	.....	4	.....	.....	4	.....	2	.....	2
3	Females	13	.....	.....	.....	.....	.....	.....	6	.....	.....	6	.....	2	.....	2
4	Diagnosis reasonably certain. {M.	2	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1
5	Cattaraugus County	53	4	1	1	2	.....	.....	14	.....	.....	7	7	6	.....	3
6	Males	15	4	1	1	2	.....	.....	5	.....	.....	4	1	2	.....	1
7	Females	38	.....	.....	.....	.....	.....	.....	9	.....	.....	3	6	4	.....	2
8	Diagnosis reasonably certain. {M.	9	4	1	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F.	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
9	Chautauqua County	58	7	1	2	1	3	.....	18	.....	.....	9	9	11	.....	7
10	Males	18	6	1	2	.....	3	.....	7	.....	.....	5	2	2	.....	2
11	Females	40	1	.....	.....	1	.....	.....	11	.....	.....	4	7	9	.....	5
12	Diagnosis reasonably certain. {M.	8	6	1	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	21	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3	.....	1
13	Delaware County	60	1	.....	1	.....	.....	.....	26	.....	1	14	11	7	.....	5
14	Males	19	1	.....	1	.....	.....	.....	11	.....	.....	7	4	4	.....	3
15	Females	41	.....	.....	.....	.....	.....	.....	15	.....	1	7	7	3	.....	2
16	Diagnosis reasonably certain. {M.	8	1	.....	1	.....	.....	.....	3	.....	.....	2	1	1	.....	.....
	{F.	23	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	1	.....	.....
17	Dutchess County	63	3	1	2	.....	.....	.....	21	.....	1	9	11	8	2	5
18	Males	26	3	1	2	.....	.....	.....	11	.....	1	8	2	4	1	3
19	Females	37	.....	.....	.....	.....	.....	.....	10	.....	.....	1	9	4	1	2
20	Diagnosis reasonably certain. {M.	12	3	1	2	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
	{F.	23	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	1
21	Erie County	71	3	1	1	.....	1	.....	30	.....	.....	16	14	10	.....	6
22	Males	32	3	1	1	.....	1	.....	14	.....	.....	10	4	5	.....	4
23	Females	39	.....	.....	.....	.....	.....	.....	16	.....	.....	6	10	5	.....	2
24	Diagnosis reasonably certain. {M.	15	3	1	1	.....	1	.....	3	.....	.....	2	1	3	.....	2
	{F.	22	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	4	.....	1
25	Monroe County	50	2	1	.....	.....	1	.....	13	.....	.....	5	8	4	.....	1
26	Males	14	.....	.....	.....	.....	.....	.....	6	.....	.....	2	4	1	.....	.....
27	Females	36	2	1	.....	.....	1	.....	7	.....	.....	3	4	3	.....	1
28	Diagnosis reasonably certain. {M.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F.	26	2	1	.....	.....	1	.....	1	.....	.....	1	.....	2	.....	.....
29	Nassau County	78	3	.....	.....	1	2	.....	34	.....	.....	21	13	16	2	9
30	Males	39	2	.....	.....	1	1	.....	18	.....	.....	11	7	11	1	6
31	Females	39	1	.....	.....	.....	1	.....	16	.....	.....	10	6	5	1	3
32	Diagnosis reasonably certain. {M.	15	2	.....	.....	1	1	.....	2	.....	.....	2	.....	6	.....	2
	{F.	20	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	2	.....	1
33	Oneida County	74	3	.....	2	.....	1	.....	26	.....	1	14	11	8	.....	4
34	Males	25	3	.....	2	.....	1	.....	13	.....	1	8	4	3	.....	2
35	Females	49	.....	.....	.....	.....	.....	.....	13	.....	.....	6	7	5	.....	2
36	Diagnosis reasonably certain. {M.	10	3	.....	2	.....	1	.....	1	.....	.....	1	.....	2	.....	1
	{F.	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....
37	Onondaga County	62	2	1	1	.....	.....	.....	26	.....	2	19	5	3	1	1
38	Males	26	2	1	1	.....	.....	.....	14	.....	1	11	2	1	.....	1
39	Females	36	.....	.....	.....	.....	.....	.....	12	.....	1	8	3	2	1	.....
40	Diagnosis reasonably certain. {M.	13	2	1	1	.....	.....	.....	4	.....	.....	4	.....	1	.....	1
	{F.	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
41	Ontario County	56	1	.....	.....	.....	.....	1	22	.....	.....	18	4	8	.....	4
42	Males	29	1	.....	.....	.....	.....	1	15	.....	.....	13	2	5	.....	2
43	Females	27	.....	.....	.....	.....	.....	.....	7	.....	.....	5	2	3	.....	2
44	Diagnosis reasonably certain. {M.	13	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	3	.....	.....
	{F.	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
45	Orange County	55	1	.....	.....	1	.....	.....	21	.....	.....	14	7	6	.....	4
46	Males	22	1	.....	.....	1	.....	.....	10	.....	.....	6	4	4	.....	2
47	Females	33	.....	.....	.....	.....	.....	.....	11	.....	.....	8	3	2	.....	2
48	Diagnosis reasonably certain. {M.	9	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	2	.....	.....
	{F.	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
49	Rockland County	51	2	.....	1	.....	.....	1	18	.....	.....	13	5	5	.....	2
50	Males	28	2	.....	1	.....	.....	1	13	.....	.....	10	3	3	.....	.....
51	Females	23	.....	.....	.....	.....	.....	.....	5	.....	.....	3	2	2	.....	2
52	Diagnosis reasonably certain. {M.	19	2	.....	1	.....	.....	1	6	.....	.....	6	.....	3	.....	.....
	{F.	16	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	.....	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
		2		2			2		3						1	1			1	1
									2						1	1				2
		2		2			2		1										1	3
		2		2			2		1											4
3		10		10			4	5	10			1			2		1		6	5
1								2	2			1							1	6
2		10		10			4	3	8						2		1		5	7
1								2	2			1							1	
2		10		10			4	3	4						1				3	8
2	2	7		6	1		9	1	5						1				4	9
								1	2										2	10
2	2	7		6	1		9		3						1				2	11
								1	1										1	
2		7		6	1		9		1										1	12
2		8		8			10	1	7						2				5	13
1									3										3	14
1		8		8			10	1	4						2				2	15
1									3										3	
1		8		8			10	1	1										1	16
1		8	1	7			9	4	10	1	3		1				2		3	17
								3	5	1	2						2			18
1		8	1	7			9	1	5		1		1						3	19
								3	4	1	1						2			
1		7		7			9	1	3										3	20
4		4		3	1		9	4	11	1	1	1	1	2	3				2	21
1								2	8	1	1			2	2				2	22
3		4		3	1		9	2	3			1	1		1					23
1								2	4	1					1				2	
3		4		3	1		9	2	1				1							24
3		9	1	6	2		7	2	13			2		2	1		1		7	25
1								1	6			2		2	1				1	26
2		9	1	6	2		7	1	7								1		6	27
1								1	5			2		1	1				1	
2		9	1	6	2		7	1	4										4	28
5		6		5	1		8	3	8			3		1	1		1		2	29
4							1	2	5			2		1	1				1	30
1		6		5	1		7	1	3			1					1		1	31
4							1	2	2			1		1						
1		6		5	1		7	1	2								1		1	32
4		13		13			10	4	10	1		1	1	1	1				5	33
1								2	4	1				1	1				1	34
3		13		13			10	2	6			1	1						4	35
1								2	2	1									1	
3		13		13			10	2	4			1							3	36
1		5	1	4			13	3	10		1	1	1	1			1		5	37
								2	7		1	1		1					4	38
1		5	1	4			13	1	3				1				1		1	39
								2	4										4	
1		5	1	4			13	1	2								1		1	40
4		3		3			10	4	8			2	1	2					3	41
3								2	6			1	1	2					2	42
1		3		3			10	2	2			1							1	43
3								2	6			1	1	2					2	
1		3		3			10	2												44
2		7		6	1		4	2	14					1	3	2			8	45
2									7					1	2	1			3	46
		7		6	1		4	2	7						1	1			5	47
2									5					1	1				3	
		6		5	1		4	2	4						1				3	48
3		7	1	6			4	2	13	2			2	1	4		1		3	49
3								2	8	2			1	1	2				2	50
		7	1	6			4		5				1		2		1		1	51
3								2	6	2					2				2	
		7	1	6			4		2						1				1	52

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES [1]—Continued.															
	NEW YORK—continued.															
1	St. Lawrence County	30	2	.....	.....	.....	2	.....	18	.....	.....	12	6	7	.....	2
2	Males	21	2	.....	.....	.....	2	.....	11	.....	.....	7	4	1	.....	.....
3	Females	29	.....	.....	.....	.....	.....	.....	7	.....	.....	5	2	6	.....	2
4	Diagnosis reasonably certain. {M..	11	2	.....	.....	.....	2	.....	2	.....	.....	1	1	1	.....	.....
	{F..	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	1
5	Steuben County	69	4	2	1	.....	1	.....	27	.....	1	15	11	7	1	4
6	Males	36	3	2	1	.....	.....	.....	14	.....	.....	11	3	5	.....	3
7	Females	33	1	.....	.....	.....	1	.....	13	.....	1	4	8	2	1	1
8	Diagnosis reasonably certain. {M..	20	3	2	1	.....	.....	.....	1	.....	.....	1	.....	3	.....	1
	{F..	20	1	.....	.....	.....	1	.....	2	.....	.....	.....	2	2	1	1
9	Suffolk County	92	2	.....	1	.....	1	.....	35	.....	1	26	8	17	1	12
10	Males	26	.....	.....	.....	.....	.....	.....	15	.....	1	13	1	8	.....	6
11	Females	66	2	.....	1	.....	1	.....	20	.....	.....	13	7	9	1	6
12	Diagnosis reasonably certain. {M..	8	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	3	.....	1
	{F..	42	2	.....	1	.....	1	.....	1	.....	.....	1	.....	5	1	2
13	Wayne County	59	1	.....	.....	.....	1	.....	23	.....	1	14	8	10	2	4
14	Males	13	1	.....	.....	.....	1	.....	6	.....	.....	3	3	3	1	1
15	Females	46	.....	.....	.....	.....	.....	.....	17	.....	1	11	5	7	1	3
16	Diagnosis reasonably certain. {M..	8	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	3	1	1
	{F..	27	.....	.....	.....	.....	.....	.....	4	.....	1	2	1	3	.....	1
17	West Chester County	106	10	.....	4	.....	5	1	28	.....	.....	18	10	12	1	4
18	Males	49	9	.....	4	.....	4	1	16	.....	.....	12	4	3	.....	1
19	Females	57	1	.....	.....	.....	1	.....	12	.....	.....	6	6	9	1	3
20	Diagnosis reasonably certain. {M..	32	9	.....	4	.....	4	1	2	.....	.....	1	1	3	.....	1
	{F..	43	1	.....	.....	.....	1	.....	3	.....	.....	1	2	6	.....	1
21	Other rural districts	1,179	45	11	10	5	15	4	432	2	12	275	143	142	18	74
22	Males	445	36	9	7	5	12	3	196	2	2	135	57	59	2	28
23	Females	734	9	2	3	.....	3	1	236	.....	10	140	86	83	16	46
24	Diagnosis reasonably certain. {M..	221	36	9	7	5	12	3	34	1	1	23	9	34	.....	5
	{F..	460	9	2	3	.....	3	1	30	.....	3	13	14	42	5	16
	NORTH CAROLINA.[2]															
25	Total	149	3	1	.....	.....	2	.....	48	.....	1	29	18	18	2	10
26	Males	38	1	1	.....	.....	.....	.....	21	.....	1	11	9	6	1	2
27	Females	111	2	.....	.....	.....	2	.....	27	.....	.....	18	9	12	1	8
28	Diagnosis reasonably certain. {M..	19	1	1	.....	.....	.....	.....	6	.....	.....	4	2	5	1	1
	{F..	76	2	.....	.....	.....	2	.....	6	.....	.....	4	2	4	.....	1
29	White	114	2	.....	.....	.....	2	.....	37	.....	1	22	14	17	2	10
30	Males	27	.....	.....	.....	.....	.....	.....	13	.....	1	7	5	5	1	2
31	Females	87	2	.....	.....	.....	2	.....	24	.....	.....	15	9	12	1	8
32	Diagnosis reasonably certain. {M..	15	.....	.....	.....	.....	.....	.....	5	.....	.....	3	2	4	1	1
	{F..	54	2	.....	.....	.....	2	.....	4	.....	.....	2	2	4	.....	1
33	Colored	35	1	1	.....	.....	.....	.....	11	.....	.....	7	4	1	.....	.....
34	Males	11	1	1	.....	.....	.....	.....	8	.....	.....	4	4	1	.....	.....
35	Females	24	.....	.....	.....	.....	.....	.....	3	.....	.....	3	.....	.....	.....	.....
36	Diagnosis reasonably certain. {M..	4	1	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
	{F..	22	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
	OHIO.															
37	Total	2,072	98	23	18	12	40	5	833	.....	12	520	301	227	16	127
38	Males	871	78	21	12	10	32	3	414	.....	10	290	114	101	8	52
39	Females	1,201	20	2	6	2	8	2	419	.....	2	230	187	126	8	75
40	Diagnosis reasonably certain. {M..	420	78	21	12	10	32	3	78	.....	2	55	21	60	3	17
	{F..	721	20	2	6	2	8	2	69	.....	.....	34	35	59	1	15
41	White	2,039	96	23	18	12	39	4	821	.....	12	510	299	225	16	126
42	Males	860	77	21	12	10	31	3	407	.....	10	284	113	101	8	52
43	Females	1,179	19	2	6	2	8	1	414	.....	2	226	186	124	8	74
44	Diagnosis reasonably certain. {M..	417	77	21	12	10	31	3	77	.....	2	54	21	60	3	17
	{F..	706	19	2	6	2	8	1	69	.....	.....	34	35	58	1	15
45	Colored	33	2	.....	.....	.....	1	1	12	.....	.....	10	2	2	.....	1
46	Males	11	1	.....	.....	.....	1	.....	7	.....	.....	6	1	.....	.....	.....
47	Females	22	1	.....	.....	.....	.....	1	5	.....	.....	4	1	2	.....	1
48	Diagnosis reasonably certain. {M..	3	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
	{F..	15	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
5	.....	5	.....	5	.....	.....	5	2	11	1	.....	.....	1	1	.....	.....	.....	1	7	1
1	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	1	.....	.....	.....	1	3	2
4	.....	5	.....	5	.....	.....	5	.....	6	1	.....	.....	1	.....	.....	.....	.....	.....	4	3
1	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....	1	.....	.....	.....	1	2	4
4	.....	5	.....	5	.....	.....	5	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	
2	.....	11	.....	11	.....	.....	1	9	10	.....	.....	.....	1	.....	1	.....	1	1	6	5
2	.....	.....	.....	.....	.....	.....	.....	8	6	.....	.....	.....	1	.....	1	.....	1	1	2	6
.....	.....	11	.....	11	.....	.....	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7
2	.....	.....	.....	.....	.....	.....	.....	8	5	.....	.....	.....	.....	.....	1	.....	1	1	2	8
.....	.....	11	.....	11	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
4	.....	16	2	12	1	1	13	1	8	.....	.....	.....	.....	1	1	.....	.....	.....	6	9
2	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	1	1	.....	.....	.....	1	10
2	.....	16	2	12	1	1	13	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	11
2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	12
2	.....	16	2	12	1	1	13	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	
3	1	10	.....	10	.....	.....	6	1	8	.....	.....	.....	.....	.....	1	.....	1	.....	6	13
1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	14
2	1	10	.....	10	.....	.....	6	1	5	.....	.....	.....	.....	.....	.....	.....	1	.....	4	15
1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	16
2	.....	10	.....	10	.....	.....	6	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
7	.....	13	.....	11	2	.....	10	11	22	2	.....	.....	1	1	3	1	1	1	12	17
2	.....	.....	.....	.....	.....	.....	.....	6	15	2	.....	.....	.....	1	2	1	.....	1	8	18
5	.....	13	.....	11	2	.....	.....	5	7	.....	.....	.....	1	.....	1	.....	1	.....	4	19
2	.....	.....	.....	.....	.....	.....	.....	6	12	2	.....	.....	.....	.....	1	1	.....	1	7	20
5	.....	13	.....	11	2	.....	10	5	5	.....	.....	.....	.....	.....	1	.....	1	.....	3	
50	.....	159	4	143	8	4	178	65	158	10	7	9	4	18	15	.....	9	5	81	21
29	.....	.....	.....	.....	.....	.....	2	47	105	8	4	5	3	18	13	.....	2	5	47	22
21	.....	159	4	143	8	4	176	18	53	2	3	4	1	.....	2	.....	7	.....	34	23
29	.....	.....	.....	.....	.....	.....	2	47	68	8	3	2	1	4	6	.....	1	5	38	24
21	.....	153	1	142	8	2	176	18	32	2	1	2	1	.....	1	.....	4	.....	21	
6	.....	44	.....	44	.....	.....	13	5	18	.....	1	.....	1	.....	3	2	1	.....	10	25
3	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	.....	.....	.....	2	2	1	.....	4	26
3	.....	44	.....	44	.....	.....	13	4	9	.....	1	.....	1	.....	1	.....	.....	.....	6	27
3	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	.....	.....	1	2	1	.....	2	28
3	.....	44	.....	44	.....	.....	13	4	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	
5	.....	30	.....	30	.....	.....	9	4	15	.....	1	.....	1	.....	2	2	1	.....	8	29
2	.....	.....	.....	.....	.....	.....	.....	1	8	.....	.....	.....	.....	.....	1	2	1	.....	4	30
3	.....	30	.....	30	.....	.....	9	3	7	.....	1	.....	1	.....	1	.....	.....	.....	4	31
2	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	2	1	.....	2	32
3	.....	30	.....	30	.....	.....	9	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	
1	.....	14	.....	14	.....	.....	4	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	33
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	34
.....	.....	14	.....	14	.....	.....	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	35
1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	36
.....	.....	14	.....	14	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
83	1	258	12	238	6	2	224	133	299	11	8	29	17	34	34	6	27	7	126	37
40	1	.....	.....	.....	.....	.....	3	75	200	10	8	14	10	34	21	6	15	7	75	38
43	.....	258	12	238	6	2	221	58	99	1	.....	15	7	.....	13	.....	12	.....	51	39
40	.....	.....	.....	.....	.....	.....	3	75	126	10	1	7	5	13	8	3	6	7	66	40
43	.....	252	8	238	6	.....	221	58	42	1	.....	2	2	.....	3	.....	3	.....	31	
82	1	249	12	229	6	2	220	133	295	11	8	29	17	34	34	6	25	7	124	41
40	1	.....	.....	.....	.....	.....	3	75	197	10	8	14	10	34	21	6	14	7	73	42
42	.....	249	12	229	6	2	217	58	98	1	.....	15	7	.....	13	.....	11	.....	51	43
40	.....	.....	.....	.....	.....	.....	3	75	125	10	1	7	5	13	8	3	6	7	65	44
42	.....	243	8	229	6	.....	217	58	42	1	.....	2	2	.....	3	.....	3	.....	31	
1	.....	9	.....	9	.....	.....	4	.....	4	.....	.....	.....	.....	.....	.....	.....	2	.....	2	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	46
1	.....	9	.....	9	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	48
1	.....	9	.....	9	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

[2] Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	OHIO—continued.															
1	Hamilton County	54	2	.....	1	.....	.....	1	22	.....	.....	16	6	7	.....	4
2	Males	23	1	.....	1	.....	.....	.....	10	.....	.....	9	1	3	.....	2
3	Females	31	1	.....	.....	.....	.....	1	12	.....	.....	7	5	4	.....	2
4	Diagnosis reasonably certain. {M.	13	1	.....	1	.....	.....	.....	4	.....	.....	4	.....	2	.....	1
	{F.	18	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	2	.....	.....
5	Tuscarawas County	56	1	.....	.....	1	.....	.....	26	.....	.....	17	9	12	3	5
6	Males	26	.....	.....	.....	.....	.....	.....	13	.....	.....	11	2	7	2	3
7	Females	30	1	.....	.....	1	.....	.....	13	.....	.....	6	7	5	1	2
8	Diagnosis reasonably certain. {M.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1
	{F.	16	1	.....	.....	1	.....	.....	2	.....	.....	1	1	2	.....	.....
9	Other rural districts	1,962	95	23	17	11	40	4	785	.....	12	487	286	208	13	118
10	Males	822	77	21	11	10	32	3	391	.....	10	270	111	91	6	47
11	Females	1,140	18	2	6	1	8	1	394	.....	2	217	175	117	7	71
12	Diagnosis reasonably certain. {M.	397	77	21	11	10	32	3	74	.....	2	51	21	54	2	15
	{F.	687	18	2	6	1	8	1	66	.....	.....	33	33	55	1	15
	PENNSYLVANIA.															
13	Total	2,752	155	28	19	18	62	28	1,141	2	16	703	420	331	40	180
14	Males	1,100	124	26	12	16	50	20	529	1	11	373	144	129	13	66
15	Females	1,652	31	2	7	2	12	8	612	1	5	330	276	202	27	114
16	Diagnosis reasonably certain. {M.	521	124	26	12	16	50	20	96	.....	3	77	16	63	3	12
	{F.	982	31	2	7	2	12	8	80	.....	.....	40	40	112	14	38
17	White	2,703	152	28	19	18	60	27	1,125	2	16	693	414	326	40	178
18	Males	1,083	122	26	12	16	49	19	518	1	11	365	141	127	13	65
19	Females	1,620	30	2	7	2	11	8	607	1	5	328	273	199	27	113
20	Diagnosis reasonably certain. {M.	516	122	26	12	16	49	19	95	.....	3	76	16	61	3	11
	{F.	955	30	2	7	2	11	8	79	.....	.....	39	40	110	14	38
21	Colored	49	3	.....	.....	.....	2	1	16	.....	.....	10	6	5	.....	2
22	Males	17	2	.....	.....	.....	1	1	11	.....	.....	8	3	2	.....	1
23	Females	32	1	.....	.....	.....	1	.....	5	.....	.....	2	3	3	.....	1
24	Diagnosis reasonably certain. {M.	5	2	.....	.....	.....	1	1	1	.....	.....	1	.....	2	.....	1
	{F.	27	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	2	.....	.....
25	Allegheny County	223	7	1	.....	1	4	1	105	1	3	63	38	23	3	14
26	Males	80	6	1	.....	.....	4	1	51	1	3	35	12	6	2	2
27	Females	143	1	.....	.....	1	.....	.....	54	.....	.....	28	26	17	1	12
28	Diagnosis reasonably certain. {M.	32	6	1	.....	.....	4	1	9	.....	1	7	1	2	.....	.....
	{F.	94	1	.....	.....	1	.....	.....	11	.....	.....	6	5	11	.....	7
29	Berks County	66	4	.....	1	.....	3	.....	25	.....	1	16	8	6	1	4
30	Males	29	4	.....	1	.....	3	.....	10	.....	1	5	4	2	.....	1
31	Females	37	.....	.....	.....	.....	.....	.....	15	.....	.....	11	4	4	1	3
32	Diagnosis reasonably certain. {M.	14	4	.....	1	.....	3	.....	2	.....	.....	2	.....	.....	.....	.....
	{F.	19	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
33	Bradford County	68	4	.....	.....	1	2	1	16	.....	.....	8	8	10	.....	7
34	Males	29	4	.....	.....	1	2	1	5	.....	.....	5	.....	5	.....	4
35	Females	39	.....	.....	.....	.....	.....	.....	11	.....	.....	3	8	5	.....	3
36	Diagnosis reasonably certain. {M.	19	4	.....	.....	1	2	1	2	.....	.....	2	.....	2	.....	1
	{F.	30	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	3	4	.....	2
37	Bucks County	76	4	1	1	1	1	.....	29	.....	1	13	15	9	1	7
38	Males	26	3	1	.....	1	1	.....	12	.....	.....	7	5	3	.....	3
39	Females	50	1	.....	1	.....	.....	.....	17	.....	1	6	10	6	1	4
40	Diagnosis reasonably certain. {M.	10	3	1	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	29	1	.....	1	.....	.....	.....	1	.....	.....	.....	1	4	1	2
41	Chester County	65	6	1	.....	1	3	1	24	.....	1	16	7	10	2	7
42	Males	19	5	1	.....	1	2	1	6	.....	.....	5	1	1	1	.....
43	Females	46	1	.....	.....	.....	1	.....	18	.....	1	11	6	9	1	7
44	Diagnosis reasonably certain. {M.	11	5	1	.....	1	2	1	2	.....	.....	2	.....	.....	.....	.....
	{F.	21	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	2	.....	1
45	Clearfield County	50	1	.....	.....	.....	1	.....	25	.....	1	15	9	8	1	6
46	Males	20	.....	.....	.....	.....	.....	.....	11	.....	1	7	3	4	.....	4
47	Females	30	1	.....	.....	.....	1	.....	14	.....	.....	8	6	4	1	2
48	Diagnosis reasonably certain. {M.	10	.....	.....	.....	.....	.....	.....	3	.....	1	2	.....	2	.....	2
	{F.	16	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	3	1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
3	.....	8	1	6	1	.....	6	3	6	.....	1	.....	1	2	2	.....	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	3	6	.....	1	.....	1	2	2	.....	.....	.....	.....
2	.....	8	1	6	1	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	2	1	.....	.....	.....	.....
2	.....	8	1	6	1	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	.....	6	.....	6	.....	.....	3	4	4	.....	.....	.....	.....	.....	2	.....	.....	.....	2
2	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2
2	.....	6	.....	6	.....	.....	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
2	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2
2	.....	6	.....	6	.....	.....	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
76	1	244	11	226	5	2	215	126	289	11	7	29	16	32	30	6	27	7	124
37	1	.....	.....	.....	.....	.....	3	69	191	10	7	14	9	32	18	6	15	7	73
39	.....	244	11	226	5	2	212	57	98	1	.....	15	7	.....	12	.....	12	.....	51
37	.....	.....	.....	.....	.....	.....	3	69	120	10	1	7	5	11	6	3	6	7	64
39	.....	238	7	226	5	.....	212	57	41	1	.....	2	2	.....	2	.....	3	.....	31
109	2	371	12	354	3	2	280	142	332	12	8	27	18	34	37	4	22	5	165
49	1	.....	.....	.....	.....	.....	3	97	218	9	5	13	11	34	27	2	10	5	102
60	1	371	12	354	3	2	277	45	114	3	3	14	7	.....	10	2	12	.....	63
48	.....	.....	.....	.....	.....	.....	3	97	138	9	3	7	3	4	7	2	5	5	93
60	.....	364	6	354	3	1	277	45	73	3	1	6	1	.....	5	1	6	.....	50
106	2	358	12	341	3	2	271	142	329	12	8	27	18	33	36	4	22	5	164
48	1	.....	.....	.....	.....	.....	3	97	216	9	5	13	11	33	26	2	10	5	102
58	1	358	12	341	3	2	268	45	113	3	3	14	7	.....	10	2	12	.....	62
47	.....	.....	.....	.....	.....	.....	3	97	138	9	3	7	3	4	7	2	5	5	93
58	.....	351	6	341	3	1	268	45	72	3	1	6	1	.....	5	1	6	.....	49
3	.....	13	.....	13	.....	.....	9	.....	3	.....	.....	.....	.....	1	1	.....	.....	.....	1
1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....
2	.....	13	.....	13	.....	.....	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	.....	13	.....	13	.....	.....	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
6	.....	37	.....	37	.....	.....	24	11	16	.....	.....	.....	1	.....	4	.....	1	1	9
2	.....	.....	.....	.....	.....	.....	.....	7	10	.....	.....	.....	1	.....	3	.....	1	1	4
4	.....	37	.....	37	.....	.....	24	4	6	.....	.....	.....	.....	.....	1	.....	.....	.....	5
2	.....	.....	.....	.....	.....	.....	.....	7	8	.....	.....	.....	.....	.....	2	.....	1	1	4
4	.....	37	.....	37	.....	.....	24	4	6	.....	.....	.....	.....	.....	1	.....	.....	.....	5
1	.....	7	.....	7	.....	.....	9	4	11	1	.....	1	.....	3	3	.....	.....	.....	3
1	.....	.....	.....	.....	.....	.....	.....	4	9	1	.....	1	.....	3	2	.....	.....	.....	2
.....	.....	7	.....	7	.....	.....	9	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	4	4	1	.....	.....	.....	.....	1	.....	.....	.....	2
.....	.....	7	.....	7	.....	.....	9	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1
3	.....	14	.....	14	.....	.....	7	6	11	.....	.....	1	2	1	3	.....	.....	.....	4
1	.....	.....	.....	.....	.....	.....	.....	6	9	.....	.....	.....	2	1	2	.....	.....	.....	4
2	.....	14	.....	14	.....	.....	7	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
1	.....	.....	.....	.....	.....	.....	.....	6	5	.....	.....	.....	1	.....	.....	.....	.....	.....	4
2	.....	14	.....	14	.....	.....	7	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
1	.....	12	.....	11	.....	1	10	4	8	.....	.....	.....	1	1	2	.....	1	.....	3
.....	.....	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....	.....	1	1	.....	.....	.....	1
1	.....	12	.....	11	.....	1	9	.....	5	.....	.....	.....	1	.....	1	.....	1	.....	2
.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
1	.....	11	.....	11	.....	.....	9	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2
1	.....	8	.....	7	1	.....	6	2	9	.....	.....	.....	.....	1	3	.....	1	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	1	6	.....	.....	.....	.....	1	2	.....	.....	.....	3
1	.....	8	.....	7	1	.....	6	1	3	.....	.....	.....	.....	.....	1	.....	1	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
1	.....	8	.....	7	1	.....	6	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
1	.....	8	1	7	.....	.....	1	3	4	1	1	.....	.....	.....	1	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	1	.....	.....	.....	.....
1	.....	8	1	7	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	1	.....	.....	.....	.....
1	.....	8	1	7	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	PENNSYLVANIA—continued.															
1	Delaware County	74	2	1	.....	.....	1	.....	32	.....	.....	19	13	5	.....	1
2	Males	27	1	1	.....	.....	.....	.....	16	.....	.....	11	5	4	.....	1
3	Females	47	1	.....	.....	.....	1	.....	16	.....	.....	8	8	1	.....	.....
4	Diagnosis reasonably certain. {M	12	1	1	.....	.....	.....	.....	3	.....	.....	1	2	3	.....	.....
	{F	31	1	.....	.....	.....	1	.....	2	.....	.....	.....	2	1	.....	.....
5	Erie County	67	7	1	.....	3	2	1	17	.....	.....	11	6	5	.....	1
6	Males	24	7	1	.....	3	2	1	8	.....	.....	6	2	2	.....	.....
7	Females	43	.....	.....	.....	.....	.....	.....	9	.....	.....	5	4	3	.....	1
8	Diagnosis reasonably certain. {M	12	7	1	.....	3	2	1	3	.....	.....	2	1	2	.....	.....
	{F	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
9	Fayette County	67	3	.....	1	.....	1	1	30	.....	.....	20	10	8	1	5
10	Males	31	1	.....	1	.....	.....	.....	15	.....	.....	13	2	4	.....	3
11	Females	36	2	.....	.....	.....	1	1	15	.....	.....	7	8	4	1	2
12	Diagnosis reasonably certain. {M	10	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
	{F	18	2	.....	.....	.....	1	1	1	.....	.....	.....	1	1	.....	.....
13	Jefferson County	51	6	.....	.....	2	3	1	23	.....	.....	15	8	3	.....	2
14	Males	30	6	.....	.....	2	3	1	14	.....	.....	12	2	.....	.....	.....
15	Females	21	.....	.....	.....	.....	.....	.....	9	.....	.....	3	6	3	.....	2
16	Diagnosis reasonably certain. {M	16	6	.....	.....	2	3	1	3	.....	.....	3	.....	.....	.....	.....
	{F	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
17	Lancaster County	90	6	.....	.....	2	3	1	37	.....	.....	23	14	11	.....	8
18	Males	37	4	.....	.....	2	2	.....	20	.....	.....	12	8	4	.....	2
19	Females	53	2	.....	.....	.....	1	1	17	.....	.....	11	6	7	.....	6
20	Diagnosis reasonably certain. {M	17	4	.....	.....	2	2	.....	2	.....	.....	2	.....	2	.....	.....
	{F	29	2	.....	.....	.....	1	1	3	.....	.....	2	1	2	.....	1
21	Luzerne County	99	6	2	1	.....	2	1	49	.....	.....	36	13	14	1	8
22	Males	45	4	1	1	.....	3	.....	25	.....	.....	22	3	6	1	3
23	Females	54	2	1	.....	.....	.....	1	24	.....	.....	14	10	8	.....	5
24	Diagnosis reasonably certain. {M	16	4	1	1	.....	2	.....	2	.....	.....	2	.....	2	.....	.....
	{F	29	2	1	.....	.....	.....	1	3	.....	.....	1	2	6	.....	4
25	Montgomery County	95	5	1	1	.....	1	2	38	.....	1	22	15	15	2	5
26	Males	48	4	1	1	.....	1	1	20	.....	1	12	7	9	1	4
27	Females	47	1	.....	.....	.....	.....	1	18	.....	.....	10	8	6	1	1
28	Diagnosis reasonably certain. {M	27	4	1	1	.....	1	1	5	.....	1	4	.....	6	1	1
	{F	28	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	5	1	.....
29	Northampton County	54	3	.....	.....	.....	2	1	27	.....	.....	16	11	3	3	.....
30	Males	24	3	.....	.....	.....	2	1	12	.....	.....	8	4	1	1	.....
31	Females	30	.....	.....	.....	.....	.....	.....	15	.....	.....	8	7	2	2	.....
32	Diagnosis reasonably certain. {M	4	3	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	{F	17	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	1	1	.....
33	Schuylkill County	89	6	2	.....	.....	3	1	37	.....	1	22	14	10	.....	4
34	Males	35	5	2	.....	.....	2	1	16	.....	1	9	6	4	.....	1
35	Females	54	1	.....	.....	.....	1	.....	21	.....	.....	13	8	6	.....	3
36	Diagnosis reasonably certain. {M	22	5	2	.....	.....	2	1	6	.....	.....	5	1	3	.....	.....
	{F	33	1	.....	.....	.....	1	.....	3	.....	.....	2	1	4	.....	1
37	Washington County	75	2	2	.....	.....	.....	.....	42	.....	1	29	12	3	1	2
38	Males	34	2	2	.....	.....	.....	.....	20	.....	1	15	4	.....	.....	.....
39	Females	41	.....	.....	.....	.....	.....	.....	22	.....	.....	14	8	3	1	2
40	Diagnosis reasonably certain. {M	17	2	2	.....	.....	.....	.....	7	.....	.....	7	.....	.....	.....	.....
	{F	21	.....	.....	.....	.....	.....	.....	5	.....	.....	3	2	1	1	.....
41	Westmoreland County	110	8	1	3	1	3	.....	45	.....	1	21	23	14	2	7
42	Males	45	7	1	2	1	3	.....	23	.....	1	12	10	5	.....	2
43	Females	65	1	.....	1	.....	.....	.....	22	.....	.....	9	13	9	2	5
44	Diagnosis reasonably certain. {M	28	7	1	2	1	3	.....	8	.....	.....	6	2	4	.....	1
	{F	37	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	4	2	.....
45	York County	64	5	.....	.....	1	3	1	20	.....	.....	9	11	9	2	4
46	Males	22	4	.....	.....	1	2	1	9	.....	.....	5	4	4	.....	3
47	Females	42	1	.....	.....	.....	1	.....	11	.....	.....	4	7	5	2	1
48	Diagnosis reasonably certain. {M	12	4	.....	.....	1	2	1	3	.....	.....	2	1	1	.....	.....
	{F	29	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	4	1	1
49	Other rural districts	1,269	70	15	11	5	24	15	520	1	5	329	185	165	20	88
50	Males	495	54	14	6	4	19	11	236	.....	2	172	62	65	7	33
51	Females	774	16	1	5	1	5	4	284	1	3	157	123	100	13	55
52	Diagnosis reasonably certain. {M	228	54	14	6	4	19	11	34	.....	.....	26	8	33	2	7
	{F	462	16	1	5	1	5	4	40	.....	.....	22	18	55	6	17

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
4	.....	9	.....	9	.....	.....	16	2	8	1	1	1	1	.....	.....	.....	1	.....	3	1
3	.....	.....	.....	.....	.....	.....	.....	1	5	1	.....	1	1	.....	.....	.....	.....	.....	2	2
1	.....	9	.....	9	.....	.....	16	1	3	.....	1	.....	.....	.....	.....	.....	1	.....	1	3
3	.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	1	.....	.....	.....	.....	.....	2	
1	.....	9	.....	9	.....	.....	16	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4
4	.....	8	.....	8	.....	.....	12	3	15	.....	.....	2	1	1	1	.....	2	.....	8	5
2	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	1	1	.....	1	.....	2	6
2	.....	8	.....	8	.....	.....	12	1	10	.....	.....	2	1	.....	.....	.....	1	.....	6	7
2	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
2	.....	8	.....	8	.....	.....	12	1	7	.....	.....	1	.....	.....	.....	.....	1	.....	5	8
2	.....	8	.....	8	.....	.....	4	3	11	.....	1	1	2	1	.....	.....	1	1	4	9
1	.....	.....	.....	.....	.....	.....	.....	2	9	.....	1	1	1	1	.....	.....	1	1	3	10
1	.....	8	.....	8	.....	.....	4	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	11
1	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	.....	.....	1	1	3	
1	.....	8	.....	8	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12
1	.....	5	1	4	.....	.....	2	2	10	.....	1	2	.....	2	1	.....	.....	.....	4	13
.....	.....	.....	.....	.....	.....	.....	.....	2	8	.....	1	1	.....	2	1	.....	.....	.....	3	14
1	.....	5	1	4	.....	.....	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	15
.....	.....	.....	.....	.....	.....	.....	.....	2	5	.....	1	1	.....	1	.....	.....	.....	.....	2	
1	.....	4	.....	4	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	16
3	.....	10	.....	9	1	.....	12	5	9	.....	.....	.....	.....	.....	3	2	1	.....	3	17
2	.....	.....	.....	.....	.....	.....	1	4	4	.....	.....	.....	.....	.....	1	1	1	.....	1	18
1	.....	10	.....	9	1	.....	11	1	5	.....	.....	.....	.....	.....	2	1	.....	.....	2	19
2	.....	.....	.....	.....	.....	.....	1	4	4	.....	.....	.....	.....	.....	1	1	1	.....	1	
1	.....	10	.....	9	1	.....	11	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
4	1	6	1	5	.....	.....	9	7	8	1	.....	1	2	.....	.....	.....	.....	.....	4	21
2	.....	.....	.....	.....	.....	.....	.....	6	4	.....	.....	.....	1	.....	.....	.....	.....	.....	3	22
2	1	6	1	5	.....	.....	9	1	4	1	.....	1	1	.....	.....	.....	.....	.....	1	23
2	.....	.....	.....	.....	.....	.....	.....	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
2	.....	6	1	5	.....	.....	9	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	24
8	.....	7	.....	7	.....	.....	11	7	12	2	.....	1	.....	4	1	.....	.....	.....	4	25
4	.....	.....	.....	.....	.....	.....	.....	5	10	2	.....	.....	.....	4	1	.....	.....	.....	3	26
4	.....	7	.....	7	.....	.....	11	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	27
4	.....	.....	.....	.....	.....	.....	.....	5	7	2	.....	.....	.....	1	1	.....	.....	.....	3	
4	.....	7	.....	7	.....	.....	11	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	28
.....	.....	7	.....	7	.....	.....	4	1	9	.....	.....	1	1	3	2	.....	1	.....	1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	1	1	3	2	.....	1	.....	.....	30
.....	.....	7	.....	7	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	31
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	7	.....	7	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
6	.....	10	.....	10	.....	.....	8	5	13	.....	.....	.....	.....	.....	1	.....	3	.....	9	33
3	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	.....	.....	.....	1	.....	1	.....	8	34
3	.....	10	.....	10	.....	.....	8	5	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	35
3	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	
3	.....	10	.....	10	.....	.....	8	5	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	36
.....	.....	8	.....	8	.....	.....	6	3	11	1	.....	.....	1	2	1	.....	1	1	4	37
.....	.....	.....	.....	.....	.....	.....	.....	3	9	1	.....	.....	.....	2	1	.....	1	1	3	38
.....	.....	8	.....	8	.....	.....	6	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	39
.....	.....	.....	.....	.....	.....	.....	.....	3	5	1	.....	.....	.....	.....	.....	.....	.....	1	3	
.....	.....	8	.....	8	.....	.....	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	40
5	.....	19	1	18	.....	.....	9	2	13	1	.....	.....	.....	1	.....	1	2	.....	8	41
3	.....	.....	.....	.....	.....	.....	.....	1	9	1	.....	.....	.....	1	.....	.....	.....	.....	7	42
2	.....	19	1	18	.....	.....	9	1	4	.....	.....	.....	.....	.....	.....	1	2	.....	1	43
3	.....	.....	.....	.....	.....	.....	.....	1	8	1	.....	.....	.....	.....	.....	.....	.....	.....	7	
2	.....	18	.....	18	.....	.....	9	1	4	.....	.....	.....	.....	.....	.....	1	2	.....	1	44
3	.....	11	1	10	.....	.....	10	2	7	.....	1	1	1	.....	.....	.....	.....	.....	4	45
1	.....	.....	.....	.....	.....	.....	.....	1	4	.....	1	.....	1	.....	.....	.....	.....	.....	2	46
2	.....	11	1	10	.....	.....	10	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	2	47
1	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	
2	.....	10	.....	10	.....	.....	10	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	48
56	1	177	7	168	1	1	120	70	147	4	3	15	5	14	11	1	7	2	85	49
24	1	.....	.....	.....	.....	.....	1	46	93	2	1	8	3	14	8	1	3	2	51	50
32	.....	177	7	168	1	1	119	24	54	2	2	7	2	.....	3	.....	4	.....	34	51
24	.....	.....	.....	.....	.....	.....	1	46	60	2	1	5	.....	2	1	1	2	2	44	
32	.....	174	4	168	1	1	119	24	34	2	1	2	.....	.....	1	.....	1	.....	27	52

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	RHODE ISLAND.															
1	Total	113	5	.....	.....	1	3	1	36	.....	1	26	9	21	1	12
2	Males	41	4	.....	.....	1	2	1	18	.....	1	14	3	9	1	3
3	Females	72	1	.....	.....	.....	1	.....	18	.....	.....	12	6	12	.....	9
4	Diagnosis reasonably certain. {M..	16	4	.....	.....	1	2	1	2	.....	.....	1	1	5	.....	.....
	{F..	45	1	.....	.....	.....	1	.....	4	.....	.....	3	1	4	.....	1
5	White	111	5	.....	.....	1	3	1	34	.....	1	24	9	21	1	12
6	Males	41	4	.....	.....	1	2	1	18	.....	1	14	3	9	1	3
7	Females	70	1	.....	.....	.....	1	.....	16	.....	.....	10	6	12	.....	9
8	Diagnosis reasonably certain. {M..	16	4	.....	.....	1	2	1	2	.....	.....	1	1	5	.....	.....
	{F..	45	1	.....	.....	.....	1	.....	4	.....	.....	3	1	4	.....	1
9	Colored	2	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
10	Males	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Females	2	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....
12	Diagnosis reasonably certain. {M..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	UTAH.															
13	Total	97	1	.....	1	.....	.....	.....	57	1	1	42	13	5	.....	3
14	Males	49	1	.....	1	.....	.....	.....	37	.....	1	30	6	1	.....	1
15	Females	48	.....	.....	.....	.....	.....	.....	20	1	.....	12	7	4	.....	2
16	Diagnosis reasonably certain. {M..	12	1	.....	1	.....	.....	.....	4	.....	.....	4	.....	.....	.....	.....
	{F..	29	.....	.....	.....	.....	.....	.....	3	1	.....	1	1	2	.....	.....
17	White	97	1	.....	1	.....	.....	.....	57	1	1	42	13	5	.....	3
18	Males	49	1	.....	1	.....	.....	.....	37	.....	1	30	6	1	.....	1
19	Females	48	.....	.....	.....	.....	.....	.....	20	1	.....	12	7	4	.....	2
20	Diagnosis reasonably certain. {M..	12	1	.....	1	.....	.....	.....	4	.....	.....	4	.....	.....	.....	.....
	{F..	29	.....	.....	.....	.....	.....	.....	3	1	.....	1	1	2	.....	.....
	VERMONT.															
21	Total	324	14	3	3	4	2	2	103	.....	1	65	37	45	2	23
22	Males	130	12	3	3	2	2	2	47	.....	1	31	15	23	.....	9
23	Females	194	2	.....	.....	2	.....	.....	56	.....	.....	34	22	22	2	14
24	Diagnosis reasonably certain. {M..	69	12	3	3	2	2	2	10	.....	.....	7	3	16	.....	2
	{F..	120	2	.....	.....	2	.....	.....	7	.....	.....	3	4	8	.....	2
25	White	324	14	3	3	4	2	2	103	.....	1	65	37	45	2	23
26	Males	130	12	3	3	2	2	2	47	.....	1	31	15	23	.....	9
27	Females	194	2	.....	.....	2	.....	.....	56	.....	.....	34	22	22	2	14
28	Diagnosis reasonably certain. {M..	69	12	3	3	2	2	2	10	.....	.....	7	3	16	.....	2
	{F..	120	2	.....	.....	2	.....	.....	7	.....	.....	3	4	8	.....	2
	VIRGINIA.															
29	Total	747	33	4	7	4	16	2	248	.....	2	167	79	49	2	28
30	Males	289	23	3	7	3	8	2	124	.....	.....	88	36	25	1	13
31	Females	458	10	1	.....	1	8	.....	124	.....	2	79	43	24	1	15
32	Diagnosis reasonably certain. {M..	127	23	3	7	3	8	2	9	.....	.....	8	1	14	.....	3
	{F..	297	10	1	.....	1	8	.....	7	.....	1	.....	6	8	.....	.....
33	White	551	28	3	7	4	12	2	190	.....	2	121	67	38	2	19
34	Males	238	22	3	7	3	7	2	97	.....	.....	66	31	21	1	10
35	Females	313	6	.....	.....	1	5	.....	93	.....	2	55	36	17	1	9
36	Diagnosis reasonably certain. {M..	112	22	3	7	3	7	2	9	.....	.....	8	1	12	.....	2
	{F..	196	6	.....	.....	1	5	.....	7	.....	1	.....	6	7	.....	.....
37	Colored	196	5	1	.....	.....	4	.....	58	.....	.....	46	12	11	.....	9
38	Males	51	1	.....	.....	.....	1	.....	27	.....	.....	22	5	4	.....	3
39	Females	145	4	1	.....	.....	3	.....	31	.....	.....	24	7	7	.....	6
40	Diagnosis reasonably certain. {M..	15	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	1
	{F..	101	4	1	.....	.....	3	.....	.....	.....	.....	.....	.....	1	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
8	.....	15	1	14	.....	.....	18	3	15	.....	.....	4	2	.....	2	.....	.....	.....	7	1
5	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	3	1	.....	1	.....	.....	.....	4	2
3	.....	15	1	14	.....	.....	18	2	6	.....	.....	1	1	.....	1	.....	.....	.....	3	3
5	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4
3	.....	15	1	14	.....	.....	18	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
8	.....	15	1	14	.....	.....	18	3	15	.....	.....	4	2	.....	2	.....	.....	.....	7	5
5	.....	.....	.....	.....	.....	.....	.....	1	9	.....	.....	3	1	.....	1	.....	.....	.....	4	6
3	.....	15	1	14	.....	.....	18	2	6	.....	.....	1	1	.....	1	.....	.....	.....	3	7
5	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	8
3	.....	15	1	14	.....	.....	18	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
2	.....	12	.....	11	.....	1	8	.....	14	.....	.....	2	.....	3	.....	1	1	.....	7	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	1	.....	3	.....	1	.....	.....	5	14
2	.....	12	.....	11	.....	1	8	.....	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	1	.....	1	.....	.....	.....	.....	5	16
2	.....	12	.....	11	.....	1	8	.....	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	
2	.....	12	.....	11	.....	1	8	.....	14	.....	.....	2	.....	3	.....	1	1	.....	7	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	.....	1	.....	3	.....	1	.....	.....	5	18
2	.....	12	.....	11	.....	1	8	.....	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	1	.....	1	.....	.....	.....	.....	5	20
2	.....	12	.....	11	.....	1	8	.....	4	.....	.....	1	.....	.....	.....	.....	1	.....	2	
20	.....	60	2	55	3	.....	23	15	64	2	3	7	4	9	4	.....	3	1	31	21
14	.....	.....	.....	.....	.....	.....	.....	9	39	.....	1	2	1	9	4	.....	2	1	19	22
6	.....	60	2	55	3	.....	23	6	25	2	2	5	3	.....	.....	.....	1	.....	12	23
14	.....	.....	.....	.....	.....	.....	.....	9	22	.....	.....	.....	.....	2	1	.....	1	1	17	24
6	.....	59	1	55	3	.....	23	6	15	2	1	2	3	.....	.....	.....	.....	.....	7	
20	.....	60	2	55	3	.....	23	15	64	2	3	7	4	9	4	.....	3	1	31	25
14	.....	.....	.....	.....	.....	.....	.....	9	39	.....	1	2	1	9	4	.....	2	1	19	26
6	.....	60	2	55	3	.....	23	6	25	2	2	5	3	.....	.....	.....	1	.....	12	27
14	.....	.....	.....	.....	.....	.....	.....	9	22	.....	.....	.....	.....	2	1	.....	1	1	17	28
6	.....	59	1	55	3	.....	23	6	15	2	1	2	3	.....	.....	.....	.....	.....	7	
19	.....	158	2	153	3	.....	77	56	126	3	4	8	7	8	14	3	5	1	73	29
11	.....	.....	.....	.....	.....	.....	.....	34	83	3	3	4	6	8	11	3	2	1	42	30
8	.....	158	2	153	3	.....	77	22	43	.....	1	4	1	.....	3	.....	3	.....	31	31
11	.....	.....	.....	.....	.....	.....	.....	34	47	3	.....	1	3	2	3	1	.....	1	33	32
8	.....	156	1	152	3	.....	77	22	17	.....	.....	1	.....	.....	1	.....	1	.....	14	
17	.....	90	1	87	2	.....	56	51	98	1	4	6	4	7	11	2	4	1	58	33
10	.....	.....	.....	.....	.....	.....	.....	32	66	1	3	3	3	7	8	2	1	1	37	34
7	.....	90	1	87	2	.....	56	19	32	.....	1	3	1	.....	3	.....	3	.....	21	35
10	.....	.....	.....	.....	.....	.....	.....	32	37	1	.....	1	1	2	1	1	.....	1	29	36
7	.....	89	1	86	2	.....	56	19	12	.....	.....	1	.....	.....	1	.....	1	.....	9	
2	.....	68	1	66	1	.....	21	5	28	2	.....	2	3	1	3	1	1	.....	15	37
1	.....	.....	.....	.....	.....	.....	.....	2	17	2	.....	1	3	1	3	1	1	.....	5	38
1	.....	68	1	66	1	.....	21	3	11	.....	.....	1	.....	.....	.....	.....	.....	.....	10	39
1	.....	.....	.....	.....	.....	.....	.....	2	10	2	.....	.....	2	.....	2	.....	.....	.....	4	40
1	.....	67	.....	66	1	.....	21	3	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
	RURAL PART OF REGISTRATION STATES[1]—Continued.															
	WASHINGTON.															
1	Total	372	20	6	4	5	4	1	174	.....	.....	131	43	35	.....	22
2	Males	195	13	5	3	2	3	.....	111	.....	.....	92	19	20	.....	13
3	Females	177	7	1	1	3	1	1	63	.....	.....	39	24	15	.....	9
4	Diagnosis reasonably certain. {M.	94	13	5	3	2	3	.....	32	.....	.....	26	6	13	.....	6
	{F.	117	7	1	1	3	1	1	15	.....	.....	7	8	9	.....	3
5	White	368	20	6	4	5	4	1	173	.....	.....	130	43	35	.....	22
6	Males	193	13	5	3	2	3	.....	110	.....	.....	91	19	20	.....	13
7	Females	175	7	1	1	3	1	1	63	.....	.....	39	24	15	.....	9
8	Diagnosis reasonably certain. {M.	93	13	5	3	2	3	.....	31	.....	.....	25	6	13	.....	6
	{F.	115	7	1	1	3	1	1	15	.....	.....	7	8	9	.....	3
9	Colored	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
10	Males	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
11	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Diagnosis reasonably certain. {M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	{F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	WISCONSIN.															
13	Total	1,273	53	17	9	2	24	1	652	1	21	472	158	144	10	86
14	Males	633	44	16	8	1	18	1	385	.....	20	304	61	76	5	42
15	Females	640	9	1	1	1	6	.....	267	1	1	168	97	68	5	44
16	Diagnosis reasonably certain. {M.	243	44	16	8	1	18	1	67	.....	2	56	9	45	4	12
	{F.	352	9	1	1	1	6	.....	42	.....	.....	21	21	31	1	11
17	White	1,266	52	17	9	2	23	1	650	1	21	472	156	144	10	84
18	Males	632	44	16	8	1	18	1	384	.....	20	304	60	76	5	42
19	Females	634	8	1	1	1	5	.....	266	1	1	168	96	68	5	44
20	Diagnosis reasonably certain. {M.	243	44	16	8	1	18	1	67	.....	2	56	9	45	4	12
	{F.	347	8	1	1	1	5	.....	42	.....	.....	21	21	31	1	11
21	Colored	7	1	.....	.....	.....	1	.....	2	.....	.....	.....	2	.....	.....	.....
22	Males	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
23	Females	6	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
24	Diagnosis reasonably certain. {M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F.	5	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Milwaukee County[2]	59	3	1	.....	.....	2	.....	30	.....	2	19	9	5	.....	2
26	Males	41	3	1	.....	.....	2	.....	21	.....	2	14	5	4	.....	1
27	Females	18	.....	.....	.....	.....	.....	.....	9	.....	.....	5	4	1	.....	1
28	Diagnosis reasonably certain. {M.	26	3	1	.....	.....	2	.....	8	.....	1	4	3	3	.....	.....
	{F.	11	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	1	.....	1
29	Other rural districts	1,214	50	16	9	2	22	1	622	1	19	453	149	139	10	82
30	Males	592	41	15	8	1	16	1	364	.....	18	290	56	72	5	4
31	Females	622	9	1	1	1	6	.....	258	1	1	163	93	67	5	40
32	Diagnosis reasonably certain. {M.	217	41	15	8	1	16	1	59	.....	1	52	6	42	4	16
	{F.	341	9	1	1	1	6	.....	39	.....	.....	20	19	30	1	13

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
13	.....	43	2	41	.....	.....	31	16	53	1	4	7	2	8	4	1	3	1	22	1
7	.....	.....	.....	.....	.....	.....	1	12	38	.....	4	5	2	8	3	1	1	1	13	2
6	.....	43	2	41	.....	.....	30	4	15	1	.....	2	.....	.....	1	.....	2	.....	9	3
7	.....	.....	.....	.....	.....	.....	1	12	23	.....	2	5	.....	.....	3	1	1	.....	10	4
6	.....	43	2	41	.....	.....	30	4	9	1	.....	1	.....	.....	.....	.....	1	.....	6	
13	.....	41	2	39	.....	.....	31	16	52	1	4	7	2	8	4	1	2	1	22	5
7	.....	.....	.....	.....	.....	.....	1	12	37	.....	4	5	2	8	3	1	.....	1	13	6
6	.....	41	2	39	.....	.....	30	4	15	1	.....	2	.....	.....	1	.....	2	.....	9	7
7	.....	.....	.....	.....	.....	.....	1	12	23	.....	2	5	.....	3	1	1	.....	1	10	8
6	.....	41	2	39	.....	.....	30	4	9	1	.....	1	.....	.....	.....	.....	1	.....	6	
.....	.....	2	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	10
.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
48	.....	119	9	102	6	2	102	57	146	2	5	12	12	24	11	3	9	3	65	13
29	.....	.....	.....	.....	.....	.....	.....	30	98	2	4	8	6	24	7	1	8	3	35	14
19	.....	119	9	102	6	2	102	27	48	.....	1	4	6	.....	4	2	1	.....	30	15
29	.....	.....	.....	.....	.....	.....	.....	30	57	2	.....	4	4	8	3	.....	1	3	32	16
19	.....	115	6	102	6	1	101	27	27	.....	.....	2	1	.....	3	.....	.....	.....	21	
48	.....	118	9	101	6	2	99	57	146	2	5	12	12	24	11	3	9	3	65	17
29	.....	.....	.....	.....	.....	.....	.....	30	98	2	4	8	6	24	7	1	8	3	35	18
19	.....	118	9	101	6	2	99	27	48	.....	1	4	6	.....	4	2	1	.....	30	19
29	.....	.....	.....	.....	.....	.....	.....	30	57	2	.....	4	4	8	3	.....	1	3	32	20
19	.....	114	6	101	6	1	98	27	27	.....	.....	2	1	.....	3	.....	.....	.....	21	
.....	.....	1	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	1	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
3	.....	6	1	4	1	.....	.....	2	13	.....	.....	.....	1	2	.....	.....	.....	.....	10	25
3	.....	.....	.....	.....	.....	.....	.....	2	11	.....	.....	.....	.....	2	.....	.....	.....	.....	9	26
.....	.....	6	1	4	1	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	27
3	.....	.....	.....	.....	.....	.....	.....	2	10	.....	.....	.....	.....	1	.....	.....	.....	.....	9	28
.....	.....	6	1	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
45	.....	113	8	98	5	2	102	55	133	2	5	12	11	22	11	3	9	3	55	29
26	.....	.....	.....	.....	.....	.....	.....	28	87	2	4	8	6	22	7	1	8	3	26	30
19	.....	113	8	98	5	2	102	27	46	.....	1	4	5	.....	4	2	1	.....	29	31
26	.....	.....	.....	.....	.....	.....	.....	28	47	2	.....	4	4	7	3	.....	1	3	23	32
19	.....	109	5	98	5	1	101	27	26	.....	.....	2	1	.....	3	.....	.....	.....	20	

[2] Includes National Military Home.

TABLE 3.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA NATIVITY OF

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	REGISTRATION AREA.											
1	Total	52,420	49	42	61	43	42	237	122	92	174	294
2	Males	21,282	21	20	33	27	17	118	70	54	86	147
3	Females	31,138	28	22	28	16	25	119	52	38	88	147
4	White	50,515	47	41	60	42	40	230	118	84	167	269
5	Males	20,717	21	19	32	27	16	115	69	48	86	140
6	Females	29,798	26	22	28	15	24	115	49	36	81	129
7	Native	31,288	46	39	60	42	39	226	113	76	141	213
8	Males	11,586	21	18	32	27	16	114	66	44	72	111
9	Females	19,702	25	21	28	15	23	112	47	32	69	102
10	Both parents native	M. 6,342	8	10	19	19	7	63	35	28	38	61
		F. 11,306	13	16	14	7	16	66	29	19	40	54
11	One or both parents foreign	M. 3,144	13	8	12	8	8	49	27	16	33	45
		F. 5,365	11	4	14	8	7	44	17	12	29	40
12	Parentage unknown	M. 2,100			1		1	2	4		1	5
		F. 3,031	1	1				2	1	1		8
13	Foreign	18,775	1	2			1	4	3	8	25	55
14	Males	8,871		1				1	1	4	14	29
15	Females	9,904	1	1			1	3	2	4	11	26
16	Unknown	452							2		1	1
17	Males	260							2			
18	Females	192									1	1
19	Colored	1,905	2	1	1	1	2	7	4	8	7	25
20	Males	565		1	1		1	3	1	6		7
21	Females	1,340	2			1	1	4	3	2	7	18
22	Negro	M. 507		1	1		1	3	1	4		7
		F. 1,317	2			1	1	4	2	2	7	18
23	Indian	M. 7								1		
		F. 15							1			
24	Chinese	M. 37										
		F. 3										
25	Japanese	M. 12										
		F. 5										
26	Other colored	M. 2								1		
		F.										
	REGISTRATION STATES.[1]											
27	Total	47,986	45	39	56	36	40	216	110	87	165	243
28	Males	19,474	18	19	30	22	16	105	62	52	81	124
29	Females	28,512	27	20	26	14	24	111	48	35	84	119
30	White	46,549	43	38	55	35	38	209	106	79	160	231
31	Males	19,047	18	18	29	22	15	102	61	46	81	120
32	Females	27,502	25	20	26	13	23	107	45	33	79	111
33	Native	29,192	42	36	55	35	37	205	101	73	135	184
34	Males	10,842	18	17	29	22	15	101	58	42	68	96
35	Females	18,350	24	19	26	13	22	104	43	31	67	88
36	Both parents native	M. 6,020	7	10	18	17	7	59	31	27	36	54
		F. 10,619	12	14	13	7	15	61	27	19	38	48
37	One or both parents foreign	M. 2,883	11	7	10	5	7	40	23	15	31	38
		F. 4,953	11	4	13	6	7	41	15	11	29	34
38	Parentage unknown	M. 1,939			1		1	2	4		1	4
		F. 2,748	1	1				2	1	1		6
39	Foreign	16,936	1	2			1	4	3	6	24	46
40	Males	7,967		1				1	1	4	13	24
41	Females	8,969	1	1			1	3	2	2	11	22
42	Unknown	421							2		1	1
43	Males	238							2			
44	Females	183									1	1
45	Colored	1,437	2	1	1	1	2	7	4	8	5	12
46	Males	427		1	1		1	3	1	6		4
47	Females	1,010	2			1	1	4	3	2	5	8
48	Negro	M. 381		1	1		1	3	1	4		4
		F. 989	2			1	1	4	2	2	5	8
49	Indian	M. 6								1		
		F. 14							1			
50	Chinese	M. 29										
		F. 2										
51	Japanese	M. 9										
		F. 5										
52	Other colored	M. 2								1		
		F.										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

AND THE REGISTRATION STATES,[1] BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1914.

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
587	1,064	2,119	3,325	4,632	6,131	6,663	6,909	6,780	5,893	4,033	2,213	828	225	34	8	57	1
222	323	566	967	1,502	2,323	2,741	3,071	3,134	2,754	1,757	966	352	94	9	4	22	2
365	741	1,553	2,358	3,139	3,808	3,922	3,838	3,646	3,139	2,276	1,247	476	131	25	4	35	3
541	976	1,935	3,129	4,373	5,838	6,454	6,708	6,629	5,788	3,964	2,185	816	221	31	7	52	4
211	304	528	919	1,441	2,232	2,666	2,995	3,077	2,714	1,736	960	351	92	9	4	20	5
330	672	1,407	2,210	2,932	3,606	3,788	3,713	3,552	3,074	2,228	1,225	465	129	22	3	32	6
385	687	1,325	2,070	2,686	3,573	4,053	4,010	3,844	3,415	2,378	1,368	521	152	15	5	32	7
137	201	305	515	707	1,164	1,498	1,631	1,656	1,519	975	571	224	59	5	2	10	8
248	486	1,020	1,555	1,979	2,409	2,555	2,379	2,188	1,896	1,403	797	297	93	10	3	22	9
77	108	153	245	321	558	698	883	997	927	613	348	139	43	4	.....	3	10
143	275	540	893	1,025	1,190	1,364	1,377	1,394	1,252	940	523	190	59	5	2	16	
50	85	121	220	298	458	582	450	306	207	116	60	17	2	.....	.....	2	11
79	175	371	591	714	904	841	605	377	280	167	78	29	7	2	1	2	
10	8	31	50	88	148	218	298	353	385	246	163	68	14	1	2	5	12
26	36	109	161	240	315	350	397	417	364	296	196	78	27	3	.....	4	
153	281	594	1,034	1,660	2,214	2,349	2,634	2,712	2,328	1,545	796	286	65	16	2	11	13
73	97	214	395	715	1,034	1,140	1,326	1,378	1,167	741	375	124	33	4	2	4	14
80	184	380	639	945	1,180	1,209	1,308	1,334	1,161	804	421	162	32	12	.....	7	15
3	8	16	25	27	51	52	64	73	45	41	21	9	4	.....	.....	9	16
1	6	9	9	19	34	28	38	43	28	20	14	3	.....	.....	.....	6	17
2	2	7	16	8	17	24	26	30	17	21	7	6	4	.....	.....	3	18
46	88	184	196	259	293	209	201	151	105	69	28	12	4	3	1	5	19
11	19	38	48	61	91	75	76	57	40	21	6	1	2	.....	.....	2	20
35	69	146	148	198	202	134	125	94	65	48	22	11	2	3	1	3	21
11	18	34	44	55	77	68	63	54	38	21	6	.....	1	.....	.....	2	22
35	67	143	148	196	199	131	123	90	64	47	22	10	2	3	1	3	
.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	23
.....	1	1	.....	.....	1	2	2	4	1	1	.....	1	.....	.....	.....	.....	
.....	1	2	2	3	8	5	12	2	2	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	2	1	3	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	1	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
508	927	1,872	2,969	4,128	5,500	6,064	6,330	6,310	5,545	3,797	2,121	786	217	33	7	51	27
194	278	503	860	1,340	2,066	2,473	2,809	2,898	2,583	1,659	931	335	90	8	4	19	28
314	649	1,369	2,109	2,788	3,434	3,591	3,521	3,412	2,962	2,138	1,190	451	127	25	3	32	29
479	864	1,738	2,833	3,945	5,295	5,905	6,162	6,180	5,458	3,735	2,097	775	214	30	7	47	30
190	267	475	828	1,296	2,004	2,418	2,746	2,848	2,547	1,641	926	334	88	8	4	17	31
289	597	1,263	2,005	2,649	3,291	3,487	3,416	3,332	2,911	2,094	1,171	441	126	22	3	30	32
344	609	1,191	1,884	2,471	3,278	3,756	3,742	3,643	3,281	2,272	1,323	501	149	15	5	30	33
127	177	278	468	656	1,057	1,382	1,525	1,566	1,461	933	557	215	58	5	2	10	34
217	432	913	1,416	1,815	2,221	2,374	2,217	2,077	1,820	1,339	766	286	91	10	3	20	35
72	94	144	231	302	519	646	840	953	893	593	340	137	42	4	.....	3	36
131	249	487	749	957	1,107	1,280	1,294	1,331	1,208	904	506	183	57	5	2	15	
46	76	104	196	279	411	544	412	286	196	107	60	15	2	.....	.....	2	37
68	154	330	541	649	833	777	567	358	270	160	75	29	7	2	1	2	
9	7	30	41	75	127	192	273	327	372	233	157	63	14	1	2	5	38
18	29	96	135	209	281	317	356	388	342	275	185	74	27	3	.....	3	
133	248	533	924	1,451	1,967	2,101	2,363	2,472	2,133	1,422	754	265	61	15	2	9	39
63	85	190	351	623	913	1,011	1,187	1,245	1,059	688	356	116	30	3	2	2	40
70	163	343	573	828	1,054	1,090	1,176	1,227	1,074	734	398	149	31	12	.....	7	41
2	7	14	25	23	50	48	57	65	44	41	20	9	4	.....	.....	8	42
.....	5	7	9	17	34	25	34	37	27	20	13	3	.....	.....	.....	5	43
2	2	7	16	6	16	23	23	28	17	21	7	6	4	.....	.....	3	44
29	63	134	136	183	205	159	168	130	87	62	24	11	3	3	.....	4	45
4	11	28	32	44	62	55	63	50	36	18	5	1	2	.....	.....	2	46
25	52	106	104	139	143	104	105	80	51	44	19	10	1	3	.....	2	47
4	11	25	30	39	51	50	51	47	35	18	5	.....	1	.....	.....	2	48
25	50	103	104	137	142	101	103	76	50	43	19	9	1	3	.....	2	
.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	49
.....	1	1	.....	.....	.....	2	2	4	1	1	.....	1	.....	.....	.....	.....	
.....	.....	2	.....	3	6	4	11	2	1	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	1	2	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	1	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY.											
1	Total	2,086	1	1	.....	1	4	7	6	8	9	3
2	Males	1,724	.....	.....	.....	1	2	3	4	6	5	3
3	Females	362	1	1	.....	.....	2	4	2	2	4	.....
4	White	2,045	1	1	.....	1	4	7	4	6	9	3
5	Males	1,696	.....	.....	.....	1	2	3	3	5	5	3
6	Females	349	1	1	.....	.....	2	4	1	1	4	.....
7	Native	1,246	1	1	.....	1	4	7	4	6	6	2
8	Males	1,003	.....	.....	.....	1	2	3	3	5	3	2
9	Females	243	1	1	.....	.....	2	4	1	1	3	.....
10	Both parents native (M.)	535	.....	.....	.....	1	2	3	2	3	2	2
	Both parents native (F.)	136	.....	1	.....	.....	2	3	.....	1	2	.....
11	One or both parents foreign (M.)	247	.....	.....	.....	.....	.....	.....	.....	2	1	.....
	One or both parents foreign (F.)	65	1	.....	.....	.....	.....	1	1	.....	1	.....
12	Parentage unknown (M.)	221	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	Parentage unknown (F.)	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Foreign	765	.....	.....	.....	.....	.....	.....	.....	.....	3	1
14	Males	660	.....	.....	.....	.....	.....	.....	.....	.....	2	1
15	Females	105	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
16	Unknown	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Males	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Colored	41	.....	.....	.....	.....	.....	.....	2	2	.....	.....
20	Males	28	.....	.....	.....	.....	.....	.....	1	1	.....	.....
21	Females	13	.....	.....	.....	.....	.....	.....	1	1	.....	.....
22	Negro (M.)	25	.....	.....	.....	.....	.....	.....	1	1	.....	.....
	Negro (F.)	11	.....	.....	.....	.....	.....	.....	1	1	.....	.....
23	Indian (F.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer of the lip.											
25	Total	354	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
26	Males	328	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
27	Females	26	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
28	White	352	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
29	Males	327	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
30	Females	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Native	218	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
32	Males	206	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
33	Females	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Both parents native (M.)	111	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	Both parents native (F.)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	One or both parents foreign (M.)	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	One or both parents foreign (F.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Parentage unknown (M.)	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Parentage unknown (F.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Foreign	128	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
38	Males	115	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Females	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Unknown (M.)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Colored	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
42	Negro (M.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Negro (F.)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	Cancer of the tongue.											
43	Total	547	1	.....	.....	.....	.....	1	.....	.....	2	.....
44	Males	465	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
45	Females	82	1	.....	.....	.....	.....	1	.....	.....	1	.....
46	White	537	1	.....	.....	.....	.....	1	.....	.....	2	.....
47	Males	458	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
48	Females	79	1	.....	.....	.....	.....	1	.....	.....	1	.....
49	Native	295	1	.....	.....	.....	.....	1	.....	.....	2	.....
50	Males	235	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
51	Females	60	1	.....	.....	.....	.....	1	.....	.....	1	.....
52	Both parents native (M.)	113	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Both parents native (F.)	35	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
53	One or both parents foreign (M.)	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	One or both parents foreign (F.)	14	1	.....	.....	.....	.....	1	.....	.....	.....	.....
54	Parentage unknown (M.)	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Parentage unknown (F.)	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND OF DECEDENT: 1914.

DEATHS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	15 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
12	20	42	86	125	192	236	272	307	299	228	155	58	20	1	.....	.....	1
11	14	34	65	108	165	217	228	266	247	172	118	43	14	1	.....	.....	2
1	6	8	21	17	27	19	44	41	52	56	37	15	6	.....	.....	.....	3
12	19	40	83	121	187	230	267	301	297	226	154	58	20	1	.....	.....	4
11	14	33	62	105	161	212	226	261	246	171	117	43	14	1	.....	.....	5
1	5	7	21	16	26	18	41	40	51	55	37	15	6	.....	.....	.....	6
8	11	27	60	60	117	141	150	189	168	141	98	37	13	1	.....	.....	7
8	8	21	44	49	101	125	126	159	130	101	78	28	8	1	.....	.....	8
.....	3	6	16	11	16	16	24	30	38	40	20	9	5	.....	.....	.....	9
7	3	9	26	18	47	59	68	97	68	61	38	19	2	1	.....	.....	10
.....	1	2	7	3	7	9	11	19	24	26	10	7	4	.....	.....	.....	
.....	5	9	14	27	36	46	31	31	20	13	8	3	1	.....	.....	.....	11
.....	2	2	8	7	7	5	6	6	8	6	4	.....	1	.....	.....	.....	
1	.....	3	4	4	18	20	27	31	42	27	32	6	5	.....	.....	.....	12
.....	.....	2	1	1	2	2	7	5	6	8	6	2	.....	.....	.....	.....	
4	7	13	23	57	67	82	113	110	123	83	53	19	7	.....	.....	.....	13
3	5	12	18	52	58	80	96	100	110	68	36	13	6	.....	.....	.....	14
1	2	1	5	5	9	2	17	10	13	15	17	6	1	.....	.....	.....	15
.....	1	.....	.....	4	3	7	4	2	6	2	3	2	.....	.....	.....	.....	16
.....	1	.....	.....	4	2	7	4	2	6	2	3	2	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	1	2	3	4	5	6	5	6	2	2	1	.....	.....	.....	.....	.....	19
.....	.....	1	3	3	4	5	2	5	1	1	1	.....	.....	.....	.....	.....	20
.....	1	1	.....	1	1	1	3	1	1	1	.....	.....	.....	.....	.....	.....	21
.....	.....	1	3	2	4	5	.....	5	1	1	1	.....	.....	.....	.....	.....	
.....	1	1	.....	1	1	1	1	1	1	1	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
2	3	4	8	11	24	26	44	48	47	48	57	22	7	1	.....	.....	25
2	2	4	8	11	24	26	43	47	45	44	47	18	5	1	.....	.....	26
.....	1	.....	.....	.....	.....	.....	1	1	2	4	10	4	2	.....	.....	.....	27
2	3	4	8	11	24	26	44	47	47	48	57	22	7	1	.....	.....	28
2	2	4	8	11	24	26	43	46	45	44	47	18	5	1	.....	.....	29
.....	1	.....	.....	.....	.....	.....	1	1	2	4	10	4	2	.....	.....	.....	30
2	3	1	6	8	15	21	28	30	22	30	32	13	5	1	.....	.....	31
2	2	1	6	8	15	21	28	29	21	28	28	12	3	1	.....	.....	32
.....	1	.....	.....	.....	.....	.....	.....	1	1	2	4	1	2	.....	.....	.....	33
2	1	1	5	3	5	8	17	16	12	17	14	8	.....	1	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	2	.....	.....	.....	.....	34
.....	1	.....	.....	4	5	8	5	6	3	4	2	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	35
.....	.....	.....	1	1	5	5	6	7	6	7	12	3	3	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	36
.....	.....	3	2	2	9	5	15	17	22	18	24	9	2	.....	.....	.....	37
.....	.....	3	2	2	9	5	14	17	21	16	18	6	2	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	6	3	.....	.....	.....	.....	39
.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	1	.....	.....	.....	.....	.....	40
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	41
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	42
2	4	17	24	44	61	75	79	81	71	50	24	8	4	.....	.....	.....	43
1	3	15	17	38	55	72	68	71	61	37	17	6	3	.....	.....	.....	44
1	1	2	7	6	6	3	11	10	10	13	7	2	1	.....	.....	.....	45
2	4	17	22	42	61	74	78	79	69	50	24	8	4	.....	.....	.....	46
1	3	15	15	37	55	71	68	69	60	37	17	6	3	.....	.....	.....	47
1	1	2	7	5	6	3	10	10	9	13	7	2	1	.....	.....	.....	48
1	2	15	18	15	37	37	38	41	39	23	17	6	3	.....	.....	.....	49
1	2	13	13	12	33	34	31	34	31	13	11	4	2	.....	.....	.....	50
.....	.....	2	5	3	4	3	7	7	8	10	6	2	1	.....	.....	.....	51
1	.....	6	7	4	13	14	15	20	17	8	5	2	.....	.....	.....	.....	
.....	.....	.....	3	2	1	3	4	5	4	8	1	2	1	.....	.....	.....	52
.....	2	6	4	8	16	14	10	5	5	2	1	2	1	.....	.....	.....	
.....	.....	1	2	1	3	.....	2	1	1	.....	2	.....	.....	.....	.....	.....	53
.....	.....	1	2	.....	4	6	6	9	9	3	5	.....	1	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	1	1	3	2	3	.....	.....	.....	.....	.....	54

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY—continued.											
	Cancer of the tongue—Continued.											
	White—Continued.											
1	Foreign	238										
2	Males	219										
3	Females	19										
4	Unknown M.	4										
5	Colored	10										
6	Males	7										
7	Females	3										
8	Negro M.	7										
	F.	2										
9	Indian F.	1										
	Cancer of the mouth.											
10	Total	216					2	2		1		1
11	Males	171					1	1		1		1
12	Females	45					1	1				
13	White	215					2	2		1		1
14	Males	171					1	1		1		1
15	Females	44					1	1				
16	Native	136					2	2		1		1
17	Males	105					1	1		1		1
18	Females	31					1	1				
19	Both parents native M.	71					1	1		1		1
	F.	20					1	1				
20	One or both parents foreign M.	15										
	F.	4										
21	Parentage unknown M.	19										
	F.	7										
22	Foreign	71										
23	Males	58										
24	Females	13										
25	Unknown M.	8										
26	Colored—Negro F.	1										
	Cancer of the jaw.											
27	Total	785		1		1	2	4	4	7	5	1
28	Males	618				1	1	2	3	5	3	1
29	Females	167		1			1	2	1	2	2	
30	White	762		1		1	2	4	3	5	5	1
31	Males	601				1	1	2	2	4	3	1
32	Females	161		1			1	2	1	1	2	
33	Native	482		1		1	2	4	3	5	2	
34	Males	367				1	1	2	2	4	1	
35	Females	115		1			1	2	1	1	1	
36	Both parents native M.	188				1	1	2	1	2		
	F.	56		1			1	2		1		
37	One or both parents foreign M.	95								2	1	
	F.	40							1		1	
38	Parentage unknown M.	84							1			
	F.	19										
39	Foreign	265									3	1
40	Males	220									2	1
41	Females	45									1	
42	Unknown	15										
43	Males	14										
44	Females	1										
45	Colored	23							1	2		
46	Males	17							1	1		
47	Females	6								1		
48	Negro M.	16							1	1		
	F.	5								1		
49	Indian F.	1										
50	Chinese M.	1										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
1	1	2	4	27	23	36	39	38	30	27	7	2	1			1
		2	2	25	21	36	36	35	29	24	6	2	1			2
1	1		2	2	2		3	3	1	3	1					3
	1				1	1	1									4
			2	2		1	1	2	2							5
			2	1		1		2	1							6
				1			1		1							7
			2	1		1		2	1							8
				1					1							
							1									9
1		1	8	9	15	25	31	35	35	26	18	6	2			10
1			5	9	13	22	26	29	28	17	13	3	2			11
		1	3		2	3	5	6	7	9	5	3				12
1		1	8	9	15	25	30	35	35	26	18	6	2			13
1			5	9	13	22	26	29	28	17	13	3	2			14
		1	3		2	3	4	6	7	9	5	3				15
1		1	6	5	8	16	15	24	22	19	11	3	1			16
1			4	5	7	13	12	20	16	12	9	2	1			17
		1	2		1	3	3	4	6	7	2	1				18
1			2	1	4	7	10	17	11	8	4	2	1			19
		1	1			1	1	3	5	5	2					
			2	3	2	4		1	1	1	1					20
			1			1				2						
				1	1	2	2	2	4	3	4					21
					1	1	2	1	1			1				
			2	4	7	7	13	10	12	6	6	3	1			22
			1	4	6	7	12	8	11	4	3	1	1			23
			1		1		1	2	1	2	3	2				24
						2	2	1	1	1	1					25
							1									26
6	8	17	38	49	76	92	92	121	115	83	44	20	3			27
6	6	12	29	38	62	80	71	101	90	60	32	15	2			28
	2	5	9	11	14	12	21	20	25	23	12	5	1			29
6	8	15	37	48	73	87	90	118	115	81	43	20	3			30
6	6	11	28	37	59	76	70	99	90	59	31	15	2			31
	2	4	9	11	14	11	20	19	25	22	12	5	1			32
3	5	8	25	26	50	55	58	80	64	50	29	13	2			33
3	3	5	17	18	41	46	46	64	47	36	22	9	1			34
	2	3	8	8	9	9	12	16	17	14	7	4	1			35
2	1	1	10	7	23	25	20	39	21	18	9	7				36
		1	3	1	4	5	6	8	9	7	5	3	1			
	2	2	6	9	11	15	14	15	8	6	4					37
	2	1	4	6	4	3	4	5	6	2	1					
1		2	1	2	7	6	12	10	18	12	9	2	1			38
		1	1	1	1	1	2	3	2	5	1	1				
3	3	7	12	19	21	29	32	37	49	30	13	5	1			39
3	3	6	11	16	17	27	24	34	41	22	8	4	1			40
		1	1	3	4	2	8	3	8	8	5	1				41
				3	2	3		1	2	1	1	2				42
				3	1	3		1	2	1	1	2				43
					1											44
		2	1	1	3	5	2	3		2	1					45
		1	1	1	3	4	1	2		1	1					46
		1				1	1	1		1						47
		1	1	1	3	4		2		1	1					48
		1				1		1		1						49
							1									50
							1									

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY—continued.											
	Others of this class.											
1	Total	184									2	1
2	Males	142									1	1
3	Females	42									1	
4	White	179									2	1
5	Males	139									1	1
6	Females	40									1	
7	Native	115									2	1
8	Males	90									1	1
9	Females	25									1	
10	Both parents native	M. 52 F. 17									1 1	1
11	One or both parents foreign	M. 22 F. 6										
12	Parentage unknown	M. 16 F. 2										
13	Foreign	63										
14	Males	48										
15	Females	15										
16	Unknown	M. 1										
17	Colored	5										
18	Males	3										
19	Females	2										
20	Negro	M. 1 F. 2										
21	Chinese	M. 2										
	CANCER OF THE STOMACH AND LIVER.											
22	Total	18,285	7	6	5	4	4	26	9	6	17	32
23	Males	9,236	2	2	2	3	1	10	7	4	6	13
24	Females	9,049	5	4	3	1	3	16	2	2	11	19
25	White	17,806	7	6	5	4	4	26	9	6	17	28
26	Males	9,004	2	2	2	3	1	10	7	4	6	12
27	Females	8,802	5	4	3	1	3	16	2	2	11	16
28	Native	9,773	7	5	5	4	4	25	8	6	13	23
29	Males	4,584	2	2	2	3	1	10	6	4	5	9
30	Females	5,189	5	3	3	1	3	15	2	2	8	14
31	Both parents native	M. 2,483 F. 2,994	1 4	2 1	2 1	3 1	1	9 7	3 1	2 1	1 5	7 7
32	One or both parents foreign	M. 1,257 F. 1,337	1	2	2		3	1 7	2 1	2 1	4 3	1 5
33	Parentage unknown	M. 844 F. 858	1					1	1			1 2
34	Foreign	7,859		1				1			4	5
35	Males	4,308									1	3
36	Females	3,551		1				1			3	2
37	Unknown	174							1			
38	Males	112							1			
39	Females	62										
40	Colored	479										4
41	Males	232										1
42	Females	247										3
43	Negro	M. 201 F. 238										1 3
44	Indian	M. 3 F. 6										
45	Chinese	M. 20										
46	Japanese	M. 7 F. 3										
47	Other colored	M. 1										
	Cancer of the pharynx.											
48	Total	50							1		2	
49	Males	41							1		1	
50	Females	9									1	
51	White	46							1		2	
52	Males	37							1		1	
53	Females	9									1	

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1	5	3	8	12	16	18	26	22	31	21	12	2	4	.....	.....	.....	1
1	3	3	6	12	11	17	20	18	23	14	9	1	2	.....	.....	.....	2
.....	2	.....	2	.....	5	1	6	4	8	7	3	1	2	.....	.....	.....	3
1	4	3	8	11	14	18	25	22	31	21	12	2	4	.....	.....	.....	4
1	3	3	6	11	10	17	19	18	23	14	9	1	2	.....	.....	.....	5
.....	1	.....	2	.....	4	1	6	4	8	7	3	1	2	.....	.....	.....	6
1	1	2	5	6	7	12	11	14	21	19	9	2	2	.....	.....	.....	7
1	1	2	4	6	5	11	9	12	15	12	8	1	1	.....	.....	.....	8
.....	.....	.....	1	.....	2	1	2	2	6	7	1	1	1	.....	.....	.....	9
1	1	1	2	3	2	5	6	5	7	10	6	.....	1	.....	.....	.....	10
.....	.....	.....	.....	.....	2	.....	.....	2	5	5	1	1	.....	.....	.....	.....	
.....	.....	1	2	3	2	5	2	4	3	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	1	.....	.....	1	.....	.....	1	2	.....	.....	1	.....	.....	.....	
.....	.....	.....	.....	.....	1	1	1	3	5	2	2	1	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	3	1	3	5	7	5	14	8	10	2	3	.....	2	.....	.....	.....	13
.....	2	1	2	5	5	5	10	6	8	2	1	.....	1	.....	.....	.....	14
.....	1	.....	1	.....	2	.....	4	2	2	.....	2	.....	1	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	1	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
113	212	487	804	1,316	2,060	2,429	2,755	2,819	2,441	1,631	822	226	52	6	1	21	22
52	92	233	402	671	1,112	1,278	1,455	1,441	1,217	747	374	94	20	.....	1	7	23
61	120	254	402	645	948	1,151	1,300	1,378	1,224	884	448	132	32	6	.....	14	24
108	200	455	777	1,256	1,987	2,372	2,677	2,762	2,410	1,607	812	224	49	5	1	18	25
51	88	219	384	646	1,071	1,249	1,412	1,411	1,204	739	372	94	18	.....	1	6	26
57	112	236	393	610	916	1,123	1,265	1,351	1,206	868	440	130	31	5	.....	12	27
72	119	258	423	649	1,041	1,324	1,468	1,475	1,339	893	458	133	34	1	1	10	28
36	51	107	184	291	506	645	735	714	639	384	192	52	10	.....	1	3	29
36	68	151	239	358	535	679	733	761	700	509	266	81	24	1	.....	7	30
18	31	46	89	130	247	284	402	436	380	239	119	30	10	.....	.....	.....	
25	41	79	114	185	262	348	396	490	465	339	174	41	10	.....	.....	4	31
14	18	49	76	123	199	267	196	124	96	51	31	2	.....	.....	.....	1	
9	21	58	102	132	207	253	201	124	102	69	24	15	1	1	.....	1	32
4	2	12	19	38	60	94	137	154	163	94	42	20	.....	.....	1	2	
2	6	14	23	41	66	78	136	147	133	101	68	25	13	.....	.....	2	33
35	79	192	346	597	914	1,031	1,187	1,255	1,055	701	345	88	15	4	.....	5	34
15	36	107	196	346	541	592	662	677	557	349	176	41	8	.....	.....	1	35
20	43	85	150	251	373	439	525	578	498	352	169	47	7	4	.....	4	36
1	2	5	8	10	32	17	22	32	16	13	9	3	.....	.....	.....	3	37
.....	1	5	4	9	24	12	15	20	8	6	4	1	.....	.....	.....	2	38
1	1	.....	4	1	8	5	7	12	8	7	5	2	.....	.....	.....	1	39
5	12	32	27	60	73	57	78	57	31	24	10	2	3	1	.....	3	40
1	4	14	18	25	41	29	43	30	13	8	2	.....	2	.....	.....	1	41
4	8	18	9	35	32	28	35	27	18	16	8	2	1	1	.....	2	42
1	4	13	16	21	31	25	36	28	13	8	2	.....	1	.....	.....	1	
4	7	16	9	34	32	27	35	25	17	15	8	2	1	1	.....	2	43
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
.....	1	1	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	44
.....	.....	1	.....	2	6	3	7	1	.....	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	1	2	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	1	2	4	6	13	5	5	5	4	1	1	.....	.....	.....	.....	48
.....	.....	1	1	4	6	11	5	5	3	1	1	1	.....	.....	.....	.....	49
.....	.....	.....	1	.....	.....	2	.....	.....	2	3	.....	.....	.....	.....	.....	.....	50
.....	.....	1	2	3	6	13	4	4	4	4	1	1	.....	.....	.....	.....	51
.....	.....	1	1	3	6	11	4	4	2	1	1	1	.....	.....	.....	.....	52
.....	.....	.....	1	.....	.....	2	.....	.....	2	3	.....	.....	.....	.....	.....	.....	53

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE STOMACH AND LIVER—contd.											
	Cancer of the pharynx—Continued.											
	White—Continued.											
1	Native	27							1		1	
2	Males	20							1			
3	Females	7									1	
4	Both parents native {M.	6										
	{F.	4										
5	One or both parents foreign {M.	11							1			
	{F.	3									1	
6	Parentage unknown M.	3										
7	Foreign	19									1	
8	Males	17									1	
9	Females	2										
10	Colored—Negro M.	4										
	Cancer of the esophagus.											
11	Total	534										
12	Males	413										
13	Females	121										
14	White	519										
15	Males	404										
16	Females	115										
17	Native	176										
18	Males	122										
19	Females	54										
20	Both parents native {M.	52										
	{F.	36										
21	One or both parents foreign {M.	49										
	{F.	13										
22	Parentage unknown {M.	21										
	{F.	5										
23	Foreign	337										
24	Males	277										
25	Females	60										
26	Unknown	6										
27	Males	5										
28	Females	1										
29	Colored	15										
30	Males	9										
31	Females	6										
32	Negro {M.	6										
	{F.	6										
33	Japanese M.	3										
	Cancer of the stomach.											
34	Total	11,733		3		1	1	5	2		6	20
35	Males	6,405		1		1	1	3	1		3	5
36	Females	5,328		2				2	1		3	15
37	White	11,417		3		1	1	5	2		6	16
38	Males	6,249		1		1	1	3	1		3	4
39	Females	5,168		2				2	1		3	12
40	Native	6,027		2		1	1	4	2		5	14
41	Males	3,112		1		1	1	3	1		3	3
42	Females	2,915		1				1	1		2	11
43	Both parents native {M.	1,662		1		1	1	3				3
	{F.	1,648										6
44	One or both parents foreign {M.	871									3	
	{F.	772		1				1	1		2	4
45	Parentage unknown {M.	579							1			
	{F.	495										1
46	Foreign	5,271		1				1			1	2
47	Males	3,059										1
48	Females	2,212		1				1			1	1
49	Unknown	119										
50	Males	78										
51	Females	41										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
.....	.....	1	2	1	6	7	3	.....	3	1	.....	1	.....	.....	.....	.....	1
.....	.....	1	1	1	6	5	3	.....	1	.....	.....	1	.....	.....	.....	.....	2
.....	.....	.....	1	.....	.....	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	4
.....	.....	1	1	.....	3	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	5
.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	6
.....	.....	.....	.....	2	.....	6	1	4	1	3	1	.....	.....	.....	.....	.....	7
.....	.....	.....	.....	2	.....	6	1	4	1	1	1	.....	.....	.....	.....	.....	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	9
.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	10
2	2	13	24	46	77	76	82	78	63	40	21	9	1	.....	.....	.....	11
2	1	4	17	36	64	67	65	58	47	31	14	6	1	.....	.....	.....	12
.....	1	9	7	10	13	9	17	20	16	9	7	3	.....	.....	.....	.....	13
2	2	12	22	42	72	76	79	78	63	40	21	9	1	.....	.....	.....	14
2	1	4	15	33	60	67	65	58	47	31	14	6	1	.....	.....	.....	15
.....	1	8	7	9	12	9	14	20	16	9	7	3	.....	.....	.....	.....	16
2	2	4	11	18	22	27	20	24	16	16	7	6	1	.....	.....	.....	17
2	1	.....	6	13	18	19	15	18	9	11	5	4	1	.....	.....	.....	18
.....	1	4	5	5	4	8	5	6	7	5	2	2	.....	.....	.....	.....	19
2	.....	.....	1	3	7	9	4	9	4	6	4	2	1	.....	.....	.....	
.....	1	1	4	4	1	4	3	4	6	4	2	2	.....	.....	.....	.....	20
.....	1	.....	5	8	9	8	7	7	2	2	.....	.....	.....	.....	.....	.....	
.....	.....	3	1	.....	2	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	2	2	2	4	2	3	3	1	2	.....	.....	.....	.....	
.....	.....	.....	.....	1	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	22
.....	.....	8	11	23	49	48	58	53	47	23	14	3	.....	.....	.....	.....	23
.....	.....	4	9	19	41	47	49	40	38	19	9	2	.....	.....	.....	.....	24
.....	.....	4	2	4	8	1	9	13	9	4	5	1	.....	.....	.....	.....	25
.....	.....	.....	.....	1	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	1	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	28
.....	.....	1	2	4	5	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	2	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	1	.....	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
.....	.....	1	.....	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
72	134	323	516	829	1,313	1,544	1,778	1,809	1,587	1,060	544	141	37	3	.....	10	34
35	65	162	282	461	789	889	1,015	1,007	833	520	257	60	14	.....	.....	4	35
37	69	161	234	368	524	655	763	802	754	540	287	81	23	3	.....	6	36
69	127	306	499	787	1,263	1,509	1,727	1,772	1,565	1,044	536	139	34	3	.....	8	37
34	62	156	271	444	760	870	986	986	823	515	255	60	12	.....	.....	4	38
35	65	150	228	343	503	639	741	786	742	529	281	79	22	3	.....	4	39
45	76	162	246	384	647	804	912	912	840	561	306	78	24	.....	.....	5	40
21	38	70	121	191	358	440	503	493	438	255	134	32	6	.....	.....	2	41
24	38	92	125	193	289	364	409	419	402	306	172	46	18	.....	.....	3	42
7	25	25	53	81	183	196	272	297	252	160	80	19	6	.....	.....	.....	
18	19	50	61	94	147	181	208	270	253	196	113	23	7	.....	.....	2	43
12	12	35	52	85	133	178	141	93	75	27	23	2	.....	.....	.....	.....	
6	18	36	55	73	114	134	120	72	65	44	19	7	1	.....	.....	.....	44
2	1	10	16	25	42	66	90	103	111	68	31	11	.....	.....	.....	2	
.....	1	6	9	26	28	49	81	77	84	66	40	16	10	.....	.....	1	45
23	49	140	247	398	596	693	800	837	716	474	221	59	10	3	.....	1	46
13	23	82	146	248	385	422	473	478	381	255	117	28	6	.....	.....	1	47
10	26	58	101	150	211	271	327	359	335	219	104	31	4	3	.....	.....	48
1	2	4	6	5	20	12	15	23	9	9	9	2	.....	.....	.....	2	49
.....	1	4	4	5	17	8	10	15	4	5	4	.....	.....	.....	.....	1	50
1	1	.....	2	.....	3	4	5	8	5	4	5	2	.....	.....	.....	1	51

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE STOMACH AND LIVER—contd.											
	Cancer of the stomach—Continued.											
1	Colored	316										4
2	Males	156										1
3	Females	160										3
4	Negro {M.	140										1
	{F.	155										3
5	Indian {M.	3										
	{F.	2										
6	Chinese M.	9										
7	Japanese {M.	4										
	{F.	3										
	Cancer of the liver and gall bladder.											
8	Total	5,968	7	3	5	3	3	21	6	6	9	12
9	Males	2,377	2	1	2	2		7	5	4	2	8
10	Females	3,591	5	2	3	1	3	14	1	2	7	4
11	White	5,824	7	3	5	3	3	21	6	6	9	12
12	Males	2,314	2	1	2	2		7	5	4	2	8
13	Females	3,510	5	2	3	1	3	14	1	2	7	4
14	Native	3,543	7	3	5	3	3	21	5	6	7	9
15	Males	1,330	2	1	2	2		7	4	4	2	6
16	Females	2,213	5	2	3	1	3	14	1	2	5	3
17	Both parents native {M.	763	1	1	2	2		6	3	2	1	4
	{F.	1,396	4	1	1	1		7	1	1	5	1
18	One or both parents foreign {M.	326	1					1	1	2	1	1
	{F.	549		1	2		3	6		1		1
19	Parentage unknown {M.	241										1
	{F.	358	1					1				1
20	Foreign	2,232									2	3
21	Males	955										2
22	Females	1,277									2	1
23	Unknown	49							1			
24	Males	29							1			
25	Females	20										
26	Colored	144										
27	Males	63										
28	Females	81										
29	Negro {M.	51										
	{F.	77										
30	Indian F.	4										
31	Chinese M.	11										
32	Other colored M.	1										
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM.											
33	Total	6,234	4	5	4	1	5	19	17	10	20	49
34	Males	2,690	1	3	1	1	2	8	10	9	15	28
35	Females	3,544	3	2	3		3	11	7	1	5	21
36	White	6,108	4	5	4	1	4	18	17	9	20	47
37	Males	2,649	1	3	1	1	1	7	10	8	15	28
38	Females	3,459	3	2	3		3	11	7	1	5	19
39	Native	3,842	4	5	4	1	3	17	16	8	18	36
40	Males	1,576	1	3	1	1	1	7	10	7	13	21
41	Females	2,266	3	2	3		2	10	6	1	5	15
42	Both parents native {M.	897		1	1			2	6	5	6	10
	{F.	1,306	2				1	3	4	1	2	7
43	One or both parents foreign {M.	445	1	2		1	1	5	4	2	7	10
	{F.	640	1	1	3		1	6	2		3	6
44	Parentage unknown {M.	234										1
	{F.	320		1				1				2
45	Foreign	2,236					1	1	1	1	2	11
46	Males	1,956								1	2	7
47	Females	1,189					1	1	1			4
48	Unknown	39										
49	Males	17										
50	Females	13										
51	Colored	126					1	1		1		2
52	Males	41					1	1		1		
53	Females	85										2
54	Negro {M.	36					1	1				
	{F.	83										2
55	Indian {M.	1										
	{F.	1										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
3	7	17	17	42	50	35	51	37	22	16	8	2	3	.....	.....	2	1
1	3	6	11	17	29	19	29	21	10	5	2	.....	2	.....	.....	.....	2
2	4	11	6	25	21	16	22	16	12	11	6	2	1	.....	.....	2	3
1	3	6	10	14	23	18	26	20	10	5	2	.....	1	.....	.....	.....	
2	4	10	6	24	21	15	22	15	11	11	6	2	1	.....	.....	2	4
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	5
.....	.....	.....	.....	2	4	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
39	76	150	262	437	664	796	890	927	786	527	256	75	14	3	1	11	8
15	26	66	102	170	253	311	370	371	334	195	102	27	5	.....	1	3	9
24	50	84	160	267	411	485	520	556	452	332	154	48	9	3	.....	8	10
37	71	136	254	424	646	774	867	908	778	519	254	75	14	2	1	10	11
15	25	58	97	166	245	301	357	363	332	192	102	27	5	.....	1	2	12
22	46	78	157	258	401	473	510	545	446	327	152	48	9	2	.....	8	13
25	41	91	164	246	366	486	533	539	480	315	145	48	9	1	1	5	14
13	12	36	56	86	124	181	214	203	191	118	53	15	3	.....	1	1	15
12	29	55	108	160	242	305	319	336	289	197	92	33	6	1	.....	4	16
9	6	21	35	45	55	77	125	130	124	73	35	9	3	.....	.....	.....	
7	21	28	48	87	114	162	185	216	205	138	59	16	3	.....	.....	2	17
2	5	13	18	30	54	78	46	24	19	22	8	.....	.....	.....	.....	1	
3	3	19	46	59	91	114	80	51	35	25	5	8	.....	1	.....	1	18
2	1	2	3	11	15	26	43	49	48	23	10	6	.....	.....	1	.....	
2	5	8	14	14	37	29	54	69	49	34	28	9	3	.....	.....	1	19
12	30	44	88	174	269	284	328	361	291	201	109	26	5	1	.....	4	20
2	13	21	41	77	115	117	139	155	137	74	49	11	2	.....	.....	.....	21
10	17	23	47	97	154	167	189	206	154	127	60	15	3	1	.....	4	22
.....	.....	1	2	4	11	4	6	8	7	3	.....	1	.....	.....	.....	1	23
.....	.....	1	.....	3	6	3	4	5	4	.....	.....	1	.....	.....	.....	1	24
.....	.....	.....	2	1	5	1	2	3	3	3	.....	.....	.....	.....	.....	.....	25
2	5	14	8	13	18	22	23	19	8	8	2	.....	.....	1	.....	1	26
.....	1	8	5	4	8	10	13	8	2	3	.....	.....	.....	.....	.....	1	27
2	4	6	3	9	10	12	10	11	6	5	2	.....	.....	1	.....	.....	28
.....	1	7	4	4	6	7	9	7	2	3	.....	.....	.....	.....	.....	1	
2	3	5	3	9	10	12	10	10	6	4	2	.....	.....	1	.....	.....	29
1	1	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	30
.....	1	.....	.....	.....	2	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
96	151	218	336	483	631	777	873	858	799	536	249	83	23	2	.....	4	33
48	65	80	151	201	263	339	400	375	336	220	96	37	8	.....	.....	1	34
48	86	138	185	282	368	438	473	483	463	316	153	46	15	2	.....	3	35
94	144	201	327	472	619	762	858	847	788	529	246	82	23	1	.....	4	36
47	63	76	148	196	260	332	397	372	332	217	95	37	8	.....	.....	1	37
47	81	125	179	276	359	430	461	475	456	312	151	45	15	1	.....	3	38
61	101	136	222	309	386	484	524	490	466	331	166	51	16	1	.....	3	39
29	44	43	87	114	147	211	219	207	202	124	63	23	4	.....	.....	1	40
32	57	93	135	195	239	273	305	283	264	207	103	28	12	1	.....	2	41
17	26	25	45	52	77	115	114	128	131	79	42	15	2	.....	.....	.....	
20	34	45	53	104	122	153	179	161	176	134	71	26	9	1	.....	1	42
12	18	12	34	53	59	79	67	39	24	14	3	2	.....	.....	.....	1	
10	20	40	71	76	86	88	83	65	45	28	9	.....	1	.....	.....	1	43
.....	.....	6	8	9	11	17	38	40	47	31	18	6	2	.....	.....	.....	
2	3	8	11	15	31	32	43	57	43	45	23	2	2	.....	.....	.....	44
32	42	64	102	161	233	274	328	352	320	195	79	31	6	.....	.....	1	45
18	19	32	59	80	113	121	175	161	128	91	31	14	4	.....	.....	.....	46
14	23	32	43	81	120	153	153	191	192	104	48	17	2	.....	.....	1	47
1	1	1	3	2	.....	4	6	5	2	3	1	.....	1	.....	.....	.....	48
.....	.....	1	2	2	.....	.....	3	4	2	2	1	.....	.....	.....	.....	.....	49
1	1	.....	1	.....	.....	4	3	1	.....	1	.....	.....	1	.....	.....	.....	50
2	7	17	9	11	12	15	15	11	11	7	3	1	.....	1	.....	.....	51
1	2	4	3	5	3	7	3	3	4	3	1	.....	.....	.....	.....	.....	52
1	5	13	6	6	9	8	12	8	7	4	2	1	.....	1	.....	.....	53
1	2	3	3	5	2	7	2	2	4	3	1	.....	.....	.....	.....	.....	
1	4	13	6	6	9	7	12	8	7	4	2	1	.....	1	.....	.....	54
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years	20 to 24 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.											
	Colored—Continued.											
1	Chinese M.	1										
2	Japanese M.	2										
	Japanese F.	1										
3	Other colored M.	1								1		
	Cancer of the mesentery and peritoneum.											
4	Total	447	2	2	2	1		7	5	3	8	9
5	Males	168		1		1		2	3	3	7	6
6	Females	279	2	1	2			5	2		1	3
7	White	441	2	2	2	1		7	5	2	8	8
8	Males	165		1		1		2	3	2	7	6
9	Females	276	2	1	2			5	2		1	2
10	Native	282	2	2	2	1		7	4	2	6	7
11	Males	107		1		1		2	3	2	5	5
12	Females	175	2	1	2			5	1		1	2
13	Both parents native M.	55							2	2	1	2
	Both parents native F.	109	1					1				1
14	One or both parents foreign M.	39		1		1		2	1		4	2
	One or both parents foreign F.	47	1		2			3	1		1	
15	Parentage unknown M.	13										1
	Parentage unknown F.	19		1				1				1
16	Foreign	158							1		2	1
17	Males	58									2	1
18	Females	100							1			
19	Unknown F.	1										
20	Colored	6								1		1
21	Males	3								1		
22	Females	3										1
23	Negro M.	1										
	Negro F.	3										1
24	Japanese M.	1										
25	Other colored M.	1								1		
	Cancer of the intestines (except rectum).											
26	Total	3,768	1	2	2		4	9	12	5	10	26
27	Males	1,533		2	1		2	5	7	5	6	16
28	Females	2,235	1		1		2	4	5		4	10
29	White	3,693	1	2	2		3	8	12	5	10	26
30	Males	1,512		2	1		1	4	7	5	6	16
31	Females	2,181	1		1		2	4	5		4	10
32	Native	2,292	1	2	2		2	7	12	5	10	17
33	Males	883		2	1		1	4	7	5	6	10
34	Females	1,409	1		1		1	3	5		4	7
35	Both parents native M.	511		1	1			2	4	3	4	5
	Both parents native F.	817	1				1	2	4		2	3
36	One or both parents foreign M.	239		1			1	2	3	2	2	5
	One or both parents foreign F.	390			1			1	1		2	4
37	Parentage unknown M.	133										
	Parentage unknown F.	202										
38	Foreign	1,380					1	1				9
39	Males	617										6
40	Females	763					1	1				3
41	Unknown	21										
42	Males	12										
43	Females	9										
44	Colored	75					1	1				
45	Males	21					1	1				
46	Females	54										
47	Negro M.	20					1	1				
	Negro F.	53										
48	Chinese M.	1										
49	Japanese F.	1										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
								1								1
		1			1											2
	1															
																3
13	13	19	28	27	50	64	55	43	43	42	12	5				1 4
9	8	11	10	11	22	23	18	11	11	11	2					5
4	5	8	18	16	28	41	37	32	32	31	10	5				1 6
13	13	18	27	27	49	63	55	43	43	42	12	5				1 7
9	8	11	10	11	21	22	18	11	11	11	2					8
4	5	7	17	16	28	41	37	32	32	31	10	5				1 9
8	5	12	17	15	30	40	39	22	28	31	7	2				10
5	4	6	8	6	14	12	13	6	8	7	1					11
3	1	6	9	9	16	28	26	16	20	24	6	2				12
2	3	5	5	2	5	8	7	4	5	2						
2	1	3	5	4	9	18	14	8	16	21	4	2				13
3	1	1	2	3	8	4	4	1	1	2						
		3	2	4	5	9	9	6	3		1					14
			1	1	1		2	1	2	3	1					
1			2	1	2	1	3	2	1	3	1					15
5	8	6	10	12	19	22	16	21	15	11	5	3			1	16
4	4	5	2	5	7	10	5	5	3	4	1					17
1	4	1	8	7	12	12	11	16	12	7	4	3			1	18
						1										19
		1	1		1	1										20
					1	1										21
		1	1													22
						1										23
		1	1													
					1											24
																25
54	79	133	201	303	366	460	540	533	472	336	163	49	15		2	26
27	32	51	95	122	140	183	231	217	184	131	56	20	5			27
27	47	82	106	181	226	277	309	316	288	205	107	29	10		2	28
52	76	123	196	298	355	452	530	527	464	331	163	48	15		2	29
26	32	49	93	120	138	180	230	215	181	129	56	20	5			30
26	44	74	103	178	217	272	300	312	283	202	107	28	10		2	31
30	53	81	128	197	217	273	329	297	274	208	110	32	10		2	32
14	22	28	47	70	72	111	130	118	114	73	37	12	3			33
16	31	53	81	127	145	162	199	179	160	135	73	20	7		2	34
10	14	15	24	35	41	52	61	76	75	54	26	8	2			35
10	17	27	31	71	72	94	117	98	108	84	53	18	3		1	
4	8	8	18	29	26	49	43	18	13	6	2	1				36
6	12	23	44	47	50	49	56	39	25	23	6		1		1	
		5	5	6	5	10	26	24	26	13	9	3	1			37
	2	3	6	9	23	19	26	42	27	28	14	2	1			
21	22	41	65	100	138	177	197	226	190	121	52	16	4			38
12	10	20	44	49	66	69	98	94	67	54	18	8	2			39
9	12	21	21	51	72	108	99	132	123	67	34	8	2			40
1	1	1	3	1		2	4	4		2	1		1			41
		1	2	1			2	3		2	1					42
1	1		1			2	2	1					1			43
2	3	10	5	5	11	8	10	6	8	5		1				44
1		2	2	2	2	3	1	2	3	2						45
1	3	8	3	3	9	5	9	4	5	3		1				46
1		2	2	2	2	3	1	1	3	2						
1	2	8	3	3	9	5	9	4	5	3		1				47
								1								48
	1															49

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.											
	Cancer of the rectum and anus.											
1	Total	1,992	1	1			1	3		2	2	14
2	Males	982	1					1		1	2	6
3	Females	1,010		1			1	2		1		8
4	White	1,949	1	1			1	3		2	2	13
5	Males	965	1					1		1	2	6
6	Females	984		1			1	2		1		7
7	Native	1,252	1	1			1	3		1	2	12
8	Males	582	1					1			2	6
9	Females	670		1			1	2		1		6
10	Both parents native (M)	328									1	3
	Both parents native (F)	372								1		3
11	One or both parents foreign (M)	166	1					1			1	3
	One or both parents foreign (F)	199		1			1	2				2
12	Parentage unknown (M)	88										
	Parentage unknown (F)	99										1
13	Foreign	690								1		1
14	Males	378								1		
15	Females	312										1
16	Unknown	7										
17	Males	5										
18	Females	2										
19	Colored	43										1
20	Males	17										
21	Females	26										1
22	Negro (M)	15										
	Negro (F)	25										1
23	Indian (M)	1										
	Indian (F)	1										
24	Japanese (M)	1										
	Others of this class.											
25	Total	27										
26	Males	7										
27	Females	20										
28	White	25										
29	Males	7										
30	Females	18										
31	Native	16										
32	Males	4										
33	Females	12										
34	Both parents native (M)	3										
	Both parents native (F)	8										
35	One or both parents foreign (M)	1										
	One or both parents foreign (F)	4										
36	Foreign	8										
37	Males	3										
38	Females	5										
39	Unknown (F)	1										
40	Colored—Negro (F)	2										
	CANCER OF THE FEMALE GENITAL ORGANS.											
41	Total (F)	7,247	1			1	1	3	2	5	6	36
42	White (F)	6,824	1			1	1	3	2	5	6	34
43	Native (F)	4,906	1			1	1	3	2	4	3	26
44	Both parents native (F)	2,823	1			1	1	3	2	2	1	16
45	One or both parents foreign (F)	1,351								2	2	9
46	Parentage unknown (F)	732										1
47	Foreign (F)	1,871								1	3	7
48	Unknown (F)	47										1
49	Colored (F)	423										2
50	Negro (F)	419										2
51	Indian (F)	1										
52	Chinese (F)	2										
53	Japanese (F)	1										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 71 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
27	58	62	107	151	213	251	273	277	282	156	74	29	8	2	.....	1	1
12	25	16	46	68	101	133	149	146	139	78	38	17	3	.....	.....	1	2
15	33	46	61	83	112	118	124	131	143	78	36	12	5	2	.....	.....	3
27	54	56	104	146	213	245	269	272	279	154	71	29	8	1	.....	1	4
12	23	14	45	65	101	130	147	145	138	77	37	17	3	.....	.....	1	5
15	31	42	59	81	112	115	122	127	141	77	34	12	5	1	.....	.....	6
22	42	41	77	96	138	169	154	169	162	90	49	17	6	1	.....	1	7
10	18	8	32	38	61	88	75	83	78	44	25	11	1	.....	.....	1	8
12	24	33	45	58	77	81	79	86	84	46	24	6	5	1	.....	.....	9
5	9	5	16	15	31	55	45	48	49	23	16	7	.....	.....	.....	.....	10
7	16	15	17	29	40	39	47	54	52	27	14	6	4	1	.....	.....	
5	9	2	14	21	25	26	20	20	10	6	1	1	.....	.....	.....	1	11
4	7	13	25	24	31	30	18	19	17	5	2	.....	.....	.....	.....	.....	
.....	.....	1	2	2	5	7	10	15	19	15	8	3	1	.....	.....	.....	12
1	1	5	3	5	6	12	14	13	15	14	8	.....	1	.....	.....	.....	
5	12	15	27	49	75	75	114	102	115	63	22	12	2	.....	.....	.....	13
2	5	6	13	26	40	42	71	61	58	33	12	6	2	.....	.....	.....	14
3	7	9	14	23	35	33	43	41	57	30	10	6	.....	.....	.....	.....	15
.....	.....	.....	.....	1	.....	1	1	1	2	1	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	18
.....	4	6	3	5	.....	6	4	5	3	2	3	.....	.....	1	.....	.....	19
.....	2	2	1	3	.....	3	2	1	1	1	1	.....	.....	.....	.....	.....	20
.....	2	4	2	2	.....	3	2	4	2	1	2	.....	.....	1	.....	.....	21
.....	2	1	1	3	.....	3	1	1	1	1	1	.....	.....	.....	.....	.....	
.....	2	4	2	2	.....	2	2	4	2	1	2	.....	.....	1	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
2	1	4	.....	2	2	2	5	5	2	2	.....	.....	.....	.....	.....	.....	25
.....	.....	2	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	26
2	1	2	.....	2	2	2	3	4	.....	2	.....	.....	.....	.....	.....	.....	27
2	1	4	.....	1	2	2	4	5	2	2	.....	.....	.....	.....	.....	.....	28
.....	.....	2	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	29
2	1	2	.....	1	2	2	2	4	.....	2	.....	.....	.....	.....	.....	.....	30
1	1	2	.....	1	1	2	2	2	2	2	.....	.....	.....	.....	.....	.....	31
.....	.....	1	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	32
1	1	1	.....	1	1	2	1	2	.....	2	.....	.....	.....	.....	.....	.....	33
.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	1	2	1	1	.....	2	.....	.....	.....	.....	.....	.....	34
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	35
1	.....	2	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	37
1	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
114	265	560	853	982	1,084	939	800	616	442	274	134	47	15	3	.....	7	41
99	237	508	787	917	1,019	956	762	596	428	261	133	46	15	3	.....	7	42
78	183	374	563	660	731	703	559	418	283	169	97	36	8	.....	.....	6	43
43	103	205	314	353	365	388	340	273	194	111	70	28	6	.....	.....	6	44
26	67	120	183	214	266	194	128	67	41	22	9	1	.....	.....	.....	.....	45
9	13	49	66	93	100	121	91	78	48	36	18	7	2	.....	.....	.....	46
21	54	128	215	256	283	248	200	171	142	88	35	9	7	3	.....	.....	47
.....	.....	6	9	1	5	5	3	7	3	4	1	1	.....	.....	.....	1	48
15	28	52	66	65	65	43	38	20	14	13	1	1	.....	.....	.....	.....	49
15	28	51	66	64	64	42	38	20	14	13	1	1	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE FEMALE GENITAL ORGANS—contd.											
	Cancer of the ovary and fallopian tube.											
1	Total.....F.	406					1	1		3	3	10
2	White.....F.	399					1	1		3	3	10
3	Native.....F.	293					1	1		2	2	7
4	Both parents native.....F.	151					1	1				3
5	One or both parts foreign.....F.	111								2	2	4
6	Parentage unknown.....F.	31										
7	Foreign.....F.	105								1	1	3
8	Unknown.....F.	1										
9	Colored—Negro.....F.	7										
	Cancer of the uterus.											
10	Total.....F.	6,629				1		1	2	2	3	25
11	White.....F.	6,220				1		1	2	2	3	23
12	Native.....F.	4,463				1		1	2	2	1	18
13	Both parents native.....F.	2,579				1		1	2	2	1	13
14	One or both parents foreign.....F.	1,202										4
15	Parentage unknown.....F.	682										1
16	Foreign.....F.	1,713									2	4
17	Unknown.....F.	44										1
18	Colored.....F.	409										2
19	Negro.....F.	405										2
20	Indian.....F.	1										
21	Chinese.....F.	2										
22	Japanese.....F.	1										
	Cancer of the vagina and vulva.											
23	Total.....F.	170										1
24	White.....F.	163										1
25	Native.....F.	117										1
26	Both parents native.....F.	72										
27	One or both parents foreign.....F.	30										1
28	Parentage unknown.....F.	15										
29	Foreign.....F.	44										
30	Unknown.....F.	2										
31	Colored—Negro.....F.	7										
	Others of this class.											
32	Total.....F.	42	1					1				
33	White.....F.	42	1					1				
34	Native.....F.	33	1					1				
35	Both parents native.....F.	21	1					1				
36	One or both parents foreign.....F.	8										
37	Parentage unknown.....F.	4										
38	Foreign.....F.	9										
	CANCER OF THE BREAST.											
39	Total.....	5,052									4	6
40	Males.....	81										
41	Females.....	4,971									4	6
42	White.....	4,897									4	6
43	Males.....	81										
44	Females.....	4,816									4	6
45	Native.....	3,608									4	4
46	Males.....	52										
47	Females.....	3,556									4	4
48	Both parents native.....{M.	25										
	F.	2,086									1	2
49	One or both parents foreign.....{M.	18										
	F.	996									3	2
50	Parentage unknown.....{M.	9										
	F.	474										
51	Foreign.....	1,260										2
52	Males.....	29										
53	Females.....	1,231										2
54	Unknown.....F.	29										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities thet had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
16	13	37	58	46	61	50	53	25	14	10	4	2	.....	.....	.....	.....	1
16	13	35	56	45	60	50	52	25	14	10	4	2	.....	.....	.....	.....	2
13	8	29	44	32	44	36	36	21	9	5	3	1	.....	.....	.....	.....	3
6	4	17	20	12	22	16	22	15	8	2	3	.....	.....	.....	.....	.....	4
5	4	10	20	15	19	13	11	4	1	1	.....	.....	.....	.....	.....	.....	5
2	.....	2	4	5	3	7	3	2	.....	2	.....	1	.....	.....	.....	.....	6
3	5	5	12	13	16	14	16	4	5	5	1	1	.....	.....	.....	.....	7
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
.....	.....	2	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
97	242	516	783	916	1,007	926	724	564	401	244	117	38	11	3	.....	7	10
82	216	467	720	852	945	883	688	544	387	231	116	37	11	3	.....	7	11
64	167	342	513	612	678	650	504	377	255	153	85	28	5	.....	.....	6	12
36	94	187	290	334	340	363	301	246	176	101	60	21	5	.....	.....	6	13
21	60	108	162	192	241	175	116	58	36	19	9	1	.....	.....	.....	.....	14
7	13	47	61	86	97	112	87	73	43	33	16	6	.....	.....	.....	.....	15
18	49	121	198	239	262	228	181	161	129	74	30	8	6	3	.....	.....	16
.....	.....	4	9	1	5	5	3	6	3	4	1	1	.....	.....	.....	1	17
15	26	49	63	64	62	43	36	20	14	13	1	1	.....	.....	.....	.....	18
15	26	48	63	63	61	42	36	20	14	13	1	1	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	8	5	9	14	13	18	16	24	24	15	13	7	3	.....	.....	.....	23
.....	6	4	8	14	11	18	15	24	24	15	13	7	3	.....	.....	.....	24
.....	6	2	5	11	6	12	14	18	16	8	9	7	2	.....	.....	.....	25
.....	3	.....	4	3	3	7	12	10	10	5	7	7	1	.....	.....	.....	26
.....	3	2	.....	6	3	4	1	5	3	2	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	1	2	.....	1	1	3	3	1	2	.....	1	.....	.....	.....	28
.....	.....	1	3	3	5	6	1	5	8	7	4	.....	1	.....	.....	.....	29
.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	2	1	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
1	2	2	3	6	3	5	7	3	3	5	.....	.....	1	.....	.....	.....	32
1	2	2	3	6	3	5	7	3	3	5	.....	.....	1	.....	.....	.....	33
1	2	1	1	5	3	5	5	2	3	3	.....	.....	1	.....	.....	.....	34
1	2	1	.....	4	.....	2	5	2	.....	3	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	1	1	3	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....	37
.....	.....	1	2	1	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....	.....	38
44	101	301	460	646	671	658	551	529	435	311	207	93	23	6	.....	6	39
1	2	3	4	7	12	8	12	13	9	6	2	1	1	.....	.....	.....	40
43	99	298	456	639	659	650	539	516	426	305	205	92	22	6	.....	6	41
40	94	284	447	624	644	640	541	509	429	307	204	90	23	5	.....	6	42
1	2	3	4	7	12	8	12	13	9	6	2	1	1	.....	.....	.....	43
39	92	281	443	617	632	632	529	496	420	301	202	89	22	5	.....	6	44
34	74	218	337	453	485	488	382	346	323	213	158	63	19	3	.....	4	45
1	2	2	4	4	8	6	6	7	6	3	1	1	1	.....	.....	.....	46
33	72	216	333	449	477	482	376	339	317	210	157	62	18	3	.....	4	47
1	.....	1	3	1	3	2	1	5	4	2	1	.....	1	.....	.....	.....	18
21	37	114	189	236	240	262	234	227	211	148	102	40	16	2	.....	4	
.....	2	1	1	3	4	3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	49
10	30	86	121	168	182	170	85	52	44	17	18	7	1	.....	.....	.....	
.....	.....	.....	.....	.....	1	1	2	2	2	.....	.....	1	.....	.....	.....	.....	50
2	5	16	23	45	55	50	57	60	62	45	37	15	1	1	.....	.....	
6	20	65	108	169	158	148	153	159	104	91	46	26	2	2	.....	1	51
.....	.....	1	.....	3	4	2	6	6	3	3	1	.....	.....	.....	.....	.....	52
6	20	64	108	166	154	146	147	153	101	88	45	26	2	2	.....	1	53
.....	.....	1	2	2	1	4	6	4	2	3	.....	1	2	.....	.....	1	54

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE FEMALE GENITAL ORGANS—contd.											
	CANCER OF THE BREAST—continued.											
1	Colored	155										
2	Negro F.	152										
3	Indian F.	3										
	CANCER OF THE SKIN.											
4	Total	1,838	5	1	3	2	5	16	3	4	2	4
5	Males	1,177	1	1	1	1	2	6		3	2	2
6	Females	661	4		2	1	3	10	3	1		2
7	White	1,816	4	1	3	2	5	15	3	3	2	4
8	Males	1,169	1	1	1	1	2	6		2	2	2
9	Females	647	3		2	1	3	9	3	1		2
10	Native	1,269	3	1	3	2	5	14	3	3	2	4
11	Males	847	1	1	1	1	2	6		2	2	2
12	Females	422	2		2	1	3	8	3	1		2
13	Both parents native M.	517	1	1	1	1	1	5		2		1
	Both parents native F.	252			2		2	4	2	1		1
14	One or both parents foreign M.	137									2	1
	One or both parents foreign F.	77	2			1	1	4	1			
15	Parentage unknown M.	193					1	1				
	Parentage unknown F.	93										1
16	Foreign	512	1					1				
17	Males	298										
18	Females	214	1					1				
19	Unknown	35										
20	Males	24										
21	Females	11										
22	Colored	22	1					1		1		
23	Negro M.	8								1		
	Negro F.	14	1					1				
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED.											
24	Total	7,244	27	26	44	27	21	145	73	54	107	113
25	Males	4,566	14	13	26	16	9	78	41	30	53	78
26	Females	2,678	13	13	18	11	12	67	32	24	54	35
27	White	7,053	26	25	43	26	20	140	71	50	102	109
28	Males	4,448	14	12	25	16	9	76	41	27	53	75
29	Females	2,605	12	13	18	10	11	64	30	23	49	34
30	Native	4,548	26	24	43	26	20	139	68	46	89	89
31	Males	2,780	14	11	25	16	9	75	39	24	45	62
32	Females	1,768	12	13	18	10	11	64	29	22	44	27
33	Both parents native M.	1,563	5	6	14	12	3	40	20	15	27	34
	Both parents native F.	1,052	5	12	10	5	9	41	18	13	27	15
34	One or both parents foreign M.	779	9	5	10	4	6	34	17	9	17	26
	One or both parents foreign F.	487	7	1	8	5	2	23	10	8	17	12
35	Parentage unknown M.	438			1			1	2		1	2
	Parentage unknown F.	229							1	1		
36	Foreign	2,433		1				1	2	4	12	20
37	Males	1,616		1				1	1	3	8	13
38	Females	817							1	1	4	7
39	Unknown	72							1		1	
40	Males	52							1			
41	Females	20									1	
42	Colored	191	1	1	1	1	1	5	2	4	5	4
43	Males	118		1	1			2		3		3
44	Females	73	1			1	1	3	2	1	5	1
45	Negro M.	111		1	1			2		2		3
	Negro F.	72	1			1	1	3	1	1	5	1
46	Indian M.	2								1		
	Indian F.	1							1			
47	Chinese M.	5										
	Cancer of the larynx.											
48	Total	318	1	1	1			3	1		1	
49	Males	261							1			
50	Females	57	1	1	1			3			1	

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
4	7	17	13	22	27	18	10	20	6	4	3	3	.....	1	.....	.....	1
4	7	17	13	22	27	18	10	18	6	4	3	2	.....	1	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	3
5	11	14	30	70	124	127	178	222	274	273	242	158	59	10	5	7	4
4	6	10	14	53	84	93	119	160	183	168	139	88	31	4	2	6	5
1	5	4	16	17	40	34	59	62	91	105	103	70	28	6	3	1	6
5	11	13	28	69	121	125	176	221	272	272	238	157	59	10	5	7	7
4	6	10	13	53	82	91	119	160	182	167	139	88	31	4	2	6	8
1	5	3	15	16	39	34	57	61	90	105	99	69	28	6	3	1	9
4	6	11	20	52	84	94	130	148	191	181	158	110	41	6	4	3	10
3	3	8	8	41	59	70	91	108	131	114	100	68	25	2	1	3	11
1	3	3	12	11	25	24	39	40	60	67	58	42	16	4	3	.....	12
2	3	4	4	27	29	37	57	62	81	69	67	46	19	1	.....	1	13
.....	2	2	4	5	11	16	22	30	40	42	36	23	7	2	2	.....	
1	.....	4	4	12	19	23	18	18	14	11	4	5	1	.....	.....	.....	14
1	.....	.....	6	4	8	4	13	5	9	8	5	4	3	1	1	.....	
.....	.....	.....	.....	2	11	10	16	28	36	34	29	17	5	1	1	2	15
.....	1	1	2	2	6	4	4	5	11	17	17	15	6	1	.....	.....	
1	5	2	7	17	37	29	38	69	76	82	78	46	17	4	1	2	16
1	3	2	4	12	23	20	23	49	46	47	38	20	6	2	1	1	17
.....	2	.....	3	5	14	9	15	20	30	35	40	26	11	2	.....	1	18
.....	.....	.....	1	.....	.....	2	8	4	5	9	2	1	1	.....	.....	2	19
.....	.....	.....	1	.....	.....	1	5	3	5	6	1	.....	.....	.....	.....	2	20
.....	.....	.....	.....	.....	.....	1	3	1	.....	3	1	1	1	.....	.....	.....	21
.....	.....	1	2	1	3	2	2	1	2	1	4	1	.....	.....	.....	.....	22
.....	.....	.....	1	.....	2	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	23
.....	.....	1	1	1	1	.....	2	1	1	.....	4	1	.....	.....	.....	.....	
124	167	250	400	506	738	838	901	959	855	544	312	121	25	5	1	6	24
78	99	143	224	300	430	538	595	643	591	346	202	72	16	3	1	5	25
46	68	107	176	206	308	300	306	316	264	198	110	49	9	2	.....	1	26
121	159	237	384	486	718	820	881	944	834	533	310	118	25	5	1	5	27
76	94	134	217	289	418	526	580	631	574	341	201	71	16	3	1	4	28
45	65	103	167	197	300	294	301	313	260	192	109	47	9	2	.....	1	29
87	115	167	259	288	434	522	529	577	511	344	188	71	18	3	.....	4	30
50	69	97	141	157	236	325	348	371	353	207	123	43	10	2	.....	3	31
37	46	70	118	131	198	197	181	206	158	137	65	28	8	1	.....	1	32
27	31	59	64	74	116	149	198	225	229	143	73	27	8	2	.....	2	
22	31	40	59	71	100	104	112	131	98	104	43	18	5	.....	.....	.....	33
19	33	29	67	61	94	126	97	74	42	17	14	3	.....	.....	.....	.....	
12	14	24	50	48	77	63	51	39	21	10	6	2	.....	.....	.....	.....	34
4	5	9	10	22	26	50	53	72	82	47	36	13	2	.....	.....	1	
3	1	6	9	12	21	30	18	36	39	23	16	8	3	1	.....	1	35
34	41	69	123	194	275	289	344	356	313	182	118	46	7	2	1	.....	36
26	22	36	74	130	174	196	225	252	215	130	74	28	6	1	1	.....	37
8	19	33	49	64	101	93	119	104	98	52	44	18	1	1	.....	.....	38
.....	3	1	2	4	9	9	8	11	10	7	4	1	.....	.....	.....	1	39
.....	3	1	2	2	8	5	7	8	6	4	4	.....	.....	.....	.....	1	40
.....	.....	.....	.....	2	1	4	1	3	4	3	.....	1	.....	.....	.....	.....	41
3	8	13	16	20	20	18	20	15	21	11	2	3	.....	.....	.....	1	42
2	5	9	7	11	12	12	15	12	17	5	1	1	.....	.....	.....	1	43
1	3	4	9	9	8	6	5	3	4	6	1	2	.....	.....	.....	.....	44
2	5	8	7	11	12	11	13	12	16	5	1	.....	.....	.....	.....	1	
1	3	4	9	9	8	6	5	3	4	6	1	2	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	1	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	47
3	1	10	17	24	45	43	55	51	29	21	8	4	1	1	.....	.....	48
3	.....	5	13	19	38	40	44	44	25	19	7	2	1	.....	.....	.....	49
.....	1	5	4	5	7	3	11	7	4	2	1	2	.....	1	.....	.....	50

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Cancer of the larynx—Continued.											
1	White	308	1	1	1			3	1		1	
2	Males	255							1			
3	Females	53	1	1	1			3			1	
4	Native	150	1	1	1			3	1		1	
5	Males	121							1			
6	Females	29	1	1	1			3			1	
7	Both parents native {M	55										
	{F	20		1	1			2			1	
8	One or both parents foreign {M	43										
	{F	4	1					1				
9	Parentage unknown {M	23							1			
	{F	5										
10	Foreign	153										
11	Males	129										
12	Females	24										
13	Unknown M	5										
14	Colored	10										
15	Negro {M	6										
	{F	4										
	Cancer of the lung and pleura.											
16	Total	333					1	1	2	4	6	17
17	Males	187					1	1	1	3	4	11
18	Females	146							1	1	2	6
19	White	328					1	1	2	4	6	17
20	Males	185					1	1	1	3	4	11
21	Females	143							1	1	2	6
22	Native	174					1	1	1	3	4	10
23	Males	91					1	1		2	2	6
24	Females	83							1	1	2	4
25	Both parents native {M	47								2	2	3
	{F	50								1		1
26	One or both parents foreign {M	30					1	1				3
	{F	24							1		2	3
27	Parentage unknown {M	14										
	{F	9										
28	Foreign	154							1	1	2	7
29	Males	94							1	1	2	5
30	Females	60										2
31	Colored	5										
32	Negro {M	2										
	{F	3										
	Cancer of the pancreas.											
33	Total	617							1	1		2
34	Males	325								1		1
35	Females	292							1			1
36	White	599							1	1		2
37	Males	314								1		1
38	Females	285							1			1
39	Native	384							1	1		2
40	Males	188								1		1
41	Females	196							1			1
42	Both parents native {M	106										1
	{F	116							1			1
43	One or both parents foreign {M	48								1		
	{F	47										
44	Parentage unknown {M	34										
	{F	33										
45	Foreign	210										
46	Males	121										
47	Females	89										
48	Unknown M	5										
49	Colored	18										
50	Males	11										
51	Females	7										
52	Negro {M	10										
	{F	7										
53	Chinese M	1										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
3	1	10	14	23	44	43	53	51	27	21	8	3	1	1	.....	.....	1
3	.....	5	12	18	38	40	42	44	23	19	7	2	1	.....	.....	.....	2
.....	1	5	2	5	6	3	11	7	4	2	1	1	.....	1	.....	.....	3
1	.....	6	9	7	16	22	28	27	13	8	4	2	1	1	.....	.....	4
1	.....	3	8	6	14	21	21	23	11	7	3	1	1	.....	.....	.....	5
.....	.....	3	1	1	2	1	7	4	2	1	1	1	.....	1	.....	.....	6
.....	.....	2	3	1	5	7	10	13	7	3	2	1	1	.....	.....	.....	7
.....	.....	1	1	1	1	.....	6	3	2	1	.....	1	.....	.....	.....	.....	
1	.....	1	5	5	7	10	8	4	.....	1	1	.....	.....	.....	.....	.....	8
.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	2	4	3	6	4	3	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	9
2	1	4	5	16	27	21	24	24	12	12	4	1	.....	.....	.....	.....	10
2	.....	2	4	12	23	19	20	21	10	11	4	1	.....	.....	.....	.....	11
.....	1	2	1	4	4	2	4	3	2	1	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	3	1	1	.....	2	.....	2	.....	.....	1	.....	.....	.....	.....	14
.....	.....	.....	1	1	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	15
14	11	19	22	33	43	49	47	27	24	9	3	1	1	.....	.....	.....	16
8	7	9	12	21	23	28	27	13	13	2	2	1	1	.....	.....	.....	17
6	4	10	10	12	20	21	20	14	11	7	1	.....	.....	.....	.....	.....	18
13	11	18	21	32	42	49	47	27	24	9	3	1	1	.....	.....	.....	19
8	7	9	11	21	22	28	27	13	13	2	2	1	1	.....	.....	.....	20
5	4	9	10	11	20	21	20	14	11	7	1	.....	.....	.....	.....	.....	21
7	7	12	13	15	21	20	22	16	13	7	2	.....	.....	.....	.....	.....	22
3	4	7	6	6	10	10	15	8	8	1	2	.....	.....	.....	.....	.....	23
4	3	5	7	9	11	10	7	8	5	6	.....	.....	.....	.....	.....	.....	24
.....	2	5	.....	3	5	3	8	6	7	.....	1	.....	.....	.....	.....	.....	
3	2	4	3	5	7	7	6	2	3	6	.....	.....	.....	.....	.....	.....	25
2	1	1	5	2	3	3	5	2	.....	1	1	.....	.....	.....	.....	.....	
1	1	.....	3	4	4	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	26
1	1	1	1	1	2	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	27
6	4	6	8	17	21	29	25	11	11	2	1	1	1	.....	.....	.....	28
5	3	2	5	15	12	18	12	5	5	1	.....	1	1	.....	.....	.....	29
1	1	4	3	2	9	11	13	6	6	1	1	.....	.....	.....	.....	.....	30
1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
5	11	25	40	53	77	93	97	85	68	44	9	6	.....	.....	.....	.....	33
4	3	14	26	32	37	50	58	45	32	17	2	3	.....	.....	.....	.....	34
1	8	11	14	21	40	43	39	40	36	27	7	3	.....	.....	.....	.....	35
5	9	24	38	50	75	91	95	84	66	43	9	6	.....	.....	.....	.....	36
4	3	13	25	30	36	48	57	44	30	17	2	3	.....	.....	.....	.....	37
1	6	11	13	20	39	43	38	40	36	26	7	3	.....	.....	.....	.....	38
4	6	17	27	28	46	62	62	45	45	29	6	3	.....	.....	.....	.....	39
3	1	8	18	14	20	31	36	22	23	9	.....	1	.....	.....	.....	.....	40
1	5	9	9	14	26	31	26	23	22	20	6	2	.....	.....	.....	.....	41
2	.....	4	10	6	10	17	21	14	13	7	.....	1	.....	.....	.....	.....	
.....	4	7	5	9	14	16	15	11	15	12	4	2	.....	.....	.....	.....	42
1	1	3	5	4	6	10	9	5	2	1	.....	.....	.....	.....	.....	.....	
.....	1	2	4	2	11	10	7	7	1	1	1	.....	.....	.....	.....	.....	43
.....	.....	1	3	4	4	4	6	3	8	1	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	3	1	5	4	5	6	7	1	.....	.....	.....	.....	.....	44
1	3	7	10	22	28	28	32	38	21	14	3	3	.....	.....	.....	.....	45
1	2	5	6	16	15	16	20	21	7	8	2	2	.....	.....	.....	.....	46
.....	1	2	4	6	13	12	12	17	14	6	1	1	.....	.....	.....	.....	47
.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	2	1	2	3	2	2	2	1	2	1	.....	.....	.....	.....	.....	.....	49
.....	.....	1	1	2	1	2	1	1	2	.....	.....	.....	.....	.....	.....	.....	50
.....	2	.....	1	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	51
.....	.....	1	1	2	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	52
.....	2	.....	1	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	53

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Cancer of the kidneys and suprarenals.											
1	Total	467	7	8	20	9	6	50	22	4	8	7
2	Males	239	3	5	13	5	3	29	15	1	4	4
3	Females	228	4	3	7	4	3	21	7	3	4	3
4	White	452	6	8	20	9	6	49	21	4	8	6
5	Males	230	3	5	13	5	3	29	15	1	4	3
6	Females	222	3	3	7	4	3	20	6	3	4	3
7	Native	324	6	7	20	9	6	48	21	4	5	4
8	Males	156	3	4	13	5	3	28	15	1	2	3
9	Females	168	3	3	7	4	3	20	6	3	3	1
10	Both parents native	M. 86		3	7	2		13	7	1	1	2
		F. 96	3	3	3	2	3	14	3	2	1	
11	One or both parents foreign	M. 55	3	1	6	2	3	15	7		1	1
		F. 50			4	2		6	3	1	2	1
12	Parentage unknown	M. 15							1			
		F. 22										
13	Foreign	126		1				1			3	2
14	Males	72		1				1			2	
15	Females	54									1	2
16	Unknown	M. 2										
17	Colored	15	1					1	1			1
18	Negro	M. 9										1
		F. 6	1					1	1			
	Cancer of the prostate.											
19	Total	M. 716										
20	White	M. 701										
21	Native	M. 458										
22	Both parents native	M. 287										
23	One or both parents foreign	M. 86										
24	Parentage unknown	M. 85										
25	Foreign	M. 237										
26	Unknown	M. 6										
27	Colored	M. 15										
28	Negro	M. 14										
29	Indian	M. 1										
	Cancer of the bladder.											
30	Total	915	1		1		1	3			2	1
31	Males	648	1		1			2			2	
32	Females	267					1	1				1
33	White	897	1		1		1	3			2	1
34	Males	633	1		1			2			2	
35	Females	264					1	1				1
36	Native	561	1		1		1	3			2	
37	Males	386	1		1			2			2	
38	Females	175					1	1				
39	Both parents native	M. 213									1	
		F. 103					1	1				
40	One or both parents foreign	M. 103	1		1			2				
		F. 49										
41	Parentage unknown	M. 70									1	
		F. 26										
42	Foreign	330										1
43	Males	243										
44	Females	87										1
45	Unknown	6										
46	Males	4										
47	Females	2										
48	Colored	18										
49	Males	15										
50	Females	3										
51	Negro	M. 14										
		F. 3										
52	Chinese	M. 1										

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
9	14	21	28	36	43	55	38	49	38	28	12	5					1
4	5	11	16	19	22	31	19	19	19	14	5	2					2
5	9	10	12	17	21	24	19	30	19	14	7	3					3
8	13	18	27	35	42	54	37	49	37	27	12	5					4
3	4	10	15	18	21	30	18	19	19	14	5	2					5
5	9	8	12	17	21	24	19	30	18	13	7	3					6
6	9	12	18	19	21	38	27	31	28	21	8	4					7
2	3	6	10	10	9	17	14	10	12	9	3	2					8
4	6	6	8	9	12	21	13	21	16	12	5	2					9
1	2	3	7	4	5	6	9	9	6	7	3						
2	3	3	4	3	6	11	9	14	7	10	3	1					10
	1	3	3	4	2	8	3	1	4	2							
2	2	3	4	4	4	7	4	2	3	1	1						11
1				2	2	3	2		2			2					
	1			2	2	3		5	6	1	1	1					12
2	4	6	9	16	20	15	10	18	9	6	4	1					13
1	1	4	5	8	11	12	4	9	7	5	2						14
1	3	2	4	8	9	3	6	9	2	1	2	1					15
					1	1											16
1	1	3	1	1	1	1	1		1	1							17
1	1	1	1	1	1	1	1										
		2							1	1							18
	4	6	10	17	27	74	110	157	149	103	42	12	3		1	1	19
	4	6	9	17	26	73	107	156	145	100	42	11	3		1	1	20
	3	5	6	10	7	43	72	107	86	70	32	6				1	21
	1	1	3	6	7	18	43	65	63	56	18	5				1	22
	2	2	3	3	9	18	18	16	8	4	3						23
		2		1	1	7	11	26	15	10	11	1					24
	1	1	3	7	9	29	35	47	57	29	10	5	3		1		25
						1		2	2	1							26
			1		1	1	3	1	4	3		1					27
			1		1	1	3	1	4	3							28
												1					29
4	12	21	36	51	105	101	139	138	134	97	44	20	4			3	30
	8	12	19	27	78	75	104	102	103	68	30	13	2			3	31
4	4	9	17	24	27	26	35	36	31	29	14	7	2				32
4	12	20	35	49	101	99	139	136	130	96	44	20	4			2	33
	8	11	19	26	74	74	104	100	99	67	30	13	2			2	34
4	4	9	16	23	27	25	35	36	31	29	14	7	2				35
4	8	16	25	28	60	65	80	88	84	56	24	13	3			2	36
	7	10	13	12	42	47	60	58	66	38	17	8	2			2	37
4	1	6	12	16	18	18	20	30	18	18	7	5	1				38
	1	7	4	7	20	17	32	35	44	25	12	5	2			1	
3	1	4	8	6	8	10	8	18	13	14	5	3	1				39
	6	2	8	4	17	21	19	12	10	2							
1		2	2	8	7	5	11	7	1	2							40
		1	1	1	5	9	9	11	12	11	5	3				1	
			2	2	3	3	1	5	4	2	2	2					41
	4	4	10	21	40	34	57	47	45	39	20	7	1				42
	1	1	6	14	31	27	42	41	33	29	13	5					43
	3	3	4	7	9	7	15	6	12	10	7	2	1				44
					1	1	2	1	1	1							45
					1		2	1									46
									1	1							47
		1	1	2	4	2	2	4	4	1						1	48
		1		1	4	1	2	4	4	1						1	49
			1	1		1											50
				1	4	1	2	4	4	1						1	51
		1		1		1											52

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Cancer of the brain.											
1	Total	123	.....	1	1	.....	.....	2	3	2	8	5
2	Males	66	.....	1	1	.....	.....	2	2	1	2	3
3	Females	57	.....	.....	.....	.....	.....	.....	1	1	6	2
4	White	120	.....	1	1	.....	.....	2	3	2	8	4
5	Males	63	.....	1	1	.....	.....	2	2	1	2	2
6	Females	57	.....	.....	.....	.....	.....	.....	1	1	6	2
7	Native	84	.....	1	1	.....	.....	2	3	2	7	4
8	Males	44	.....	1	1	.....	.....	2	2	1	2	2
9	Females	40	.....	.....	.....	.....	.....	.....	1	1	5	2
10	Both parents native M.	29	.....	1	1	.....	.....	2	1	.....	2	1
	Both parents native F.	21	.....	.....	.....	.....	.....	.....	1	1	3	1
11	One or both parents foreign M.	12	.....	.....	.....	.....	.....	.....	1	1	.....	1
	One or both parents foreign F.	15	.....	.....	.....	.....	.....	.....	.....	.....	2	1
12	Parentage unknown M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Parentage unknown F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Foreign	36	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
14	Males	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Females	17	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
16	Colored—Negro M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Cancer of the bones (except jaw).											
17	Total	448	2	4	2	4	2	14	14	15	27	20
18	Males	229	.....	1	1	2	.....	4	8	8	15	13
19	Females	219	2	3	1	2	2	10	6	7	12	7
20	White	433	2	4	2	4	2	14	14	14	25	19
21	Males	220	.....	1	1	2	.....	4	8	7	15	13
22	Females	213	2	3	1	2	2	10	6	7	10	6
23	Native	311	2	4	2	4	2	14	13	13	24	17
24	Males	160	.....	1	1	2	.....	4	7	6	15	11
25	Females	151	2	3	1	2	2	10	6	7	9	6
26	Both parents native M.	92	.....	1	.....	1	.....	2	3	5	8	6
	Both parents native F.	93	1	2	.....	1	2	6	5	4	5	4
27	One or both parents foreign M.	49	.....	.....	1	1	.....	2	4	1	7	4
	One or both parents foreign F.	45	1	1	1	1	.....	4	.....	2	4	2
28	Parentage unknown M.	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Parentage unknown F.	13	.....	.....	.....	.....	.....	.....	1	1	.....	.....
29	Foreign	116	.....	.....	.....	.....	.....	.....	.....	1	1	2
30	Males	56	.....	.....	.....	.....	.....	.....	.....	1	.....	2
31	Females	60	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
32	Unknown	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
33	Males	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
34	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Colored	15	.....	.....	.....	.....	.....	.....	.....	1	2	1
36	Negro M.	9	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Negro F.	6	.....	.....	.....	.....	.....	.....	.....	.....	2	1
	Cancer of the testes.											
37	Total M.	111	.....	.....	1	.....	1	2	.....	3	2	10
38	White M.	111	.....	.....	1	.....	1	2	.....	3	2	10
39	Native M.	84	.....	.....	1	.....	1	2	.....	3	1	9
40	Both parents native M.	52	.....	.....	1	.....	.....	1	.....	2	1	5
41	One or both parents foreign M.	30	.....	.....	.....	.....	1	1	.....	1	.....	4
42	Parentage unknown M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
43	Foreign M.	25	.....	.....	.....	.....	.....	.....	.....	.....	1	1
44	Unknown M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Others of this class.											
45	Total	3,196	16	12	18	14	10	70	30	25	53	51
46	Males	1,784	10	6	9	9	4	38	14	13	24	36
47	Females	1,412	6	6	9	5	6	32	16	12	29	15
48	White	3,104	16	11	17	13	9	66	29	22	50	50
49	Males	1,736	10	5	8	9	4	36	14	11	24	35
50	Females	1,368	6	6	9	4	5	30	15	11	26	15

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
8	10	12	10	17	16	13	5	9	3	.....	.....	.....	.....	.....	.....	.....	1
3	7	4	7	11	10	7	2	5	.....	.....	.....	.....	.....	.....	.....	.....	2
5	3	8	3	6	6	6	3	4	3	.....	.....	.....	.....	.....	.....	.....	3
8	10	11	10	17	16	12	5	9	3	.....	.....	.....	.....	.....	.....	.....	4
3	7	3	7	11	10	6	2	5	.....	.....	.....	.....	.....	.....	.....	.....	5
5	3	8	3	6	6	6	3	4	3	.....	.....	.....	.....	.....	.....	.....	6
6	7	7	9	9	10	10	4	3	1	.....	.....	.....	.....	.....	.....	.....	7
3	5	2	7	4	5	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....	8
3	2	5	2	5	5	5	2	1	1	.....	.....	.....	.....	.....	.....	.....	9
2	2	2	3	3	4	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	1	1	3	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	2	.....	4	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	3	1	1	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	11
1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	12
2	3	4	1	8	6	2	1	6	2	.....	.....	.....	.....	.....	.....	.....	13
.....	2	1	.....	7	5	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	14
2	1	3	1	1	1	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
19	19	15	34	28	47	41	41	45	40	17	8	1	2	.....	.....	1	17
10	10	9	17	10	22	24	20	27	21	6	3	1	.....	.....	.....	1	18
9	9	6	17	18	25	17	21	18	19	11	5	.....	2	.....	.....	.....	19
19	17	14	33	28	47	40	39	45	38	15	8	1	2	.....	.....	1	20
10	9	8	16	10	22	23	19	27	19	5	3	1	.....	.....	.....	1	21
9	8	6	17	18	25	17	20	18	19	10	5	.....	2	.....	.....	.....	22
15	13	10	22	15	29	27	26	27	28	11	4	1	2	.....	.....	.....	23
8	7	5	11	5	15	16	13	15	15	4	2	1	.....	.....	.....	.....	24
7	6	5	11	10	14	11	13	12	13	7	2	.....	2	.....	.....	.....	25
6	3	5	6	2	8	9	8	7	11	2	.....	1	.....	.....	.....	.....	
5	4	3	3	5	7	6	7	9	10	7	2	.....	1	.....	.....	.....	26
2	3	.....	4	1	6	4	5	5	.....	.....	1	.....	.....	.....	.....	.....	
2	2	2	7	5	5	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	1	.....	1	2	1	3	.....	3	4	2	1	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	2	.....	3	1	3	.....	.....	.....	1	.....	.....	.....	28
4	3	4	11	12	18	11	13	18	10	4	4	.....	.....	.....	.....	.....	29
2	1	3	5	5	7	6	6	12	4	1	1	.....	.....	.....	.....	.....	30
2	2	1	6	7	11	5	7	6	6	3	3	.....	.....	.....	.....	.....	31
.....	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	32
.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	33
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	2	1	1	.....	.....	1	2	.....	2	2	.....	.....	.....	.....	.....	.....	35
.....	1	1	1	.....	.....	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	36
10	9	13	12	13	5	5	6	7	7	4	3	.....	.....	.....	.....	.....	37
10	9	13	12	13	5	5	6	7	7	4	3	.....	.....	.....	.....	.....	38
9	9	11	10	12	3	4	3	3	3	1	1	.....	.....	.....	.....	.....	39
5	5	6	7	7	2	4	2	2	2	1	.....	.....	.....	.....	.....	.....	40
4	4	5	3	5	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	41
.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	42
1	.....	2	2	1	2	1	3	4	3	3	1	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	44
52	76	108	191	234	330	364	363	391	363	221	183	72	14	4	.....	1	45
36	46	60	92	131	168	204	205	224	222	113	108	38	9	3	.....	.....	46
16	30	48	99	103	162	160	158	167	141	108	75	34	5	1	.....	1	47
51	73	103	185	222	320	354	353	380	357	218	181	71	14	4	.....	1	48
35	43	56	91	125	164	199	198	216	219	113	107	38	9	3	.....	.....	49
16	30	47	94	97	156	155	155	164	138	105	74	33	5	1	.....	1	50

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

	SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Others of this class—Continued.											
1	White—Continued. Native	2,018	16	11	17	13	9	66	28	20	45	43
2	Males	1,092	10	5	8	9	4	36	14	10	21	30
3	Females	926	6	6	9	4	5	30	14	10	24	13
4	Both parents native (M.)	596	5	1	5	8	3	22	9	5	12	16
	Both parents native (F.)	553	1	6	6	2	3	18	8	5	17	8
5	One or both parents foreign (M.)	323	5	4	2	1	1	13	5	5	9	13
	One or both parents foreign (F.)	256	5	.....	3	2	2	12	6	5	7	5
6	Parentage unknown (M.)	173	.....	.....	1	.....	.....	1	.....	.....	.....	1
	Parentage unknown (F.)	117	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Foreign	1,046	.....	.....	.....	.....	.....	.....	1	2	4	7
8	Males	620	.....	.....	.....	.....	.....	.....	.....	1	3	5
9	Females	426	.....	.....	.....	.....	.....	.....	1	1	1	2
10	Unknown	40	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
11	Males	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Females	16	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
13	Colored	92	.....	1	1	1	1	4	1	3	3	1
14	Males	48	.....	1	1	.....	.....	2	.....	2	.....	1
15	Females	44	.....	.....	.....	1	1	2	1	1	3	.....
16	Negro (M.)	44	.....	1	1	.....	.....	2	.....	1	.....	1
	Negro (F.)	43	.....	.....	.....	1	1	2	.....	1	3	.....
17	Indian (M.)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Indian (F.)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
18	Chinese (M.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,[1] BY AGE, SEX COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
35	53	71	120	145	211	231	265	230	210	141	107	42	12	2	.....	1	1
21	30	40	52	78	101	131	112	123	129	68	63	24	7	2	.....	.....	2
14	23	31	68	67	110	100	93	107	81	73	44	18	5	.....	.....	1	3
11	15	24	21	35	50	64	63	73	76	42	37	14	5	2	.....	.....	4
6	15	17	34	39	55	52	60	74	48	54	29	11	3	.....	.....	.....	
9	13	12	27	33	43	51	29	27	18	6	7	3	.....	.....	.....	.....	5
6	8	10	29	24	43	32	24	18	15	6	4	2	.....	.....	.....	.....	
1	2	4	4	10	8	16	20	23	35	20	19	7	2	.....	.....	.....	6
2	.....	4	5	4	12	16	9	15	18	13	11	5	2	.....	.....	1	
16	18	31	64	74	104	119	144	143	143	73	71	28	2	2	.....	.....	7
14	11	15	38	45	59	67	83	89	89	43	41	14	2	1	.....	.....	8
2	7	16	26	29	45	52	61	54	54	30	30	14	.....	1	.....	.....	9
.....	2	1	1	3	5	4	4	7	4	4	3	1	.....	.....	.....	.....	10
.....	2	1	1	2	4	1	3	4	1	2	3	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	1	1	3	1	3	3	2	.....	1	.....	.....	.....	.....	12
1	3	5	6	12	10	10	10	11	6	3	2	1	.....	.....	.....	.....	13
1	3	4	1	6	4	5	7	8	3	.....	1	.....	.....	.....	.....	.....	14
.....	.....	1	5	6	6	5	3	3	3	3	1	1	.....	.....	.....	.....	15
1	3	4	1	6	4	4	5	8	3	.....	1	.....	.....	.....	.....	.....	
.....	.....	1	5	6	6	5	3	3	3	3	1	1	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	18

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,[1] OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
SINGLE.																
Total	5,572	736	361	289	371	544	672	603	603	481	424	285	132	40	24	7
Males	2,570	402	192	125	150	228	290	273	305	227	203	104	51	11	8	1
Females	3,002	334	169	164	221	316	382	330	298	254	221	181	81	29	16	6
White	5,405	707	338	270	361	531	657	586	584	470	421	282	129	40	22	7
Males	2,494	389	186	115	145	221	284	270	288	221	202	104	50	11	7	1
Females	2,911	518	152	155	216	310	373	316	296	249	219	178	79	29	15	6
Native	3,794	637	241	196	260	366	446	410	392	278	264	176	76	32	16	4
Males	1,537	346	125	70	84	125	162	160	165	110	104	49	26	7	4	.....
Females	2,257	291	116	126	176	241	284	250	227	168	160	127	50	25	12	4
Both parents native	M. 712	193	60	29	35	38	58	60	78	59	47	31	16	5	3	.....
	F. 1,263	167	61	63	79	116	143	118	134	114	116	88	34	17	10	3
One or both parents foreign	M. 595	142	59	31	42	73	72	77	49	26	19	3	2	.....	.....	.....
	F. 830	117	51	58	88	109	126	115	78	29	28	19	7	3	1	1
Parentage unknown	M. 230	11	6	10	7	14	32	23	38	25	38	15	8	2	1	.....
	F. 164	7	4	5	9	16	15	17	15	25	16	20	9	5	1	.....
Foreign	1,505	67	92	68	97	160	197	166	178	177	147	98	48	4	5	1
Males	890	41	58	40	58	92	112	102	114	103	93	50	21	3	3	.....
Females	615	26	34	28	39	68	85	64	64	74	54	48	27	1	2	1
Unknown	106	3	5	6	4	5	14	10	14	15	10	8	5	4	1	2
Males	67	2	3	5	3	4	10	8	9	8	5	5	3	1	.....	1
Females	39	1	2	1	1	1	4	2	5	7	5	3	2	3	1	1
Colored	167	29	23	19	10	13	15	17	19	11	3	3	3	.....	2	.....
Males	76	13	6	10	5	7	6	3	17	6	1	.....	1	.....	1	.....
Females	91	16	17	9	5	6	9	14	2	5	2	3	2	.....	1	.....
Negro	M. 60	11	6	9	4	6	4	1	12	6	.....	.....	1	.....	.....	.....
	F. 89	15	17	9	5	6	9	14	2	4	2	3	2	.....	1	.....
Indian	M. 3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....
	F. 2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Chinese	M. 9	.....	.....	.....	.....	1	1	1	5	1	1	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Japanese	M. 2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other colored	M. 2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
MARRIED.																
Total	27,711	78	1,010	1,424	2,284	3,017	3,824	4,031	3,839	3,490	2,568	1,373	561	152	29	31
Males	12,770	20	266	352	643	1,001	1,548	1,842	2,018	1,995	1,586	921	416	129	22	11
Females	14,941	58	744	1,072	1,641	2,016	2,276	2,189	1,821	1,495	982	452	145	23	7	20
White	26,917	71	952	1,329	2,186	2,895	3,706	3,938	3,764	3,425	2,535	1,350	557	151	29	29
Males	12,503	19	258	339	620	970	1,501	1,798	1,988	1,959	1,567	909	413	129	22	11
Females	14,414	52	694	990	1,566	1,925	2,205	2,140	1,776	1,466	968	441	144	22	7	18
Native	16,832	56	674	901	1,434	1,798	2,261	2,499	2,289	2,068	1,554	809	350	97	21	21
Males	7,058	17	171	197	347	485	789	1,028	1,102	1,106	930	522	253	85	17	9
Females	9,774	39	503	704	1,087	1,313	1,472	1,471	1,187	962	624	287	97	12	4	12
Both parents native	M. 1,050	12	101	110	180	242	411	506	634	705	574	347	155	56	12	2
	F. 5,618	24	299	380	580	720	758	823	725	632	409	184	70	5	1	8
One or both parents foreign	M. 1,862	5	60	71	138	189	299	389	287	197	127	62	29	6	1	2
	F. 2,781	12	165	237	401	435	515	445	273	153	99	37	5	2	1	1
Parentage unknown	M. 1,146	.....	10	16	29	54	76	133	181	204	229	113	69	23	4	5
	F. 1,375	3	39	87	106	158	199	203	189	177	116	66	22	5	2	3
Foreign	9,956	14	276	422	737	1,086	1,429	1,419	1,459	1,342	969	535	202	52	8	6
Males	5,386	2	87	140	271	479	704	762	875	847	630	383	156	43	5	2
Females	4,570	12	189	282	466	607	725	657	584	495	339	152	46	9	3	4
Unknown	129	1	2	6	15	11	16	20	16	15	12	6	5	2	.....	2
Males	59	.....	.....	2	2	6	8	8	11	6	7	4	4	1	.....	.....
Females	70	1	2	4	13	5	8	12	5	9	5	2	1	1	.....	2
Colored	794	7	58	95	98	122	118	93	75	65	33	23	4	1	.....	2
Males	267	1	8	13	23	31	47	44	30	36	19	12	3	.....	.....	.....
Females	527	6	50	82	75	91	71	49	45	29	14	11	1	1	.....	2
Negro	M. 241	1	8	11	22	27	38	41	25	34	19	12	3	.....	.....	.....
	F. 514	6	48	79	75	89	70	47	44	28	13	11	1	1	.....	2
Indian	M. 2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	F. 6	.....	.....	1	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....
Chinese	M. 17	.....	.....	2	.....	2	5	3	4	1	.....	.....	.....	.....	.....	.....
	F. 3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Japanese	M. 7	.....	.....	.....	1	2	3	.....	.....	1	.....	.....	.....	.....	.....	.....
	F. 4	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other colored	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,[1] OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
WIDOWED.																
Total	13,893	5	38	123	258	488	896	1,325	1,775	2,242	2,469	2,081	1,398	585	202	8
Males	3,698	1	4	14	44	85	172	303	413	615	738	598	448	189	71	3
Females	10,195	4	34	109	214	403	724	1,022	1,362	1,627	1,731	1,483	950	396	131	5
White	13,452	5	29	108	235	444	827	1,278	1,705	2,191	2,422	2,047	1,381	575	198	7
Males	3,630	1	4	12	42	79	164	296	399	609	725	592	447	188	70	2
Females	9,822	4	25	96	193	365	663	982	1,306	1,582	1,697	1,455	934	387	128	5
Native	8,066	3	23	69	155	256	503	782	992	1,239	1,415	1,251	877	366	131	4
Males	2,026	1	3	6	28	34	79	165	220	319	397	342	269	119	43	1
Females	6,040	2	20	63	127	222	424	617	772	920	1,018	909	608	247	88	3
Both parents native { M	1,139	1		4	11	14	37	65	109	170	254	206	164	72	31	1
Both parents native { F	3,609	1	13	33	62	99	188	321	415	573	671	622	394	161	53	3
One or both parents foreign. { M	396		3	1	15	14	31	74	73	60	48	39	28	9	1	
One or both parents foreign. { F	1,269	1	4	27	48	93	173	204	212	172	140	102	62	23	8	
Parentage unknown. { M	491			1	2	6	11	26	38	89	95	97	77	38	11	
Parentage unknown. { F	1,162		3	3	17	30	63	92	145	175	207	185	132	63	27	
Foreign	5,266	2	5	38	78	185	314	485	696	928	992	774	496	206	65	2
Males	1,549			6	13	42	78	126	174	277	320	244	174	68	27	
Females	3,717	2	5	32	65	143	236	359	522	651	672	530	322	138	38	2
Unknown	120		1	1	2	3	10	11	17	24	15	22	8	3	2	1
Males	55		1		1	3	7	5	5	13	8	6	4	1		1
Females	65			1	1		3	6	12	11	7	16	4	2	2	
Colored	441		9	15	23	44	69	47	70	51	47	34	17	10	4	1
Males	68			2	2	6	8	7	14	6	13	6	1	1	1	1
Females	373		9	13	21	38	61	40	56	45	34	28	16	9	3	
Negro { M	66			2	2	6	8	7	13	6	13	6	1		1	1
Negro { F	366		9	13	21	38	61	39	55	43	33	27	16	8	3	
Indian { M	1													1		
Indian { F	6								1	2	1	1		1		
Chinese { M	1								1							
Chinese { F																
Japanese { M																
Japanese { F	1							1								
Other colored { M																
Other colored { F																
DIVORCED.																
Total	403	1	11	23	32	51	62	62	58	43	31	19	7	2	1	
Males	172		1	4	8	11	30	24	35	21	19	13	3	2	1	
Females	231	1	10	19	24	40	32	38	23	22	12	6	4			
White	392	1	10	20	30	49	61	62	58	43	29	19	7	2	1	
Males	168		1	2	7	11	30	24	35	21	18	13	3	2	1	
Females	224	1	9	18	23	38	31	38	23	22	11	6	4			
Native	299	1	9	19	28	38	44	45	43	33	18	15	3	2	1	
Males	113		1	2	6	7	17	15	23	16	11	11	1	2	1	
Females	186	1	8	17	22	31	27	30	20	17	7	4	2			
Both parents native. { M	59		1	1	4	5	9	8	9	9	6	5		2		
Both parents native. { F	114	1	5	10	15	17	16	14	15	10	6	3	2			
One or both parents foreign. { M	22			1	1	2	5	4	3	3	1	1	1			
One or both parents foreign. { F	46		2	6	4	9	10	11	1	2	1					
Parentage unknown. { M	32				1		3	3	11	4	4	5			1	
Parentage unknown. { F	26		1	1	3	5	1	5	4	5		1				
Foreign	85		1	1	2	11	14	17	12	9	11	3	4			
Males	49				1	4	10	9	10	5	7	1	2			
Females	36		1	1	1	7	4	8	2	4	4	2	2			
Unknown	8						3		3	1		1				
Males	6						3		2			1				
Females	2								1	1						
Colored	11		1	3	2	2	1				2					
Males	4			2	1						1					
Females	7		1	1	1	2	1				1					
Negro { M	4			2	1						1					
Negro { F	7		1	1	1	2	1				1					
Indian { M																
Indian { F																
Chinese { M																
Chinese { F																
Japanese { M																
Japanese { F																
Other colored { M																
Other colored { F																

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,[1] OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
UNKNOWN.																
Total	407	1	15	13	24	28	46	43	55	54	53	39	23	7	1	5
Males	264	1	9	8	15	15	26	31	38	40	37	23	13	4	.....	4
Females	143	.....	6	5	9	13	20	12	17	14	16	16	10	3	1	1
White	383	1	14	11	21	26	44	41	51	51	51	37	23	7	1	4
Males	252	1	8	7	14	15	25	30	36	38	35	23	13	4	.....	3
Females	131	.....	6	4	7	11	19	11	15	13	16	14	10	3	1	1
Native	201	1	6	6	7	13	24	20	26	25	30	21	17	4	.....	1
Males	108	1	4	3	3	5	10	14	15	15	19	9	8	2	.....	.....
Females	93	.....	2	3	4	8	14	6	11	10	11	12	9	2	.....	1
Both parents native (M)	60	1	4	.....	1	3	1	7	10	10	12	4	5	2	.....	.....
Both parents native (F)	45	.....	2	1	4	5	2	4	5	2	6	7	6	.....	.....	1
One or both parents foreign (M)	8	.....	.....	.....	.....	1	4	.....	.....	.....	1	2	.....	.....	.....	.....
One or both parents foreign (F)	27	.....	.....	2	.....	3	9	2	3	2	2	2	1	1	.....	.....
Parentage unknown (M)	40	.....	.....	3	2	1	5	7	5	5	6	3	3	.....	.....	.....
Parentage unknown (F)	21	.....	.....	.....	.....	.....	3	.....	3	6	3	3	2	1	.....	.....
Foreign	124	.....	7	4	10	9	13	14	18	16	14	12	4	3	.....	.....
Males	93	.....	3	4	8	6	9	12	14	13	9	10	3	2	.....	.....
Females	31	.....	4	.....	2	3	4	2	4	3	5	2	1	1	.....	.....
Unknown	58	.....	1	1	4	4	7	7	7	10	7	4	2	.....	1	3
Males	51	.....	1	.....	3	4	6	4	7	10	7	4	2	.....	.....	3
Females	7	.....	.....	1	1	.....	1	3	.....	.....	.....	.....	.....	.....	1	.....
Colored	24	.....	1	2	3	2	2	2	4	3	2	2	.....	.....	.....	1
Males	12	.....	1	1	1	.....	1	1	2	2	2	.....	.....	.....	.....	1
Females	12	.....	.....	1	2	2	1	1	2	1	.....	2	.....	.....	.....	.....
Negro (M)	10	.....	1	1	1	.....	1	1	1	1	2	.....	.....	.....	.....	1
Negro (F)	12	.....	.....	1	2	2	1	1	2	1	.....	2	.....	.....	.....	.....
Indian (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chinese (M)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

LIST OF PUBLICATIONS OF THE PERMANENT CENSUS BUREAU—Continued

(Continued from page 2 of cover.)

WEALTH, DEBT, AND TAXATION

The various sections of the report on Wealth, Debt, and Taxation have been issued in bulletin form, there being eight bulletins in the series. The titles of the bulletins are as follows:

Taxation and revenue systems of state and local governments (a digest of constitutional and statutory provisions relating to taxation in the different states in 1912).
Assessed valuation of property and amounts and rates of levy: 1860–1912.
National and state indebtedness and funds and investments: 1870–1913.
County and municipal indebtedness, 1913, 1902, and 1890; and sinking fund assets, 1913.
National and state revenues and expenditures, 1913 and 1903, and public properties by states: 1913.
County revenues, expenditures, and public properties: 1913.
Municipal revenues, expenditures, and public properties: 1913.
Abstract of special bulletins—Wealth, Debt, and Taxation: 1913.

MISCELLANEOUS PUBLICATIONS

FOREST PRODUCTS

(These publications, of octavo size, issued yearly, were compiled in cooperation with the Forest Service, Department of Agriculture. The only publication of this series issued for 1912 was Lumber, lath, and shingles. The compiling of these statistics has been discontinued by the Bureau of the Census, but will be continued by the Forest Service in less comprehensive form.)

Pulp-wood consumption: *1907, 1908, 1909, 1910, and 1911.
Lumber, lath, and shingles: *1907, 1908, 1909, 1910, 1911, and 1912.
Slack cooperage stock: 1907, *1908, 1909, *1910, and 1911.
Tanbark and tanning extracts: 1907, 1908, and 1909. (This pamphlet was not issued in 1910 and 1911.)
Excelsior: 1911.
Veneers: 1907, 1908, 1909, *1910, and 1911.
Tight cooperage stock: 1907, *1908, 1909, *1910, and 1911.
Wood distillation: 1907, *1908, 1909, 1910, and 1911.
Cross-ties purchased: 1907, 1908, 1909, 1910, and 1911.
Poles purchased: 1907, 1908, 1909, 1910, and 1911.
Forest products of the United States: *1907, 1908, and 1909. (This pamphlet not issued for 1910 and 1911.)

HEADS OF FAMILIES—FIRST CENSUS OF THE UNITED STATES: 1790

(These volumes, of quarto size, are for sale only, at $1 for each state; remittance should accompany the request, addressed to the Director of the Census.)

The First Census covered the present states of Connecticut, Delaware, Georgia, Kentucky, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, North Carolina, Pennsylvania, Rhode Island, South Carolina, Tennessee, Vermont, and Virginia. The returns for Delaware, Georgia, Kentucky, New Jersey, Tennessee, and Virginia were destroyed.

The following volumes have been issued: Connecticut, Maine, Maryland, Massachusetts, New Hampshire, New York, North Carolina, Pennsylvania, Rhode Island, South Carolina, Vermont, and Virginia. The volume for Virginia contains the state enumerations only from 1782 to 1785.

PHILIPPINE ISLANDS, CENSUS OF 1903

(On September 25, 1902, pursuant to act of Congress approved July 1, 1902, the President directed that the census of the Philippine Islands be taken by the Philippine Commission, and that the United States Census Bureau compile and tabulate the returns and print and distribute the completed reports. These reports were issued in English and Spanish; both editions are now exhausted.)

*Volume I—Geography, history, and population.
*Volume II—Population.
*Volume III—Mortality, defective classes, education, families and dwellings.
*Volume IV—Agriculture, social and industrial statistics.

(*Bulletins, compiled from the reports, English only.*)

No. 1—Population of the Philippines.
No. 2—Climate of the Philippines.
No. 3—Volcanoes and seismic centers of the Philippine Archipelago.

CUBA, CENSUS OF 1907

(The Cuban Census of 1907 was taken by order of the provisional government, and the material was compiled and published, under the direction of the director of the Cuban census, by the Bureau of the Census. The report was printed in Spanish. In order to meet the demand in the United States for information regarding Cuba, the provisional governor of the Republic authorized the director of the Cuban census of 1907 to prepare a compendium, printed in English. Both volumes are of octavo size.)

*Censo de la República de Cuba: 1907 (report).
*Cuba: Population, history, and resources: 1907 (compendium).

VITAL STATISTICS

*Extension of registration area for births and deaths; a practical example of cooperative census methods as applied to the state of Pennsylvania: 1906.
Federal registration service in the United States; its development, problems, and defects: 1916.
International classification of causes of sickness and death: 1910.
Legal importance of registration of births and deaths: 1908.
Legislative requirements for registration of vital statistics: 1903.
*Manual of international classification of causes of death (adopted by the Census Office for compilation of mortality statistics): 1902.
Manual of international list of causes of death: 1911.
*Medical education in vital statistics: 1903.
Modes of statement of cause of death and duration of illness upon certificates of death: 1907.
Physicians' pocket reference to the international list of causes of death: 1916.
Practical registration methods: 1903.
*Registration of births and deaths: 1903.
*Relation of physicians to mortality statistics: 1903.
*Statistical treatment of causes of death: 1903.
Tuberculosis in the United States: 1903.
Vital statistics of the United States: 1900. (Bulletin 15.)

MISCELLANEOUS

American census taking: 1904.
Census Office and coordination of statistics: 1909.
Collaboration in Federal and state statistical work.
Cooperation and unification in Federal and state statistical work: 1903.
Cotton ginning reports: Issued in card form (4 by 6 inches) at intervals during the cotton ginning season.
Federal population estimates and supervision of local censuses.
History and growth of United States Census: 1790–1890.
Index to occupations, alphabetical and classified.
Leaf tobacco: Reports on quantity held by dealers and manufacturers: April 1 and October 1 of each year since 1912.
List of publications.
Report of the Director of the Census to the Secretary of Commerce and Labor concerning the administration of the permanent bureau: 1903.
Reports of the Director of the Census to the Secretary of Commerce concerning the operations of the bureau for each fiscal year, *1903–4, 1904–5 to 1915–16.
Special population censuses: El Paso, Tex., January 15, 1916; Hamtramck, Mich., June 25, 1915; Hastings, Nebr., December 13, 1915; Highland Park, Mich., November 15, 1915; St. Clair Heights, Mich., November 15, 1915; Tulsa, Okla., April 15, 1915.
Standard form for reporting the financial statistics of public schools: 1911.
Story of the Census: 1790–1916.
Statistical atlas of the United States: 1914.
*Suggested standard forms for reports of the financial transactions and physical statistics of parks: 1911.
Summary of state laws relating to the dependent classes: 1913.
Tentative program 1916–1919.
Uniform accounts as a basis for standard forms for reporting financial and other statistics of health departments: 1912.
Uniform accounts for systems of water supply: 1911.
Uniform municipal accounting: *1904, and 1906.

For list of Thirteenth Census publications, see following page.

All of the volumes, nine volumes of the final census reports, giving the results of the Thirteenth Decennial Census of 1910, have been issued. The issued in lettered I to XI (comprising 10,879 pages), constituting the complete reports of the census, which are listed below, were tribution limited editions, intended chiefly for libraries, institutions, and special students of statistics. Because of the restricted dis- which will any individual who desires to receive any or all of the volumes is asked to accompany his request by an explanatory statement of each all justify the Director of the Census in placing his name upon the mailing list. The following list gives the title or description of the reports and bulletins issued in connection with the Thirteenth Census:

FINAL REPORTS OF THE THIRTEENTH CENSUS.

POPULATION:

Volume:

Vol. I.—General report and analysis. 1369 p. (Each chapter of this volume was printed as a separate. The titles are listed below.)

Vol. II.—Reports by states, with statistics for counties, cities, and other civil divisions—Alabama to Montana. 1100 p.

Vol. III.—Same—Nebraska to Wyoming; Alaska, Hawaii, and Porto Rico. 1225 p.

Vol. IV.—Occupation statistics. 615 p.

AGRICULTURE:

Vol. V.—General report and analysis. 927 p. (Each chapter of this volume was printed as a separate. The titles are listed below.)

Vol. VI.—Reports by states, with statistics for counties—Alabama to Montana. 977 p.

Vol. VII.—Same—Nebraska to Wyoming; Alaska, Hawaii, and Porto Rico. 1013 p.

MANUFACTURES:

Vol. VIII.—General report and analysis. 845 p.

Vol. IX.—Reports by states, with statistics for principal cities. 1204 p.

Vol. X.—Reports for principal industries. 975 p. (Each of the reports for the industries shown in this volume was printed as a separate bulletin. The titles are given below under the heading "Manufactures industry bulletins.")

MINING:

Vol. XI.—Mines and quarries. 360 p.

REPRINTS OF CHAPTERS OF FINAL REPORTS.

Each of the chapters of Volume I of the final reports, which is the general report and analysis of the population statistics, was reprinted as a separate. The titles of the chapters are as follows:

I. Number of inhabitants. 104 p.
II. Color or race, nativity, and parentage. 122 p.
III. Sex distribution. 42 p.
IV. Age distribution. 218 p.
V. Marital condition. 132 p.
VI. State of birth. 92 p.
VII. Country of birth. 94 p.
VIII. Foreign white stock. 84 p.
IX. Mother tongue. 58 p.
X. Year of immigration. 16 p.
XI. Voting and militia ages. 64 p.
XII. School attendance. 88 p.
XIII. Illiteracy. 80 p.
XIV. Inability to speak English. 20 p.
XV. Dwellings and families. 8 p.
XVI. Ownership of homes. 74 p.

The following tables from Volume IV, Occupation statistics, have been reprinted as separates:

III. Occupations: Cities of 100,000 and over. 57 p.
IV. Occupations: Cities of 25,000 and over. 85 p.

V and IX. Occupation statistics: Alaska, Hawaii, and Porto Rico. 19 p.

The titles of the chapters of Volume V, the general report and analysis of the statistics of agriculture, each of which was reprinted as a separate, are as follows:

I. Farms and farm property. 70 p.
II. Farm tenure. 60 p.
III. Farm mortgages. 12 p.
IV. Statistics of farms, classified by race, nativity, and tenure of farmers. 88 p.
V. Size of farms. 70 p.
VI. Live stock on farms and elsewhere. 146 p.
VII. Live-stock products and domestic animals sold or slaughtered on farms. 58 p.
VIII. Summary for all crops. 34 p.
IX. Individual crops. 170 p.
X. Agricultural statistics, by counties. 92 p.
XI. Irrigation. 50 p.
XII. Plantations in the South. 13 p.

The following tables of Volume VIII, the general report and analysis of the statistics of manufactures, have been reprinted as separates:

Tables V and VI. 245 p. Table V.—Comparative summary—Principal industries, by states, 1909, 1904, and 1899. Table VI.—Number of establishments, persons engaged, power, capital, expenses, and value of products—Industries, by states, 1909.

Chapter XV and Table I. Description of individual industries with principal statistics for each. 145 p.

The following section of Volume X, Reports for principal industries, has been reprinted as a separate:

Statistics of manufactures for metropolitan districts, 1909. 77 p.

ABSTRACT OF THE CENSUS WITH STATE SUPPLEMENTS.

The Abstract of the Census, a volume of 503 pages, which is intended for general distribution, is prepared in such a way as to meet the needs of most persons desiring information concerning the results of the census. It contains in tabular form all important census statistics for the United States as a whole and for each state and principal city, together with a brief text and diagrams and maps explaining the figures and their meaning. The Abstract, therefore, is a condensation of the complete census reports, both tables and text, and not merely a compilation of tables.

The Abstract is issued in special editions, one for each state, each edition containing a supplement giving detailed statistics for counties, cities, and other civil divisions of the state to which it relates, designed to meet the needs of persons resident in that state or especially interested in it. The supplement contains also both tables and text. The information for each state thus printed in the Abstract is also found in the several series of state bulletins noted below, and in the volumes entitled "Reports by states" (Vols. I, III, VI, VII, and IX).

As a compact reference work of general and local interest the Abstract is more convenient for most persons than the voluminous final reports.

The following list gives a summary of the chapters:

INTRODUCTION.

POPULATION:

1. Number and distribution of inhabitants.
2. Color or race, nativity, and parentage; sex; population 21 years of age and over; males of militia age.
3. Age and marital condition.
4. State of birth of native population.
5. Population of foreign birth and foreign parentage, by country of origin.
6. Foreign-born population—Date of immigration.
7. School attendance and illiteracy.
8. Dwellings and families.

AGRICULTURE:

9. Farms and farm property.
10. Tenure, mortgage indebtedness, color and nativity of farmers, and size of farms.
11. Live stock on farms and elsewhere.
12. Live-stock products, and domestic animals sold or slaughtered on farms.
13. Farm crops—Acreage, production, and value.
14. Irrigation and irrigated crops.

MANUFACTURES:

15. Statistics for states, cities, and industries.

MINES AND QUARRIES:

16. Mines and quarries.

STATE BULLETINS.

The state bulletins, of which a few copies are available for distribution, give, each for a particular state, detailed results of the census for the main branches of population, agriculture, irrigation, and manufactures. These fall into several distinct series, as follows:

POPULATION:

First series.—By counties and minor civil divisions. Gives the population of the state, the density of population, and the urban and rural population, with tables showing the population in 1910 and 1900 for each county and for each minor civil division within the county.

Second series.—Gives composition and characteristics of the population, statistics of color, nativity, parentage, sex, citizenship, illiteracy, school attendance, and dwellings and families, with tables for all counties, and for cities having 2,500 or more inhabitants.

The contents of these bulletins were printed as Volumes II and III of the final reports.

AGRICULTURE:

First series.—Number of farms, farm property, live stock, principal crops, and farm expenses.

Second series.—Reproduces the material for the first series, and gives additional information in regard to tenure, live-stock products, and minor crops, and presents a complete record for each state and for each county of all the agricultural data gathered at the census of 1910.

The contents of these bulletins were printed as Volumes VI and VII of the final reports.

IRRIGATION:

Statistics of irrigation, farms and acreage irrigated, irrigation works, cost of construction, cost of operation and maintenance, and crops irrigated, issued separately as the following states: Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming, and in a single bulletin for Kansas, Nebraska, North Dakota, Oklahoma, South Dakota, and Texas.

The contents of these bulletins were printed in Volumes VI and VII in connection with the agricultural statistics of the states to which they relate.

MANUFACTURES:

Statistics for manufactures for the states and for principal cities and industries. The contents of these bulletins, which were issued for each state, and for principal industries, were reprinted as Volume IX, Reports by states, with statistics for principal cities, and Volume X, Reports for principal industries.

ABSTRACT BULLETINS.

Abstract bulletins give the general results of the census for the country as a whole by states, and, where applicable, by larger cities. All of the matter contained in them has been reprinted in greater detail in the final reports. The following bulletins were issued:

POPULATION:

Number and distribution of inhabitants. 55 p.
Color or race, nativity, parentage, sex, and males of voting and militia ages. 41 p.
School attendance and illiteracy. 39 p.
Age and marital condition. 47 p.
Country of birth. 32 p.
State of birth. 16 p.
Occupation statistics. 107 p.

AGRICULTURE:

Farms and farm property. 20 p.
General farm crops. 28 p.
Live stock on farms and elsewhere. 34 p.
Tenure, mortgage indebtedness, color and nativity of farmers, and size of farms. 24 p.
Crops. 36 p.
Live-stock products. 16 p.

IRRIGATION:

Irrigation in the United States. 12 p.

MANUFACTURES:

Manufactures—States, cities, and industries. 96 p.

MINES:

Mining industries in the United States. 24 p.
Coal mining. 55 p.
Iron mining. 25 p.

MANUFACTURES INDUSTRY BULLETINS.

All of the matter contained in these bulletins was reprinted without change in Volume X, Reports for principal industries, of the final volumes.

Agricultural implement industry. 12 p.
Automobiles, including bodies and parts. 17 p.
Bicycles, motorcycles, and parts. 6 p.
Blast-furnace, steel-works, and rolling-mill, wire, and tinplate and terneplate industries. 80 p.
Boots and shoes, including cut stock and findings. 20 p.
Butter, cheese, and condensed-milk industry. 23 p.
Canning and preserving. 23 p.
Carriage and wagon industry. 17 p.
Chemicals. 23 p.
Clay-products industry. 26 p.
Coke. 10 p.
Cordage and twine and jute and linen goods. 11 p.
Cotton goods, including cotton small wares. 30 p.
Dyeing and finishing textiles. 10 p.
Dyestuffs and extracts. 7 p.
Electrical machinery, apparatus, and supplies. 17 p.
Essential oils. 6 p.
Explosives. 7 p.
Fertilizer industry. 13 p.
Flour-mill and gristmill industry. 24 p.
Fur-felt hat industry. 8 p.
Gas. 19 p.
Glass. 12 p.
Glucose and starch. 8 p.
Hosiery and knit-goods industry. 25 p.
Ice. 15 p.
Leather glove and mitten industry. 12 p.
Leather industry. 19 p.
Lumber industry. 24 p.
Musical instruments and phonographs and graphophones. 17 p.
Oilcloth and linoleum. 7 p.
Paint and varnish industry. 13 p.
Paper and wood-pulp industry. 16 p.
Petroleum refining. 10 p.
Printing and publishing industry. 41 p.
Rice cleaning and polishing. 9 p.
Salt. 7 p.
Shipbuilding, including boat building. 19 p.
Silk manufactures. 25 p.
Slaughtering and meat-packing industry. 23 p.
Soap. 11 p.
Sugar. 15 p.
Sulphuric, nitric, and mixed acids. 9 p.
Steam laundries. 15 p.
Turpentine and rosin industry. 13 p.
Woolen, worsted, and felt goods, and wool hats, carpets and rugs, and shoddy. 48 p.

MISCELLANEOUS BULLETINS.

Besides abstract and state bulletins, which are designed for more general distribution, there have been issued the following bulletins containing additional data and discussion regarding selected topics. All of the matter contained in these bulletins appears in the final volumes to which they pertain.

Population of counties and equivalent subdivisions. 30 p.
Total population and area of the United States, by states and territories. 16 p.
Population of cities of 2,500 inhabitants and over. 46 p.
Center of population and median lines, continental United States. 8 p.
Population of counties and minor civil divisions, 1910, 1900, and 1890. 596 p.
Cities and their suburbs. 6 p.
Population of incorporated places. 111 p.
Occupation statistics. 107 p. This bulletin contains the principal statistics for occupations, with explanation and analytical text shown in Volume IV.
Irrigation for rice growing—Louisiana, Texas, and Arkansas. 14 p.
Irrigation in Kansas, Nebraska, North Dakota, Oklahoma, South Dakota, and Texas (exclusive of irrigation for rice). 36 p.
Chemicals and allied products, 1909. 99 p. This bulletin is a combination of the separately issued bulletins for general chemicals; bone, carbon, and lampblack; dyestuffs and extracts; explosives; fertilizers; essential oils; paint and varnish; sulphuric, nitric, and mixed acids; and wood distillation.
Textiles, 1909. 175 p. This bulletin is a combination of the separately issued bulletins covering the textile industries: Cotton manufactures; hosiery and knit goods; woolen, worsted, and felt goods, and wool hats; carpets and rugs; shoddy; wool pulling; wool scouring; fur-felt hats; silk manufactures; cordage and twine and jute and linen goods; and the dyeing and printing of textiles.
Metropolitan districts, 1909. 77 p. This bulletin includes the statistics of manufactures for the following metropolitan districts: New York City, Chicago, Philadelphia, Pittsburgh, Boston, St. Louis, Cleveland, Buffalo, Detroit, Cincinnati, Baltimore, Minneapolis-St. Paul, and San Francisco-Oakland.

SPECIAL BULLETINS.

The four bulletins named below contain statistical compilations not found in the final reports of the Thirteenth Census.

Population of New York City, by enumeration districts. 23 p.
Statistics of the Indian population—number, tribes, sex, age, fecundity, and vitality. 25 p.
Age of farmers, by color of operator, character of tenure, and size of farm. 35 p.
Stability of farm operators, or term of occupancy of farms. 32 p.

COLUMBIA UNIVERSITY LIBRARIES
0055757014

HA5
Q
20261
U. S. Bureau of the census.

SEP 30 1940